

THE ROYAL SOCIETY OF HEALTH

FOR THE PROMOTION

Founded 1876

LIBRARY REGULATIONS

(a) Books, periodicals and pamphlets may be borrowed by Fellows, Members, Licentiate Members, Associates and Affiliates personally or by a messenger producing a written order. The person to whom such publications are delivered shall sign a receipt for them in a book provided for that purpose.

(b) Publications may be borrowed through the post upon a written order. An acknowledgement of the receipt of such publications must be made on the form provided and returned to the Society immediately. Failing this, it will be assumed that the borrower has received the books, for which he will accordingly be held responsible. The postage of publications returned to the Society shall be defrayed by the borrower.

(c) A borrower may not have more than three publications in his possession at one time.

(d) A borrower will be considered liable for the value of any publication lost or damaged while on loan to him, and, if it be a single volume or part of a set, for the value of the whole work thereby rendered imperfect. Marking or writing in the publications is not permitted, and borrowers are requested to call attention to damage of this character.

(e) **Books and pamphlets may be retained for twenty-eight days. Periodicals may be retained for fourteen days. Applications for extension of the loan period must be made in writing before its expiry.** This loan period cannot be extended without application being made to the Secretary of the Society whose decision in this matter must be accepted as final and binding.

(f) Books and pamphlets added to the Library will not be lent until after the expiry of one month from the date received. The current number of a periodical may not be borrowed.

(g) Borrowers retaining publications longer than the time specified, and neglecting to return them when demanded, forfeit the right to borrow until they be returned, and for such further time as may be ordered by the Council.

Any borrower failing to comply with a request for the return of a publication shall be considered liable for the cost of replacing it, and the Council, may, after giving due notice to him, order it to be replaced at his expense.

No publication may be reissued to the same borrower until at least seven days have elapsed after its return, neither may it be transferred by one borrower to another.

(h) **Publications may not be taken or sent out of the United Kingdom.**

(i) Publications returned through the post must be securely packed and adequately protected.

(j) Parcels should be addressed: THE LIBRARIAN,

THE ROYAL SOCIETY OF HEALTH

90 BUCKINGHAM PALACE ROAD, LONDON, S.W.1

O.B., Truro.

—February, 1963



22500032023

THE ROYAL SOCIETY OF HEALTH

FOR THE PROMOTION

90 Buckingham Palace Road, London, S.W.1

Class No. NABA/40.

Acc. No. 27439

This book is returnable on or before the last date Marked below

--	--

ANNUAL REPORT OF THE
REGISTRAR-GENERAL FOR
SCOTLAND 1960

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOMec
Call	SW
No.	WA

EDINBURGH
HER MAJESTY'S STATIONERY OFFICE



Annual Report of the Registrar-General for Scotland

1960

No. 106

EDINBURGH

HER MAJESTY'S STATIONERY OFFICE

1961

Table of Contents

INTRODUCTORY LETTER

TEXT

INTRODUCTION

Page

Chapter 1. ESTIMATED POPULATION	1
---	---

Chapter 2. LIVE BIRTHS

Numbers	3
Rates	3
Ratio of male to female births	3
Monthly birth-rates	3
Multiple births	3
Illegitimate births	4
International rates	4
Fertility	4
Population (Statistics) Acts, 1938 and 1960	6
Gross and net reproduction rate	6
Age of mother	7
Age of mother and duration of marriage	8
Age of mother and duration of marriage—First births	8
Age of mother and birth order	9
Duration of marriage and birth order	9
Infertility among women who had been married	10

Chapter 3. MARRIAGES

Numbers and rates	10
Seasonal incidence	10
Urban and rural rates	11
Ecclesiastical and civil marriages	11
Civil marriages	12
International rates	12

Chapter 4. DIVORCES

Number of decrees	12
Trends	12
Divorce statistics of persons married in Scotland	13

Chapter 5. MORTALITY—GENERAL

Numbers	15
Crude and standardised death-rates	15
Area death-rates	16
Death-rates by age and sex	17
International death-rates	17
Centenarians	18

Chapter 6. CAUSES OF DEATH

Certification	18
Principal epidemic diseases	18
Tuberculosis	19
Respiratory tuberculosis	19
Non-respiratory tuberculosis	20
Other infective and parasitic diseases	20
Malignant neoplasms	21
Diabetes	26
Anæmias	26
Other general diseases	26
Diseases of the nervous system	26

Chapter 6. CAUSES OF DEATH (<i>continued</i>)	Page
Diseases of the circulatory system	26
Diseases of the respiratory system	28
Diseases of the digestive system	29
Diseases of the genito-urinary system	29
Diseases of pregnancy and childbirth	29
Diseases of skin and cellular tissue	30
Diseases of bones and organs of movement	30
Malformations	30
Diseases of early infancy	31
Senility	31
Violence	32
Accidents	
Transport	32
Home	32
Residential Institutions	33
Mines and Quarries	34
Farm and Forest	34
Industrial places	34
Street and Highway	34
Other specified places	34
Suicide	34
Accidental and suicidal poisoning	34
Anæsthesia	34
Relative frequency of cause of death	34
 Chapter 7. INFANT MORTALITY	
Numbers	35
National rates	35
Seasonal incidence	36
Area rates	36
International rates	36
Legitimacy and illegitimacy	36
Age and sex	37
Neonatal and postneonatal mortality trends	37
Neonatal and postneonatal mortality—legitimacy	38
Neonatal and postneonatal mortality—social class	38
Causes of death, by age and sex	40
Causes of death, trends	40
Causes of death, by month of registration	41
Causes of death, by social class	41
 Chapter 8. STILLBIRTHS	
Numbers and rates	43
Area death rates	43
Stillbirth and neonatal death rates	44
Age of Mother and number of previous children	45
Illegitimate stillbirths	47
Multiple births	48
Causes of Death	48
Certification	48
Principal causes	48
Death rates	49
Trends	49
Sex ratio and rates	50
Causes by parity	51
Illegitimate stillbirths by cause	51
Seasonal incidence	51
Place of occurrence	51
Local authority areas	52
Social class	52
Causes	52
Area rates	52
Trends	53

Chapter 9. PERINATAL MORTALITY	Page
Definition	54
Numbers and rates	54
Area rates	54
Age of mother and birth order	54
Causes of death	56

Chapter 10. LIFE TABLES	60
-----------------------------------	----

Chapter 11. REGISTRATION SERVICE	
Re-registration of Births	62
Adopted Children Register	62
Registers in General Registry Office	63

APPENDICES

I. FERTILITY OF WOMEN	
<i>Now incorporated in Chapter 2—Live Births.</i>	
II. STILLBIRTHS	
<i>This is now Chapter 8.</i>	
III. SOCIAL CLASS	
<i>Now incorporated in Chapters 7 and 8.</i>	
IV. MARRIAGES	
Additional statistics regarding Marriages in 1959	64
V. PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS	70
VI. ALTERATION OF BOUNDARIES	
Burghs, Landward Areas, Parishes and Registration Districts.	71
VII. REGISTRATION OF BIRTHS, ETC.	
<i>This is now Chapter 11—Registration Service.</i>	
VIII. INHABITED HOUSES	71
IX. PERINATAL DEATHS CLASSIFIED TO STILLBIRTH CAUSES	
<i>This is now Chapter 9.</i>	
X. CENTRAL CLYDESDIDE CONURBATION	72
This Appendix was formerly included at the end of the general text.	
XI. METEOROLOGICAL NOTES	
Report of the weather in Scotland for the year 1960	74

TEXT TABLES

Chapter 1. ESTIMATED POPULATION	
1.1 Age distribution of the population of Scotland, 1861-1960	2
1.2 Census population 1951 and estimated populations 1952-1960 Scotland by Local Authority Districts and Central Clydeside Conurbation	2
Chapter 2. LIVE BIRTHS	
2.1 Birth-rates in Scotland by local authority districts, 1960	3
2.2 Multiple births, 1960	4
2.3 International birth-rates, 1960	4
2.4 Birth-rate in Scotland, per 1,000 women aged 15-44, 1861-1951	5
2.5 Crude birth-rate per 1,000 women aged 15-44 in Scotland, 1931-1960	6
2.6 Crude birth-rate; gross and net reproduction rates 1939-1960	7
2.7 Legitimate births by age of mother, 1939, 1947-1960	7
2.8 Fertility rates by age of mother, 1939, 1947-1960	8
2.9 Percentage of first births taking place within eight months of date of present marriage	9

Chapter 2. LIVE BIRTHS (<i>continued</i>)	Page
2.10 Number of births by present husband which are first, second, etc.	9
2.11 Average number of children by present husband in family including stillborn and dead 1939, 1949-1960	10
2.12 Percentage of women who have been married and who at death are stated to have had no children	10
Chapter 3. MARRIAGES	
3.1 Monthly incidence of marriage—Scotland 1861-1960	11
3.2 Marriages in Scotland by local authority districts, 1960	11
3.3 Ecclesiastical and Civil Marriages in Scotland by local Authority areas, 1960	12
3.4 International marriage-rates, 1960	12
Chapter 4. DIVORCES	
4.1 Number of divorces etc. in Scotland 1855-1960	13
4.2 Divorces 1948-1960—Conjugal condition at time of marriage	13
4.3 Age of wife in relation to age of husband at time of divorce—1960	14
4.4 Age of wife at time of marriage in relation to age of husband—1960	14
4.5 Age of wife at time of divorce and duration of marriage—1960	14
4.6 Duration of marriage—1960	15
Chapter 5. MORTALITY. GENERAL	
5.1 Crude and standardised death-rates per 1,000 of population 1931-1960	16
5.2 Deaths and death-rates in Scotland and its groups of local authority districts, 1960	16
5.3 Age group death-rates per 1,000 of population, 1911-1960	17
5.4 Death-rates per 1,000 of population in various countries, 1960	17
Chapter 6. CAUSES OF DEATH	
6.1 Deaths associated with influenza but not classified as such, 1960	19
6.2 Death-rates per 100,000 from respiratory forms of tuberculosis, 1938-1960	20
6.3 Deaths from syphilis and its sequelæ 1855-1960	21
6.4 Death-rate per 100,000 population from malignant disease 1931-1960	22
6.5 Death-rates per million from cancer of bronchus and lung 1951-1960	23
6.6 Age specific death-rates for principal cancer sites 1920-1922 to 1960	24
6.7 Age specific death-rates for heart sites 1920-1922 to 1960	27
6.8 Age specific death-rates for bronchitis 1920-1922 to 1960	28
6.9 Deaths and death-rates from puerperal conditions in Scotland and its groups of local authority districts, 1960	29
6.10 Deaths associated with pregnancy and parturition, but not classified as puerperal, 1960	30
6.11 Deaths from congenital malformations 1960	31
6.12 Death-rates per 1,000 live births from congenital malformations and diseases of early infancy, 1960	31
6.13 Deaths from road transport accidents 1934-1960	32
6.14 Deaths from accidents in the home 1960	33
6.15 Death rate per 100,000 from accidental deaths (excluding transport accidents) 1960	34
6.16 Relative frequency of cause of death, 1959, 1960	35
Chapter 7. INFANT MORTALITY	
7.1 Infant mortality rates in local authority districts and regional landward divisions, 1950, 1959, 1960	36
7.2 Infant mortality in various countries, 1960	36
7.3 Infant mortality per 1,000 live births, by age and sex 1922-1960	37
7.4 Neonatal and post-neonatal rates 1911-1960	38
7.5 Neonatal and post-neonatal mortality rates according to social class, 1939, 1946-1960	39
7.6 Infant mortality in Scotland, the cities, large burghs and counties according to social class, 1960	40
7.7 Infant mortality per 10,000 live births, by cause and social class 1950-1960	42

Chapter 8. STILLBIRTHS		Page
8.1	Stillbirths per 1,000 births (live and still) by divisions 1960	43
8.2	Stillbirths per 1,000 births (live and still) by areas 1960	44
8.3	Stillbirth and neonatal death-rates per 1,000 total births (live and still) 1939-1960	45
8.4	Stillbirths per 1,000 births (live and still) by age of mother 1939-1960	46
8.5	Legitimate stillbirths per 1,000 legitimate births (live and still), by age and birth order of mother, 1960	46
8.6	Legitimate stillbirths per 1,000 legitimate births (live and still) by age of mother and number of previous children, 1960	47
8.7	Stillbirths per 1,000 births (live and still) by number of previous children to mother, 1939 to 1960	47
8.8	Percentage of live births and stillbirths which were illegitimate 1939-1960	48
8.9	Stillbirths per 1,000 births (live and still) by age of mother and cause of death groups, 1960	49
8.10	Stillbirths per 1,000 births (live and still) by cause of death groups, 1939-1960	50
8.11	Causes of stillbirths—ratio of males to females, 1959 and 1960	50
8.12	Male and female stillbirth-rates, by cause of deaths, 1939-1941 and 1958-1960	51
8.13	Stillbirth-rates per 1,000 births (live and still) among married mothers, 1960	51
8.14	Quarterly stillbirth-rates, by cause of death, 1960	51
8.15	Legitimate stillbirth-rates by cause of death and according to social class 1950-1960	52
8.16	Stillbirths in Scotland, the cities, large burghs and counties according to social class 1960	53
8.17	Stillbirth-rates according to social class, 1939 and 1946-1960	54
Chapter 9. PERINATAL MORTALITY		
9.1	Legitimate births; Perinatal mortality and rates per 1,000 total births by age of mother, birth order and social class	55
9.2	Perinatal deaths classified to Stillbirth Cause List 1960	57
Chapter 10. LIFE TABLES		
10.1	Abridged Life Table 1960—Scotland	61
10.2	Expectation of Life, 1861 to 1960—Scotland	61
Chapter 11. REGISTRATION SERVICE		
11.1	Re-registration of births of legitimated persons 1935-1960	62
11.2	Number of Adoptions, 1930-1960	62
11.3	Searches, Extracts and Fees 1937-1960	62
Appendix IV. ADDITIONAL STATISTICS RELATING TO MARRIAGES IN 1959		
IV.1	Number of marriages and marriage-rates, 1951- to 1959	64
IV.2	Ecclesiastical Marriages in Scotland, 1959 following Proclamation of Banns, Publication of Notice or Licence granted by Sheriff	65
IV.3	Marriages in Scotland, 1959 by denomination and order of frequency	66
IV.4	Conjugal condition of contracting parties, 1959	66
IV.5	Civil condition of persons marrying 1855-1959	67
IV.6	Marriage of divorced persons, 1932-1959	67
IV.7	Average age at marriage 1861-1959	68
IV.8	Average age at marriage according to conjugal condition	68
IV.9	Age at marriage 1938 and 1948 to 1959	69
IV.10	Percentage married in each age-group, 1938, 1949, 1959	70
Appendix X. CENTRAL CLYDESIDE CONURBATION		
X.1	Vital statistics of Central Clydeside Conurbation, 1960	72
X.2	Certain specific causes of death in the Clydeside Conurbation and the rest of Scotland with their corresponding rates per 100,000 of population 1960	73
X.3	Death-rates per 100,000 of population from selected causes in the conurbation, Glasgow, and remainder of Conurbation	73

XI.1	District values of Air Temperature, Rainfall and Sunshine	78
XI.2	Summary table of mean values of air temperatures at the principal stations, together with extremes of temperature for Scotland and generalised figures for the United Kingdom	79
XI.3	Number of hours bright sunshine	80
XI.4	Monthly and Annual amounts of rainfall and number of days of rain at selected stations	82

GENERAL TABLES

BIRTHS, DEATHS AND MARRIAGES

1.	Population, Births, Stillbirths, Deaths and Marriages in Scotland 1855 to 1960, with Quinquennial averages	86
1A.	Estimated Populations, Total, De Facto and Civilian by sex and age as at 30th June, 1960	88
1B.	Estimated Total Population by sex, age and marital condition, as at 30th June 1960	88
1C.	Estimated Total Population mid-1959 projected to mid-1980 by sex and age	89
2.	Birth, Stillbirth, Death and Marriage rates, Scotland, 1855 to 1960, with Quinquennial averages	90
3.	Births, Stillbirths, Deaths and Marriages by Quarters, Scotland 1950 to 1960	92
4.	Birth, Stillbirth, Death and Marriage rates, Scotland, Counties of Cities, Large Burghs, and Counties, 1960	93
5.	Birth, Stillbirth, Death and Marriage rates, Small Burghs, 1960	96
6.	Birth, Stillbirth, Death and Marriage rates, Landward Areas, 1960	99

GENERAL REGISTRATION SUMMARY

7.	Births, Stillbirths, Deaths and Marriages, Scotland, Counties of Cities, Large Burghs, and Counties, 1960	100
----	--	-----

BIRTHS

8.	Birth-rate among married and unmarried women, Scotland, Counties of Cities, Large Burghs and Counties, 1960	101
	See also Tables 7 and 63.	

FERTILITY OF WOMEN

9.	Births by single age of mother, sex and legitimacy, Scotland, 1960	103
10.	Births by age of mother and duration of marriage, Scotland, 1960	104
11.	Fertility by age of mother, Scotland, 1960	105
12.	Interval between marriage and birth of first child, Scotland, 1960	106
13.	Number of previous children by age of mother, Scotland, 1960	107
14.	Number of previous children by duration of marriage, Scotland, 1960	108
15.	Deaths of married, widowed and divorced women by age-groups who died childless, Scotland, 1960	109
16.	Deaths of women by duration of marriage, and number who died childless Scotland, 1960	110
17.	Deaths from selected causes and age-groups of women who had been married, Scotland, 1960	111

STILLBIRTHS

18.	Number and rates of stillbirths and neo-natal deaths, Scotland, Counties of Cities, Large Burghs and Counties, 1960	112
19.	Stillbirths by age of mother and number of previous children, Scotland, 1960	114
20.	Multiple confinements (all births live and still) by age of mother, 1960	115
21.	Stillbirths by cause and age of mother, Scotland, 1960	116
21A.	Stillbirths by cause of death, Scotland, 1950-1960	119
22.	Stillbirths by cause and order of birth, Scotland, 1960	122
23.	Stillbirths by cause and month of registration, Scotland, 1960	124
23A.	Stillbirths by cause and place of occurrence, Scotland, 1960	126
24.	Stillbirths by cause in Public Health Districts of Scotland, 1960	127

BIRTHS, STILLBIRTHS AND INFANT DEATHS BY SOCIAL CLASS		<i>Page</i>
25.	Legitimate stillbirths by cause and social classification, Scotland, 1960	131
26.	Deaths of legitimate children under one year from selected causes by social classification, Scotland, 1960	133
27.	Stillbirths by social classification, age of mother and number of previous children, Scotland, 1960	134
28.	Live births by social classification, age of mother and number of previous children, Scotland, 1960	135
28A.	Deaths of infants under one week by social classification, age of mother and number of previous children, Scotland, 1960	136
28B.	Deaths of infants under four weeks by social classification, age of mother and number of previous children, Scotland, 1960	137
DEATHS		
29.	Children under one year, deaths from selected causes, Scotland, 1960	138
29A.	Deaths and death-rates per 1,000 live births by cause and sex under one year of age 1950-1960	139
30.	Children under one year, deaths from selected causes by month of registration, Scotland, 1960	141
31.	Children under one year, births, deaths and death-rates by age periods, Scotland, Counties of Cities, Large Burghs and Counties, 1960	142
32.	Children under one year, deaths by selected age-groups, Scotland, 1960	144
33.	Ages at death, Scotland, and aggregate of Counties of Cities, Large Burghs, Counties ex Large Burghs, Small Burghs and Landward Areas, 1960	145
34.	Deaths, male and female, by year of age and conjugal condition, Scotland, 1960	146
35.	Deaths and death-rates from selected causes by age groups, Scotland, 1960	148
36.	Deaths and death-rates from selected causes, Scotland, and aggregate of Counties of Cities, Large Burghs, Small Burghs and Landward Areas, 1960	152
37.	Deaths from selected causes and in age-groups, Scotland, 1952-1960	154
38.	Death-rates from selected causes and in age-groups, Scotland, 1952-1960	156
39.	Deaths from principal epidemic and certain other diseases, Scotland, 1855-1960	158
40.	Death-rates from principal epidemic and certain other diseases, Scotland, 1855-1960	159
41A.	Deaths in Scotland from non-transport accidents by place of occurrence, age and sex, 1960	160
41B.	Deaths from poisoning in Scotland, 1960	162
41C.	Deaths under Anæsthetics (Secondary Causes) in Scotland, 1960	163
Detailed International List		
42.	Causes of death by sex Scotland 1950-1960 and by age and sex, 1960	164
Intermediate International List A		
43.	Causes of death by months (Persons) Scotland, 1960	207
44A.	Deaths in Scotland by sex and age-groups, 1960	212
44B.	Deaths in Cities over 100,000 population (Glasgow, Edinburgh Aberdeen, and Dundee) by sex and age-groups, 1960	220
44C.	Deaths in aggregate of Large Burghs in Scotland by sex and age-groups, 1960	228
44D.	Deaths in aggregate of Small Burghs in Scotland by sex and age-groups, 1960	236
44E.	Deaths in aggregate of Landward Areas in Scotland by sex and age-groups, 1960	244
44F.	Deaths in Central Clydeside Conurbation in Scotland by sex and age-groups, 1960	252
45.	Causes of deaths in Public Health Districts of Scotland (Persons) 1960	260
Abbreviated International List B		
46.	Causes of death by age-groups in Public Health Districts of Scotland (males and females) 1960 (including separate particulars for the insular portions of Inverness and Ross and Cromarty Counties)	272
47.	Statistical Abstract, Population, Births, Stillbirths, Marriages, Deaths, Causes of Death, Ages at Death, Scotland, Counties, Counties of Cities, Burghs, and Landward Areas, 1960	332

DEATHS (*continued*)

	<i>Page</i>		<i>Page</i>
County of Aberdeen	332	County of Lanark	356
Do. Angus	336	Do. Midlothian	358
Do. Argyll	336	Do. Moray	360
Do. Ayr	338	Do. Nairn	360
Do. Banff	340	Do. Orkney	360
Do. Berwick	342	Do. Peebles	362
Do. Bute	344	Do. Perth	362
Do. Caithness	344	Do. Renfrew	364
Do. Clackmannan	344	Do. Ross and Cromarty	366
Do. Dumfries	346	Do. Roxburgh	366
Do. Dunbarton	346	Do. Selkirk	368
Do. East Lothian	348	Do. Stirling	368
Do. Fife	350	Do. Sutherland	370
Do. Inverness	354	Do. West Lothian	370
Do. Kincardine	354	Do. Wigtown	372
Do. Kinross	354	Do. Zetland	372
Do. Kirkcudbright	356		

STANDARDISED RATES

48. Standardised mortality ratios, age specific death rates and infant mortality rates from selected causes in 1960 in England and Wales, Scotland, Northern Ireland and Irish Republic	374
---	-----

MARRIAGES

49. Method of celebration, etc., of marriages, 1855 to 1959	380
50. Ecclesiastical, Civil and Irregular Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1959	381
51. Marriages according to Church of Celebration, Scotland, Counties of Cities, Large Burghs and Counties, 1959	382
52. Conjugal Condition of Persons marrying, Scotland, Counties of Cities, Large Burghs and Counties, 1959	383
53. Ages of Men at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1959	384
54. Ages of Women at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1959	386
54A. Age and conjugal condition of men marrying in Scotland, 1959	388
54B. Age and conjugal condition of women marrying in Scotland, 1959	390
55. Ages in combination of men and women at marriage, Scotland, 1959	392
56. Ages in combination of bachelors and spinsters at marriage, Scotland, 1959	393
57. Ages in combination of bachelors and widows at marriage, Scotland, 1959	394
58. Ages in combination of widowers and spinsters at marriage, Scotland, 1959	395
59. Ages in combination of widowers and widows at marriage, Scotland, 1959	396
59A. Ages in combination of divorced men and of women (all conjugal conditions) at marriage, Scotland, 1959	397
59B. Ages in combination of men (all conjugal conditions) and of divorced women at marriage, Scotland, 1959	398
See also Tables 7 and 63.	

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

60. Parliamentary Electors on the February 1960 Register	399
61. Local Government Electors and analysis of local elections on the February 1960 Register	402

INHABITED HOUSES

62. Return of Inhabited Houses in Scotland 1939 and 1956-1960	413
---	-----

METEOROLOGY

63. Meteorology of Scotland for 1960; also number of births, stillbirths, deaths deaths under one year and marriages by months, with rates	419
64. Deaths, temperature and rainfall for each week of 1960—seventeen Large Burghs	420
See also Tables XI.1, XI.2, XI.3 and XI.4, pages 77 to 85.	

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1960

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,
NEW REGISTER HOUSE,
EDINBURGH, *19th December, 1961.*

SIR,

I have the honour, in compliance with the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, to submit, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1960.

I am, Sir,

Your obedient Servant,

ALEX. B. TAYLOR,
Registrar-General.

To THE RIGHT HONOURABLE

JOHN S. MACLAY, C.M.G., M.P.,
SECRETARY OF STATE FOR SCOTLAND.

Introduction

Population. The estimated population of Scotland at 30th June, 1960, was 5,208,000 and was 16,300 more than in the previous year. The natural increase (excess of births over deaths) during the period was 39,700, but the effect of this on the population was reduced to the figure of 16,300 referred to by a net outward movement of the population.

Births. The births registered in Scotland during the year 1960 numbered 101,292, giving a rate of 19.45 per thousand of population. This rate is 0.33 above the 1959 rate and 0.66 above the average.

Marriages. 40,101 marriages were registered, 341 fewer than in 1959. The rate of 7.70 per thousand of the population is 0.5 below the average.

Deaths. 61,764 deaths were registered and the rate per thousand of the population was 11.86, 0.29 less than the rate for 1959.

Infant Mortality. Deaths of children under one year of age numbered 2,673 and equal a rate of 26.4 per 1,000 live births, the lowest ever recorded in Scotland.

Maternal Mortality. Deaths from diseases and accidents of pregnancy and childbirth numbered 35, one fewer than in 1959. This represented a rate of 3 for every 10,000 births (live and still), the lowest ever recorded in Scotland.

Expectation of Life. The expectation of life at birth on the experience of the mortality of 1960 is 66.4 years for males and 71.9 for females.

Explanatory Notes

Lay-out of this Report

The lay-out of this Report has been altered with a view to easier reference to the various sections. The general text has been divided into chapters and each paragraph has been numbered. Four of the previous appendices have been incorporated in the main Report and the chapter number of each is shown in the Table of Contents under the heading "Appendices".

Text Tables have also been given numbers appropriate to the chapters in which they are included.

New Tables

The following new Tables have been included in this Report:

- 28A Deaths of infants under one week by social classification, age of mother and number of previous children, Scotland 1960.
- 28B Deaths of infants under four weeks by social classification, age of mother and number of previous children, Scotland 1960
- 29A Deaths and death-rates per 1,000 live births by cause and sex under one year of age, 1950-1960

Definitions

Stillbirth. A child which has issued forth from its mother after the 28th week of pregnancy which did not breathe or show any other sign of life.

Perinatal mortality, in this report, includes stillbirths and deaths in the first week of life.

Neonatal mortality, includes deaths in the first four weeks of life.

Postneonatal mortality, includes deaths after the first four weeks but before the end of the first year.

Infant mortality, includes all deaths in the first year of life.

Social Class. Social classes are assigned according to the occupation of the father as stated at birth registration in accordance with the Classification of Occupations*.

Social Class I: Professional etc. occupations

Social Class II: Intermediate occupations

Social Class III: Skilled occupations

Social Class IV: Partly-skilled occupations

Social Class V: Unskilled

*General Register Office: Classification of Occupations, 1960. London, 1960.

General Notes

(1) To save repetition, any references to an average or average rate will, unless the contrary is indicated, be intended as references to the average for the five years 1955 to 1959.

(2) The home or de facto population is used for the calculation of the birth, death and marriage-rates.

(3) Births, stillbirths and deaths are corrected throughout this Report by transfer where necessary to usual place of residence, if in Scotland, but marriage figures are as registered.

(4) Throughout the Report "year" means "calendar year" except where otherwise specified.

Report 1960

Chapter 1. Estimated Population

1.1 The estimated population of Scotland at 30th June, 1960 was 5,208,000, and was 16,300 more than in the previous year.

1.2 Since 1951 these estimates have been based upon the figures obtained at the census in that year, adjusted to take account of the natural increase (excess of births over deaths) and such information as is available about movement into and out of Scotland. This movement comprises emigration and immigration in the ordinary sense of these terms, movements of workers on civil engineering projects and admission to, discharge from, and movement of H.M. Forces, these factors operating differently at different times.

1.3 The natural increase in the year to 30th June, 1960 was 39,700 compared with 36,400 in 1959. As in every year since 1951, the estimated numbers moving out of Scotland, whether for purposes of emigration in the ordinary sense or otherwise, have been in excess of the estimated numbers moving in. In the year to 30th June, 1960, the estimated net outward movement was 23,400, thus reducing the effect of the natural increase to the increase of 16,300 given above. Of those who migrated it is estimated that there were net losses of 18,600 to the rest of the United Kingdom and 8,700 overseas. In 1959 the estimated net outward movement, emigration and otherwise (13,800) reduced the effect of the natural increase to 22,700.

1.4 Table 1, as in previous Reports, gives the estimated mid-year population in 1960. Since 1951 the estimated population has been the "home" or "de facto" population, comprising the population of all types actually in Scotland, and thus including all armed forces in Scotland whether or not of Scottish domicile but excluding members of H.M. Forces of Scottish domicile serving outwith Scotland and the Merchant Navy abroad. The "home" population has been used since 1951 as a basis for calculating the birth, death and marriage rates in these Reports.

1.5 It is sometimes also convenient to have estimates of the "civilian" population (all armed forces and merchant navy at home and abroad being excluded); and the "total" population (i.e. the "home" population, members of H.M. Forces of Scottish domicile serving out of Scotland and of the Merchant Navy abroad, but excluding Forces stationed in Scotland who are not of Scottish domicile). Table 1A shows these additional population figures along with the "home" population, analysing all three by age and sex. Table 1B analyses the "total" population by age, sex and marital condition.

1.6 Changes in the age structure of the population over a period are of interest. Table 1.1 below shows the age distribution according to three age groups at different dates since 1861. It will be noted that the proportion of the total population aged 65 and over has more than doubled between 1901 and 1951; and that it has been rising since then, being in 1960 2.2 times the proportion in 1901.

1.7 Table 1c shows a projection of the total population of Scotland by sex and age at five-yearly intervals from 1960 to 1980. This projection has been prepared by the Government Actuary's Department in consultation with the Registrar-General.

1.8 A distinctive feature of the population of Scotland is its distribution—a much higher number living in urban than rural areas and in cities than in large burghs. The Central Clydesdale Conurbation (defined on page 72) occupying just over one per cent. of the area of Scotland has a population about one-third of the total population of Scotland.

Table 1.1
Age Distribution of the Population of Scotland, 1861-1960

Year	Proportion per 1,000 of total population in each age-group		
	0-14	15-64	Over 65
1861 Census	361	591	49
1901 „	334	617	48
1951 „	246	654	99
1952 Estimate	247	652	100
1953 „	247	651	101
1954 „	248	650	102
1955 „	249	649	102
1956 „	250	647	102
1957 „	252	645	103
1958 „	253	643	104
1959 „	254	642	104
1960 „	256	640	104

1.9 Studies of long term trends can be appropriately made only in the Census Reports, but Table 1.2 shows something of the apparent trends since 1951.

1.10 Since 1951 the small burghs have taken first place as gainers of population and the large burghs second place. In the four counties of cities there has been a slight decrease in population since 1951. In the landward areas of counties the population has fluctuated, the total number in 1960 being a little above the total number in 1951.

Table 1.2 Census Population 1951 and Estimated Populations 1952-60, Scotland by Local Authority Districts and Central Clydeside Conurbation

Year	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward	Central Clydeside Conurbation
1951	5,096,415	1,926,903	828,389	817,623	1,523,500	1,762,053
1952	5,114,624	1,923,584	836,054	838,130	1,516,856	1,761,113
1953	5,117,612	1,917,506	839,844	840,198	1,520,064	1,762,437
1954	5,123,336	1,915,223	844,214	842,333	1,521,566	1,765,414
1955	5,133,292	1,914,652	848,644	844,925	1,525,071	1,770,340
1956	5,144,578	1,913,486	855,019	848,290	1,527,783	1,777,589
1957	5,150,020	1,910,450	860,430	850,745	1,528,395	1,782,170
1958	5,168,992	1,912,884	867,844	867,691	1,520,573	1,790,658
1959	5,191,660	1,913,678	875,023	874,938	1,528,021	1,798,464
1960	5,208,000	1,910,189	880,831	881,194	1,535,786	1,802,466

1.11 The ratio of the population in the Central Clydeside Conurbation to the population in the rest of Scotland has not changed very much since 1951. Both have increased but the increase is slightly greater proportionately in the Conurbation.

Chapter 2. Live Births

Numbers

2.1 There were 101,292 live births registered in Scotland during 1960 of whom 51,938 were males and 49,354 females. In recent years the number of births has been increasing and in 1960 was 2,041 more than in 1959 and 4,380 above the average.

Rates

2.2 The birth-rate was 19.45 per 1,000 population compared with 19.12 in 1959 and the average rate of 18.79. In the immediate post-war years the birth-rate stood at a high level but it declined in the early 1950's. Since 1954 there has been an upward trend and the rate in 1960 is the highest recorded since 1948 when it was 19.69.

2.3 It will be seen from Table 2.1 that the birth-rate was 20.2 in the cities, 20.6 in the large burghs, 18.4 in the small burghs and 18.5 in landward areas. Local authority area birth-rates, both crude and standardised for age and sex, are given in Tables 4, 5 and 6.

Table 2.1
Birth-rate in Scotland and its Groups of Public Health Districts in 1960

GROUPS OF DISTRICTS	Live Births					Birth-rate per 1,000 of Estimated Population			Illegitimate Births per 100 Live Births
	Total	Legitimate		Illegitimate		Total	Legitimate	Illegitimate	
		Males	Females	Males	Females				
Counties of Cities .	38,557	18,596	17,896	1,075	990	20.18	19.10	1.08	5.36
Large Burghs .	18,189	9,040	8,491	348	310	20.65	19.90	0.75	3.62
Small Burghs .	16,186	8,083	7,546	288	269	18.37	17.74	0.63	3.44
Landward .	28,360	13,922	13,309	586	543	18.47	17.73	0.74	3.98
SCOTLAND .	101,292	49,641	47,242	2,297	2,112	19.45	18.60	0.85	4.35

Ratio of male to female births

2.4 In 1960 there were 1,052 male births to every 1,000 female births. The ratio is 10 below that in 1959 and 5 below the average. The highest average ratio of male to female births so far recorded was 1,063 : 1,000 in the period 1946 to 1950.

Monthly birth-rates

2.5 As will be seen from Table 63, the monthly birth-rates were generally highest in the first six months of the year. They ranged from 20.4 in April to 18.4 in January.

Multiple births

2.6 The total number of women who gave birth to children, both live and still, in 1960 was 102,275. An analysis of these confinements according to plurality is given in table 2.2 from which it will be seen that there were 101,022 single births, 1,237 twin births and 16 triplet births.

2.7 The percentage of mothers who gave birth to two or more children was 1·23 compared with 1·24 in 1959. Details are given in Tables 1 and 2 of the numbers and percentages of multiple births since 1855; prior to 1939 these related to live births only.

2.8 Information is given in Table 20 about multiple confinements by age of mother.

Table 2.2 Multiple Births, 1960

No. of Children born	Confinements	Living born children	Stillborn children
1 Living	98,890	98,890	—
1 Stillborn	2,132	—	2,132
2 Living	1,152	2,304	—
1 Living 1 Stillborn	59	59	59
2 Stillborn	26	—	52
3 Living	10	30	—
2 Living 1 Stillborn	4	8	4
1 Living 2 Stillborn	1	1	2
3 Stillborn	1	—	3
TOTAL	102,275	101,292	2,252

Illegitimate births

2.9 These numbered 4,409 or 4·35 per cent. of the total live births compared with 4,134 and 4·17 per cent. in 1959. The percentage was 5·4 in the cities, 3·6 in the large burghs, 3·4 in the small burghs and 4·0 in the landward areas. When these births are related to the estimated number of unmarried women aged 15-44, it is found that the rate for Scotland was 11·5 per 1,000 with those for the cities, large burghs, small burghs and landward areas being 13·7, 10·2, 9·0 and 10·6 respectively. (Tables 2.1, 1-4 and 8).

International-rates

2.10 For comparison the birth-rates in certain other countries are given in Table 2.3.

Table 2.3 Birth-rates per 1,000 Population, 1960.

Israel*	26·9	Italy	18·5
Canada	26·8	France	17·9
New Zealand†	26·5	Eastern Germany	17·9
Union of South Africa‡	25·0	Switzerland	17·8
U.S.A.	23·5	Western Germany	17·7
Portugal	23·4	Austria	17·6
Yugoslavia	23·0	Norway	17·4
Northern Ireland	22·5	England and Wales	17·1
Australia	22·4	Japan	17·1
Spain	21·9	Belgium	16·9
Eire	21·4	Denmark	16·6
Netherlands	20·8	Czechoslovakia	15·9
Scotland	19·4	Hungary	14·6
Greece	19·0	Sweden	13·6
Finland	18·5		

* Jewish population only.

† Excluding Maoris.

‡ European population only.

Fertility

2.11 Births and birth-rates in relation to women of child-bearing age in Scotland in 1960 are given in Table 8 for Scotland as a whole, for the administrative areas in the aggregate, and for each county, city and large burgh.

2.12 A summary of the rates for the three-yearly periods centred on each census from 1861 to 1951 is given in Table 2.4 The number of births per 1,000 married women reached its highest figure of 319.4 in 1870-72. By 1900-02 it had fallen to 271.8 and by 1950-52 that figure was more than halved at 132.3. The 1950-52 rate was about 42 per cent. of the rate of 1860-62.

Table 2.4 Birth-rate in Scotland, per 1,000 Women aged 15-44, 1861-1951

Year	Births per 1,000 Women aged 15-44			Legitimate Births per 1,000 Married Women aged under 45		
	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62
1860-62 . . .	144.6	—	100	316.0	—	100
1870-72 . . .	149.4	103.3	103.3	319.4	101.1	101.1
1880-82 . . .	145.8	97.6	100.8	311.5	97.5	98.6
1890-92 . . .	132.5	90.9	91.6	296.4	95.2	93.8
1900-02 . . .	121.9	92.0	84.3	271.8	91.7	86.0
1910-12 . . .	107.3	88.0	74.2	233.2	85.8	73.8
1920-22 . . .	105.1	97.9	72.7	226.7	97.2	71.7
1930-32 . . .	80.1	76.2	55.4	169.0	74.5	53.5
1940-42 . . .	73.0	91.1	50.5	136.9	81.0	43.3
1950-52 . . .	80.3	110.0	55.5	132.3	96.6	41.9

2.13 The yearly rates from 1931 to 1960 are given in table 2.5. It will be observed that in 1960 the rate for all women aged 15-44 was 96.0, appreciably higher than the rate of 79.8 in 1931, and while the rate of 144.2 for married women was the highest since 1947 it was still a good deal lower than in 1931. The reason for the increase in relation to all women of child-bearing age is that the proportion of married women is much increased.

2.14 It would seem that the increase in the number of births per 1,000 married women is due to the larger number of marriages at the younger ages, where fertility is generally highest.

Table 2.5 Crude Birth-rate and rate per 1,000 women aged 15-44 in Scotland, 1931-1960

Year	Crude Birth-rate per 1,000 Population	Births per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
1931	19.0	79.8	168.3	10.3
1932	18.6	78.4	164.3	9.9
1933	17.6	74.5	154.7	9.2
1934	18.0	76.5	156.8	9.4
1935	17.8	74.9	152.4	9.0
1936	17.9	75.1	151.4	9.1
1937	17.6	73.7	147.2	8.6
1938	17.7	74.0	146.1	8.7
1939	17.4	72.1	141.1	8.3
1940	17.1	71.4	137.0	8.3
1941	17.5	73.5	138.1	9.6
1942	17.6	74.2	135.9	10.7
1943	18.4	78.7	140.6	12.3
1944	18.5	79.9	141.5	13.1
1945	16.9	73.1	126.1	13.3
1946	20.3	89.5	158.0	12.6
1947	22.3	97.1	163.9	12.3
1948	19.7	86.6	143.9	11.5
1949	18.7	83.4	137.9	10.6
1950	18.0	81.0	133.9	9.9
1951	17.7	79.8	131.5	9.6
1952	17.7	80.1	131.3	9.1
1953	17.8	81.3	132.1	9.2
1954	18.0	83.2	134.2	9.2
1955	18.0	84.1	134.2	9.1
1956	18.5	87.5	137.4	9.6
1957	19.0	90.8	140.9	9.7
1958	19.2	92.8	142.6	10.1
1959	19.1	93.2	141.6	10.5
1960	19.4	96.0	144.2	11.5

Population (Statistics) Acts, 1938 and 1960

2.15 There follows an analysis of the birth statistics obtained for the year 1960 under these Acts.

Gross and net reproduction rate

2.16 The crude birth-rate for the year is 19.4 compared with 19.1 in 1959. If current trends of birth and death rates are maintained, the number of female births is more than enough to ensure that the population of Scotland is reproducing itself.

2.17 The crude birth-rates and the gross and net reproduction rates for each year from 1939 are given in Table 2.6.

Table 2.6 Crude birth-rate; gross and net reproduction rates, 1939-1960

Year	Crude Birth-rate	Gross Reproduction rate	Net Reproduction rate
1939	17.4	1.051	0.932
1940	17.1	1.042	0.896
1941	17.5	1.058	0.893
1942	17.6	1.087	0.948
1943	18.4	1.162	1.012
1944	18.5	1.183	1.041
1945	16.9	1.088	0.978
1946	20.3	1.336	1.192
1947	22.3	1.427	1.281
1948	19.7	1.265	1.158
1949	18.7	1.228	1.131
1950	18.0	1.187	1.107
1951	17.7	1.171	1.099
1952	17.7	1.180	1.114
1953	17.8	1.179	1.121
1954	18.0	1.212	1.156
1955	18.0	1.230	1.173
1956	18.5	1.279	1.228
1957	19.0	1.326	1.272
1958	19.2	1.355	1.302
1959	19.1	1.350	1.296
1960	19.4	1.401	1.348

Age of mother

2.18 Table 9 shows the number of births analysed by age of mother, sex and legitimacy. As usual, more children were born to mothers aged 25-29 than to those in any other quinquennial age-group, but the gap between the figures for this group and for mothers aged 20-24 is now only marginal. The single ages which contributed the greatest number of children were 24, 25 and 23 years both for all births and legitimate births. The largest number of illegitimate births was to mothers aged 21, 19 and 20.

2.19 The number of legitimate births to mothers in the age-group 20-24 has steadily increased since 1939 when these figures were first available and, as Table 2.7 shows, they are now 61 per cent. above the 1939 figure.

Table 2.7 Legitimate births by age of mother, 1939, 1947-1960

Year	Total Legitimate Births	Number of Legitimate Births by quin- quennial age-groups 20-34			Proportion compared with 1939		
		20-24	25-29	30-34	20-24	25-29	30-34
1939	81,669	18,605	25,661	19,267	100	100	100
1947	106,836	25,804	33,600	24,795	139	131	129
1948	94,568	24,117	30,001	20,255	130	117	105
1949	90,451	23,586	29,628	17,949	127	115	93
1950	87,693	23,168	27,964	18,193	125	109	94
1951	86,047	23,244	27,302	18,306	125	106	95
1952	86,116	23,616	27,078	18,808	127	106	98
1953	86,682	24,140	27,391	19,325	130	107	100
1954	88,138	25,437	27,374	19,673	137	107	102
1955	88,548	25,595	28,491	18,786	138	111	98
1956	91,244	26,637	29,151	18,895	143	114	98
1957	93,960	28,010	30,022	18,812	151	117	98
1958	95,408	29,059	30,416	18,688	156	119	97
1959	95,117	29,150	30,240	18,548	157	118	96
1960	96,883	29,904	30,779	18,909	161	120	98

2.20 Table 11 shows fertility by age of mother. The fertility rates for 1939 and 1947 to 1960 are summarised below.

Table 2.8 Fertility Rates by Age of Mother
Legitimate Births per 1,000 Married Women

Year	All Ages (16-49)	16-19	20-24	25-29	30-34	35-39	40-44
1939	119.8	525.7	336.6	220.0	140.5	82.7	25.8
1947	137.5	466.4	348.8	251.5	171.3	98.5	29.7
1948	120.4	458.0	320.8	213.4	145.2	84.7	26.9
1949	115.2	510.0	316.8	208.6	132.9	79.1	23.8
1950	111.7	478.8	312.5	202.1	133.5	74.6	22.8
1951	109.6	464.3	307.1	203.5	129.6	71.6	21.2
1952	109.4	456.9	302.3	206.2	128.8	71.0	20.3
1953	109.8	456.7	301.8	209.4	127.8	68.6	19.6
1954	111.2	451.8	310.9	208.0	128.2	68.0	19.9
1955	111.2	450.9	305.2	214.6	124.9	66.8	18.7
1956	113.7	454.4	308.4	215.6	129.2	68.4	18.1
1957	116.4	456.9	315.1	218.6	131.5	68.5	18.1
1958	117.8	466.8	318.0	218.4	131.8	66.1	17.9
1959	117.1	452.8	312.8	215.3	130.5	64.4	17.0
1960	119.1	461.0	314.9	218.7	132.5	64.0	18.0

Illegitimate Births per 1,000 Unmarried Women

Year	All Ages (15-49)	15-19	20-24	25-29	30-34	35-39	40-44
1939	7.7	5.3	12.0	11.5	10.6	7.7	2.8
1947	11.2	4.7	17.5	26.5	19.5	12.6	4.1
1948	10.4	4.8	15.4	24.9	19.7	12.1	4.0
1949	9.6	4.3	14.1	21.5	21.1	11.3	3.7
1950	9.0	4.1	12.8	19.9	19.0	11.6	3.6
1951	8.6	3.7	12.4	18.6	18.9	12.5	3.0
1952	8.2	3.7	11.7	17.6	18.2	11.2	3.5
1953	8.3	3.8	12.1	16.7	18.1	12.1	3.4
1954	8.4	3.8	12.4	17.7	16.9	13.4	3.3
1955	8.2	3.6	12.5	17.3	18.1	11.9	3.8
1956	8.6	4.2	13.3	18.8	18.4	11.6	3.4
1957	8.8	4.2	14.1	19.9	17.6	12.2	3.6
1958	9.1	4.1	15.0	22.3	19.0	11.8	3.7
1959	9.5	4.3	15.3	26.1	18.6	11.5	3.6
1960	10.4	4.9	17.0	28.2	20.2	14.6	4.3

2.21 On comparing the legitimate rates for 1960 with those of 1959 it will be observed that there are small increases in each age-group, except 35-39. There was an increase in the illegitimate fertility rates in every age-group.

Age of mother and duration of marriage

2.22 The 96,883 legitimate births are tabulated by age of mother and duration of marriage in Table 10. Further analyses by social class are given in Table 28.

Age of mother and duration of marriage—First births

2.23 Table 12 shows the interval between present marriage and the birth of the first child for all first children born in 1960 according to the age of mother. The following table gives a summary for the years 1939 and 1947 to 1960 of the percentage of first births occurring within eight months of marriage.

Table 2.9 Percentage of First Births taking place within Eight Months of Date of Present Marriage

Year	All ages	Age of Mother			
		Under 20	20-24	25-29	30-34
1939	28.8	70.1	40.3	17.0	10.0
1947	15.1	50.8	18.9	9.6	7.7
1948	19.1	56.6	23.7	11.6	8.4
1949	20.4	59.8	24.3	11.3	8.7
1950	20.2	60.0	24.6	10.0	8.1
1951	19.8	60.3	23.6	9.9	9.1
1952	19.2	59.4	22.5	9.3	8.6
1953	18.6	59.9	21.7	8.8	7.0
1954	18.2	59.8	20.7	7.3	6.4
1955	17.6	56.1	19.6	7.3	7.0
1956	17.7	56.1	18.8	7.2	6.8
1957	16.8	54.4	17.4	6.8	5.8
1958	16.9	54.1	16.8	6.4	6.5
1959	17.6	55.5	17.4	6.6	5.8
1960	18.6	57.8	17.7	7.3	6.0

2.24 There were 6,212 first births within eight months of marriage and they represent 18.6 per cent. of all first births, 1.0 higher than that for 1959. If these are added to the number of illegitimate births, the combined total of 10,621 is 2,962 below the figure of 13,583 in 1939 but 548 above that for last year.

Age of mother and birth order

2.25 Analyses are given in Table 13 of legitimate births by age of mother and birth order (i) for all husbands and (ii) by present husband. A summary is given in Table 2.10 of birth order by present husband for the years 1939 and 1952 to 1960.

Table 2.10 Number of Births by Present Husband which are First, Second, etc.

Number of previous children (including still-born and dead)	1939	1952	1953	1954	1955	1956	1957	1958	1959	1960
0	28,976	31,468	31,641	32,313	32,738	33,681	34,923	34,394	33,677	33,443
1	19,473	24,214	24,233	24,744	24,544	26,032	26,488	27,642	27,429	28,347
2	11,757	13,758	14,073	14,146	14,309	14,615	15,066	15,433	16,011	16,687
3	7,391	7,316	7,507	7,619	7,538	7,566	7,787	8,185	8,163	8,530
4	4,771	3,871	3,990	4,165	4,166	4,093	4,262	4,350	4,356	4,473
More than 4	9,301	5,356	5,159	5,125	5,186	5,223	5,388	5,381	5,444	5,377
Not stated	—	133	79	26	67	34	46	23	37	26
TOTAL	81,669	86,116	86,682	88,138	88,548	91,244	93,960	95,408	95,117	96,883

2.26 In 1960 there was an increase of 1,766 legitimate births compared with 1959. While first births decreased by 234 there were increases in second, third, fourth and fifth births.

2.27 An examination of Table 2.10 shows that the proportion which first births bore to the total legitimate births was 35.5 per cent. in 1939. This percentage has recently fluctuated only slightly being 36.5 in 1952, 37.2 in 1957, 36.0 in 1958, 35.4 in 1959 and 34.5 in 1960.

Duration of marriage and birth order

2.28 Table 14 shows legitimate births by duration of present marriage and number of previous children. It also indicates the trend of family size. The average family size—but only for those families having a child in the year under observation—is given in Table 2.11 for 1939 and 1949 to 1960. The figures shown include the birth in the particular year referred to as well as previous births. They show that the average size of family into which a child was born was lower in the post war years. In 1939 the figure was 2.79 compared with 2.43 in 1960. Since 1949 the average has fluctuated between 2.39 and 2.45.

Table 2.11 Average number of children by present husband in family including stillborn and dead, 1939, 1949-1960

Duration of Marriage	1939	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
Under one year	1.03	1.03	1.03	1.03	1.03	1.02	1.02	1.02	1.02	1.02	1.02	1.02	1.03
1	1.29	1.23	1.24	1.27	1.22	1.22	1.22	1.22	1.22	1.22	1.22	1.23	1.25
2	1.77	1.71	1.73	1.71	1.69	1.66	1.67	1.68	1.69	1.69	1.71	1.70	1.72
3	2.14	2.01	2.06	2.04	2.03	2.03	1.98	1.99	2.00	2.00	2.02	2.03	2.04
4	2.48	2.25	2.30	2.33	2.35	2.29	2.29	2.30	2.27	2.29	2.29	2.33	2.33
5	2.77	2.49	2.53	2.56	2.60	2.58	2.58	2.57	2.55	2.53	2.57	2.61	2.62
6	3.17	2.65	2.76	2.78	2.83	2.88	2.85	2.86	2.84	2.81	2.83	2.85	2.87
7	3.50	2.81	2.94	3.00	2.99	3.08	3.11	3.11	3.10	3.12	3.10	3.10	3.11
8	3.83	3.02	3.08	3.20	3.28	3.27	3.34	3.39	3.34	3.36	3.37	3.35	3.36
9	4.10	3.37	3.26	3.35	3.44	3.52	3.54	3.63	3.63	3.62	3.68	3.65	3.59
10-14	5.06	4.29	4.18	4.13	4.06	4.05	4.12	4.17	4.14	4.16	4.20	4.27	4.26
15-19	6.93	6.15	6.13	5.97	5.90	5.76	5.63	5.49	5.42	5.25	5.26	5.29	5.31
20-24	8.94	7.78	7.91	7.90	7.81	7.74	7.59	7.40	7.28	7.20	7.00	6.84	6.92
25 and over	10.68	9.54	9.53	9.69	9.54	9.02	9.04	8.88	8.59	9.14	8.31	8.28	6.56
Total													
Present Husband	2.79	2.42	2.45	2.45	2.44	2.43	2.42	2.41	2.39	2.39	2.40	2.42	2.43

Infertility among women who had been married

2.29 Tables 15 and 16 contain statistics of women who have been married but at the time of death are stated to have had no children. The results are summarised in the following Table 2.12. It will be seen that the percentage of women who died childless gradually decreased from 15.6 in 1948 to 14.7 in 1952, but since then there has been an upward trend ranging from 15.0 in 1953 to 15.7 in 1960. The number of deaths among divorced women is too small to give in Table 2.12 reliable rates for individual years. Eleven per cent. of the married women who died childless were aged under 45 years when the comparable figure for widows was only 0.2 per cent.

Table 2.12 Percentage of Women who have been Married and who at Death are stated to have had No Children

	1939	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
Married	15.4	16.7	16.6	16.3	16.2	16.0	16.1	16.0	17.0	16.8	16.3	15.8	16.7	16.4
Widowed	13.8	14.6	14.2	14.3	14.0	13.7	14.1	14.7	14.7	14.9	14.6	15.1	14.8	15.2
Divorced	35.0	26.5	23.9	26.5	28.0	18.2	31.4	28.0	22.8	28.6	23.0	30.0	18.1	21.6
All women who had been married	14.6	15.6	15.3	15.2	15.0	14.7	15.0	15.2	15.6	15.7	15.3	15.5	15.5	15.7

Chapter 3. Marriages

3.1 The information given in this chapter about marriages registered in Scotland during 1960 is based on statistical returns made by district registrars. After a complete examination of the 1960 marriage registers has been made a much fuller study will be given in an appendix to the 1961 Report. This will take the form of the analysis of the 1959 marriages given in Appendix IV of this Report.

Numbers and rates

3.2 There were 40,101 marriages in Scotland in 1960, 341 fewer than in 1959 and 2,189 below the average. The rate per 1,000 of the population was 7.70, compared with a rate of 7.79 in 1959 and the average rate of 7.20.

Seasonal incidence

3.3 The seasonal incidence of marriage, during the hundred years 1861 to 1960, is the subject of a new table (Table 3.1). In recent years the most popular month has been March, followed by July and September; the least popular month has been May.

Table 3.1 Monthly Incidence of Marriage, 1861-1960—Scotland

Year	Total	January	February	March	April	May	June	July	August	September	October	November	December
Numbers													
1861-1870 Annual Average	22,422	2,622	1,359	1,271	1,308	1,089	3,227	2,204	1,435	1,298	1,444	2,247	2,918
1891-1900 " "	29,866	3,770	1,540	1,640	2,163	1,039	4,513	3,487	1,884	1,925	1,926	2,074	3,905
1921-1930 " "	33,663	3,660	1,995	2,186	3,137	1,280	3,880	3,955	2,414	2,955	2,520	2,128	3,553
1951-1960 " "	41,694	2,245	2,790	6,468	3,938	1,209	3,497	4,519	3,631	4,287	3,315	2,280	3,515
1938	38,716	3,583	2,052	2,250	3,384	1,695	4,341	4,943	3,237	3,713	3,147	2,459	3,912
1947	44,360	3,227	2,634	3,636	4,638	1,726	4,877	4,875	3,677	4,195	3,251	2,881	4,743
1948	43,718	3,080	2,345	4,534	3,982	1,681	4,827	5,148	4,046	4,315	2,764	2,850	4,146
1949	41,708	3,047	2,622	4,969	3,445	1,515	4,249	4,845	3,945	3,996	2,908	2,406	3,761
1950	40,459	2,944	2,800	5,367	3,345	1,395	3,940	4,644	3,454	3,740	2,950	2,223	3,648
1951	41,361	2,955	2,326	6,279	4,195	1,150	3,613	4,516	3,619	3,913	2,847	2,061	3,887
1952	41,154	2,350	3,150	6,920	3,678	1,057	3,421	4,391	3,390	4,113	2,692	2,179	3,813
1953	40,902	2,138	3,040	6,907	3,631	1,120	3,461	4,430	3,573	4,066	2,555	2,365	3,616
1954	41,974	2,150	2,629	7,592	3,828	1,246	3,479	4,729	3,774	3,986	2,579	2,516	3,466
1955	43,199	2,344	3,110	6,966	3,746	1,353	3,563	4,600	4,000	4,366	3,090	2,451	3,610
1956	43,963	2,618	3,024	6,100	5,130	1,193	3,520	4,906	3,775	4,277	3,495	2,124	3,801
1957	42,661	2,330	2,805	6,142	4,385	1,161	3,542	4,891	3,541	4,540	3,638	2,130	3,556
1958	41,186	1,982	2,850	6,045	3,605	1,176	3,601	4,392	3,500	4,570	3,711	2,233	3,521
1959	40,442	1,836	2,320	5,860	4,107	1,079	3,390	4,075	3,462	4,616	4,025	2,485	3,187
1960	40,101	1,751	2,650	5,871	3,069	1,552	3,376	4,263	3,677	4,423	4,521	2,260	2,688

Ratio of Daily Average for the month to Daily Average for the year taken as 100

1861-1870	100	138	79	67	71	57	175	116	75	70	76	122	153
1891-1900	100	149	67	65	88	41	184	137	74	78	76	84	154
1921-1930	100	128	77	76	113	45	140	138	84	107	88	77	124
1951-1960	100	63	87	183	115	34	102	128	103	125	94	67	99
1938	100	109	69	68	106	52	136	150	98	117	96	77	119
1947	100	86	77	97	127	46	134	129	98	115	86	79	126
1948	100	83	68	122	111	45	135	139	109	120	75	80	112
1949	100	86	82	140	100	43	124	137	111	117	82	70	106
1950	100	86	90	156	101	41	118	135	100	113	86	67	106
1951	100	84	73	179	123	33	106	129	103	115	81	61	111
1952	100	67	97	199	109	30	101	126	97	122	77	65	109
1953	100	62	97	199	108	32	103	128	103	121	74	70	104
1954	100	60	82	213	111	35	101	133	106	116	72	73	97
1955	100	64	94	190	106	37	100	125	109	123	84	69	98
1956	100	70	87	164	142	32	98	132	101	119	94	59	102
1957	100	64	86	169	125	32	101	135	98	129	100	61	98
1958	100	57	90	173	107	34	106	126	100	135	106	66	101
1959	100	53	75	171	124	31	102	119	101	139	117	75	93
1960	100	52	83	173	93	46	103	125	108	135	133	69	79

Urban and rural rates

3.4 It will be seen from Table 3.2 that the marriage rate was highest in the cities and burghs and lowest in the landward areas; this is invariably the case. The true urban-rural difference in this respect is almost certainly overstated as many of the people living in rural areas go to a town or city to be married. When the parties come from different areas it is not possible to correct the marriage figures according to normal residence as it is customary to do for births and deaths.

Table 3.2 Marriages in Scotland by Local Authority Districts, 1960

Groups of Districts	Marriages	Marriage-rate per 1,000 of Population	
	Number	Rate	Relative Quantity, Scotland being=100
Counties of Cities .	16,793	8.79	114.2
Large Burghs . . .	7,447	8.45	109.7
Small Burghs . . .	7,399	8.40	109.1
Landward	8,462	5.51	71.6
SCOTLAND	40,101	7.70	100.0

Ecclesiastical and civil marriages

3.5 A summary of the number of ecclesiastical and civil marriages registered in the cities, burghs and landward areas in 1960 is given in Table 3.3.

Table 3.3 Ecclesiastical and Civil Marriages in Scotland by Local Authority Districts, 1960

	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
All marriages	40,101	16,793	7,447	7,399	8,462
Solemnised by a minister of religion:					
Preceded by banns or publication of notice	32,826	12,511	6,031	6,366	7,918
Authorised by sheriff's licence	95	47	20	13	15
Irregular marriages:					
Decree of declarator (Court of Session)	1	—	—	—	1
Civil marriages:					
Preceded by publication of notice	6,925	4,079	1,345	993	508
Authorised by sheriff's licence	254	156	51	27	20

Civil marriages

3.6 The first full year in which the Marriage (Scotland) Act, 1939, took effect was 1941 when the percentage of civil marriages was 11·3. The percentage rose steadily until it was 19·2 in 1955, since when it has declined slightly, being 17·9 in 1960 (Table 49).

3.7 In 1960 the percentage of civil marriages ranged from 25·2 in the cities and 18·7 in the large burghs to 13·8 in the small burghs and 6·3 in the landward areas.

International-rates

3.8 A selection of the 1960 marriage rates in other countries is given in Table 3.4.

Table 3.4 Marriage-Rates per 1,000 Population, 1960

Eastern Germany	9·7	Israel†	7·6
Western Germany	9·4	Portugal	7·6
Japan	9·3	Denmark	7·5
Yugoslavia	8·9	England and Wales	7·5
Hungary	8·8	Canada	7·4
U.S.A.	8·5	Greece	7·4
Austria	8·2	Australia	7·3
New Zealand*	8·0	Finland	7·2
Italy	7·9	Belgium	7·1
Czechoslovakia	7·8	France	7·0
Netherlands	7·8	Northern Ireland	7·0
Spain	7·8	Norway	6·6
Switzerland	7·8	Sweden	6·6
Scotland	7·7	Eire	5·5

*Excluding Maoris.

†Jewish Population only.

Chapter 4. Divorces

Number of decrees

4.1 During 1960 the number of marriages which were dissolved by decrees pronounced in the Court of Session totalled 1,828, of which 1,804 were decrees of divorce, 19 were nullities and 5 were dissolutions of marriage on a presumption of death of one of the parties.

Trends

4.2 Details are given in Table 4.1 of the various forms of decree in ten-yearly periods from 1855 to 1954 and annually from 1945. Divorces increased from 1,687 in 1959 to 1,804 in 1960 and thus halted the downward trend apparent since 1952. Even so, the 1960 figure was below the 1955-1959 average of 1,818.

Table 4.1 Number of Divorces, etc. in Scotland, 1855-1960

Ten Years	Average Number of Decrees of Divorce and Nullity of Marriage	Year	Annual Number of Decrees of			
			Total	Divorce	Nullity of Marriage	Dissolution of Marriage (Presumption of Death)
1855-64	17	1945	2227	2208	15	4
1865-74	14	1946	2934	2902	22	10
1875-84	60	1947	2533	2495	18	20
1885-94	100	1948	2057	2028	19	10
1895-1904	159	1949	2447	2419	19	9
1905-14	222	1950	2204	2186	10	8
1915-24	458	1951	1955	1928	16	11
1925-34	488	1952	2737	2702	16	19
1935-44	906	1953	2376	2352	13	11
1945-54	2358	1954	2226	2200	16	10
		1955	2078	2054	19	5
		1956	1891	1867	16	8
		1957	1747	1722	17	8
		1958	1791	1762	19	10
		1959	1704	1687	12	5
		1960	1828	1804	19	5

Divorce statistics of persons married in Scotland

4.3 The divorce data in the text and tables that follow relate to those persons who were married in Scotland and who obtained their decree of divorce from the Court of Session.

4.4 Table 4.2 shows the conjugal condition of the parties at time of marriage for the years 1948-1960.

Table 4.2 Divorce Statistics of Persons Married in Scotland, 1948-1960

Year	Marital Condition at Time of Marriage						
	Husbands			Total	Wives		
	Bachelors	Widowers	Divorced		Spinsters	Widows	Divorced
1948	1,675	24	15	1,714	1,686	16	12
1949	1,953	37	23	2,013	1,953	34	26
1950	1,744	45	25	1,814	1,763	30	21
1951	1,562	61	25	1,648	1,578	45	25
1952	2,196	75	36	2,307	2,208	59	40
1953	1,901	55	48	2,004	1,902	54	48
1954	1,784	63	38	1,885	1,776	64	45
1955	1,679	43	54	1,776	1,681	46	49
1956	1,524	50	47	1,621	1,524	42	55
1957	1,445	44	27	1,516	1,453	24	39
1958	1,468	37	47	1,552	1,469	35	48
1959	1,398	41	46	1,485	1,402	40	43
1960	1,499	37	64	1,600	1,508	36	56

4.5 There were 1,600 divorces in 1960 and in 1,128 cases the marriage was performed by a minister of religion, 408 by a registrar and 64 were irregular marriages which had been authorised by a Decree of Declarator.

4.6 Analyses have been made of the 1960 divorces, showing the age of the wife in relation to the age of husband (i) at time of divorce (Table 4.3) and (ii) at date of marriage (Table 4.4), and age of wife at time of divorce with duration of marriage (Tables 4.5 and 4.6).

Table 4.3 Age of Wife in Relation to Age of Husband at Time of Divorce—1960

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-29	30-34	35-39	40-44	45-49	50-59	60 and over
16-20	49	7	29	11	2	—	—	—	—	—
21-24	209	1	78	107	18	5	—	—	—	—
25-29	374	—	11	173	147	37	5	—	1	—
30-34	282	—	1	16	136	99	23	6	1	—
35-39	264	—	—	2	30	115	89	16	10	2
40-44	177	—	—	2	3	19	66	63	23	1
45-49	124	—	—	—	2	3	12	63	44	—
50-59	108	—	—	—	—	—	4	17	69	18
60 and over	13	—	—	—	—	—	—	—	1	12
TOTAL	1,600	8	119	311	338	278	199	165	149	33

Table 4.4 Age of Wife at time of Marriage in Relation to Age of Husband—1960

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-29	30-34	35-39	40-44	45-49	50-59	60 and over
16-20	765	267	360	117	17	3	—	1	—	—
21-24	531	51	268	160	37	10	3	2	—	—
25-29	183	—	35	96	34	14	3	—	1	—
30-34	68	1	7	21	25	9	4	1	—	—
35-39	30	—	3	4	6	8	5	3	1	—
40-44	10	—	—	—	1	2	2	3	2	—
45-49	8	—	—	—	1	2	4	1	—	—
50-59	5	—	—	—	—	—	—	—	4	1
60 and over	—	—	—	—	—	—	—	—	—	—
TOTAL	1,600	319	673	398	121	48	21	11	8	1

Table 4.5 Age of Wife at time of Divorce and Duration of Marriage—1960

Age of Wife	All Durations	Duration of Marriage (Years)						
		0-2	3-4	5-6	7-9	10-14	15-19	20 and over
16-20	49	27	22	—	—	—	—	—
21-24	209	25	82	93	9	—	—	—
25-29	374	12	53	109	151	49	—	—
30-34	282	3	10	20	83	146	20	—
35-39	264	1	9	10	20	81	121	22
40-44	177	1	2	4	5	19	47	99
45-49	124	—	1	1	4	9	19	90
50-59	108	1	3	2	4	12	9	77
60 and over	13	—	—	1	1	1	—	10
TOTAL	1,600	70	182	240	277	317	216	298

Table 4.6 Divorces—Duration of Marriage—1960

Under 1 year	2
1 "	23
2 "	45
3 "	78
4 "	104
5 "	125
6 "	115
7 "	97
8 "	85
9 "	95
10-14 "	317
15-19	216
20 and over	298
<hr/>	
TOTAL	1,600

Chapter 5. Mortality

GENERAL

Numbers

5.1 There were 61,764 deaths registered in Scotland during 1960, of whom 31,682 were males and 30,082 were females. The total number was 1,297 below that in 1959 and 177 below the five years' average.

Crude and standardised death-rates

5.2 In Table 5.1 the crude and standardised death-rates are given for each year from 1931 to 1960.

5.3 There has been a steady improvement in the crude rates in the twenty year period and the adverse influence on mortality of the ageing of the population has been allowed for by standardisation. A comparison of the general death-rates shows that while the crude rate has declined by 11 per cent. since 1931 the standardised rate has improved by no less than 40 per cent.

Table 5.1 Death-rates for Scotland per 1,000 Population

	PERSONS		MALES		FEMALES	
	Crude Rate	Standardised* Rate	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate
1931	13.26	12.45	13.86	13.74	12.71	11.28
1932	13.53	12.65	13.94	13.76	13.14	11.64
1933	13.20	12.22	13.79	13.50	12.66	11.04
1934	12.92	11.98	13.51	13.23	12.37	10.84
1935	13.19	11.99	13.76	13.30	12.66	10.80
1936	13.44	12.14	14.16	13.57	12.77	10.83
1937	13.85	12.33	14.59	13.82	13.17	10.98
1938	12.61	11.13	13.22	12.39	12.04	10.00
1939	12.87	11.10	13.68	12.62	12.11	9.73
1940†	14.86	12.46	16.59	14.32	13.40	10.78
1941†	14.74	12.30	16.75	14.02	13.11	10.71
1942†	13.34	10.70	15.24	12.26	11.81	9.27
1943†	13.98	10.71	15.93	12.21	12.43	9.34
1944†	13.57	10.22	15.65	11.74	11.95	8.82
1945†	13.20	9.63	15.11	11.07	11.70	8.32
1946†	13.07	9.82	14.14	11.15	12.15	8.61
1947	13.02	9.73	13.86	11.13	12.25	8.48
1948	11.96	8.79	12.64	10.03	11.34	7.68
1949	12.42	8.91	12.99	10.13	11.90	7.83
1950	12.48	8.75	13.09	10.05	11.93	7.61
1951	12.86	8.84	13.55	10.23	12.23	7.61
1952	12.03	8.22	12.86	9.64	11.26	6.96
1953	11.50	7.76	12.41	9.23	10.68	6.44
1954	11.98	7.92	12.87	9.44	11.17	6.57
1955	12.01	7.87	12.76	9.33	11.32	6.57
1956	12.01	7.73	12.85	9.28	11.24	6.34
1957	11.87	7.61	12.83	9.22	11.00	6.19
1958	12.01	7.60	12.81	9.14	11.27	6.23
1959	12.15	7.66	13.01	9.31	11.35	6.19
1960	11.86	7.41	12.64	9.01	11.13	5.99

† Civilian death-rates

*Standardised to a Standard International Population, 1900.

Area death-rates

5.4 The crude rates do not vary greatly between urban and rural areas, being 12.1 per 1,000 in the cities, 11.2 in the large burghs, 13.1 in the small burghs and 11.2 in the landward areas. But when the rates are standardised for difference of age and sex constitution the urban rates are appreciably higher. The standardised rate for the cities was 12.6, for the large burghs 12.0, for the small burghs 11.9, and for the landward area only 10.9. (Table 5.2).

Table 5.2 Deaths in Scotland and its Groups of Local Authority Districts in 1960

Groups of Districts	Deaths		Death-rate per 1,000 of Population	
	Registered Numbers	Corrected for Transfers	Corrected for Transfers	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1951
Counties of Cities	25,250	23,197	12.14	12.65
Large Burghs	10,574	9,889	11.23	12.04
Small Burghs	8,887	11,526	13.08	11.84
Landward	17,053	17,152	11.17	10.84
SCOTLAND	61,764	61,764	11.86	—

5.5 In the cities and large burghs the standardised rate ranged from 13·7 in Glasgow to 10·2 in Kirkcaldy and in the counties from 13·9 in Bute to 8·5 in Caithness. (Table 4).

5.6 The highest death-rate of the year occurred in February, 14·4, and the lowest in July, 10·0. (Table 63).

Death-rates by age and sex

5.7 Death-rates by age and sex are given in Table 5.3 for five yearly periods from 1911 to 1960 and for single years since 1951.

5.8 The death-rates show a rapid decline from the high rates in the first year of life to a minimum in age group 10-14. There is an increase in the rates thereafter, gradual at first but becoming more pronounced at higher ages. It will be observed from Table 5.13 that in 1960 the male rate exceeded the female one in each age-group except 85 and over. (Table 35).

Table 5.3 Age-group Death-rates per 1,000 of Population from 1911 to 1960

Years	Males													Females												
	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over		
1911-15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	-	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	-		
1916-20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	-	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	-		
1921-25	109·1	15·1	2·9	1·9	3·2	4·6	6·9	12·0	26·8	61·9	144·5	280·7	82·6	13·7	2·7	1·9	3·2	4·5	6·3	10·1	21·5	49·2	118·7	252·6		
1926-30	103·8	11·8	2·7	1·9	3·1	4·2	7·0	11·9	25·9	62·4	143·2	303·8	79·0	10·2	2·4	1·7	2·9	4·1	5·9	10·0	20·6	48·4	118·6	271·4		
1931-35	96·2	9·3	2·6	1·6	2·9	3·8	6·3	11·8	24·3	59·7	140·7	289·8	74·1	8·3	2·2	1·5	2·8	3·7	5·2	9·1	19·4	47·8	117·4	260·6		
1936-40	90·7	6·8	2·2	1·5	2·8	3·5	6·0	12·4	25·4	60·9	147·2	349·9	69·0	6·1	1·9	1·2	2·6	3·2	4·6	8·7	18·8	47·5	116·9	282·3		
1941-45	82·1	4·6	1·9	1·4	3·3	4·2	6·1	11·7	24·4	54·1	129·1	290·3	62·0	4·2	1·5	1·2	3·0	3·3	4·0	7·5	16·5	41·0	101·1	261·4		
1946-50	56·0	2·6	1·1	0·9	1·8	2·4	3·4	10·6	24·5	54·2	117·8	258·5	42·6	2·1	0·8	0·7	1·5	3·0	3·3	6·5	15·3	41·2	98·0	237·9		
1951-55	38·7	1·5	0·7	0·5	1·2	1·8	3·4	9·6	25·6	57·0	130·0	272·9	30·0	1·3	0·5	0·4	0·8	1·5	2·7	6·0	14·4	39·4	104·8	240·8		
1956-60	33·2	1·2	0·6	0·5	1·0	1·4	3·1	9·2	25·3	59·1	127·9	254·1	25·1	0·9	0·4	0·3	0·5	1·0	2·3	5·4	13·6	37·1	99·2	247·8		
1951	43·5	1·8	0·9	0·5	1·3	2·1	3·6	10·4	26·4	59·0	140·0	298·4	33·2	1·6	0·6	0·5	1·2	1·9	3·0	6·3	15·6	43·5	115·6	267·9		
1952	41·7	1·6	0·8	0·5	1·2	1·8	3·3	9·7	25·3	56·6	131·4	270·8	32·5	1·4	0·5	0·4	1·0	1·6	2·7	6·1	14·6	40·3	102·6	234·1		
1953	36·6	1·5	0·8	0·6	1·2	1·8	3·5	9·1	24·9	55·6	122·6	242·4	27·6	1·3	0·5	0·4	0·8	1·4	2·6	6·0	13·5	36·9	98·4	221·8		
1954	36·7	1·5	0·6	0·4	1·1	1·7	3·2	9·5	26·1	56·4	129·1	274·2	28·0	1·1	0·4	0·4	0·7	1·3	2·6	6·2	14·4	37·5	103·0	233·9		
1955	34·9	1·4	0·6	0·5	1·0	1·6	3·3	9·5	25·2	57·2	127·5	280·5	28·5	1·0	0·5	0·4	0·6	1·3	2·4	5·6	14·1	39·1	103·8	248·1		
1956	34·1	1·2	0·5	0·5	1·0	1·6	3·1	9·2	25·1	59·2	129·9	265·4	25·2	1·0	0·4	0·3	0·5	1·1	2·2	5·6	13·9	38·1	103·5	252·3		
1957	34·7	1·3	0·7	0·5	0·9	1·5	3·1	9·5	25·6	57·8	123·7	256·4	26·0	0·8	0·4	0·4	0·5	1·0	2·5	5·5	13·7	36·8	95·8	245·2		
1958	32·5	1·0	0·5	0·5	1·0	1·4	3·2	9·0	24·9	59·7	127·3	257·1	25·3	0·9	0·3	0·3	0·5	1·1	2·5	5·5	13·7	37·0	99·8	248·1		
1959	33·1	1·3	0·5	0·5	1·0	1·3	3·1	9·2	25·5	60·3	131·8	259·2	24·8	1·1	0·3	0·3	0·5	0·9	2·3	5·2	13·8	37·1	100·1	256·8		
1960	31·4	1·2	0·6	0·5	0·9	1·4	2·9	9·0	25·2	58·3	126·6	232·5	24·2	0·9	0·5	0·3	0·5	0·9	2·2	5·3	13·0	36·5	97·0	236·5		

International death-rates

5.9 A selection of the 1960 crude death-rates for various countries is given in Table 5.4.

Table 5.4 Death-rates per 1,000 Population—1960

Eastern Germany	13·5	Denmark	9·6
Belgium	12·9	U.S.A.	9·4
Austria	12·6	Czechoslovakia	9·2
Scotland	11·9	Norway	9·0
Eire	11·5	Finland	8·9
England and Wales	11·5	Spain	8·9
France	11·4	New Zealand*	8·8
Western Germany	11·4	Australia	8·6
Northern Ireland	10·8	Union of South Africa†	8·6
Portugal	10·4	Canada	7·8
Hungary	10·1	Netherlands	7·6
Sweden	10·0	Japan	7·5
Switzerland	9·8	Greece	7·2
Italy	9·7	Israel‡	5·7
Yugoslavia	9·7		

*Excluding Maoris.

†European population only.

‡Jewish population only.

Centenarians

5.10 Seventeen deaths of reputed centenarians were registered during the year—four males and thirteen females. In each case the age was verified as being at least 100 years, the verified age being 100 years in eight cases, 101 years in three cases, 102 in three cases, 104 in two cases and 105 in one case. Since 1910, when enquiries regarding such cases were begun, 719 deaths have been registered as being of centenarians, 120 of males and 599 of females. The age has been verified as being at least 100 years in 461 cases (67 males and 394 females); in 106 the evidence was rather against the claim; while in 152 cases no satisfactory evidence of age could be found. The greatest age verified was one of 109 years and 14 days in 1936.

Chapter 6. Causes of Death

Certification

6.1 The number of deaths registered in Scotland in 1960 was 61,764. The cause of death was specified in 61,447 cases or 99.5 per cent. of the total deaths registered and this number includes 450 deaths attributed to senility.

6.2 In 317 cases or 0.5 per cent. of the total registered deaths the cause was either ill-defined or unknown and, of these, 51 were ascribed to heart failure, 28 to syncope, 28 to convulsions in children under 5 years, 10 to uræmia and 8 in which no cause was specified.

6.3 In the text which follows the numbers given in brackets after a cause of death are Detailed List rubrics of the International Statistical Classification (1955), Seventh Revision.

Principal epidemic diseases

6.4 This group is now taken to comprise typhoid fever (I.S.C. No. 040), scarlet fever (050, 051), diphtheria (055), whooping cough (056), meningococcal infections (057) and measles (085). For comparison with previous years deaths from influenza (480-483) are also included. The total number of deaths in the group in 1960 was 136. The equivalent death-rate is 3 per 100,000 population which compares with 12 in 1959 and an average rate of 8.

6.5 There were 10 deaths from whooping cough in 1960, 2 more than in the previous year. Influenza accounted for 104 deaths in this group compared with 583 in 1959. In table 6.1 the number of certified deaths is given in which influenza was mentioned not as a primary but as a contributory cause. There were 19 (23 in 1959), from meningococcal infections, 2 (18) from measles and 1 (1) from scarlet fever and streptococcal sore throat. There were no deaths from diphtheria or typhoid fever.

6.6 Deaths in the whole of this group of the main epidemic diseases accounted for 0.2 per cent. of all deaths in Scotland in 1960. (Tables 35-40).

**Table 6.1 Deaths associated with Influenza but not classified
as such, 1960**

Inter- national abbreviated List 'B'	Causes of Death	Total	Males	Females	Ages										
					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84 85 and over
18	Malignant neoplasms	1	—	1	—	—	—	—	—	—	—	—	—	1	—
20	Diabetes mellitus	3	—	3	—	—	—	—	—	—	—	1	1	—	—
21	Anæmias	1	—	1	—	—	—	—	—	—	—	—	—	1	—
22	Vascular lesions affecting central nervous system	3	2	1	—	—	—	—	—	—	—	—	—	—	—
46-1	Other diseases of nervous system	2	1	1	—	—	—	—	—	—	—	—	—	—	—
25	Chronic rheumatic heart disease	4	3	1	—	—	—	—	—	—	—	1	2	1	—
26	Arteriosclerotic and degenerative heart disease	29	15	14	—	—	—	—	—	1	—	2	4	7	13
27	Other diseases of heart	2	2	—	—	—	—	—	—	—	—	—	—	—	—
28	Hypertensive heart disease	3	2	1	—	—	—	—	—	—	—	—	—	2	1
46-2	Other circulatory disease	2	1	1	—	—	—	—	—	—	—	—	—	1	1
32	Bronchitis	2	2	—	—	—	—	—	—	—	—	—	2	—	—
33	Ulcer of stomach and duodenum	1	1	—	—	—	—	—	—	—	—	—	—	1	—
38	Nephritis and nephrosis	1	—	1	—	—	—	—	—	—	—	—	—	—	1
	TOTAL	54	29	25	—	—	—	—	—	1	—	3	13	14	19
															4

Tuberculosis (I.S.C. Nos. 001-019)

6.7 Deaths from all forms of tuberculosis numbered 509 compared with 576 in 1959 and the average of 754. The death-rate from tuberculosis was 10 per 100,000 of the population compared with 11 the previous year and the average of 15. (Tables 35, 37-40).

6.8 Since 1855, when the registration of deaths began, mortality from tuberculosis has continuously decreased decade by decade, though the decline was checked temporarily in the two world wars. Since 1947 the rate has fallen from 81 to 10.

6.9 In 1960, death-rates from tuberculosis were heaviest at ages 55-84 in males and 35-44 and 65-84 in females. (Table 35).

6.10 Deaths from tuberculosis were most numerous in January, 61, February, 61, and December, 52, and fewest in June, 31, October, 31, August, 29, and September, 23. (Table 43).

6.11 The rate in the cities was 14 per 100,000, in the large burghs 10, in the small burghs 9 and in the landward areas 5. In the cities and large burghs the rates ranged from 21 in Inverness, Falkirk and Glasgow to 2 in Dunfermline. In the counties (excluding large burghs) the rate ranged from 19 in Selkirk to 1 in Aberdeen. There were no deaths from tuberculosis in the Counties of Berwick, Kincardine, Kinross, Nairn, Orkney and Zetland. (Table 4).

Respiratory tuberculosis (I.S.C. Nos. 001-008)

6.12 93 per cent. of the deaths from tuberculosis in 1960 were due to the respiratory forms of the disease. They numbered 473 compared with 513 in 1959, and the average of 678. The death-rate from respiratory tuberculosis in 1960 was 9 per 100,000 (males 13, females 5) compared with 10 in 1959 (males 14, females 6). The heaviest death-rates in males in 1960 were at ages 65-84, in females at 75-84. The lowest rates for males and females were recorded at ages under 25 years. (Tables 35, 37-40).

6.13 Table 6.2 shows the changing incidence of death-rates in different age groups since 1938. It will be noted that the general fall in mortality is not shared by men aged 65 and over.

Table 6.2 Death-rates per 100,000 from Respiratory Forms of Tuberculosis, 1938-1960

Year	MALES				FEMALES			
	Under 15	15-44	45-64	65+	Under 15	15-44	45-64	65+
1938	9	74	89	46	10	75	30	25
1939	6	78	102	49	7	79	32	17
1940	6	107	107	50	9	88	33	23
1941	10	108	105	49	12	96	33	15
1942	11	103	103	42	12	98	31	22
1943	10	112	105	54	14	96	26	20
1944	11	111	103	54	14	99	25	16
1945	9	115	102	52	12	94	25	15
1946	11	94	113	61	12	105	27	19
1947	13	85	121	60	20	112	25	23
1948	13	89	124	63	13	115	23	19
1949	6	78	117	62	11	104	23	18
1950	6	54	100	73	7	78	23	19
1951	5	41	89	77	5	49	22	18
1952	4	29	69	70	4	35	17	13
1953	2	24	63	59	2	25	15	14
1954	1	19	55	54	2	22	14	16
1955	0	17	49	48	0	19	10	9
1956	0	12	42	54	0	13	7	14
1957	0	11	39	56	1	12	8	10
1958	0	8	39	56	0	11	7	13
1959	0	7	27	52	0	7	9	10
1960	0	6	27	53	0	6	6	10

6.14 The range of monthly incidence was from 20 in September to 59 in February. (Table 43).

6.15 The rate in the cities was 13 per 100,000, in the large burghs 10, in the small burghs 8 and in the landward areas 5. The highest rates in the cities and large burghs were 18 in Greenock and 19 in Falkirk and Glasgow.

Non-respiratory tuberculosis (I.S.C. Nos. 010-019)

6.16 Deaths from non-respiratory forms of tuberculosis numbered 36 compared with 63 in 1959 and the average of 76. The rates per 100,000 were 1 for males and 1 for females which are the same as those in the three years 1957 to 1959.

6.17 The rate for non-respiratory tuberculosis averaged more than 100 per 100,000 population until 1880, fell rapidly to 72 in 1883, and thereafter more gradually, reaching a level of 60 prior to the first world war. By 1920 the rate had fallen to less than 40, and at the outbreak of war in 1939 it was 16. As with respiratory tuberculosis, the decline was interrupted for a few years during and after the war, but at the rate of one in the last four years contrasts with a pre-war rate of 16 per 100,000. (Tables 35, 37-40).

Other infective and parasitic diseases (remdr. 020-138)

6.18 Deaths from syphilis and its sequelae numbered 64, of which 15 were attributable to aneurysm of aorta, 25 to the nervous affections, including tabes dorsalis and general paralysis of the insane. Deaths from syphilis and its sequelae for the period 1855 to 1960, are given in Table 6.3.

Table 6.3 Deaths from Syphilis and its Sequelæ, 1855-1960
(Decennial Averages, 1855-1960)

	Total	Syphilis	General Paralysis of the Insane	Locomotor Ataxia (Tabes Dorsalis)	Aneurysm of Aorta
1855-1860	—	87	—	—	—
1861-1870	—	157	—	—	—
1871-1880	—	210	—	—	—
1881-1890	—	237	—	—	—
1891-1900	—	203	—	—	—
1901-1910	—	218	223	70	149*
1911-1920	—	202	248	76	136*
1921-1930	—	141	191	71	139*
1931-1940	—	88	116	56	128*
1941-1950	223	57	55	28	83†
1951-1960	94	32	22	11	31†§
1951	149	36	28	15	70†
1952	110	31	22	12	45†
1953	96	28	27	14	27†
1954	109	41	27	14	27†
1955	97	40	21	10	26†
1956	88	33	20	10	25†
1957	94	34	17	11	32†
1958	58	16	19	7	16§
1959	79	30	20	6	23§
1960	64	27	14	8	15§

NOTE.—The symbol — indicates the number is not available.
The numbers for decennial periods are annual averages.

* Aneurysm (all sites).

† Excludes dissecting aneurysm unqualified, 1951-1957.

‡ Excludes dissecting aneurysm unqualified in the year 1950.

§ Excludes aneurysm of abdominal aorta and dissecting aneurysm unless specified as syphilitic, 1958-1960.

6.19 There were no deaths from acute and late effects of acute poliomyelitis (080, 081), (one in 1959), 35 from infectious encephalitis (082, 083) and 35 from infectious hepatitis (092).

6.20 Other deaths in this group include 17 from septicæmia and pyæmia (053) and one from tetanus, the result of a five year old girl falling and skinning her knee.

Malignant neoplasms (I.S.C. Nos. 140-205)

6.21 Deaths from this group numbered 11,033 (males 5,815 and females 5,218) equivalent to a death-rate of 212 per 100,000. This rate is the same as that for the previous year but 3 above the average.

6.22 The death-rates per 100,000 of the population from malignant neoplasms from 1931 to 1960 are shown in Table 6.4. In the intervening years the population has aged appreciably and comparisons of crude death-rates do not allow for that. The table therefore also gives rates standardised to the age structure of the population when last known, i.e. at the census of 1951.

6.23 The increase in the crude rate is substantial. It was accelerated during the recent war but this was mainly attributable to the withdrawal from the population, temporarily on war service, of numbers of younger persons less vulnerable to diseases of this kind. Since 1931 the crude rate has increased by 43 per cent. but the standardised rate by only 9 per cent. The standardised rate provides the truer basis of comparison, allowing as it does for the ageing of the population.

6.24 The standardised rate for males rose from 186 in 1931 to 246 in 1960, an increase of 32 per cent. compared with an increase of 66 per cent. in the crude rate. On the other hand the standardised rate for females decreased from 182 to

166, a reduction of 9 per cent. compared with an increase of 25 per cent. in the crude rate.

6.25 As Hodgkin's disease, leukaemia, aleukaemia and mycosis fungoides were omitted from the malignant neoplasms before 1950 the rates for that year are calculated on the number of deaths classified to both the 5th and 6th Revisions of the International List of Causes of Death. An allowance can therefore be made for the years prior to 1950.

Table 6.4 Death-rate per 100,000 Population from Malignant Disease

Year	Both Sexes			Male		Female	
	Crude	Standardised to Scotland 1951	Effect of Standardisation	Crude	Standardised	Crude	Standardised
1931	148	184	+36	140	186	155	182
1932	153	187	+34	145	190	160	186
1933	153	187	+34	147	192	159	183
1934	153	185	+32	148	191	158	181
1935	157	188	+31	152	196	162	183
1936	159	187	+28	155	196	163	182
1937	157	182	+25	151	188	163	179
1938	162	187	+25	152	189	170	185
1939	161	184	+23	156	192	165	177
1940	170	185	+15	175	196	165	175
1941	174	185	+11	184	198	166	174
1942	179	185	+6	193	201	168	172
1943	185	182	-3	199	199	173	170
1944	186	181	-5	205	201	171	166
1945	192	185	-7	209	202	178	171
1946	180	180	—	190	201	171	162
1947	178	183	+5	186	210	171	164
1948	184	187	+3	190	212	178	169
1949	188	190	+2	192	213	184	173
1950*	190	190	—	197	218	183	169
1950†	196	197	+1	205	226	187	174
1951	192	192	—	201	221	184	171
1952	198	196	-2	212	230	185	170
1953	198	195	-3	217	235	180	164
1954	205	200	-5	224	241	188	170
1955	206	200	-6	222	240	191	171
1956	209	202	-7	227	244	193	170
1957	209	199	-10	228	242	191	167
1958	210	200	-10	235	250	186	162
1959	212	204	-8	236	251	191	168
1960	212	201	-11	232	246	193	166

* 5th Revision.

† 6th Revision.

6.26 Table 6.5 has been prepared to show death-rates per million, by age and sex, from cancer of the lung and bronchus during the period 1951-1960. Among males the rates have remained fairly steady up to age 55 but thereafter have increased, especially so in those aged 70-84. Among females the rates have exhibited a somewhat similar trend but there have not been any spectacular increases in the later age-groups.

6.27 Age specific death-rates, by sex, are given in Table 6.6 for the principal sites, in the periods 1920-22, 1930-32, 1940-42, 1950-52 and 1960. When examining this table it should be remembered that the inclusive terms of any particular site may differ from one period to another because of the several revisions of the International Classification of Causes of Death made in the past forty years. Rubric numbers in use at the selected periods are given in a footnote to the table.

Table 6.5 Death-rates per million, by age and sex, from cancer of bronchus and lung (I.S.C. Nos. 162, 163), 1951-1960

AGE	MALES										FEMALES									
	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
30-	30	40	66	59	39	39	52	23	23	18	33	16	16	10	27	11	22	17	23	29
35-	129	124	174	125	115	136	114	155	55	114	26	44	40	18	24	23	22	33	64	39
40-	271	276	279	264	254	269	275	387	314	251	52	78	47	74	64	92	102	95	88	74
45-	704	728	745	631	601	673	728	628	634	637	88	110	121	109	120	98	103	120	137	115
50-	1274	1425	1567	1518	1323	1349	1402	1314	1448	1427	113	106	239	156	161	162	156	172	199	210
55-	1678	1840	2267	2451	2369	2367	2380	2423	2141	2600	315	217	275	225	162	252	162	332	268	254
60-	2128	2124	2771	2843	3095	3532	3651	3816	4206	4042	345	327	308	327	284	304	307	319	415	393
65-	2103	2435	2828	3112	3088	3599	3728	4179	4372	4396	457	255	316	437	439	471	491	390	454	437
70-	1643	1980	2151	2239	2335	2961	3237	3494	4027	4637	454	347	482	479	428	411	552	568	648	499
75-	1360	1801	1645	1616	1808	2044	2422	2952	3192	3328	459	649	566	623	592	636	495	601	535	569
80-	1052	1240	989	1344	1812	1110	1589	2069	2220	2525	462	279	613	493	533	545	550	510	616	504
and over	459	583	560	1508	957	1158	1092	1289	1608	1040	221	213	414	268	540	465	457	388	507	408

Table 6.6 Age specific death-rates per 100,000 population from malignant neoplasms and the principal sites

Site	Period	MALES—Rates per 100,000								FEMALES—Rates per 100,000								Site
		All Ages	Under -25	25-35	35-45	45-55	55-65	75-85 and over	85 and over	All Ages	Under -25	25-35	35-45	45-55	55-65	75-85 and over	85 and over	
All sites	1920-22	110	5	14	45	163	461	863	1054	137	3	22	88	238	479	779	1107	All sites
	1930-32	145	6	17	55	171	477	1003	1294	159	4	19	82	221	463	852	1237	
	1940-42	191	8	28	76	205	482	1005	1319	170	5	22	81	203	431	788	1197	
	1950-52	206	9	23	66	234	555	1066	1690	185	6	21	83	198	394	758	1228	
	1960	232	9	20	58	227	656	1208	1862	193	5	22	80	212	383	700	1106	
Buccal cavity	1920-22	14	0	1	3	23	61	107	139	3	0	1	1	6	9	12	28	Buccal cavity
	1930-32	15	0	1	2	15	58	107	130	3	0	0	1	4	8	15	24	
	1940-42	15	0	0	2	7	38	93	175	4	0	1	1	2	9	17	32	
	1950-52	8	0	0	1	3	14	52	117	3	0	0	1	2	6	10	24	
	1960	5	0	0	1	2	5	29	87	3	0	—	1	3	5	10	15	
Oesophagus	1920-22	4	—	0	2	7	26	35	45	2	—	0	2	5	9	13	20	Oesophagus
	1930-32	6	0	0	1	8	24	45	46	3	—	—	1	4	11	19	27	
	1940-42	8	0	1	1	5	22	51	75	4	—	0	1	3	11	23	34	
	1950-52	8	—	0	2	4	19	47	71	5	—	—	1	4	10	23	34	
	1960	7	—	0	1	4	14	37	75	5	—	0	1	4	7	20	35	
Stomach	1920-22	29	0	3	13	49	133	219	232	26	0	2	10	37	95	188	230	Stomach
	1930-32	37	0	3	18	50	128	254	334	33	0	2	8	30	91	218	329	
	1940-42	44	0	3	18	56	119	230	326	31	—	2	8	24	75	173	286	
	1950-52	39	0	2	11	41	103	222	333	28	0	2	8	20	60	159	279	
	1960	33	—	1	11	33	83	195	250	28	0	2	6	16	42	126	206	
Intestine (except rectum)	1920-22	17	0	2	6	21	74	157	180	21	0	2	8	25	66	149	226	Intestine (except rectum)
	1930-32	23	0	2	7	20	71	173	268	26	0	1	8	25	67	169	278	
	1940-42	31	0	3	7	23	72	192	298	30	0	3	9	21	69	154	286	
	1950-52	25	0	2	5	17	48	149	310	29	0	1	7	22	49	127	287	
	1960	20	—	2	3	13	40	102	245	26	0	1	6	16	50	97	199	
Rectum	1920-22	8	0	1	4	11	34	68	99	6	0	2	4	9	18	39	53	Rectum
	1930-32	11	0	1	4	12	36	81	119	7	0	1	4	8	18	40	52	
	1940-42	16	0	3	5	12	41	95	115	8	0	2	5	9	18	35	56	
	1950-52	14	0	1	3	10	34	86	147	10	—	1	2	8	19	43	58	
	1960	13	—	1	2	10	25	62	157	9	0	1	2	8	18	36	72	

Larynx	2	-	-	1	3	8	13	10	1	-	0	1	2	3	3	4	Larynx
1920-22	2	-	-	1	3	8	13	10	1	-	0	1	2	3	3	4	
1930-32	2	0	0	0	3	8	17	19	1	-	0	1	3	3	5	8	
1940-42	3	-	0	1	4	10	19	25	1	-	0	1	3	3	5	11	
1950-52	3	-	0	0	3	8	18	28	1	-	0	0	2	3	5	4	
1960	2	-	-	-	1	7	14	19	1	0	-	0	1	1	2	12	
Bronchus and Lung, etc.	2	0	0	1	4	8	10	4	1	0	0	1	4	5	7	4	
1930-32	6	0	2	5	14	18	27	15	3	0	1	2	5	9	13	4	
1940-42	19	0	3	18	46	63	55	46	6	0	0	3	9	19	29	11	
1950-52	48	0	3	20	99	194	191	132	10	0	1	6	12	29	40	24	
1960	83	0	3	18	102	322	450	305	13	0	2	6	16	32	46	41	
Breast	3	-	-	0	2	9	35	46	21	0	2	17	47	75	89	155	
1920-22	3	-	-	0	2	9	35	46	21	0	2	17	47	75	89	155	
1930-32	7	-	-	0	2	17	64	131	25	0	3	16	50	81	96	201	
1940-42	10	-	-	0	2	18	75	141	27	-	3	19	46	72	109	153	
1950-52	13	-	-	0	2	16	87	211	31	0	2	22	48	66	110	181	
1960	15	0	-	-	1	14	92	273	35	-	3	22	55	79	104	258	
Leukaemia and aleukaemia	1	1	1	2	1	2	3	2	1	1	1	1	1	2	3	1	
1920-22	1	1	1	2	1	2	3	2	1	1	1	1	1	2	3	1	
1930-32	2	1	0	1	2	4	6	3	1	1	1	1	1	3	5	4	
1940-42	3	2	3	2	3	6	8	4	2	1	1	2	3	5	4	7	
1950-52	4	3	2	3	4	7	17	13	5	2	2	3	4	7	10	10	
1960	5	3	2	3	3	8	18	26	4	2	1	1	4	8	20	6	
Uterus									19	0	5	24	48	70	70	67	
1920-22									19	0	5	24	48	70	70	67	
1930-32									18	0	5	21	41	55	68	42	
1940-42									20	0	3	18	42	57	65	56	
1950-52									17	0	3	14	28	49	56	64	
1960									17	0	3	15	35	51	64	58	

International Statistical Classification of Malignant Neoplasms

Year	Revision	Rubric Nos.							
		All sites	Buccal cavity	Esophagus	Stomach	Intestine, ex-rectum	Rectum	Larynx	Bronchus, Lung, etc.
1920	2nd	25b; 39-45; 53	39	40	40	41	41	45	45
1921, 1922, 1930	3rd	30.2; 43-49; 65	43	44	44	45	45	49	49
1931, 1932, 1940	4th	43.2; 45-53; 72	45	46	46	46	46	47	47
1941, 1942	5th	43; 44b; 45-53; 74	45	46	46	46	46	47	47
1950-1952, 1960	6th, 7th	140-205	140-148	150	151	152, 153	154	161	162, 163
								177	170
								171-174	204
								43	42
								46	65a
								50	72a
								48	74

Diabetes (I.S.C. No. 260)

6.28 Deaths from this cause numbered 555 (146 males and 409 females), 5 more than in 1959 and 52 above the average. The much heavier female rate is most in evidence at the highest age groups. (Tables 35 and 37).

Anæmias (I.S.C. Nos. 290, 293)

6.29 Deaths from this cause numbered 247, of which 76 were of males and 171 of females. In 1959 the number was 245. The majority of deaths in the group are due to pernicious and other hyperchromic anæmias and these account for 134.

Other general diseases (remdr. 240-299)

6.30 In addition to the foregoing there were 132 deaths from asthma, a decrease of 34 compared with 1959, 19 deaths from thyrotoxicosis, (27 in 1959), and 62 from other diseases of thyroid gland (66 in 1959).

Diseases of the nervous system (I.S.C. Nos. 330-398)

6.31 In this group there were 10,657 deaths, of which the majority (9,850) were from vascular lesions affecting the central nervous system. Most of the latter are certified as either cerebral and subarachnoid hæmorrhages 4,087, or cerebral embolism and thrombosis, 4,828. Apart from these, though much less important numerically, the main nervous diseases were paralysis agitans, 187, multiple sclerosis, 156, epilepsy, 102, and other cerebral paralysis, 79. Non-meningococcal meningitis deaths numbered 56 compared with 46 in 1959.

6.32 The vascular lesions of the central nervous system show a heavier crude death rate in females, but for other diseases of the central nervous system there is little sex difference.

Diseases of the circulatory system (I.S.C. Nos. 400-468)

6.33 Deaths in this group numbered 23,742 of which 21,373 were ascribed to heart disease. The number increased steadily from 9,535 in 1931 to 16,503 in 1940. Change of classification in 1941 reduced this number slightly (about 1 per cent.) and in the two following years there was a substantial diminution in deaths from these causes. Since then there has been an irregular increase. The change of classification between the fifth and sixth revision accounted for an increase of only one half per cent. in deaths allocated to this group.

6.34 Of the total deaths from diseases of the heart (I.S.C. Nos. 410-443) the vast majority, 18,580, were ascribed to the arteriosclerotic or degenerative categories. Of these 11,326 were arteriosclerotic heart disease (including coronary thrombosis), 6,923 other forms of myocardial degeneration and 331 chronic endocarditis not specified as rheumatic.

6.35 Mortality ascribed to coronary thrombosis shows a progressive increase with age both in males and females, but at each age the rate in males exceeds that in females, although the extent of this differs widely throughout the age span. At ages under 35 the number of deaths is small and the sex ratio is irregular. From ages 35 and over there is a decided divergence in the rates for the separate sexes. In age-group 45-49 the male rate is almost six times that of the female. After age 50 the male : females ratio declines progressively, until in the oldest age groups the male mortality is only a little more than the female.

6.36 Deaths from chronic rheumatic heart disease numbered 741 compared with 816 in 1959. Acute rheumatic fever accounted for 17 deaths, a decrease of 4

from the previous year. Deaths from acute non-rheumatic conditions of the heart were 92. Functional and other unspecified diseases of the heart caused 809 deaths. Hypertension accounted for 1,671 of which 1,151 were associated with heart disease.

6.37 Age specific death-rates are given in Table 6.7 for heart disease, coronary thrombosis and myocardial degeneration, covering the period 1920 to 1960. When examining this table it should be remembered that the inclusive terms of any particular cause may differ from one period to another because of the several revisions of the International Classification of Causes of Death made in the past forty years. The Rubric numbers in use at the selected periods are given in a footnote to the table.

Table 6.7 Age specific death-rates per 100,000 from heart disease, coronary thrombosis and myocardial degeneration

Cause	Period	MALES—Rates per 100,000							
		All Ages	-25	25-	35-	45-	55-	65-	75- 85 +
Heart Disease	1920-22	136	12	41	61	138	410	1,038	2250
	1930-32	195	11	24	62	152	465	1,345	3,176 5,431
	1940-42	366	10	32	83	254	672	1,894	5,007 9,995
	1950-52	425	5	22	73	289	873	2,139	5,382 12,399
	1960	438	2	19	87	339	948	2,157	4,826 10,026
Coronary Thrombosis	1920-22	8	0	1	2	9	33	68	90
	1930-32	21	0	0	7	26	73	157	206 171
	1940-42	80	0	3	24	93	214	440	632 662
	1950-52	190	0	6	45	206	579	1,052	1,500 1,699
	1960	268	0	9	64	287	773	1,460	1,984 2,132
Myocardial Degeneration	1920-22	58	2	5	15	46	173	493	1,277
	1930-32	92	1	5	14	51	193	668	1,891 3,814
	1940-42	213	1	6	22	91	310	1,110	3,715 8,383
	1950-52	173	0	2	4	34	156	793	3,254 9,576
	1960	111	—	0	3	11	75	414	2,087 6,667
Cause	Period	FEMALES—Rates per 100,000							
		All Ages	-25	25-	35-	45-	55-	65-	75- 85 +
Heart Disease	1920-22	137	13	33	61	128	358	852	1821
	1930-32	191	14	32	64	138	365	1,005	2,526 4,700
	1940-42	303	12	38	70	158	447	1,370	3,827 9,100
	1950-52	384	5	23	49	126	440	1,503	4,498 11,038
	1960	385	2	11	36	108	407	1,352	3,941 10,195
Coronary Thrombosis	1920-22	4	0	0	0	2	12	33	44
	1930-32	11	0	0	1	8	29	79	119 147
	1940-42	39	0	1	5	20	89	235	394 462
	1950-52	99	0	1	9	39	186	549	879 1,048
	1960	150	—	2	13	55	255	731	1,197 1,558
Myocardial Degeneration	1920-22	60	2	8	15	44	145	409	1,024
	1930-32	94	1	4	16	48	169	518	1,509 3,241
	1940-42	189	1	6	19	69	223	836	2,852 7,669
	1950-52	211	0	2	5	27	131	673	3,010 9,175
	1960	154	0	1	1	9	53	345	1,975 7,149

Table continued overleaf.

Table 6.7 continued

International Statistical Classification

Year	Revision	Rubric Nos.		
		Heart Disease	Coronary Thrombosis	Myocardial Degeneration
1920	2nd	77-80	80	79 b.c.
1921, 1922, 1930	3rd	87-90	89	90 b.c.
1931, 1932, 1940	4th	90-95	94	93 b.c.
1941, 1942	5th	90-95	94	93 c.d.
1950-1952, 1960	6th and 7th	410-443	420.1.2	422

6.38 General arteriosclerosis was the most important of the circulatory diseases apart from the heart, and in 1960 there were 1,297 deaths ascribed to this cause, compared with 1,328 in 1959.

Diseases of the respiratory system (I.S.C. Nos. 470-527)

6.39 Deaths from these causes accounted for 4,870 deaths, compared with 6,273 in 1959. Of these the principal individual causes were bronchitis, 2,214, bronchopneumonia, 1,458, lobar pneumonia, 341, and pneumoconiosis, 201. Age specific death-rates are given in table 6.8 for bronchitis, covering the period 1920 to 1960. When examining this table it should be remembered that the inclusive terms of bronchitis may differ from one period to another because of the several revisions of the International Classification of Causes of Death made in the past forty years. Rubric numbers in use at the selected periods are given in a footnote to the table.

Table 6.8 Age specific death-rates per 100,000 from bronchitis

Cause	Period	MALES—Rates per 100,000								
		All Ages	-25	25-	35-	45-	55-	65-	75-	85+
Bronchitis	1920-22	99	54	8	22	69	223	624	1450	
	1930-32	77	25	6	25	53	131	457	1,211	2,330
	1940-42	84	22	10	26	85	163	332	875	1,936
	1950-52	57	4	2	8	53	167	265	541	1,119
	1960	63	3	—	4	37	178	397	528	707

Cause	Period	FEMALES—Rates per 100,000								
		All Ages	-25	25-	35-	45-	55-	65-	75-	85+
Bronchitis	1920-22	90	43	7	18	44	152	459	1412	
	1930-32	73	22	5	14	36	98	334	999	2,700
	1940-42	55	13	3	10	23	74	219	672	1,900
	1950-52	32	3	1	5	13	42	115	354	872
	1960	23	3	2	3	9	25	86	207	444

International Statistical Classification

Year	Revision	Rubric Nos.
1920	2nd	89-90
1921, 1922, 1930	3rd	99
1931, 1932, 1940	4th	106
1941, 1942	5th	106
1950-1952, 1960	6th, 7th	500-502

6.40 In 1960 deaths from pneumonia and bronchitis numbered 4,222 and were 73 below the five years' average.

Diseases of the digestive system (I.S.C. Nos. 530-587)

6.41 Deaths in this group numbered 1,988 compared with 1,915 in 1959. The principal conditions under this heading are ulcer of stomach, 233, and ulcer of duodenum, 329, hernia and intestinal obstruction, 344, and cirrhosis of the liver, 225. There were 73 deaths from diarrhoea of children between four weeks and under 2 years of age compared with 92 in 1959.

Diseases of genito-urinary system (I.S.C. Nos. 590-637)

6.42 These collectively numbered 1,189 deaths and are 13 fewer than in 1959 and 62 below the average of the past five years. The principal components of the group are chronic nephritis, 266, and diseases of the prostate, 367. Deaths from diseases of the prostate were 4 fewer than in 1959.

Diseases of pregnancy and childbirth (I.S.C. Nos. 640-689)

6.43 These numbered 35 and are one fewer than in 1959. They are 11 below the average of the past five years and roughly a third of what were so registered ten years ago. The most prominent constituents are complications of the puerperium, 14, complications of pregnancy, 12, delivery with specified complication, 6, and abortion, 3. The total deaths represent a rate of 0.3 per 1,000 live births. (Table 6.9).

6.44 In addition to the deaths classified as due to puerperal conditions, there were 17 which occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not specified as the primary cause of death. These are shown in detail in Table 6.10. The number in 1960 is 10 fewer than in 1959.

Table 6.9 Deaths and Death-rates from Puerperal Conditions in Scotland and its Groups of Public Health Districts in 1960

	Births (Living Children)	Still- births	Deaths from all Puerperal Con- ditions	Deaths from Puerperal Sepsis	Deaths from other Puerperal Con- ditions	Death-rate per 1,000 Live Births			Death-rate (all Puer- peral conditions) per 1,000 Total Births (including Stillbirths)
						All Puerperal Conditions	Puerperal Sepsis	Other Puerperal Conditions	
SCOTLAND	101,292	2,252	35	8	27	0.35	0.08	0.27	0.34
Counties of Cities	38,557	878	12	2	10	0.31	0.05	0.26	0.30
Large Burghs	18,189	409	4	1	3	0.22	0.05	0.16	0.22
Counties (ex. Counties of Cities and Large Burghs)	44,546	965	19	5	14	0.43	0.11	0.31	0.42
Small Burghs	16,186	322	6	—	6	0.37	—	0.37	0.36
Landward	28,360	643	13	5	8	0.46	0.18	0.28	0.45

Table 6.10 Deaths associated with Pregnancy and Parturition but not Classified as Puerperal—1960

International Abbreviated List 'B'	Cause of Death	Total	Ages						
			15-19	20-24	25-29	30-34	35-39	40-44	45 and over
1	Tuberculosis of respiratory system .	2	—	—	—	—	2	—	—
17	Other infective and parasitic diseases	1	—	1	—	—	—	—	—
21	Anæmias	1	—	—	—	—	1	—	—
46.0	Other general diseases	2	—	—	2	—	—	—	—
46.1	Other diseases of nervous system .	1	—	—	1	—	—	—	—
24	Rheumatic fever	1	—	—	1	—	—	—	—
25	Chronic rheumatic heart disease .	3	—	2	—	1	—	—	—
31	Pneumonia	1	—	—	—	—	1	—	—
36.1	Diarrhœa	2	—	—	2	—	—	—	—
38	Nephritis and nephrosis	1	—	—	—	—	1	—	—
E47	Motor vehicle accidents	2	—	1	1	—	—	—	—
	TOTAL .	17	—	4	7	1	5	—	—

Diseases of skin and cellular tissue (I.S.C. Nos. 690-716)

6.45 There were 44 deaths from these causes compared with 53 in 1959.

Diseases of bones and organs of movement (I.S.C. Nos. 720-749)

6.46 These causes accounted for 272 deaths during the year, 3 fewer than in 1959. Rheumatoid arthritis and allied conditions was the principal cause in this group and of the 163 deaths from this cause 27 were males and 136 females.

Malformations (I.S.C. Nos. 750-759)

6.47 There were 659 deaths from these compared with 718 in 1959. Congenital malformations of the circulatory system were the most frequent and numbered 220. These were followed by spina bifida, 126, digestive system, 78, hydrocephalus, 72, and genito-urinary system, 62. The vast majority, 77 per cent. of these deaths took place in the first year of life.

6.48 Table 6.11 shows these deaths distributed in age groups. Of the 659 who died from congenital malformations 505 died at ages under one year and of these 234 did not survive a week. Table 6.12 shows for each of the principal causes in the group and also for certain diseases of early infancy, the rate per 1,000 births in each quinquennium since 1936 and for 1959 and 1960. The rate for congenital malformations was 6.51 in 1960 compared with 7.23 in 1959. A more accurate rate is obtained by limiting the deaths to those which occurred in the first year of life, but this does not materially affect the trend.

6.49 Internal changes in classification of causes such as prematurity affect some of the rates when comparing 1950 onwards with earlier years.

Table 6.11 Deaths from Congenital Malformations in 1960
(International Nos. Detailed List 750-759)

Causes of Death	Total	Males	Females	Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 mths	3-5 months	6-8 months	9-11 months	1-4 years	5-9 years	10-14 years	15-24 years	25 years and over
Spina bifida and meningocele (751)	126	45	81	21	20	13	12	6	21	15	4	7	3	3	-	1	-
Congenital hydrocephalus (752)	72	35	37	14	8	4	3	3	9	8	6	7	4	2	-	2	2
Congenital malformations of circulatory system (754)	220	118	102	11	40	12	12	6	29	22	6	10	16	16	10	5	25
Imperforate anus and other congenital malformations of digestive system (756.1.2)	76	43	33	7	29	8	4	2	9	3	1	-	3	1	-	3	6
Other congenital malformations (Residual)	165	84	81	66	18	10	2	2	10	4	-	1	13	2	1	3	33
Total	659	325	334	119	115	47	33	19	78	52	17	25	39	24	11	14	66

Table 6.12 Death-rates per 1,000 Live Births from Congenital Malformations and Diseases of Early Infancy
(International Nos. Detailed List 750-776)

Causes of Death	1936-40	1941-45	1946-50	1951-55	1956-60	1959	1960
Congenital malformations . 750-759 (All ages)	6.87	7.28	6.58	6.85	6.91	7.23	6.51
Do. (Under 1 Year)	6.20	6.33	5.47	5.25	5.29	5.65	4.99
Spina bifida meningocele 751	1.89	1.93	1.38	1.54	1.37	1.28	1.24
Hydrocephalus . 752	0.70	0.74	0.64	0.70	0.73	0.79	0.71
Congenital heart disease 754	2.26	2.26	2.11	2.24	2.37	2.57	2.17
Congenital pyloric stenosis } 756-0			0.48	0.11		0.03	0.02
Other congenital defects } Residual	2.02	2.34	1.97	2.26	2.39	2.57	2.36
Diseases of early infancy . 760-776	30.61	27.74	20.24	17.24	15.16	15.13	14.44
Debility . 773 OY & 5Y	7.09	5.22	1.93	0.74	0.23	0.21	0.13
Premature birth . 776	16.79	15.07	10.39	5.50	3.99	3.82	3.26
Injury at birth . 760-761	3.22	3.19	2.94	2.78	2.70	2.86	3.00
Asphyxia at birth . 762			2.99	4.58	5.35	5.66	5.22
Other specified causes . } Residual	3.50	4.27	2.00	*3.65	*2.88	*2.58	*2.83
TOTAL (All ages)	37.48	35.02	26.83	24.09	22.06	22.37	20.95

*Includes pneumonia of newborn and diarrhoea of newborn.

Diseases of early infancy (I.S.C. Nos. 760-776)

6.50 Deaths from this group of causes totalled 1,463 compared with 1,502 in 1959. The most important individual component of this group is postnatal asphyxia and atelectasis, deaths from which numbered 529—over a third of the total. Prematurity unqualified, 330, birth injury, 304, pneumonia of newborn, 90, and haemolytic disease of newborn, 66, are next in order of importance. Out of the 1,463 deaths ascribed to certain diseases of early infancy, 330 were classified to prematurity, but it is perhaps worth mentioning that of the other 1,133 deaths in this group 538 had a mention of prematurity on the death certificate. Mortality ascribed to prematurity and, even more, to congenital debility has shown remarkable improvement recently. Deaths from injury at birth have shown no such favourable change. The rate per 1,000 live births for 1960 was 3.00 compared with 2.86 in 1959.

Senility (I.S.C. No. 794)

6.51 Only 450 deaths were so attributed. In spite of the ageing of the population the numbers here have shown fairly steady diminution, and it is clearly due to transfer to other cause groups, presumably as a result of more specific certification.

Violence (I.S.C. E.800-E999)

6.52 2,867 deaths from causes other than natural causes were registered in 1960. 2,422 were from accidents, 408 from suicide, 34 were caused by homicide and 3 were due to late effects of war operations.

6.53 There were 793 deaths from **transport accidents** in 1960, 69 more than in 1959. The majority were motor vehicle accidents—676—an increase of 63 from the previous year. Of the remainder, 39 were from railway accidents, 15 from road transport fatalities other than with motor vehicles, 51 in water transport accidents and 12 in air transport accidents.

6.54 The number of deaths from road transport accidents in Scotland from 1934 is set out in summary form in Table 6.13. The figures are given by sex and age. It will be seen that at all ages accidents have taken a much heavier toll of the male than of the female population.

Table 6.13 Deaths from Road Transport Accidents, 1934-1960

		All Ages	0-4	5-14	15-34	35-64	65 and over
<i>Males</i>	1934-38 (average) .	515	41	86	169	145	74
	1939-45 " .	709	50	104	183	242	130
	1946-50 " .	394	48	67	98	105	76
	1951-55 " .	422	39	61	123	122	76
	1956-60 " .	467	27	44	138	172	86
	1956 . .	452	31	45	117	173	86
	1957 . .	454	26	45	133	159	91
	1958 . .	463	24	44	137	175	83
	1959 . .	461	22	39	150	166	84
	1960 . .	504	31	45	154	189	85
<i>Females</i>	1934-38 (average) .	162	21	37	25	42	37
	1939-45 " .	188	22	43	29	50	44
	1946-50 " .	155	21	35	20	35	43
	1951-55 " .	149	19	28	21	38	42
	1956-60 " .	160	18	22	23	47	50
	1956 . .	137	20	21	20	37	39
	1957 . .	133	15	15	10	41	52
	1958 . .	169	18	18	35	50	48
	1959 . .	173	14	27	20	57	55
	1960 . .	187	24	30	29	49	55

6.55 Table 41A shows other deaths by accident (International Detailed List Nos. E870-E936, E961, E962) classified by sex and age in cause groups, and place of occurrence.

6.56 Deaths in the **home** in 1960 made up as usual the greatest individual group of fatal accidents. They numbered 1,050 or 43 per cent. of the total deaths from accidents. The number was 36 fewer than in 1959.

6.57 The causes of accidents in the home are shown in more detailed age groups in Table 6.14 (page 33).

Table 6.14. Deaths from Accidents at Home, 1960

International Detailed List Nos.	Cause of Death	Total	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Not stated
E870-E888	Accidental poisoning by solid and liquid substances {M. F.	32 41	1 -	3 2	- -	- -	1 3	4 5	11 5	8 11	8 9	- 5	3 1	- -	- -
E890-E895	Accidental poisoning by gases and vapours {M. F.	90 106	- -	- -	- 1	- 1	4 3	3 -	10 6	18 10	27 9	14 26	7 43	7 7	- -
E890a	Poisoning by utility (illumina- ting) gas, stated to be accidental {M. F.	40 65	- -	- -	- 1	- 1	- 1	- -	7 2	5 4	13 3	4 13	6 35	5 5	- -
E890b	Poisoning by utility (illumina- ting) gas, unspecified as to whether accidental or suicidal {M. F.	45 40	- -	- -	- -	- -	4 2	2 -	2 4	12 6	14 5	8 13	1 8	2 2	- -
E891-E895	Accidental poisoning by other gases and vapours {M. F.	5 1	- -	- -	- -	- -	- -	1 -	1 -	1 -	- 1	2 -	- -	- -	- -
E900-E904	Accidental falls {M. F.	131 383	1 -	2 7	2 -	- -	2 -	- -	6 1	3 3	10 12	20 53	62 172	23 135	- -
E916-E918	Accident caused by fire, ex- plosion, hot substance, radiation, etc. {M. F.	35 58	1 2	5 4	2 1	1 -	1 2	5 3	- 1	2 2	4 9	5 12	6 14	3 8	- -
E919	Accident caused by firearm {M. F.	4 2	- -	- 2	- -	- -	1 -	1 -	- -	- -	- -	1 -	1 -	- -	- -
E921, E922, E924, E925 }	Accidental mechanical suffo- cation {M. F.	94 49	81 41	4 3	- -	- -	- 1	1 -	1 1	2 1	2 2	3 -	1 -	- -	- -
E926	Lack of care of infants under 1 year of age {M. F.	5 2	5 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E929	Accidental drowning and submersion {M. F.	2 2	- -	1 -	1 -	- -	- -	- -	- -	1 1	1 -	- -	- -	- -	- -
Rem. of E910-E936, E961, E962 }	Other and unspecified acci- dents {M. F.	9 5	- -	1 1	- -	4 -	- 1	- 2	- -	- -	3 -	- -	1 1	- -	- -
	TOTAL {M. F.	402 648	89 45	16 19	5 2	5 1	9 9	10 11	21 14	36 28	54 42	43 96	81 231	33 150	- -

6.58 Accidental falls were the main cause, accounting for 514 deaths or 49 per cent. of the total deaths through accidents at home. These deaths from falls were much heavier among females, numbering 383, and they took a very much heavier toll of older persons, as is seen from the fact that 90 per cent. of the deaths were of persons aged 65 and over (males 80 per cent., females 94 per cent.).

6.59 Gas poisoning was the second heaviest cause of deaths in the home, and it will be seen from the table that in 1960 there were 196 deaths (90 of males and 106 of females). Of these 111 were stated to be accidental and 85 were unspecified as to whether accidental or suicidal. 104 of the deaths from gas poisoning were among persons aged 65 and over (males 28, females 76).

6.60 The third heaviest cause was suffocation, which caused 143 accidental deaths in 1960. No less than 122 or 85 per cent. were deaths of children under one, and 7 of the remainder were of children between one and four. 74 of the deaths of children under one were due to inhalation and ingestion of food causing obstruction or suffocation. Of the remaining 48 deaths of children under one 39 were due to suffocation in bed or cradle.

6.61 Accidents caused by fire, etc., were the next heaviest contributor to deaths in the home in 1960. They caused 93 deaths. Among these there were 12 children under five and 48 persons aged 65 and over.

6.62 Accidents in residential institutions accounted for 65 deaths, 4 more than in 1959. Fifty-nine of the deaths were due to falls and 56 of this cause group were aged 65 and over.

6.63 There were 55 deaths due to fatal accidents in **mines and quarries** compared with 96 in 1959. Four deaths were caused by fire and explosion of combustible material (47 in 1959) 27 by blows from falling objects (35), 6 by machinery (5) and 10 by mine vehicles (4).

6.64 **Farm and forest** accidents claimed 10 deaths, 6 fewer than in 1959. Two caused by falls, 3 by electric current and 3 by machinery. In addition there were 6 deaths due to accidents in which farm tractors, etc., were involved.

6.65 There were 139 deaths from accidents in **industrial places**, 47 of which were due to falls, 29 to blows from falling objects and 29 to fire etc.

6.66 Accidents in the **street and highway** were responsible for 30 deaths, 26 of which were due to falls.

6.67 In **other specified places** there were 249 deaths, 182 of which were caused by drowning and 30 by falls, mainly on mountains and hills.

6.68 A further 31 deaths occurred in places which were not adequately specified.

6.69 The following Table 6.15 compares in broad age-groups the death-rates per 100,000 of the population of males and females from accidents at home and from accidents elsewhere (excluding transport accidents).

Table 6.15. Death-rate per 100,000 from Accidental Deaths
(excluding Transport Accidents)

		All ages	0-4	5-14	15-44	45-64	65 and over
Accidents at Home	Male	16	44	2	4	15	73
	Female	24	28	1	3	10	145
Accidents elsewhere	Male	19	8	9	17	24	41
	Female	4	2	3	1	3	19
Total	Male	35	52	12	21	40	114
	Female	28	30	4	4	13	163

6.70 The over-all male rate is lower than for females as regards accidents at home; but it will be observed that the male rate is higher in each individual age-group except for 65 and over where the rate for females is twice as high. The figures show that males are more vulnerable to accidents outside the home in the proportion of almost five to one. The difference is even greater in the age-groups between 15 and 64.

6.71 **Suicide.** Deaths from suicide numbered 408, 263 males and 145 females. This represents a death-rate of 8 per 100,000 compared with 9 for 1959 and 3 below the average of the last five years. (Tables 41B and 42).

6.72 **Accidental and suicidal poisoning.** The agents used in the 273 accidental and 253 suicidal deaths from poisoning are given in Table 41B.

6.73 **Anæsthetics.** Details are given in table 41C of the anæsthetic administered in the case of deaths which were primarily due to complications of anæsthesia for non-therapeutic purposes and therapeutic misadventure in anæsthesia (none in 1960) and of the 113 deaths where there was mention of anæsthetic other than as primary cause.

Relative frequency of cause of death

6.74 The commonest causes or cause groups of death and their percentages of total deaths are given in Table 6.16.

Table 6.16. Relative Frequency of Causes of Death

Causes of Death	1960		1959	
	Number	Per cent. of total	Number	Per cent. of total
Heart disease	21,373	34.60	21,122	33.49
Malignant neoplasms	11,033	17.86	11,032	17.49
Vascular lesions of the central nervous system	9,850	15.95	9,862	15.64
Violence	2,867	4.64	2,860	4.54
Bronchitis	2,214	3.58	2,556	4.05
Congenital malformations and diseases of early infancy	2,122	3.44	2,220	3.52
Pneumonia (excluding pneumonia of newborn)	2,008	3.25	2,557	4.05
TOTAL	51,467	83.33	52,209	82.79

6.75 Death-rates in Scotland compared with those in England and Wales, Northern Ireland and the Irish Republic—Precise comparisons between the death-rates in Scotland and those in England and Wales, Northern Ireland and the Irish Republic cannot be made from an examination of the crude death-rates in the four countries. By agreement between the Registrars-General, death-rates have been standardised to the age and sex distribution of the United Kingdom and the Irish Republic.

6.76 Table 48 gives the standardised mortality ratios for the four countries for all causes and for a specially selected list of causes for the year 1960. It also shows the age specific death-rates by sex so that a more detailed examination of the rates can be made. It will be observed that while for all causes Scotland has the highest rates its position varies a great deal from cause to cause. The Scottish ratio is more favourable for syphilis and its sequelæ, acute poliomyelitis, influenza and nephritis and nephrosis. The Scottish ratio shows a fairly marked excess in the case of tuberculosis, malignant neoplasms, diabetes, anæmias, vascular lesions of central nervous system, diseases of digestive system and accidents in the home.

Chapter 7. Infant Mortality

Numbers

7.1 There were 2,673 deaths of infants aged under one year, of whom 1,542 were males and 1,131 females. The total number was 143 fewer than in 1959 and 110 below the average.

National-Rates

7.2 The infant mortality rate was 26.4 per 1,000 live births, the lowest ever recorded in Scotland; in 1959 it was 28.4. The rate for males was 29.7 and 22.9 for females, compared with 32.0 and 24.5 respectively in 1959.

7.3 Up to 1915 the rate never fell below 100, but in the 1920's and 1930's it started to decline and by 1939 it was 68.5. Since 1947, when the rate was 55.8 there has been a downward trend. (Table 2).

Seasonal incidence

7.4 The highest monthly infant mortality rate was 31 in January and the lowest was 22 in July. In 1959 the highest rate was recorded in February, 36, and the lowest in September, 23. (Table 63). The rate in the first quarter was 29, in the second 26, in the third 24 and 27 in the fourth quarter. Quarterly rates are given in Table 3 for the years 1951 to 1960.

Area-rates

7.5 In the cities and large burghs the rates were 28, while it was 24 in the small burghs and 25 in the landward areas.

7.6 As landward areas are by no means uniformly rural in character, rates have been calculated for the four regions which comprise the landward area. These are given in table 7.1 along with those for cities and large burghs and small burghs for the years 1950, 1959 and 1960.

Table 7.1 Infant Mortality Rates in Local Authority Districts and Regional Landward Divisions, 1950, 1959, 1960

	1960	1959	1950		1960	1959	1950
Scotland	26	28	39	Regions (Landward):			
Large burghs and cities	28	30	40	Northern	22	23	32
Glasgow	32	35	44	East Central*	28	25	40
Other large burghs	25	26	37	West Central†	26	31	40
Small burghs	24	25	37	Southern	23	23	33
Landward	25	27	37				

*EAST CENTRAL DIVISION: Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian, East Lothian and the City of Dundee.

†WEST CENTRAL DIVISION: Counties of Lanark, Dunbarton, Renfrew and Ayr.

The counties lying to the north and west of the Central Industrial Belt are referred to as the NORTHERN DIVISION; those lying to the south and east of it as the SOUTHERN DIVISION.

7.7 In individual cities and large burghs the rate ranged from 37 in Hamilton to 9 in Inverness and in the counties (exclusive of cities and large burghs) it ranged from 41 in Argyll to 8 in Caithness (Table 4). Infant mortality rates for individual small burghs and landward areas are given in Tables 5 and 6.

International-rates

7.8 So that comparison may be made with the experience in Scotland, a selection of infant mortality rates of other countries is given in Table 7.2

Table 7.2 Infant Mortality per 1,000 Births in Various Countries—1960

Portugal	77	Northern Ireland	27
Poland	57	Scotland	26
Hungary	47	U.S.A.	26
Austria	38	England and Wales	22
Spain	35	Finland	20
Belgium	31	New Zealand*	20
Eire	29	Netherlands	17
France	28	Sweden	16

*Excluding Maoris.

Legitimacy and illegitimacy

7.9 Among legitimate children the infant mortality rate was 26, being 27 in the cities, 27 in the large burghs and 25 in the counties; these compare with figures of 28, 30, 29 and 26 respectively in 1959.

7.10 The rate among illegitimate children was appreciably higher at 41, being 44 in the cities, 53 in the large burghs and 32 in the counties. The 1959 rates were 38, 42, 35 and 33 respectively. (Table 31).

Age and sex

7.11 The number of deaths and death-rates per 1,000 live births by age and sex in days, weeks and months during the first year of life are given in Table 32. It will be seen that more infants died in the first day of life than in the remaining days of the first week, and that 69 per cent. of the children who died before reaching one year of age did not survive the first week. The neonatal rate was 18.2, 20.4 for males and 15.9 for females, but in the second month it fell to 3.4, 3.9 for males and 2.8 for females, and the combined rate for the last three months was only 0.9 for persons, males and females. Infant mortality rates, by age and sex, for the period 1922-1960, are given in table 7.3

Table 7.3 Infant Mortality per 1,000 Births by Age and Sex in Scotland, 1922-1960

Year	Males						Females					
	Under 1 year	Under 7 days	*7-27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under 12 months	Under 1 year	Under 7 days	*7-27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under 12 months
1922-25	103.7	42.6		16.0	16.6	28.5	80.0	32.7		11.8	12.6	23.0
1926-30	96.0	41.1		14.9	16.5	23.3	74.4	31.8		10.6	12.1	19.9
1931	93.2	27.5	12.6	13.9	15.9	23.9	69.9	21.7	9.6	9.9	10.4	18.4
1932	94.6	26.8	13.4	15.4	17.0	22.1	77.3	20.7	11.1	12.3	13.8	19.4
1933	89.3	28.8	12.0	14.8	14.2	19.5	72.4	23.3	10.9	10.0	11.4	16.7
1934	86.9	27.7	12.2	14.3	14.0	18.7	68.0	21.6	10.8	9.5	11.1	15.0
1935	86.9	28.8	14.6	13.2	13.6	16.7	66.2	20.7	12.8	9.1	10.1	13.6
1931-35	90.3	27.9	13.0	14.3	15.0	20.1	70.8	21.6	11.0	10.2	11.4	16.6
1936	92.2	28.4	14.1	15.9	15.2	18.7	71.9	21.3	11.2	10.7	13.0	15.8
1937	89.6	28.2	14.2	15.0	16.2	16.0	70.5	22.0	12.0	10.8	11.5	14.2
1938	76.6	26.6	11.4	13.4	12.2	13.0	62.1	21.9	10.0	8.9	9.1	12.1
1939	77.4	29.7	12.4	12.1	11.7	11.6	59.1	22.8	8.0	8.8	9.7	9.8
1940	90.3	29.5	13.1	15.0	15.7	17.0	65.7	21.2	10.4	10.5	11.8	11.8
1936-40	85.2	28.5	13.0	14.3	14.2	15.3	65.9	21.8	10.3	9.9	11.0	12.8
1941	93.3	29.0	16.0	17.4	17.0	14.0	71.6	22.5	12.2	12.6	10.9	13.4
1942	77.9	27.0	12.9	14.1	13.1	10.8	60.2	19.8	10.3	10.0	11.4	8.8
1943	73.0	25.3	11.8	13.3	12.3	10.3	57.0	18.7	9.8	9.1	10.0	9.4
1944	73.0	24.7	12.3	13.3	13.1	9.5	56.4	10.4	9.4	10.4	8.4	8.4
1945	64.7	23.6	9.0	12.4	11.5	8.2	47.3	17.5	6.6	8.9	8.2	6.0
1941-45	76.4	25.9	12.4	14.1	13.4	10.6	58.5	19.2	9.9	10.0	10.2	9.2
1946	60.0	25.1	8.1	10.0	9.5	7.3	47.3	19.4	7.0	7.2	7.8	5.9
1947	62.9	22.4	9.4	11.8	10.3	9.1	48.2	17.5	7.6	7.7	7.8	7.6
1948	51.3	21.6	6.9	8.9	8.1	5.8	37.7	15.5	5.9	5.9	5.8	4.6
1949	46.2	21.0	5.3	8.3	6.6	5.0	36.3	15.4	4.4	6.3	5.9	4.2
1950	43.0	21.0	4.6	6.5	6.4	4.5	33.8	16.2	4.0	5.3	4.4	3.9
1946-50	53.2	22.3	7.0	9.2	8.3	6.4	41.1	16.9	5.9	6.5	6.4	5.3
1951	42.2	20.4	4.8	6.9	6.2	3.8	32.4	15.5	3.6	5.1	4.6	3.6
1952	39.3	20.1	4.1	5.6	6.2	3.3	30.8	15.7	3.2	4.1	4.3	3.5
1953	34.7	18.9	3.5	5.3	4.4	2.6	26.6	13.5	2.5	4.3	3.6	2.7
1954	34.9	20.2	3.4	4.3	4.1	2.9	26.9	15.2	2.3	4.2	3.1	2.0
1955	33.2	19.3	2.8	4.9	3.7	2.5	27.4	14.5	2.8	3.9	3.7	2.6
1951-55	36.9	19.8	3.7	5.4	4.9	3.0	28.8	14.9	2.9	4.3	3.9	2.9
1956	32.6	19.2	3.1	4.6	3.9	1.8	24.4	13.3	2.4	3.7	2.6	2.4
1957	32.6	19.2	3.4	4.1	3.5	2.3	24.4	14.0	2.4	3.1	3.0	2.0
1958	30.9	18.8	2.8	4.3	3.0	2.0	24.3	13.4	2.2	3.3	3.2	2.3
1959	32.0	19.4	3.1	3.7	3.5	2.4	24.5	13.6	2.5	3.1	3.1	2.2
1960	29.6	17.9	2.6	3.9	2.9	2.4	22.9	13.7	2.3	2.8	2.2	1.9
1956-60	31.5	18.9	3.0	4.1	3.4	2.2	24.1	13.6	2.4	3.2	2.8	2.2

*Prior to 1950 the numbers and rates relate to 1 week and under 1 month and 1 month and under 3 months.

Neonatal and postneonatal mortality—trends

7.12 The neonatal and postneonatal mortality rates are given in quinquennial averages from 1911 to 1960 and by single years from 1951 in Table 7.4. From 1936 legitimate and illegitimate rates are shown separately.

Table 7.4 Neonatal and Postneonatal Mortality per 1,000 Births—1911-1960

	Deaths under 28 days*			Deaths between 28 days and 1 Year*		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1911-15	43.0	—	—	69.8	—	—
1916-20	40.5	—	—	58.5	—	—
1921-25	38.2	—	—	53.6	—	—
1926-30	36.5	—	—	48.9	—	—
1931-35	36.8	—	—	44.0	—	—
1936-40	36.9	35.8	54.5	38.9	37.5	58.8
1941-45	33.8	32.3	53.0	33.9	32.1	55.6
1946-50	26.1	25.3	39.8	21.2	20.2	37.0
1951-55	20.7	20.1	32.4	12.2	11.9	18.5
1956-60	19.0	18.6	27.8	8.9	8.8	11.2
1951	22.3	21.8	31.6	15.1	14.7	22.2
1952	21.7	21.1	33.2	13.5	13.1	20.9
1953	19.3	18.8	30.3	11.5	11.2	17.0
1954	20.6	19.9	35.0	10.4	10.1	15.6
1955	19.7	19.2	31.8	10.6	10.4	16.3
1956	19.1	18.7	27.0	9.5	9.4	13.3
1957	19.6	19.2	29.9	9.0	8.9	10.5
1958	18.7	18.4	27.0	9.0	9.0	8.8
1959	19.4	19.1	26.4	9.0	8.9	11.4
1960	18.2	17.8	28.8	8.1	8.0	11.8

*Prior to 1950 the rates relate to under 1 month and between 1 month and 1 year.

7.13 In the 1911-1915 quinquennium the postneonatal rate was very much higher than the neonatal rate but by 1941-1945 the rates were almost equal. Since then the difference between the two rates has widened in favour of the postneonatal rate and in recent years it has been less than half of the neonatal rate.

7.14 The neonatal rate was 18.2 in 1960 compared with 19.4 in 1959. The postneonatal rate remained steady at 9.0 in the years 1957-1959 but fell to 8.1 in 1960.

Neonatal and postneonatal mortality—legitimacy

7.15 Since 1942 the postneonatal death rate for legitimate births has been lower than the neonatal rate but it was not until 1948 that the postneonatal rate similarly fell in the case of illegitimate births. Recently the excess of illegitimate rates over the legitimate has been more pronounced for the neonatal rate.

Neonatal and postneonatal mortality—social class

7.16 A series of neonatal and postneonatal rates, by social class, are given in Table 7.5 for 1939 and each year from 1946 to 1960; comparable stillbirth rates are given in Table 8.17. In each social class the postneonatal rate has shown a greater improvement than the neonatal rate.

Table 7.5 Infant Mortality Rates according to Social Class, 1939 and 1946 to 1960

Year	Neo natal deaths per 1,000 live births					Post neo natal deaths per 1,000 live births				
	I	II	III	IV	V	I	II	III	IV	V
1939	25.9	25.1	38.6	34.8	39.9	7.6	14.8	30.2	33.4	44.9
1946	16.7	25.0	29.3	31.1	36.9	5.5	12.8	22.0	29.3	36.1
1947	17.8	19.3	27.2	29.7	42.1	9.1	15.7	24.1	31.4	46.5
1948	15.0	16.4	24.6	28.7	30.5	9.8	9.9	18.2	21.8	32.2
1949	13.7	17.9	22.6	24.4	31.3	4.9	9.1	16.2	22.9	30.8
1950	20.0	16.5	22.7	24.9	28.5	5.9	7.7	14.3	18.9	25.1
1951	14.6	15.2	22.1	23.3	29.7	3.8	7.6	14.3	17.7	24.3
1952	12.9	18.2	21.8	23.2	24.2	5.3	6.6	12.7	15.9	22.1
1953	14.8	16.2	19.0	21.4	22.0	4.0	5.5	10.6	13.0	20.4
1954	13.4	16.0	20.8	20.7	25.6	2.2	6.1	10.1	10.9	16.4
1955	16.1	16.8	18.5	22.6	24.5	4.2	5.9	9.6	12.7	18.0
1956	11.1	13.6	19.1	22.2	22.2	5.8	5.7	8.4	10.9	16.5
1957	14.1	16.4	19.5	20.1	22.2	4.3	5.3	7.9	11.6	14.3
1958	15.0	14.2	18.4	18.4	24.2	2.1	5.7	8.4	10.6	14.0
1959	13.7	16.4	18.8	20.5	24.0	2.3	6.0	8.2	10.2	15.4
1960	13.0	17.2	17.1	20.7	21.0	2.7	4.3	7.2	10.2	12.8

7.17 In Table 7.6 infant, neonatal and postneonatal mortality rates, by social class, are given for Scotland, the cities, large burghs and counties in 1960; comparable stillbirth rates are given in Table 8.16. Social class has a much more marked effect on postneonatal than on the neonatal mortality. The same is true not only for Scotland as a whole but also for the area rates and this merely confirms the experience of recent years. Compared with 1959 there were decreases in the total infant mortality rate in each social class, except class IV.

Table 7.6 Infant Mortality in the Scottish Cities, Large Burghs and Counties according to Social Class

Social Class		Numbers			Rates		
		Live Births	Deaths		Neo-Natal Deaths per 1,000 Live Births	Post-Natal Deaths per 1,000 Live Births	Total Infant Mortality per 1,000 Live Births
			Under 28 days	28 days-2 months			
SCOTLAND	I.	4,084	53	11	13.0	2.7	15.7
	II.	9,240	159	40	17.2	4.3	21.5
	III.	54,895	936	396	17.1	7.2	24.3
	IV.	21,154	437	216	20.7	10.2	30.9
	V.	10,183	214	130	21.0	12.8	33.8
	NOT STATED	1,736	49	32	—	—	—
TOTAL		101,292	1,848	825	18.2	8.1	26.4
COUNTIES OF CITIES	I.	1,536	18	4	11.7	2.6	14.3
	II.	2,655	41	10	15.4	3.8	19.2
	III.	21,418	387	155	18.1	7.2	25.3
	IV.	7,548	172	89	22.8	11.8	34.6
	V.	4,486	90	54	20.1	12.0	32.1
	NOT STATED	914	29	18	—	—	—
TOTAL		38,557	737	330	19.1	8.6	27.7
LARGE BURGHS	I.	576	11	1	19.1	1.7	20.8
	II.	1,161	19	3	16.4	2.6	18.9
	III.	10,680	168	89	15.7	8.3	24.1
	IV.	3,142	81	33	25.8	10.5	36.3
	V.	2,367	50	33	21.1	13.9	35.1
	NOT STATED	263	9	6	—	—	—
TOTAL		18,189	338	165	18.6	9.1	27.7
COUNTIES (except Counties of Cities and Large Burghs)	I.	1,972	24	6	12.2	3.0	15.2
	II.	5,424	99	27	18.3	5.0	23.2
	III.	22,797	381	152	16.7	6.7	23.4
	IV.	10,464	184	94	17.6	9.0	26.6
	V.	3,330	74	43	22.2	12.9	35.1
	NOT STATED	559	11	8	—	—	—
TOTAL		44,546	773	330	17.4	7.4	24.8

Causes of death, by age and sex

7.18 Malformations and diseases of early infancy (I.S.C. Nos. 750-776) are reviewed in Chapter 6, paras. 47-50, and an analysis is given in Table 29 of causes of death in 1960 among children under one year, by age and sex. The most important causes were asphyxia and atelectasis, 529; congenital malformations, 505; prematurity (unqualified) 330; birth injuries, 304; and pneumonia (excluding newborn) 242. Compared with 1959 there were decreases in deaths from congenital malformations (56); pneumonia, all forms (48) and asphyxia and atelectasis, (33) and increases from birth injuries, (20), bronchitis, (11) and meningitis, (9).

Causes of deaths, trends

7.19 To facilitate the examination of trends in infant mortality a new table (Table 29A) has been prepared giving for the period 1950-1960, deaths by cause and sex, with the relative rates per 1,000 live births.

7.20 Since 1950 deaths from tuberculosis have almost disappeared and mortality from other infectious diseases, notably whooping cough, have been greatly

reduced. There has been substantial improvement in mortality from all forms of pneumonia, diarrhoea, other infantile diseases (principally prematurity) and convulsions. The congenital malformation rate has fluctuated but today stands lower than it was in 1950. After showing improvement in the early and mid 1950's, the birth injuries rate has increased, although still below what it was in 1950. Asphyxia and atelectasis alone among the principal causes has increased steadily since 1950; the rate in 1960 was, however, lower than in 1958 and 1959.

Causes of death, by month of registration

7.21 Deaths of children under one year are classified by cause and month of registration in Table 30. Reference has already been made in paragraph 7.4 to the seasonal incidence of infant mortality.

Causes of death, by social class

7.22 The causes of death by social class in the first year of life among legitimate children, are given in Table 26.

7.23 As one might expect the social class differences between the rates for neonatal causes (I.S.C. Nos. 750-776) and postneonatal causes follow the trends already referred to in paragraph 7.18. The 1960 rates per 10,000 live births for social classes I and II, III, IV and V were:

	I & II	III	IV & V
Neonatal causes (750-776)	162	183	218
Other causes (remainder)	35	60	93

7.24 Table 7.7 gives the experience for the years 1950-1960 of infant mortality by cause and social class. The rates have been calculated on three three-year periods and one two-year period to provide more stable rates.

Table 7.7 Infant Mortality per 10,000 Live Births by Cause in Social Class

International No.	CAUSE OF DEATH	1950-1952			1953-1955			1956-1958			1959-1960		
		I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V
001-019	Tuberculosis	1	3	4	—	1	1	0	0	0	—	0	0
020-029	Syphilis	—	0	1	—	0	0	—	—	—	—	—	—
055-057, 085	Epidemic diseases	3	7	10	2	4	5	1	2	4	1	2	2
340	Meningitis (not meningococcal or tuberculous)	1	2	4	1	1	3	2	2	3	2	3	2
490-493	Pneumonia (excluding newborn)	15	38	56	10	24	42	9	22	41	11	24	34
500-502	Bronchitis	3	5	7	2	4	4	2	3	5	1	4	4
470-483	Other respiratory diseases	3	4	4	2	3	4	1	2	2	2	2	3
510-527	Diarrhoea (excluding newborn) gastritis and duodenitis*	7	19	30	4	10	16	3	6	10	0	6	13
543, 571-572	Other digestive diseases	2	4	4	3	5	5	3	5	4	2	4	5
530-542, 544-570, 573-587	Congenital malformations	38	51	57	37	53	57	43	53	57	44	50	62
750-759	Birth injuries	28	31	31	19	25	27	20	25	27	25	28	31
760-761	Asphyxia and atelectasis	27	37	43	39	47	54	33	54	58	39	53	62
762	Pneumonia of newborn	7	14	18	7	11	14	7	10	12	8	8	12
763	Diarrhoea of newborn	2	2	5	1	1	1	1	1	2	0	2	2
764	Other infantile diseases	67	93	110	63	70	83	53	59	71	49	48	56
765-776	Convulsions	2	5	12	0	5	7	1	3	5	0	2	3
780a	All other natural causes	9	12	15	7	7	12	8	7	11	6	7	11
Remainder	Accidental mechanical suffocation, etc.	7	14	19	5	15	24	5	13	22	8	11	18
E921, E922	Other violence	—	1	2	1	1	1	1	1	2	0	1	1
E924, E925	All Causes	222	343	430	204	287	361	192	268	337	200	255	322
E800-E920, E923, E926-E999													

*Diarrhoea only in 1952-1953.

7.25 During the period 1950-1960 the greatest improvement in the total infant mortality was in classes IV and V followed closely by class III.

7.26 In 1959-60 the relative excess of classes IV and V over classes I and II was greatest in pneumonia, diarrhoea and suffocation and least in birth injuries and other infantile diseases. The greatest contributions to the absolute difference in the two rates were made by pneumonia, asphyxia and atelectasis and congenital malformations which jointly contributed more than half of the excess.

Chapter 8. Stillbirths

Numbers and rates

8.1 The total number of stillbirths registered during the year 1960 was 2,252 and with 101,292 live births registered during the same period these stillbirths were equivalent to a rate of 21.7 per 1,000 total births, live and still, the lowest ever recorded in Scotland. Apart from slight increases in the rates for 1945 and 1954 there has been a continuous reduction in the rate since 1939, the first year in which stillbirths were registered in Scotland (Table 2).

Area death-rates

8.2 For local authority aggregates the stillbirth-rate was 22 in the cities, 22 in the large burghs, 20 in the small burghs and 22 in the landward areas. The corresponding rates in 1959 were 24, 21, 21 and 22. As in previous years the rates for individual large burghs and counties show wide variations, and in some, owing to the comparatively small numbers involved, the annual rates are not very stable. Among cities and large burghs the highest rate for the year was 37 in Port Glasgow and the lowest 10 in Arbroath. In the counties the highest rate was 33 in Wigtown and the lowest 5 in Kincardine. There were no stillbirths in the County of Peebles (Table 4).

8.3 In Table 8.1 will be found the stillbirth-rates aggregated for the four geographical divisions of Scotland. The rate ranged from 23.0 in West Central to 18.5 in Northern.

Table 8.1 Stillbirth-Rates per 1,000 Births (Live and Still) by Divisions, 1960

Divisions*	Total	Counties of Cities and Large Burghs	Counties (excluding Counties of Cities and Large Burghs)
Northern .	18.5	20.2	17.8
East Central .	21.2	19.5	23.3
West Central .	23.0	23.6	21.5
Southern .	22.9	18.8	23.5
SCOTLAND	21.7	22.2	21.2

*The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

Table 8.2 Stillbirths per 1,000 Births (Live and Still) by Areas, 1939 to 1960

Year	Scotland	Counties of Cities and Large Burghs	Counties (excluding counties of cities and large burghs)	Divisions			
				Northern	East Central	West Central	Southern
1939 .	42.2	42.1	42.5	39.3	42.4	43.2	42.0
1940 .	42.1	42.4	41.7	40.1	43.1	42.7	37.6
1941 .	39.6	41.9	36.8	32.1	38.7	43.1	35.9
1942 .	38.2	40.2	35.9	33.7	38.0	40.8	30.5
1943 .	35.6	37.0	33.9	32.6	35.9	36.5	35.8
1944 .	32.5	33.6	31.2	28.4	31.5	34.8	29.0
1945 .	32.8	33.1	32.5	29.9	32.4	34.4	29.1
1946 .	32.3	34.7	29.3	28.6	32.0	33.9	32.2
1947 .	30.5	29.8	31.5	27.6	29.2	32.3	31.6
1948 .	28.7	29.8	27.4	26.6	27.7	30.3	26.1
1949 .	27.1	27.7	26.4	22.6	27.4	28.6	21.4
1950 .	26.9	28.2	25.3	22.7	25.9	28.8	29.7
1951 .	26.6	27.1	26.0	23.5	26.4	28.0	25.7
1952 .	26.2	26.6	25.6	22.1	26.2	27.9	23.8
1953 .	24.8	25.5	23.9	21.5	25.0	25.9	23.9
1954 .	25.3	26.4	24.1	20.7	25.3	27.0	25.5
1955 .	24.6	24.7	24.4	18.4	26.1	25.8	25.5
1956 .	23.9	24.4	23.2	22.1	23.4	24.8	22.7
1957 .	23.7	23.3	24.2	19.9	22.7	25.4	24.7
1958 .	22.8	23.7	21.8	19.1	22.3	24.1	25.9
1959 .	22.2	22.8	21.4	20.7	20.3	23.3	26.2
1960 .	21.7	22.2	21.2	18.5	21.2	23.0	22.9

8.4 In Table 8.2 stillbirths-rates are given for Scotland, cities and large burghs, counties exclusive of large burghs, and the four geographical divisions for the years 1939 to 1960. Generally there has been a steady improvement each year in all the areas, although the rate in the Southern Division has tended to fluctuate. Among the geographical divisions the Northern has shown the most improvement, the rate now being 53 per cent. below that of 1939, the East Central coming next at 50 per cent. below the 1939 rate.

Stillbirth and neonatal death-rates

8.5 In 1960 the death-rate among stillbirths and children aged under four weeks was 39.6 per 1,000 total births, live and still, compared with 77.3 in 1939 and the average of 42.2. The rates for individual years since the beginning of stillbirth registration are given in Table 8.3. Stillbirth and neonatal-rates have declined since 1939, the stillbirth rate rather more regularly than the neonatal-rate but each is now not much more than half of the rate registered 21 years ago.

**Table 8.3 Stillbirth and Neonatal Death-Rates per 1,000 Total Births (Live and Still)—
1939-1960**

Year	Still- births	Neo-natal Deaths*	Total
1939 .	42.2	35.0	77.3
1940 .	42.1	35.7	77.8
1941 .	39.6	38.4	77.9
1942 .	38.2	33.7	71.9
1943 .	35.6	31.7	67.3
1944 .	32.5	31.7	64.2
1945 .	32.8	27.6	60.4
1946 .	32.3	28.9	61.2
1947 .	30.5	27.7	58.2
1948 .	28.7	24.4	53.1
1949 .	27.1	22.5	49.7
1950 .	26.9	22.4	49.3
1951 .	26.6	21.7	48.3
1952 .	26.2	21.1	47.3
1953 .	24.8	18.8	43.6
1954 .	25.3	20.1	45.5
1955 .	24.6	19.2	43.8
1956 .	23.9	18.6	42.5
1957 .	23.7	19.1	42.8
1958 .	22.8	18.3	41.1
1959 .	22.2	18.9	41.1
1960 .	21.7	17.8	39.6

* These neonatal-rates, being based on total births, do not quite correspond with those based on live births only, which will be found elsewhere in this Report.

Age of mother and number of previous children

8.6 Table 19 shows legitimate and illegitimate stillbirths classified according to age of mother, and legitimate stillbirths according to the number of children already born to the mother.

8.7 Among legitimate births the rate was 21.3 per 1,000 total births, this rate being at its lowest when the mother was aged 20-29 years and rising thereafter with increasing age of the mother.

8.8 For every age-group, except 40-44, the illegitimate stillbirth-rates were higher than the corresponding legitimate rates. They are based on small numbers, but exhibit a similar general trend as the legitimate rates, viz:—a fairly steady increase with increasing age of mother.

8.9 Stillbirth-rates by age of mother are given in Table 8.4 for the years 1939 to 1960. Throughout the twenty-two years under review it will be seen that, generally, the younger the mother, the less risk there is of stillbirth. Among those aged under 45 a comparison of the 1939 and 1960 rates shows that there has been a steady improvement in each age-group and that most improvement has taken place in age-groups 35-39, 25-29 and 30-34 which are now 51, 49 and 48 per cent. below the 1939 rates.

Table 8.4 Stillbirths per 1,000 Births (Live and Still) by Age of Mother, 1939 to 1960

Year	Age of Mother									
	All Ages			Under 20	20-24	25-29	30-34	35-39	40-44	45-49
	Total	Leg.	Illeg.	Total	Total	Total	Total	Total	Total	Total
1939	42.2	41.9	47.6	30	31	35	46	63	74	132
1940	42.1	41.6	50.7	35	31	36	45	61	77	95
1941	39.6	38.9	49.2	27	30	35	43	56	65	67
1942	38.2	37.6	46.4	32	29	32	42	55	66	98
1943	35.6	35.1	41.6	25	25	31	38	49	71	66
1944	32.5	31.8	40.7	24	24	27	35	44	57	98
1945	32.8	32.4	37.2	25	25	27	34	46	67	61
1946	32.3	31.8	39.7	27	23	29	33	44	61	94
1947	30.5	29.8	42.0	24	23	26	33	41	60	77
1948	28.7	28.3	35.6	23	22	23	32	41	55	88
1949	27.1	26.7	34.7	21	21	20	31	40	63	104
1950	26.9	26.5	34.7	23	19	23	27	41	59	73
1951	26.6	26.0	37.3	23	19	22	28	40	64	87
1952	26.2	25.7	34.5	23	20	23	27	39	56	61
1953	24.8	24.3	34.0	17	20	22	27	36	51	58
1954	25.3	24.9	33.8	23	20	22	28	36	48	51
1955	24.6	24.1	33.7	20	20	19	28	38	49	90
1956	23.9	23.4	32.8	22	19	21	25	35	50	60
1957	23.7	23.4	30.2	21	18	21	25	37	51	94
1958	22.8	22.5	30.7	21	19	20	24	34	49	91
1959	22.2	21.7	33.0	21	19	19	24	33	43	38
1960	21.7	21.3	31.8	23	18	18	24	31	49	79

8.10 Table 8.5 has been prepared from the distribution of stillbirths by age and parity shown in Table 19 in order to contrast first births with all subsequent births at different ages of mother. This shows that except for age-group 35-39 the rate for primiparous exceeds the rate for multiparous births.

8.11 Among multiparous births themselves, the relative frequency of still-birth varies widely, being least in the case of a second birth and thereafter generally increasing with increase in the number of previous children born to the mother.

Table 8.5 Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), 1960

Age of Mother	Children of all mothers	Primiparæ (first births)	Multiparæ (one or more previous births)				
			Number of Previous Births				
			1 and over	1	2	3	4 and over
Under 20	20	21	18	14	63	—	—
20—	17	20	14	13	16	22	15
25—	18	22	16	14	18	17	24
30—	24	33	22	17	20	22	34
35—	31	30	31	23	27	33	39
40 and over	51	48	52	84	23	46	58
ALL AGES	21	22	21	15	19	23	36

8.12 To examine separately the influence of parity and of age of mother, Table 8.6 has been compiled. The parity groups are aggregated to obtain more stable rates. For each parity group the stillbirth rate tends to increase with increasing age of mother and when the experience of mothers of similar ages is examined, it is found that as a rule the rate increases with increasing number of previous children, an important exception being for first births in which are

found higher rates than for 1-3 previous children. This is further borne out by Table 8.7 where birth order rates are given for each year from 1939 to 1960. In 1960 the stillbirth rate for first births was above the average rate for each maternal age-group, except for those aged 35-39.

Table 8.6 Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), (Age of Mother and Number of Previous Children), 1960

Number of previous children	Age of Mother						
	All Ages	—20	20—	25—	30—	35—	40 and over
None . . .	22	21	20	22	33	30	48
1-3 . . .	18	18	14	16	19	27	45
4-6 . . .	32	—	15	24	32	37	39
7-9 . . .	51	—	—	18	45	44	87
10 and over .	77	—	—	—	—	56	99
TOTAL .	21	20	17	18	24	31	51

No rate has been calculated, where the number of births (live and still) is less than 50.

Table 8.7 Stillbirths per 1,000 Births (Live and Still) by Number of Previous Children to Mother, 1939 to 1960

Year	All Legitimate Stillbirths	Number of previous children (present or any previous husband)											
		None	1	2	3	4	5	6	7	8	9	10 and over	Not Stated
1939*	41.9	48	29	33	42	44	45	53	63	67	72	88	—
1940*	41.6	46	28	35	41	42	51	52	69	78	82	101	—
1941*	38.9	42	28	31	38	44	56	51	57	56	74	61	—
1942*	37.6	41	26	31	37	41	46	52	55	63	82	88	—
1943*	35.1	37	23	30	36	42	53	49	59	78	54	97	—
1944*	31.8	36	21	25	31	37	52	48	65	50	53	75	—
1945*	32.4	35	23	29	33	37	40	56	48	77	79	74	—
1946	31.8	36	21	26	33	40	42	46	52	57	61	74	—
1947	29.8	33	21	26	31	38	39	42	53	48	47	76	—
1948	28.3	30	20	26	31	36	41	42	59	47	66	75	—
1949	26.7	28	17	24	31	32	43	54	64	42	61	80	—
1950	26.5	27	18	25	32	36	36	50	45	49	36	64	—
1951	26.0	27	18	23	30	36	41	60	56	41	67	78	—
1952	25.7	28	18	24	25	33	36	39	48	50	58	69	—
1953	24.3	26	17	23	26	31	34	39	56	50	35	53	—
1954	24.9	26	18	24	27	33	38	49	46	48	45	50	—
1955	24.1	24	18	23	26	30	40	41	49	65	56	76	—
1956	23.4	25	16	23	25	33	40	31	44	50	49	49	—
1957	23.4	25	17	20	27	36	34	39	38	75	43	76	—
1958	22.5	24	17	23	22	30	27	34	40	62	40	60	—
1959	21.7	22	15	21	25	30	41	39	38	38	25	52	—
1960	21.3	22	15	19	23	29	33	40	51	46	79	83	—

* Present husband only.

Illegitimate stillbirths

8.13 Of the 2,252 stillbirths 145 or 6.4 per cent. were illegitimate, this being an appreciably greater proportion than among living births, 4.4 per cent. of which were illegitimate. The corresponding general stillbirth rate among illegitimate children was 31.8 compared with the rate of 21.3 for legitimate infants; this better experience is apparent in every age-group. It will be seen from Table 8.4 that while the 1960 general legitimate rate is now 49 per cent. below that of 1939, the illegitimate rate has only improved by 33 per cent. in the same period.

8.14 The percentage of stillbirths and live births which were illegitimate are compared for individual years in Table 8.8.

Table 8.8 Percentage of Live Births and Stillbirths which were Illegitimate, 1939-1960

Year	Stillbirths	Live Births
1939 . . .	6.8	6.0
1940 . . .	7.2	6.0
1941 . . .	8.3	6.6
1942 . . .	8.8	7.2
1943 . . .	9.0	7.6
1944 . . .	10.0	7.9
1945 . . .	9.9	8.7
1946 . . .	8.2	6.7
1947 . . .	7.8	5.6
1948 . . .	7.2	5.8
1949 . . .	7.1	5.5
1950 . . .	6.8	5.2
1951 . . .	7.2	5.1
1952 . . .	6.3	4.8
1953 . . .	6.5	4.7
1954 . . .	6.1	4.5
1955 . . .	6.0	4.3
1956 . . .	5.9	4.3
1957 . . .	5.3	4.1
1958 . . .	5.6	4.1
1959 . . .	6.3	4.2
1960 . . .	6.4	4.4

Multiple births

8.15 In 1960 there were 101,292 live births and 2,252 stillbirths which resulted in 102,275 confinements. These confinements are analysed according to whether live or still and plurality in Table 2.2 (see paras. 2.6-8). Among single births the stillbirth-rate was 22 per 1,000 but among twin births the rate was 45.

CAUSES OF DEATH

Certification

8.16 In 2,232 of the 2,252 stillbirths registered, the cause of death was certified by a medical practitioner, and 15 by a certified midwife. There were 2 cases of registration following receipt from the Procurator Fiscal of a Schedule of Result of Precognition, and three cases in which it was necessary for a statutory declaration to be made by the informant that the child was not born alive. The percentages certified by a medical practitioner and by a midwife were 99.1 and 0.7 respectively. In 1959 the corresponding figures were 99.1 and 0.6 and in 1939 94.4 and 5.3 respectively.

Principal causes

8.17 Analyses of the causes of stillbirth, by age of mother and sex of child, are given in Table 21; stillbirths, by cause and sex, are given in Table 21A for years 1950 to 1960. The principal causes of death among stillbirths in 1960 were congenital malformations of foetus, 526; other placental and cord conditions, 404; ill-defined causes, 366; antepartum haemorrhage, 360; difficult labour, 234; and toxæmias of pregnancy, 186.

8.18 In acute and chronic diseases of mother there were 68 deaths of which the chief individual components were diseases of the circulatory system, 29, and diabetes, 15.

8.19 Deaths from toxæmias of which 90 per cent. were from eclampsia and pre-eclampsia, numbered 186 compared with 188 in 1959.

8.20 Foetal deaths attributed to difficulties at birth numbered 234, of which

65 were certified as birth injury. Of the remainder 63 were due to malposition of foetus and 55 to disproportion.

8.21 Antepartum hæmorrhage leading to stillbirth is preponderantly accidental hæmorrhage, a little under six per cent. of this whole group being ascribed to placenta prævia.

8.22 Among stillbirths ascribed to congenital defect, the most important individual defects were anencephalus, 305, and hydrocephalus, 118, these accounting for four-fifths of the whole group.

8.23 Placental and cord conditions (apart from antepartum hæmorrhage) accounted for a total of 404 deaths; 86 were due to prolapse of cord, 105 to torsion of cord and 95 to placental infarct.

8.24 Ill-defined and unknown causes constitute 16 per cent. of stillbirths (15 per cent. in 1959) and compare favourably with the figure of 33 per cent. at the outset of registration of stillbirths in 1939.

Death-rates

8.25 For the principal cause groups the rates per 1,000 births by age of mother are shown in Table 8.9. Generally the rates in the first age-group (under 20 years) are high, fall to a minimum at 20-24 or 25-29 and thereafter rise steadily with advance of maternal age.

Trends

8.26 Table 8.10 has been compiled to show rates for cause of death groups during the period 1939 to 1960. Toxaemias and antepartum hæmorrhage have fallen fairly regularly in the twenty-two years and are now respectively 53 per cent. and 36 per cent. below the 1939 rates. Other placental and cord conditions, foetal defects and acute and chronic disease in mother have not shown any comparable improvement. Difficult labour and ill-defined or unknown causes have shown the greatest improvement being now 69 per cent. and 76 per cent. respectively below the 1939 rates. The apparent improvement in the ill-defined or unknown causes rates should be looked at somewhat cautiously, as should the increase in the other defined causes rate from 0.7 in 1939 to 1.0 in 1960. These are partly due to an improvement in certification and from further inquiries to the certifiers.

Table 8.9 Stillbirths per 1,000 Births (Live and Still) by Age of Mother and Cause of Death Groups, 1960

Age of mother	All causes	Acute and chronic diseases in mother	Toxaemias	Antepartum hæmorrhage	Other placental and cord conditions	Foetal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
Under 20	23	0.3	2.1	3.4	3.1	6.7	2.3	0.3	4.4
20—	18	0.4	1.5	2.8	3.0	5.0	2.1	0.6	2.4
25—	18	0.7	1.4	2.8	3.6	4.6	1.3	1.1	3.0
30—	24	0.5	2.0	3.9	4.4	4.8	3.0	1.2	4.3
35—	31	1.3	2.6	5.7	5.4	5.9	3.7	2.0	4.8
40 and over	51	2.8	3.6	8.5	10.0	7.8	3.9	2.8	11.4
ALL AGES	22	0.7	1.8	3.5	3.9	5.1	2.3	1.0	3.5

Table 8.10 Stillbirths per 1,000 Births (Live and Still) by cause of Death Groups, 1939 to 1960

Year	All causes	Acute and chronic diseases in mother (Y30.0-5 Y31.0-4)	Toxæ- mias (Y32.1, 3- 5 Y33)	Ante- partum hæmor- rhage (Y32.2 Y36.1-4)	Other placen- tal and cord condi- tions (Y36.0,5, 6)	Fœtal defects (Y38.0-7)	Difficult labour (Y34.0-6 Y37)	Other defined causes (Y32.0, Y35.0-3 Y39.0-3)	Ill- defined or unknown causes (Y39.4-6)
1939	42	0.8	3.8	5.5	4.1	5.4	7.5	0.7	14.4
1940	42	0.9	4.4	5.0	4.3	5.6	6.9	0.7	14.3
1941	40	1.3	4.0	5.1	4.9	6.1	8.5	1.1	8.4
1942	38	1.2	4.2	5.2	5.1	6.4	8.5	0.9	6.7
1943	36	1.2	3.4	4.3	4.6	5.6	8.0	0.9	7.4
1944	32	1.0	2.8	3.9	4.8	5.5	7.6	1.0	5.9
1945	33	1.0	3.0	3.7	4.6	6.0	7.0	1.2	6.2
1946	32	1.1	2.7	3.7	4.9	5.6	6.8	1.0	6.4
1947	31	1.1	2.7	3.5	5.2	4.8	6.9	1.2	5.2
1948	29	0.9	2.1	3.9	4.4	5.0	6.2	1.1	5.1
1949	27	0.8	2.4	3.8	4.3	4.8	5.3	1.1	4.5
1950	27	0.8	2.3	3.9	4.1	4.8	5.4	0.9	4.7
1951	27	0.8	2.7	3.8	3.9	5.1	4.8	1.1	4.2
1952	26	0.8	2.1	3.8	4.8	5.6	3.9	1.1	3.9
1953	25	0.7	2.3	3.4	4.8	5.1	3.5	1.2	3.7
1954	25	0.5	2.5	3.9	4.4	5.1	4.0	1.3	3.7
1955	25	0.8	1.8	3.8	4.5	5.3	3.4	0.9	4.1
1956	24	0.8	2.1	3.5	4.5	5.2	3.3	1.1	3.5
1957	24	0.7	2.2	4.0	4.3	5.1	2.8	1.0	3.4
1958	23	0.5	2.1	3.4	4.3	5.3	2.3	1.1	3.9
1959	22	0.7	1.9	4.0	3.9	4.9	2.7	1.0	3.2
1960	22	0.7	1.8	3.5	3.9	5.1	2.3	1.0	3.5

Rates for years 1939 to 1949 conform as far as is possible to the 1948 and 1955 International Classification of Causes of Stillbirth (Y30-Y39)

Sex ratio and rates

8.27 The ratio of male to female stillbirths for groups of causes is given in Table 8.11.

Table 8.11 Causes of Stillbirths—Ratio of males to females, 1959 and 1960

	1960	1959
Acute and chronic disease in mother .	1.00	1.41
Toxæmias	1.21	1.00
Antepartum hæmorrhage	1.43	1.40
Other placental and cord conditions	1.15	1.05
Fœtal defects	0.57	0.55
Difficult labour	1.34	1.33
Other defined causes	1.08	1.04
Ill-defined or unknown causes	1.14	1.02
ALL CAUSES	1.03	0.99

8.28 In 1960 the ratio of male : female stillbirths was 1.03, the corresponding live birth ratio being 1.05. There has been a downward trend from a peak of 1.27 in 1941 and it fell below unity for the first time in 1959 when the ratio was 0.99.

8.29 An examination of the trend of the stillbirth-rate in each sex over the period since 1939 shows that the excess of the male rate over the female gradually decreased until in 1956 the female rate was greater than the male rate and has remained so.

8.30 Table 8.12 has been drawn up to show how the sex rates by cause group have changed between 1939-41 and 1958-60. The total male rate has improved by 45 per cent. as against the female 34 per cent. In individual cause groups, the improvement in the male and female rates has been relatively and absolutely greatest for difficult labour and toxæmias.

Table 8.12 Stillbirth-rates, by Sex and Cause, 1941-43 and 1958-60

	All causes	Acute and chronic diseases in mother	Toxæmias	Ante-partum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
MALES									
1941-43	40	1.4	4.4	5.4	5.5	4.3	9.5	1.1	8.3
1958-60	22	0.7	1.9	4.1	4.1	3.5	2.8	1.1	3.6
FEMALES									
1941-43	35	1.1	3.4	4.3	4.1	7.9	7.1	0.8	6.7
1958-60	23	0.6	1.9	3.1	3.9	6.8	2.0	1.1	3.5

Causes by parity

8.31 Table 8.13 shows the stillbirth rates for broad cause groups for all married mothers and separately among primiparous and multiparous births. The heavier general rate among primiparous births is chiefly attributable to toxæmias and fœtal defects. The rates among them are more favourable than in the multiparous for antepartum hæmorrhage, and other defined causes.

Table 8.13 Stillbirths-rates per 1,000 Births (Live and Still) among Married Mothers, 1960

	All married mothers	Primiparæ	Multiparæ
Acute and chronic disease in mother	0.6	0.6	0.6
Toxæmias	1.7	2.6	1.2
Antepartum hæmorrhage	3.4	2.9	3.8
Other placental and cord conditions	3.9	3.6	4.0
Fœtal defects	4.9	6.0	4.4
Difficult labour	2.3	3.0	1.9
Other defined causes	1.1	0.3	1.5
Ill-defined or unknown causes	3.4	3.5	3.4
ALL CAUSES	21.3	22.4	20.7

Illegitimate stillbirths by cause

8.32 The 145 illegitimate stillbirths are analysed by cause in Table 22.

Seasonal incidence

8.33 Stillbirths are classified by cause of death and month of registration in Table 23. The monthly rate for all causes fluctuates between 18 in October and 27 in January. Quarterly rates of causes of death are given in Table 8.14.

Table 8.14 Quarterly Stillbirth-rates per 1,000 Births (Live and Still), by cause of death, 1960

	All causes	Acute and chronic diseases in mother	Toxæmias	Ante-partum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
1st Quarter	24	0.8	2.2	3.6	4.3	4.9	2.8	1.2	4.3
2nd Quarter	21	0.7	1.8	3.6	3.8	4.8	1.8	1.0	3.4
3rd Quarter	22	0.7	1.7	3.8	4.4	5.5	2.0	1.1	3.1
4th Quarter	20	0.5	1.5	2.9	3.1	5.1	2.5	0.9	3.3
YEAR	22	0.7	1.8	3.5	3.9	5.1	2.3	1.0	3.5

Cause and place of occurrence

8.34 Table 23A shows the stillbirths by cause subdivided by place of occur-

rence. Of the total 2,252 stillbirths, 1,918 or 85.2 per cent. occurred in institutions. The highest proportions are as expected found for acute, serious illness peculiar to pregnancy such as eclampsia and pre-eclampsia, and accidental hæmorrhage; for general illness such as diabetes and heart disease; and for anencephalus, erythroblastosis and asphyxia. The lower proportions of institutional stillbirths, proportions actually lower than the average for all deliveries, are found for malposition of fœtus, placental infarct, torsion of cord, premature birth (cause not stated) and unknown causes. These figures naturally afford no information on the relative safety to the fœtus of domiciliary or institutional birth. Initial selection on such grounds as parity, general health of mother, previous obstetrical history, social factors and personal preference, together with the later, perhaps more important selection on the advent of illness during pregnancy or of obstetrical or other accidents in pregnancy and labour preclude any inference on these lines on the basis of such data as those in this Table.

In local authority areas

8.35 In Table 24 the stillbirths in each local authority area in Scotland are shown subdivided according to the full list of causes in use since 1950. Live births for these areas are given in Table 47.

SOCIAL CLASS

Causes

8.36 These are shown in Table 25 and the trend in social class cause rates may be seen from Table 8.15 which covers the 1950-1960 period in three three-year periods and one two-year period.

Table 8.15 Legitimate Stillbirths per 10,000 Births (Live and Still) by Cause of Death and Social Class, 1950-1960

CAUSE OF DEATH	1950-1952			1953-1955			1956-1958			1959-1960		
	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V
Acute and chronic disease in mother	6	7	10	7	6	8	6	6	8	5	6	8
Toxæmias	20	25	24	19	21	26	20	21	21	14	18	18
Antepartum hæmorrhage	33	36	45	27	35	42	27	33	46	24	34	46
Other placental and cord conditions	39	40	49	37	44	52	41	41	47	31	37	43
Fœtal defects	37	52	57	33	50	63	38	50	61	30	49	56
Difficult labour	41	44	52	27	34	41	22	26	32	16	26	25
Other defined causes	6	11	11	9	11	12	12	10	13	6	10	14
Ill-defined or unknown causes	33	39	48	30	35	43	30	33	44	27	31	38
ALL CAUSES	216	254	295	188	236	289	195	220	271	154	211	249

8.37 In 1959-60 the relative excess of classes IV and V over classes I and II was greatest in antepartum hæmorrhage, fœtal defects and difficult labour. These three causes accounted for sixty per cent. of the absolute difference between the two class groups.

Area rates

8.38 Social class rates for Scotland and the aggregate of cities, large burghs and counties are given in Table 8.16 for 1960. Comparable rates for neonatal, postneonatal and infant mortality are given in Table 7.6.

Table 8.16 Stillbirths in the Cities, Large Burghs and Counties according to Social Class, 1960

Social Class	Numbers		Stillbirths per 1,000 Total Births (Live and Still)
	Live Births	Stillbirths	
SCOTLAND . . .	I. 4,084	59	12·8
	II. 9,240	158	16·8
	III. 54,895	1,166	20·8
	IV. 21,154	536	24·7
	V. 10,183	276	26·4
NOT STATED . . .	1,736	57	—
TOTAL . . .	101,292	2,252	21·7
COUNTIES OF CITIES . . .	I. 1,536	22	14·1
	II. 2,655	45	16·7
	III. 21,418	448	20·9
	IV. 7,548	209	27·7
	V. 4,486	120	26·1
NOT STATED . . .	914	34	—
TOTAL . . .	38,557	878	22·3
LARGE BURGHS . . .	I. 576	6	10·3
	II. 1,161	21	17·8
	III. 10,680	239	21·9
	IV. 3,142	69	21·5
	V. 2,367	65	26·7
NOT STATED . . .	263	9	—
TOTAL . . .	18,189	409	22·0
COUNTIES (ex. Cos. of Cities and Large Burghs) . . .	I. 1,972	31	15·5
	II. 5,424	92	16·7
	III. 22,797	479	20·6
	IV. 10,464	258	24·1
	V. 3,330	91	26·6
NOT STATED . . .	559	14	—
TOTAL . . .	44,546	965	21·2

Trends

8.39 Rates are given in Table 8.17 for the years 1939 and 1946 to 1960. It will be seen that although improvement is apparent in each class, the disparity between the extremes of social class was greater in 1960 than it was in 1939. Comparable neonatal and postneonatal rates are given in Table 7.5.

Table 8.17 Stillbirth-rates according to Social Class, 1939 and 1946 to 1960

	Stillbirths per 1,000 births (live and still)				
	I	II	III	IV	V
1939	34.1	38.1	44.9	38.3	42.7
1946	18.8	26.0	31.7	35.6	38.3
1947	17.8	30.2	29.5	31.1	38.4
1948	19.8	26.7	26.0	31.6	38.9
1949	17.3	21.4	26.5	28.7	35.0
1950	16.3	22.6	26.4	29.1	32.3
1951	14.7	23.0	25.2	31.2	32.4
1952	20.0	24.1	25.4	28.1	30.1
1953	13.2	21.2	24.1	27.7	29.9
1954	17.6	22.1	24.3	28.5	30.2
1955	16.6	17.5	23.4	29.8	30.9
1956	17.6	20.1	23.0	25.6	29.9
1957	17.1	20.8	21.5	29.2	29.7
1958	16.5	20.7	21.9	24.7	27.1
1959	13.5	15.4	21.8	24.4	26.9
1960	12.8	16.8	20.8	24.7	26.4

Chapter 9. Perinatal Mortality

Definition

9.1 Perinatal mortality is usually taken to include stillbirths and deaths of infants in the first week of life. To help research workers in this field additional data are given for deaths in the second, third and fourth weeks of life.

Numbers and rates

9.2 In 1960 there were 3,855 perinatal deaths, of which 2,252 were stillbirths and 1,603 deaths of children in the first week of life. The rate was 37.2 per 1,000 total births, live and still, compared with 38.4 in 1959 and 43.0 in 1950.

Area-rates

9.3 The geographical distribution of stillbirths together with neonatal deaths and the corresponding rates for stillbirths, neonatal deaths and the two groups combined is given in Table 18. The combined rate in the cities and large burghs ranged from 59 in Port Glasgow to 18 in Arbroath and in the counties from 60 in Wigtown to 10 in Peebles.

Age of mother and birth order

9.4 For the first time the data about mother's age and number of previous children, obtained under the Population Statistics Acts of 1938 and 1960 at the registration of births, have been related to deaths of children under four weeks. Social class analyses are given in Tables 28A and 28B of these particulars for deaths under one week and deaths under four weeks.

9.5 Perinatal mortality and rates, by age of mother, birth order and social class, are given in Table 9.1.

Age of Mother	Social Class	Number of previous children											
		0			1			2			3		
		Deaths	Births	Rate	Deaths	Births	Rate	Deaths	Births	Rate	Deaths	Births	Rate
All Ages	I and II III IV and V Not stated	393 1,932 1,272 1	13,335 55,050 30,605	29.5 35.1 41.6	160 725 406	4,851 19,584 9,237	33.0 37.0 44.0	91 455 257	4,303 16,385 8,078	21.1 27.8 31.8	37 181 121	1,018 4,646 3,234	36.3 39.0 37.4
		3,598	98,990	36.3	1,291	33,672	38.3	803	28,766	27.9	339	8,898	38.1
Under 20	I and II III IV and V	6 99 101	185 2,744 2,278	32.4 36.1 44.3	6 87 87	159 2,337 1,854	37.7 37.2 46.9	— 11 11	22 382 385	— 28.8 28.6	— 1 3	— — 37	— — 81.1
		206	5,207	39.6	180	4,350	41.4	22	789	27.9	4	63	63.5
20—	I and II III IV and V	62 523 352	2,540 18,012 9,876	24.4 29.0 35.6	45 324 182	1,700 10,007 4,457	26.5 32.4 40.8	9 141 98	658 5,758 3,411	13.7 24.5 28.7	6 44 56	151 1,713 1,443	39.7 25.7 38.8
		937	30,428	30.8	551	16,164	34.1	248	9,827	25.2	106	3,307	32.1
25—	I and II III IV and V	132 572 281	4,897 17,525 8,921	27.0 32.6 31.5	67 183 80	1,926 4,831 1,837	34.8 37.9 43.5	39 171 67	1,895 6,292 2,657	20.6 27.2 25.2	13 117 55	753 3,754 2,099	17.3 31.2 26.2
		985	31,343	31.4	330	8,594	38.4	277	10,844	25.5	185	6,606	28.0
30—	I and II III IV and V	97 388 261	3,548 10,285 5,542	27.3 37.7 47.1	30 91 34	753 1,652 695	39.8 55.1 48.9	26 80 43	1,229 2,886 1,130	21.2 27.7 38.1	20 86 48	906 2,463 1,248	22.1 34.9 38.5
		746	19,375	38.5	155	3,100	50.0	149	5,245	28.4	154	4,617	33.4
35—	I and II III IV and V	67 254 197	1,714 5,196 3,036	39.1 48.9 64.9	10 28 19	264 634 318	37.9 44.2 59.7	11 37 33	422 923 432	26.1 40.1 76.4	19 54 25	457 1,115 552	41.6 48.3 45.3
		518	9,946	52.1	57	1,216	46.9	81	1,777	45.6	98	2,811	34.9
40 and over	I and II III IV and V	26 92 76	448 1,276 941	58.0 72.1 80.8	2 12 4	49 123 76	40.8 97.6 52.6	6 15 5	77 144 63	77.9 104.2 79.4	7 10 6	98 206 129	71.4 48.5 46.5
		194	2,665	72.8	18	248	72.6	26	284	91.5	23	433	53.1
Not stated	I and II III IV and V Not stated	3 4 1	3 12 11	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
		12	26	—	—	—	—	—	—	—	—	—	—

Total Legitimate Births 98,990

= 96,883

= 2,107

Perinatal Deaths 3,598

Legitimate Births

Legitimate Stillbirths

Legitimate Deaths—1 wk.

Causes of death

9.6 Deaths of infants under four weeks have again been classified to the Stillbirth Cause List and the results are given in Table 9.2. The experience of this year shows, as in 1958 and 1959, that fully 95 per cent. of deaths under one week can be satisfactorily classified to a stillbirth rubric.

9.7 Stillbirths show a marked relative excess in diseases and conditions of pregnancy and childbirth, difficult labour and placental and cord conditions and in congenital malformations to a lesser degree. Prematurity, birth injury and asphyxia and atelectasis are relatively more important among deaths under one week.

Table 9.2 Perinatal Deaths—1960

Inter- national Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death				
					Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days
	ALL CAUSES—BOTH SEXES		4,100	2,252	946	657	111	78	56
	Males		2,203	1,141	543	386	57	41	35
	Females		1,897	1,111	403	271	54	37	21
	Chronic Disease in Mother	{ M. F.	32 32	30 31	1 —	1 —	— —	— —	— 1
30.0	Syphilis	{ M. F.	— 1	— 1	— —	— —	— —	— —	— —
30.1	Tuberculosis	{ M. F.	— —	— —	— —	— —	— —	— —	— —
30.2	Diabetes	{ M. F.	9 8	8 7	1 —	— —	— —	— —	— 1
30.3	Chronic disease of circulatory system	{ M. F.	11 18	11 18	— —	— —	— —	— —	— —
30.4	Chronic disease of genito-urinary system	{ M. F.	4 1	4 1	— —	— —	— —	— —	— —
30.5	Other chronic disease	{ M. F.	8 4	7 4	— —	1 —	— —	— —	— —
	Acute Disease in Mother	{ M. F.	4 3	4 3	— —	— —	— —	— —	— —
31.1	Influenza	{ M. F.	— 1	— 1	— —	— —	— —	— —	— —
31.2	Pneumonia	{ M. F.	— 1	— 1	— —	— —	— —	— —	— —
31.3	Other acute respiratory disease	{ M. F.	1 —	1 —	— —	— —	— —	— —	— —
31.0, 31.4	Other acute disease or condition	{ M. F.	3 1	3 1	— —	— —	— —	— —	— —
	Diseases and Conditions of Pregnancy and Childbirth	{ M. F.	116 92	101 84	8 5	6 3	1 —	— —	— —
32.1	Ectopic gestation	{ M. F.	— 1	— 1	— —	— —	— —	— —	— —
32.3a	Eclampsia	{ M. F.	99 81	91 76	3 3	4 2	1 —	— —	— —
32.3b	Nephritic toxæmia	{ M. F.	3 —	3 —	— —	— —	— —	— —	— —
32.3c	Toxæmia not stated	{ M. F.	9 4	4 1	3 2	2 1	— —	— —	— —
32.4a	Acute yellow atrophy of liver	{ M. F.	— —	— —	— —	— —	— —	— —	— —
32.4b	Hyperemesis gravidarum	{ M. F.	— 2	— 2	— —	— —	— —	— —	— —
32.5a	Pyelitis	{ M. F.	3 1	1 1	2 —	— —	— —	— —	— —
32.5b	Infection	{ M. F.	2 3	2 3	— —	— —	— —	— —	— —
33	Absorption of Toxic Substance from Mother	{ M. F.	1 —	1 —	— —	— —	— —	— —	— —
	Difficult Labour	{ M. F.	112 85	98 71	11 7	3 7	— —	— —	— —
34.0a	Abnormality of bones of pelvis with im- maturity	{ M. F.	— —	— —	— —	— —	— —	— —	— —

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List.
Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 9.2 Perinatal Deaths, 1960—continued

Inter- national Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death				
					Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days
	Difficult Labour—continued.								
34.0b	Abnormality of bones of pelvis without immaturity	M. F.	— 3	— 3	— —	— —	— —	— —	— —
34.1a	Disproportion with immaturity	M. F.	23 18	21 9	1 5	1 4	— —	— —	— —
34.1b	Disproportion without immaturity	M. F.	20 8	18 7	2 —	1 —	— —	— —	— —
34.2a	Malposition of fœtus, with immaturity	M. F.	10 4	6 4	2 —	2 —	— —	— —	— —
34.2b	Malposition of fœtus, without immaturity	M. F.	23 33	22 31	1 1	— 1	— —	— —	— —
34.3a	Abnormality of forces of labour, with immaturity	M. F.	3 —	2 —	1 —	— —	— —	— —	— —
34.3b	Abnormality of forces of labour, without immaturity	M. F.	7 5	7 4	— —	— 1	— —	— —	— —
34.4a	Operative delivery, with immaturity	M. F.	— —	— —	— —	— —	— —	— —	— —
34.4b	Operative delivery, without immaturity	M. F.	3 —	1 —	2 —	— —	— —	— —	— —
34.5a	Abnormality of organs or tissues of pelvis with immaturity	M. F.	— 1	— 1	— —	— —	— —	— —	— —
34.5b	Abnormality of organs or tissues of pelvis without immaturity	M. F.	1 —	1 —	— —	— —	— —	— —	— —
34.6a	Difficult labour without mention of condition, but with immaturity	M. F.	— —	— —	— —	— —	— —	— —	— —
34.6b	Difficult labour without mention of condition, and without immaturity	M. F.	22 13	20 12	2 1	— —	— —	— —	— —
	Other Causes in Mother	M. F.	5 8	5 8	— —	— —	— —	— —	— —
35.0	Fall	M. F.	1 1	1 1	— —	— —	— —	— —	— —
32.0, 35.1	Other accident or violence	M. F.	1 1	1 1	— —	— —	— —	— —	— —
35.2	Over-exertion	M. F.	— —	— —	— —	— —	— —	— —	— —
35.3	Other and ill-defined causes in mother	M. F.	3 6	3 6	— —	— —	— —	— —	— —
	Placental and Cord Conditions	M. F.	464 355	428 336	26 18	10 1	— —	— —	— —
36.0a	Prolapse of cord	M. F.	52 45	44 42	8 3	— —	— —	— —	— —
36.0b	Torsion of cord	M. F.	55 51	55 50	— 1	— —	— —	— —	— —
36.1, 36.3	Placenta prævia	M. F.	15 14	8 12	3 2	4 —	— —	— —	— —
32.2	Accidental hæmorrhage	M. F.	201 134	189 125	9 8	3 1	— —	— —	— —
36.2, 36.4	Other hæmorrhage	M. F.	19 13	15 11	3 2	1 —	— —	— —	— —
36.5	Placental infarct	M. F.	54 42	53 42	— —	1 —	— —	— —	— —
36.6	Others of placenta and cord	M. F.	68 56	64 54	3 2	1 —	— —	— —	— —

Table 9.2 Perinatal Deaths, 1960—continued

Inter- national Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death				
					Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days
37a	Birth Injury	M.	197	36	69	82	3	7	—
		F.	116	29	46	37	2	—	2
37b	Birth injury with immaturity	M.	50	2	30	17	1	—	—
		F.	25	1	14	9	1	—	—
	Birth injury without immaturity	M.	147	34	39	65	2	7	—
		F.	91	28	32	28	1	—	2
	Congenital Malformation of Fetus	M.	368	192	59	67	25	15	10
		F.	512	334	66	57	25	21	9
38.0	Anencephalus	M.	91	86	3	2	—	—	—
		F.	239	219	16	3	1	—	—
38.1	Hydrocephalus	M.	73	60	5	4	1	1	2
		F.	76	58	10	3	2	2	1
38.2	Spina bifida	M.	42	15	6	6	6	6	3
		F.	56	11	13	15	8	6	3
38.3	Other malformations of the central nervous system	M.	3	1	1	1	—	—	—
		F.	19	13	3	2	—	1	—
38.4	Malformation of the cardiovascular system	M.	52	5	6	25	8	5	3
		F.	36	3	5	12	5	8	3
38.5	Malformation of other specified system	M.	74	8	27	25	9	3	2
		F.	65	15	15	22	7	4	2
38.6	Monster	M.	2	2	—	—	—	—	—
		F.	—	—	—	—	—	—	—
38.7	Other and unspecified malformations	M.	31	15	11	4	1	—	—
		F.	21	15	4	—	2	—	—
	Diseases of Fetus and Ill-Defined Causes	M.	904	246	369	217	28	19	25
		F.	694	215	261	166	27	16	9
39.2	Erythroblastosis (Rhesus Factor)	M.	93	51	26	15	1	—	—
		F.	64	43	14	7	—	—	—
39.0	Other diseases of fetus	M.	—	—	—	—	—	—	—
39.1, 39.3		F.	1	1	—	—	—	—	—
39.4	Maceration	M.	54	54	—	—	—	—	—
		F.	34	34	—	—	—	—	—
39.5a	Premature Birth (cause not stated)	M.	219	19	131	51	12	1	5
		F.	185	16	106	51	7	5	—
39.5b	Debility	M.	9	2	5	1	—	1	—
		F.	3	—	2	1	—	—	—
39.5c	Asphyxia	M.	189	61	76	48	2	2	—
		F.	154	66	51	35	1	—	1
39.5d	Atelectasis	M.	200	18	113	68	1	—	—
		F.	136	11	74	48	2	1	—
39.5e	Other ill-defined	M.	12	5	5	2	—	—	—
		F.	13	9	4	—	—	—	—
39.6	Cause unknown	M.	36	36	—	—	—	—	—
		F.	35	35	—	—	—	—	—
—	No comparable stillbirth cause	M.	92	—	13	32	12	15	20
		F.	69	—	10	24	17	10	8

Chapter 10. Life Tables

10.1 An abridged life table is given in Table 10.1 and shows the further expectation of life at different stages of life, based on the mortality experience of 1960. At each age point the expectation of life is the average future life a person of that age would have if the 1960 mortality rates were to operate throughout the lifetime.

10.2 Table 10.2 shows how the expectation of life has increased at different ages during the past century.

10.3 It will be seen that since the period 1861-1870 the expectation of life at birth has increased by 26.1 years for males and by 28.0 years for females. The greatest improvement has taken place since the beginning of the century. In the thirty years from 1861-1870 to 1891-1900 the improvement in males was only 4.4 years and in females 3.5 years. From 1891-1900 to 1930-1932 the span had lengthened by 11.3 years for males and 12.1 years for females. Since 1930-32 it has increased further by 10.4 years and 12.4 years respectively.

10.4 In 1861-1870 if the child survived the first year of life, the expectation of life rose from 40.3 years at age 0 to 45.6 at age 1 for males and from 43.9 to 47.5 for females. Adding in the year elapsed since birth, the gain was 6.3 and 4.6 years for males and females respectively. By 1960 the improvement in child mortality had reduced these handicaps to 2.1 and 1.7 years respectively.

10.5 At age 15 the expectation of life has increased for males by about 12 years (from roughly 42 to 54 years) since 1861-70. At succeeding ages there is a consistent increase in expectation right up till the end of the life span. The actual amount of improvement, however, as might be expected, decreases progressively with increase of age until at age 65 the average change is less than one year.

10.6 The expectation of life for females is uniformly greater than for males of the same age and the increase since 1861-70 is slightly greater. At age 15 it increased by 15 years (from 44 to 59 years) and at age 65 the average change is about two and a half years.

Table 10.1 Abridged Life Table, 1960—Scotland

Age x	Males		Females	
	l_x	e_x	l_x	e_x
0	10,000	66.41	10,000	71.90
1	9,701	67.45	9,769	72.59
2	9,682	66.58	9,756	71.69
3	9,671	65.66	9,747	70.75
4	9,663	64.71	9,739	69.81
5	9,655	63.76	9,734	68.85
10	9,628	58.94	9,711	64.00
15	9,606	54.06	9,698	59.09
20	9,571	49.25	9,679	54.20
25	9,516	44.52	9,655	49.33
30	9,456	39.79	9,619	44.50
35	9,380	35.09	9,574	39.70
40	9,276	30.46	9,486	35.04
45	9,105	25.98	9,362	30.48
50	8,825	21.73	9,173	26.05
55	8,314	17.91	8,879	21.83
60	7,519	14.54	8,446	17.82
65	6,408	11.63	7,779	14.14
70	5,040	9.10	6,751	10.91
75	3,488	7.04	5,331	8.15
80	2,033	5.29	3,606	5.85
85	839	4.26	1,806	4.19

This abridged life table is constructed from the estimated population in 1960 and the total deaths registered in that year.

The column headed l_x shows the numbers who would survive to exact age x of 10,000 born who were subject throughout their lives to the death probabilities indicated by the 1960 death records. Column e_x is the "expectation of life", that is the average future lifetime which would be lived by a person aged exactly x , if likewise subject to these death probabilities.

Table 10.2 Expectation of Life, 1861 to 1960, Scotland

Scottish Life Tables	Expectation of Life at									
	Birth		Age one year		Age 15		Age 45		Age 65	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
1861-70	40.3	43.9	45.6	47.5	42.3	44.5	22.7	24.5	10.8	11.6
1871-80	41.0	43.8	46.5	48.5	42.2	44.4	22.1	24.2	10.4	11.5
1881-90	43.9	46.3	49.7	51.2	43.9	45.6	22.6	24.6	10.8	11.9
1891-1900	44.7	47.4	51.1	52.7	44.3	46.2	22.2	24.2	10.5	11.5
1910-1912	50.1	53.2	55.8	57.8	47.5	49.5	23.5	25.7	10.9	12.2
1920-22	53.1	56.4	58.4	60.4	49.1	51.1	24.5	26.7	10.9	12.5
1930-32	56.0	59.5	60.7	63.1	50.4	52.7	25.1	27.3	11.0	12.6
1942-44	59.8	64.6	63.6	67.6	51.6	55.4	25.7	29.0	11.7	13.6
1950-52	64.4	68.7	66.2	69.9	53.1	56.7	25.5	29.1	11.4	13.2
1947	61.7	65.8	64.7	68.0	52.2	55.4	25.5	29.1	11.6	13.5
1948	63.5	67.5	65.8	69.0	53.0	56.1	26.3	29.6	12.2	14.0
1949	63.7	67.5	65.7	68.9	52.8	55.8	25.8	29.1	11.8	13.4
1950	64.2	68.2	66.0	69.4	52.9	56.2	25.5	29.0	11.6	13.3
1951	64.2	68.4	65.9	69.6	52.8	56.4	25.2	28.8	11.2	12.9
1952	65.1	69.6	66.7	70.8	53.5	57.4	25.7	29.5	11.6	13.6
1953	65.7	70.7	67.0	71.6	53.8	58.3	26.2	30.2	11.9	14.1
1954	65.5	70.5	66.9	71.5	53.6	58.0	25.8	29.8	11.6	13.9
1955	65.8	70.6	67.0	71.6	53.7	58.1	25.9	29.8	11.6	13.7
1956	66.0	71.2	67.2	72.0	53.8	58.4	25.8	29.9	11.4	13.8
1957	66.0	71.4	67.2	72.2	53.9	58.7	25.8	30.3	11.7	14.1
1958	66.2	71.4	67.3	72.1	53.9	58.6	25.9	30.2	11.5	14.0
1959	66.0	71.4	67.2	72.2	53.8	58.7	25.7	30.2	11.3	13.9
1960	66.4	71.9	67.5	72.6	54.1	59.1	26.0	30.5	11.6	14.1

Chapter 11. Registration Service

Re-registration of Births

11.1 The Registrar-General may authorise the re-registration of certain births under the provisions of the Registration of Births, etc. (Scotland) Amendment Act, 1934. This Act which became operative on the 1st January, 1935, allows for the re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents and also of persons the entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

11.2 The number of re-registrations authorised in each year since 1935 are given in table 11.1.

Table 11.1 Re-registration of Births, 1935-1960

<i>Year</i>	<i>No.</i>	<i>Year</i>	<i>No.</i>
1935 .	1,259	1948 .	648
1936 .	1,063	1949 .	534
1937 .	1,048	1950 .	552
1938 .	979	1951 .	507
1939 .	1,069	1952 .	507
1940 .	1,191	1953 .	469
1941 .	716	1954 .	449
1942 .	742	1955 .	401
1943 .	687	1956 .	511
1944 .	737	1957 .	382
1945 .	719	1958 .	317
1946 .	729	1959 .	276
1947 .	717	1960 .	332

Adopted Children Register

11.3 The Adoption of Children (Scotland) Act, 1930, which came into operation on 1st October, 1930, provides for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. Various amending Acts followed, and the enactments relating to the adoption of children were consolidated by the Adoption Act, 1958. The Adopted Children Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if it is recorded in the relative entry.

11.4 The number of adoptions recorded in each year since 1930 are given in Table 11.2.

Table 11.2 Number of Adoptions, 1930-1960

<i>Year</i>	<i>No.</i>	<i>Year</i>	<i>No.</i>
1930 .	3	1946 .	2,292
1931 .	347	1947 .	1,890
1932 .	492	1948 .	2,073
1933 .	437	1949 .	1,764
1934 .	602	1950 .	1,289
1935 .	683	1951 .	1,562
1936 .	704	1952 .	1,523
1937 .	820	1953 .	1,486
1938 .	812	1954 .	1,343
1939 .	1,100	1955 .	1,352
1940 .	1,424	1956 .	1,358
1941 .	1,222	1957 .	1,405
1942 .	1,563	1958 .	1,365
1943 .	1,747	1959 .	1,236
1944 .	1,681	1960 .	1,457
1945 .	1,876		

Registers in General Registry Office

11.5 These consist in the main of duplicate copies of the registers of births, deaths and marriages maintained by the local registrars. The public are entitled to make searches in the alphabetical indexes and to have extracts made from the registers on the payment of prescribed fees. The pre-1855 Church of Scotland registers of births, baptisms, proclamations of banns, etc., are also kept in the General Registry Office and extracts from these may also be obtained. The earlier census records are also open for search or extract.

11.6 The number of searches and extracts made in the General Registry Office and the fees received therefor are given in Table 11.3 for the years 1937 to 1960.

11.7 There were 13,728 official searches made in 1960 and of this number 11,602 related to claims for contributory, non-contributory and service pensions, 1,943 were in connection with investigations made by government departments and 183 related to claims for family allowances.

Table 11.3 Searches, Extracts and Fees, 1937-1960

Year	Total Searches	Official Searches	Paid Searches	Extracts	Total Fees received
					£ s. d.
1937 . .	37,107	21,338	15,769	10,929	2,184 11 5
1938 . .	39,360	22,432	16,928	12,419	2,348 17 8
1939 . .	40,064	24,964	15,100	13,048	2,179 11 7
1940 . .	67,233	53,355	13,878	13,044	2,099 14 2
1941 . .	47,275	35,090	12,185	11,656	1,861 5 6
1942 . .	46,636	33,454	13,182	12,734	2,006 19 8
1943 . .	43,567	30,070	13,497	12,395	2,009 3 10
1944 . .	49,986	35,534	14,452	13,408	2,167 16 7
1945 . .	59,405	42,460	16,945	16,430	2,543 4 6
1946 . .	118,861	95,838	23,023	22,889	3,485 12 4
1947 . .	89,732	65,694	24,038	23,911	3,677 18 4
1948 . .	88,208	64,609	23,599	26,658	3,640 16 2
1949 . .	83,516	59,727	23,789	25,063	3,592 4 1
1950 . .	73,832	50,691	23,141	25,136	3,453 9 7
1951 . .	103,436	77,816	25,620	28,595	3,927 18 4
1952 . .	88,436	63,624	24,812	27,030	3,863 13 10
1953 . .	82,710	57,876	24,834	25,902	3,811 10 10
1954 . .	82,958	55,870	27,088	28,085	4,090 1 3
1955 . .	60,671	32,663	28,008	27,672	4,116 8 7
1956 . .	60,705	31,975	28,730	28,744	4,219 15 1
1957 . .	53,416	22,701	30,715	30,313	4,476 10 8
1958 . .	49,893	21,212	28,681	27,618	4,198 16 3
1959 . .	40,551	15,186	25,365	19,571	*6,500 4 9
1960 . .	38,518	13,728	24,790	19,828	6,636 1 11

*The fees chargeable for search and extract were increased on 1st January, 1959.

NOTE—

Appendix I.—Fertility of Women

Now incorporated in Chapter 2—Live Births

Appendix II.—Stillbirths

This is now Chapter 8

Appendix III.—Social Class

Now incorporated in Chapters 7 and 8

Appendix IV

ADDITIONAL STATISTICS RELATING TO MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1959

IV.1 A preliminary statement relating to marriages registered in Scotland during the year 1959 was incorporated in the Hundred and Fifth Annual Report, but as full details were not available at the time when the report was prepared the statement was necessarily restricted. It is now supplemented by this detailed report on these marriages, which includes figures according to the type of marriage, the kind of marriage preliminaries (banns, notice or sheriff's licence), the church of celebration, and the conjugal condition and ages of those marrying.

Number of marriages

IV.2 In the Hundred and Fifth Annual Report it was stated that the number of marriages registered in Scotland in 1959 was 40,448, but after complete examination of the registers the corrected number is found to be 40,442. This is 744 fewer than in 1958 but is much above the average of 38,000 in the years 1934-38. In the post-war years 1946-50 the average was 43,200.

IV.3 The following Table IV.1 shows the annual number of marriages from 1951 and the estimated total population available for marriage. It will be seen that since 1951 the number of unmarried males over 15 has fallen by 9 per cent. and women by 7 per cent.

Table IV.1 Number of marriages and marriage rates, 1951 to 1959

Year	Number of Marriages	Estimated Total Population (Single, Widowed and Divorced) aged 15 and over		Rate per 1,000 Population	Rate per 1,000 Total Unmarried Population aged 15 and over	
		Males	Females		Males	Females
1951	41,361	728,900	914,300	8.09	56.7	45.2
1952	41,154	719,200	909,500	8.05	57.2	45.2
1953	40,902	713,600	902,300	7.99	57.3	45.3
1954	41,974	705,000	894,600	8.19	59.5	46.9
1955	43,199	696,800	884,600	8.42	62.0	48.8
1956	43,963	684,500	871,600	8.55	64.2	50.4
1957	42,661	672,200	860,500	8.28	63.5	49.6
1958	41,186	666,500	852,800	7.97	61.8	48.3
1959	40,442	660,700	846,000	7.79	61.2	47.8

Marriage-rates

IV.4 The marriages in 1959 represent a rate of 7.79 per 1,000 population as against 7.97 in 1958.

IV.5 Table IV.1 also shows the number of marriages related to the estimated total unmarried population aged 15 and over, males and females separately. It will be seen that over the period, these rates show effective increases of 8 and 6 per cent. respectively.

Ecclesiastical, civil and irregular marriages

IV.6 Of the 40,442 marriages registered, 33,190 or 82.07 per cent. were solemnised by a minister of religion after proclamation of banns, publication of notice or sheriff's licence, 7,250 or 17.93 per cent. were civil marriages under the

Act of 1939, and 2 or 0·00 per cent. were irregular marriages registered on the authority of decree of declarator granted in the court of session. Percentages in 1958 were 81·79, 18·21 and 0·01 respectively. (Table 49).

Table IV.2. Ecclesiastical Marriages in Scotland in 1959 following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff.

Church of Celebration	Number					Percentage of Total for each Church, etc.				Percentage of Total Ecclesiastical Marriages
	Total	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	
Church of Scotland	22,773	21,405	517	801	50	94·0	2·3	3·5	0·2	68·6
United Free Church	346	248	80	18	—	71·7	23·1	5·2	—	1·0
Free Church	241	133	94	13	1	55·2	39·0	5·4	0·4	0·7
Roman Catholic Church	6,785	342	6,283	102	58	5·0	92·6	1·5	0·9	20·4
Scottish Episcopal Church	910	409	428	70	3	44·9	47·0	7·7	0·3	2·7
Congregational Church	914	650	221	42	1	71·1	24·2	4·6	0·1	2·8
Baptist Church	362	210	128	23	1	58·0	35·4	6·4	0·3	1·1
Methodist Church	316	143	154	17	2	45·3	48·7	5·4	0·6	1·0
Christian Brethren	152	36	104	12	—	23·7	68·4	7·9	—	0·5
Jews	52	—	52	—	—	—	100·0	—	—	0·2
All other Ecclesiastical Marriages	339	153	162	22	2	45·1	47·8	6·5	0·6	1·0
All Ecclesiastical Marriages	33,190	23,729	8,223	1,120	118	71·5	24·8	3·4	0·4	100·0

Method of publication

IV.7 Of the 33,190 ecclesiastical marriages (i.e. those with a religious ceremony) 71·5 per cent. were solemnised after proclamation of banns, 24·8 per cent. after publication of notice, 3·4 per cent. after proclamation of banns for one party and publication of notice for the other, while 0·4 per cent. were after sheriff's licence under the special provisions of the Act of 1939. In the cities and large burghs these four percentages were respectively 65·1, 31·2, 3·3 and 0·4 while in the counties they were 80·1, 16·2, 3·4 and 0·3.

IV.8 Table IV.2 shows the frequency of banns or of publication of notice in the case of marriages solemnised according to the forms of each of the principal churches. Proclamation of banns was the most usual preliminary in the Church of Scotland (94·0 per cent.), in the United Free Church (71·7 per cent.), and in the Congregational Church (71·1 per cent.). On the other hand 92·6 per cent. of Roman Catholic marriages and 100·0 per cent. of Jewish marriages were preceded by publication of notice.

IV.9 Of the 7,250 civil marriages registered 6,989 were preceded by publication of notice at the office of the registrar, while 261 were after sheriff's licence (Tables 49 and 50).

Table IV.3. Marriages in Scotland in 1959 by Denomination, etc., in Order of Frequency

1. Church of Scotland	22,773	15. Assemblies of God (Pentecostal Church)	14
2. Roman Catholic Church	6,785	16. Elim Foursquare Gospel	13
3. Congregational Church	914	17. Reformed Presbyterian Church	12
4. Scottish Episcopal Church	910	18. International Bible Students' Association (Jehovah's Witnesses)	12
5. Baptist Church	362	19. United Presbyterian Church	11
6. United Free Church	346	20. Other religious forms (27)	104
7. Methodist Church	316		
8. Free Church	241		
9. Christian Brethren (Plymouth Brethren)	152		
10. Salvation Army	71	All Religious Forms	33,190
11. Free Presbyterian Church	55	Irregular Marriages	2
12. Jews	52	Civil Marriages	7,250
13. Church of Christ	29		
14. Church of the Nazarene	18	All Marriages	40,442

Church of celebration

IV.10 Of the 33,190 ecclesiastical marriages those solemnised according to the forms of the Church of Scotland numbered 22,773 or 68·6 per cent. (0·2 per cent. higher than last year), and those according to the forms of the Roman Catholic Church 6,785 or 20·4 per cent. (the same percentage as last year). (Tables IV.3 and 49).

IV.11 The local distribution according to ecclesiastical forms, and the numbers and proportion of non-ecclesiastical marriages, are set out in Table 51. Church of Scotland marriages constituted 56·3 per cent. of all marriages in Scotland, the proportion being 46·7 in the cities, 50·1 in the large burghs and 69·8 in the counties. Roman Catholic marriages made up 16·8 per cent. of all Scottish marriages, the percentage being 19·2 in the cities 20·2 in the large burghs and 12·4 in the counties.

Conjugal conditions of those marrying

IV.12 Of the 40,442 males marrying during the year, 37,667 or 93·1 per cent. were bachelors, 1,628 or 4·0 per cent. were widowers and 1,147 or 2·8 per cent. had been divorced. Of the females, 38,015 or 94·0 per cent. were spinsters, 1,226 or 3·0 per cent. were widows, and 1,201 or 3·0 per cent. had been divorced. Table IV.4 shows the marriages registered during 1959 arranged according to the conjugal condition of the contracting parties (Tables 52, 54A, 54B).

Table IV.4 Conjugal conditions of contracting parties, 1959

	Spinsters	Widows	Divorced Women	All Women
Bachelors	36,388	489	790	37,667
Widowers	837	599	192	1,628
Divorced men	790	138	219	1,147
All men	38,015	1,226	1,201	40,442

IV.13 The Table IV.5 shows the civil condition of those marrying as compared with previous years. From about 1880 there has been a gradual decline in the percentage of widowed persons of both sexes remarrying. For males the percentage fell from 12·0 in 1871-1880 to 3·9 in 1958 and for females the percentage declined from 6·3 to 2·8 during the same period. In 1959, however, both sexes show a slight increase compared with the previous year.

Table IV.5. Civil Condition of Persons Marrying, 1855-1959

All Marriages		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse)
		Bachelors	Widowers	Divorced*	Spinsters	Widows	Divorced*	
1855-1860	100.0	84.3	11.2	—	90.1	5.4	—	4.5
1861-1870	100.0	87.3	11.5	—	93.6	5.2	—	1.2
1871-1880	100.0	87.8	12.0	—	93.5	6.3	—	0.2
1881-1890	100.0	88.6	11.4	—	94.2	5.8	—	0.0
1891-1900	100.0	90.1	9.9	—	94.6	5.3	—	0.0
1901-1910	100.0	91.4	8.5	—	95.0	4.9	—	0.0
1911-1920	100.0	91.7	8.3	—	93.4	6.6	—	0.0
1921-1930	100.0	92.6	7.4	—	95.2	4.8	—	0.0
1931-1940	100.0	93.4	5.9	0.7	96.3	3.0	0.7	0.0
1941-1950	100.0	91.7	5.7	2.6	93.3	4.3	2.4	0.0
1951	100.0	91.6	5.1	3.3	93.1	3.7	3.2	0.0
1952	100.0	91.2	5.0	3.8	92.3	3.8	3.9	0.0
1953	100.0	91.8	4.9	3.3	92.9	3.5	3.6	0.0
1954	100.0	92.0	4.7	3.3	92.6	3.6	3.8	0.0
1955	100.0	92.5	4.4	3.2	93.3	3.1	3.5	0.0
1956	100.0	93.0	4.0	3.0	93.8	3.0	3.2	—
1957	100.0	93.2	3.9	2.9	94.1	2.9	3.0	—
1958	100.0	93.3	3.9	2.8	94.2	2.8	3.0	—
1959	100.0	93.1	4.0	2.8	94.0	3.0	3.0	—

*—Previous to 1933 classified as Bachelors and Spinsters respectively.

IV.14 It will be noted that the percentage of widowers remarrying has always been higher than that of widows.

IV.15 The trend of divorce since 1932 and some detail regarding marriage of divorced persons is tabulated below.

Table IV.6. Marriage of Divorced Persons, 1932-1959

Year	Divorces*	Re-marriage of Divorced Persons		Divorced Persons Remarried per 100 Divorced in previous years or period	
		Males	Females	Males	Females
1932	488	—	—	—	—
1933-35	491	234	245	47.8	50.1
1936-40	749	400	391	57.8	56.5
1941-45	1,409	682	645	60.9	57.6
1946-50	2,424	1,592	1,420	65.5	58.5
1951	1,944	1,357	1,338	61.8	60.9
1952	2,718	1,549	1,611	79.7	82.9
1953	2,365	1,368	1,480	50.3	54.5
1954	2,216	1,378	1,586	58.3	67.1
1955	2,073	1,368	1,526	61.7	68.9
1951-55	2,263	1,404	1,508	61.4	65.9
1956	1,883	1,329	1,426	64.1	68.8
1957	1,739	1,236	1,293	65.6	68.7
1958	1,781	1,139	1,243	65.5	71.5
1959	1,699	1,147	1,201	64.4	67.4

*Including nullities.

Ages of those marrying

IV.16 The average age of all men marrying in 1959 was 27.4 and of all women 24.7, the same as in 1958. The following table shows the broad trend from 1861-1941 and yearly since 1951. Between 1861 and 1951 the variation ranged about one year but since 1952 there has been a progressive decrease in average age, evidence of the recent trend to younger marriages.

Table IV.7. Average age at Marriage—1861-1959

Year	Males	Females
1861	28.7	25.5
1901	28.7	26.1
1941	29.1	26.1
1951	28.6	25.7
1952	28.7	25.7
1953	28.5	25.6
1954	28.3	25.4
1955	28.0	25.2
1956	27.7	24.9
1957	27.5	24.8
1958	27.4	24.7
1959	27.4	24.7

IV.17 The average ages arranged according to the conjugal condition of those marrying during 1959 are set forth in Table IV.8 (Tables 55 to 59B).

Table IV.8. Average age at Marriage according to conjugal conditions

	Spinsters	Widows	Divorced Women	All Women
Average ages of				
Bachelors marrying .	25.5	41.1	33.2	25.9
Widowers marrying .	50.7	58.0	51.6	53.5
Divorced men marrying .	36.8	46.0	41.3	38.8
All men marrying .	26.3	49.9	37.6	27.4
	Bachelors	Widowers	Divorced Men	All Men
Average ages of				
Spinsters marrying .	23.0	40.8	30.1	23.6
Widows marrying .	42.0	53.5	44.8	47.9
Divorced women marrying .	33.6	43.9	37.2	35.9
All women marrying .	23.5	45.9	33.2	24.7

IV.18 These do not show any marked difference compared with 1958.

IV.19 Table IV.9 shows in age-groups the number of persons married in 1938 and in each year from 1948 to 1959. During the intervening years a considerable alteration has taken place in the age of those marrying. The number under 25 has increased since 1938 by no less than 95 per cent. in the case of males and 51 per cent. in that of females. In age groups 25-44 the proportion has fallen considerably but at ages 45 and over more marriages now take place, especially among females where the percentage is 37 above that of 1938. Compared with 1958 the numbers of both males and females show a decrease in the age group under 21.

Table IV.9. Age at Marriage 1938, and 1948-1959

	Year	All Ages	Under 21	21-24	25-29	30-34	35-44	45 and over
MALES	1938	38,716	1,648	9,192	14,292	7,215	4,205	2,164
	1948	43,718	2,261	13,564	14,774	5,861	4,716	2,542
	1949	41,708	2,319	13,508	13,857	5,251	4,288	2,485
	1950	40,459	2,377	13,274	13,055	5,288	4,129	2,336
	1951	41,361	2,682	14,123	13,152	5,272	3,755	2,377
	1952	41,154	2,754	13,989	12,940	5,153	3,847	2,471
	1953	40,902	2,922	14,567	12,511	5,027	3,478	2,397
	1954	41,974	3,523	15,207	12,536	4,906	3,300	2,502
	1955	43,199	4,087	15,814	12,795	4,804	3,216	2,483
	1956	43,963	4,610	16,551	12,634	4,539	3,204	2,425
	1957	42,661	5,154	16,246	11,909	4,119	2,833	2,400
	1958	41,186	5,376	16,110	10,913	3,719	2,824	2,244
	1959	40,442	5,280	15,912	10,694	3,636	2,600	2,320
	1959 per cent. of 1938	104.5	320.4	173.1	74.8	50.4	61.8	107.2
	Year	All Ages	Under 21	21-24	25-29	30-34	35-44	45 and over
FEMALES	1938	38,716	7,138	11,927	10,927	4,804	2,819	1,101
	1948	43,718	9,621	15,554	10,027	3,668	3,339	1,509
	1949	41,708	9,804	14,882	9,387	3,154	3,061	1,420
	1950	40,459	9,667	14,770	8,660	3,100	2,818	1,444
	1951	41,361	10,133	15,455	8,590	3,120	2,605	1,458
	1952	41,154	10,225	15,288	8,279	3,157	2,662	1,543
	1953	40,902	10,569	15,597	7,757	3,040	2,378	1,561
	1954	41,974	11,594	15,698	7,721	2,998	2,355	1,608
	1955	43,199	12,815	15,897	7,693	2,890	2,295	1,609
	1956	43,963	13,756	16,216	7,416	2,705	2,283	1,587
	1957	42,661	14,042	15,614	6,899	2,449	2,123	1,534
	1958	41,186	14,102	15,003	6,303	2,310	2,009	1,459
	1959	40,442	13,852	14,997	5,951	2,172	1,961	1,509
	1959 per cent. of 1938	104.5	194.1	125.7	54.5	45.2	69.6	137.1

IV.20 The youngest bridegrooms of the year were 36 bachelors aged 16 who all married spinsters and 192 aged 17 of whom 191 married spinsters and one who married a divorced woman. The youngest brides were 490 spinsters aged 16. Of these 489 married bachelors and one married a divorced man. There were 1,423 brides aged 17 all spinsters, of whom 1,416 married bachelors, 3 married widowers and 4 married divorced men. It will thus be seen that the great bulk of those who have married under the age of 21 were 18 or over.

IV.21 The oldest man who married during the year was a widower aged 85 who married a spinster aged 71 years. The oldest bride was a widow aged 80 years who married a widower aged 75 years.

IV.22 Table IV.10 shows the percentage of persons who married by age-groups for the years 1938, 1948 and 1959. This comparative table indicates that both as regards males and females there are now more marriages in the younger age-groups than immediately prior to the war. In 1938 the largest percentage of males who married were in the ages 25-29 whereas to-day the largest percentage is in the age-group 21-24. The number of males marrying under 21 years has also greatly increased and the percentage is roughly three times that of 1938. The highest percentage of females now marrying is in the age-group 21-24 years. In 1938 this group also showed the highest percentage, being slightly in excess of those at ages 25-29 but in 1959 the percentage in the latter group was less than half of those between 21-24. As in the case of males there is now a higher percentage of females marrying under 21 years and they constitute just over a third of all marriages.

Table IV.10. Percentage Married in Each Age Group 1938, 1949, 1959

	Year	All Ages	Under 21	21-24	25-29	30-34	35-44	45 and over
MALES	1938	100	4.26	23.74	36.91	18.64	10.86	5.59
	1949	100	5.56	32.39	33.22	12.59	10.28	5.96
	1959	100	13.06	39.35	26.44	8.99	6.43	5.74
FEMALES	1938	100	18.44	30.81	28.22	12.41	7.28	2.84
	1949	100	23.50	35.68	22.51	7.56	7.34	3.40
	1959	100	34.25	37.08	14.71	5.37	4.85	3.73

IV.23 The foregoing paragraphs and tables demonstrate the recent change in marriage age from the late 20's and the 30's to the earlier age groups. This has had its effect in reducing the average age at marriage, an effect slightly offset by the increases at ages over 45 with their heavier weighting.

Appendix V

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS, 1960

V.1 Tables 60 and 61 summarise certain electoral statistics which are related to the Register of Electors compiled under the provisions of the Representation of the People Acts and published on the 15th February, 1960 with reference to the qualifying date, the 10th October, 1959.

V.2 The figures contained in Table 60 have been compiled from returns furnished by the electoral registration officers of the several areas. The table shows the total number of parliamentary electors in each parliamentary constituency in Scotland; separate figures are given for the civilian residents and service voters. There was one by-election held on the basis of the February 1960 register.

V.3 The figures contained in Table 61, which have been compiled from returns furnished by Town Clerks, show the number of local government electors in the counties, burghs, landward areas and districts (district council areas) respectively. Additional figures show to what extent seats on Councils were contested and what proportion of the electorate voted at the local elections held in 1960.

Appendix VI

ALTERATIONS OF BOUNDARIES OF BURGHs, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1960

Area	Nature of Alteration	Population at Census 1951					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Females
BURGHs							
Elie and Earlsferry	Extension (no population) within Civil Parish of Elie	1,190	461	729	1,190	461	729
Hamilton	Extension and disjunction within Civil Parish of Hamilton	40,174	19,500	20,674	40,384	19,599	20,785
Jedburgh	Extension (no population) within Civil Parish of Jedburgh	4,083	1,964	2,119	4,083	1,964	2,119
Kirkintilloch	Extension within Civil Parishes of Kirkintilloch (Dunbarton Co.) and Cadder (Lanark Co.)	15,084	7,171	7,913	15,117	7,188	7,929
Leven	Extension within Civil Parish of Scoonie	8,868	4,160	4,708	8,890	4,164	4,726
Prestonpans	Extension within Civil Parish of Prestonpans	2,907	1,433	1,474	2,909	1,434	1,475
St. Andrews	Extension within Civil Parish of St. Andrews and St. Leonards	9,457	4,117	5,340	9,461	4,119	5,342
Stranraer	Extension within Civil Parishes of Inch and Leswalt	8,618	4,150	4,468	8,637	4,161	4,476
LANDWARD AREAS							
Dunbarton County	Extension of Burgh of Kirkintilloch	51,040	25,797	25,243	51,007	25,780	25,227
East Lothian County	Extension of Burgh of Prestonpans	26,405	13,533	12,872	26,403	13,532	12,871
Fife County	Extension of Burghs of Elie and Earlsferry, Leven and St. Andrews	107,839	54,168	53,671	107,813	54,162	53,651
Lanark County	Extension of Burghs of Hamilton and Kirkintilloch	303,698	148,007	155,691	303,488	147,908	155,580
Roxburgh County	Extension of Burgh of Jedburgh	18,492	9,089	9,403	18,492	9,089	9,403
Wigtown County	Extension of Burgh of Stranraer	18,497	9,660	8,837	18,478	9,649	8,829
I. COUNTIES							
Dunbarton County	Extension of Burgh of Kirkintilloch Added area (no population) as far as within Lanark County transferred to Dunbarton County	164,269	79,441	84,828	164,269	79,441	84,828
Lanark County		1,614,363	773,503	840,860	1,614,363	773,503	840,860
V. CIVIL PARISHES	None	—	—	—	—	—	—
V. REGISTRATION DISTRICTS							
161 Marnoch	United under the name of "Marnoch"	1,854	884	970	—	—	—
165 Rothiemay		799	393	406	—	—	—
161 Marnoch	See above	—	—	—	2,653	1,277	1,376
682 Currie	An area in Registration District of Currie transferred to Registration District of Haymarket.	3,235	1,543	1,692	3,179	1,509	1,670
685 (1) Haymarket		125,343	58,343	67,000	125,399	58,377	67,022
696 Newton	An area in Registration District of Newton transferred to Registration District of Newington.	2,137	1,069	1,068	2,011	1,006	1,005
685 (6) Newington		66,241	30,335	35,906	66,367	30,398	35,969

NOTE—

Appendix VII — Registration of Births etc.

This is now Chapter 11—Registration Service

Appendix VIII

INHABITED HOUSES

VIII.1 Table 62 gives the numbers, as entered in the Valuation Rolls, of inhabited houses in each city, large burgh, small burgh and landward area in Scotland for the year 1939 and for each year from 1956 to 1960.

VIII.2 The table has been compiled from statements received from Town Clerks and County Clerks.

NOTE—

Appendix IX—Perinatal Deaths classified to Stillbirth Causes

This is now Chapter 9

Appendix X

CENTRAL CLYDESIDE CONURBATION

X.1 The constitution of the area of the Central Clydeside Conurbation is as follows:—

Dunbarton County (part of)	Lanark County (part of)	Renfrew County (part of)
Clydebank Burgh	Glasgow City	Barrhead Burgh
Bearsden Burgh	Airdrie Burgh	Johnstone Burgh
Kirkintilloch Burgh	Coatbridge Burgh	Paisley Burgh
Milngavie Burgh	Hamilton Burgh	Renfrew Burgh
	Motherwell and Wishaw Burgh	Renfrew First District of County
	Rutherglen Burgh	Renfrew Second District of County
	Lanark Fifth District of County	
	Lanark Sixth District of County	
	Lanark Eighth District of County	
	Lanark Ninth District of County	

X.2 The vital statistics in the area of the Conurbation in the calendar year of 1960 are given in Table X.1. The births and deaths are corrected, where necessary, to relate to the area of usual residence.

Table X.1 Vital Statistics of Central Clydeside Conurbation, 1960

	Registered	Corrected for Transfer	Rate per 1,000 of estimated population
Births . . .	38,484	39,131	21·7
Deaths . . .	20,153	20,969	11·6
Deaths under 1 year	—	1,198	30·6 per 1,000 live births
Marriages . . .	14,929	—	8·3
Stillbirths . . .	936	957	23·9 per 1,000 total births (live and still)

X.3 The population of Central Clydeside at 30th June, 1960 was estimated to be 1,802,466, more than a third of the population of Scotland. The birth-rate of 21·7 was 3·4 higher than that of the rest of Scotland whereas the general death-rate of 11·6 was 0·4 lower. The infant mortality rate of 30·6 was 6·9 higher and the stillbirth rate 23·9 was 2·5 higher than in the rest of Scotland.

X.4 The excess of the birth-rate over the death-rate in the Conurbation area was 8·9 per 1,000 of the population against 5·4 in the remainder of Scotland. The excess of births over deaths in Scotland was 39,528, those in the Conurbation accounting for no less than 18,165.

X.5 The male death-rate in the Conurbation area was 1,274 per 100,000 of the population compared with 1,259 in the rest of Scotland. The female rates were 1,060 and 1,142 respectively. The rates, by sex, from the principal groups of causes of death are given in Table X.2.

Table X.2 Certain Specified Causes of Death in the Central Clydeside Conurbation and the rest of Scotland with their Corresponding Rates per 100,000 Population—1960

International Classification Intermediate List "A"		Number				Rates per 100,000 population			
		Conurbation Area		Rest of Scotland		Conurbation Area		Rest of Scotland	
		Males	Females	Males	Females	Males	Females	Males	Females
1	Tuberculosis, respiratory .	207	75	130	61	24	8	8	3
2-5	Tuberculosis—other forms .	6	11	11	8	1	1	1	0
6-10	Syphilis	19	6	22	17	2	1	1	1
12, 17, 18, 21-23, 32, 88	Principal epidemic diseases	29	31	41	35	3	3	3	2
44-59	Malignant neoplasms .	2,136	1,708	3,679	3,510	246	183	225	199
70	Vascular lesions of central nervous system .	1,340	1,806	2,866	3,838	154	193	175	217
80-83	Heart disease	3,606	3,251	7,377	7,139	415	348	450	404
89-91	Pneumonia (excluding newborn)	413	358	624	613	48	38	38	35
92, 93	Bronchitis	735	285	854	340	85	31	52	19
99, 100	Ulcer of stomach and duodenum	126	52	280	104	15	6	17	6
104	Gastro-enteritis (excluding newborn)	47	53	84	115	5	6	5	7
108, 109	Nephritis	51	53	136	113	6	6	8	6
127-135	Congenital malformations and other diseases of early infancy	499	405	695	523	57	43	42	30
Residual of 1-137	All other natural causes .	1,270	1,467	2,645	2,992	146	157	162	169
138, 139	Transport accidents	184	76	412	121	21	8	25	7
148	Suicide	83	48	180	97	10	5	11	5
Residual of 138-150	Other violence	311	222	584	549	36	24	36	31
	All causes	11,062	9,907	20,620	20,175	1,274	1,060	1,259	1,142

X.6 The rates in the Conurbation area are to a large extent influenced by those of Glasgow. The rates for tuberculosis, bronchitis, pneumonia (excluding newborn) and the principal epidemic diseases separately for the Conurbation area, Glasgow and the remainder of the Conurbation area are given in Table X.3.

Table X.3 Death-rates per 100,000 of Population from Selected Causes in the Conurbation, Glasgow and Remainder of Conurbation

International Classification Intermediate List "A"		Rate per 100,000 of Estimated Population					
		Conurbation Area		Glasgow		Remainder of Conurbation Area	
		Males	Females	Males	Females	Males	Females
1	Tuberculosis respiratory	24	8	30	10	15	5
3-5	Tuberculosis—other forms	1	1	1	1	0	1
92, 93	Bronchitis	85	31	98	37	66	20
89-91	Pneumonia (excluding newborn)	48	38	52	45	42	29
12, 17, 18, 21-23, 32, 88	Principal epidemic diseases*	3	3	4	3	3	4

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Appendix XI

METEOROLOGICAL NOTES

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDED 31st DECEMBER, 1960

XI.1 Under the heading of "Meteorological Notes" a descriptive account of the weather is given in the "Quarterly Returns" published by the authority of the Registrar-General, and the notes are accompanied by statistics for some of the Principal Towns.

XI.2 The present report for the year 1960, is of general character as to text, and to it are appended tables summarising the statistics of the various stations (pages 77-85).

General.

XI.3 The outstanding features of the year are indicated in the course of the report. The more notable are:—

- (a) Heavy snowfalls in mid January and mid February.
- (b) Mildness of April, May and June.
- (c) Coolness of remainder of the summer.
- (d) High frequency of thunderstorms.

Gales

XI.4 Winds reached gale force at exposed places on 128 days, which was slightly fewer than the last two years. On April 13th-14th the following high gust speeds were recorded: 89 m.p.h. at Stornoway, 86 m.p.h. at Tiree, 85 m.p.h. at Lerwick and 83 m.p.h. at Dounreay. Other noteworthy gusts were 81 m.p.h. at Lerwick on February 17th and 85 m.p.h. at Benbecula on December 26th.

Temperatures

XI.5 The mean temperature for the year, based on records from the main centres of population was 48.0°F, 0.5° above the average. Both January and February had a mild start and finish, but periods of severe frost and snow blizzards occurred in the middle, with the result that the mean monthly temperature was below the average. March too, started mild but after the first week there were frequent frosts. April, May and June were all mild and in fact it was the warmest May since 1896. June continued the fine spell but there was an unsettled period in the middle of the month. It was the only month in which temperatures exceeded 80°F. Both July and August were unsettled, cool, and at times thundery. September too, had changeable weather with only moderate temperature but there was an improvement towards the end of the month, with long sunny periods. October was mild in most parts and in November temperature was about average but there were short cold periods. December was cold with a good deal of frost and fog.

The highest daily reading of temperature during the year was 85°F at Grantown-on-Spey on June 24th. The same station also recorded the lowest reading,—8°F (40 degrees of frost) on February 18th. The lowest reading on the ground was also—8°F at Cannich on February 18th, but for a number of Highland stations records were incomplete owing to ground thermometers being buried in snow.

Rainfall

XI.6 Amount of precipitation in 1960 exceeded the average in North-east and Southern Districts but in Central Lowlands, North-western districts and in the Northern Islands it was less than the average. The North-west corner of Sutherland had only about 70% of its normal rainfall but around Kincardineshire amounts were about 140% of average.

In January, rainfall was above average in Eastern Districts of the mainland and less than average in the West. In West Perthshire, parts of Argyll and most of Shetland amounts were less than half the average. In February the driest area was the North-west and the wettest parts were in the North-east and in the Galloway district. March was a dry month in most places, the main exception being an area in Fife, South Angus and Central Perthshire. The first half of April was wet in many places but the remainder was mainly dry. Rainfall was below average in May in many districts but in Central Perthshire it was more than the normal amount. June amounts of rain were above average in most areas North-west of the Caledonian Canal (including the Islands), but in the south, with one or two exceptions, it was less than average. The northern half of the country was the driest area in July and the West (including the Islands) the driest in August. Heavy rainstorms on August 25th-26th with consequent flooding raised totals to twice the average in places adjacent to the inner Moray Firth and severe flooding was also reported from the Galloway district around the same period. September rainfall was below average in most places, the exceptions being South Aberdeenshire, Kincardineshire and North Angus and some extreme South-west coastal districts. A preponderance of Easterly winds made October a dull wet month in the East but it was comparatively dry in the West. At Fort William (Glasdrum) the rain was only 13% of its average amount. November was a wet month over the southern half of the country but the North was more favoured, with amounts less than average. In December amounts were above average in most North-west, West and Southern districts but elsewhere it was mainly below normal.

Amongst heavy falls of rain in 24 hours were 3.58 inches at Dallas House, 3.46 inches at Kellas House and 3.45 inches at Auchindoune (all in Morayshire) on August 25th; 3.56 inches at Torridon House (Wester Ross) on June 9th; 3.56 inches at Kingairloch on February 2nd; 3.53 inches at Glen Tanar (Aberdeenshire) on January 19th and 3.42 inches at Lochranza on October 2nd.

Snowfall

XI.7 Heavy falls of snow occurred on January 13th and again on 18th-19th, causing villages and farms in Northern Counties to be isolated. Trains were trapped in deep drifts and several lives were lost. Snowstorms were again widespread during the period February 10th to 22nd and the hazards of the January storms were repeated and the South-west and West districts were also badly affected. Moderate amounts of snow fell in East Scotland during the second week in March and there were scattered slight falls in April. Light

snowfalls were reported here and there in November and during December there were further falls with some roads blocked around the 27th.

Thunder

XI.8 Thunder was reported from various places on 123 days. This number is well above average and is in fact the greatest frequency since 1934 at least. August with reports on 25 days, July (19), June (18) and December (15) had the most storms.

Sunshine

XI.9 Records of bright sunshine for the year were above average in North and West Scotland but slightly below average in the East. Prestwick had an excess over average of over 350 hours and many other places in the West were 150 hours or more above their normal amounts.

The highest totals were: Prestwick (1,628) hours, Tiree (1,588), Auchincruive (1,575), Campbeltown (1,576), Stranraer (1,563) and Castle Douglas (1,559).

January was rather dull in the East but amounts of sunshine were above average in West and North. February was a sunny month in most places and at Dundee, Arbroath, Greenock and Perth, the amounts recorded were the highest for February since records began at these places. March was very dull in the East, and the North-west was the only district with more than average amounts. April continued the deficiency in most places but May was sunny, except in some places in the South and South-west. Records were good in June except in some Eastern districts. Most South and Central areas had a dull July but the Outer Isles and the North Mainland districts had more than normal amounts of sun. During August the Islands and the Western Seaboard were again the sunniest places and in September and October the most favoured places were again in the West and in the latter month Eastern districts were particularly dull and Craibstone near Aberdeen had its lowest October total since 1924. The November and December totals were above average in many places.

Fog

XI.10 Morning fog was reported from one place or another on 200 days, about the same as 1959. Around February 6th it was dense in places, particularly around Glasgow and transport services by land, sea and air were interrupted. Fog which occurred on November 19th was bad near Edinburgh and Turnhouse Airport was closed to traffic and prolonged periods of fog during the second and third weeks of December increased traffic problems which were already formidable on account of ice.

Aurora

XI.11 Aurora Borealis was observed on 142 nights. This frequency is above average but decidedly less than the occurrences of the past two years. The months with the highest number of occurrences were October (21), November (18) and April and December (17).

(For statistical tables see pages 77-85.)

METEOROLOGICAL
TABLES, 1960

Table XI.1. District Values of Air Temperature, Rainfall and Sunshine

DISTRICT	1960	AIR TEMPERATURE			RAINFALL		SUNSHINE	NORMAL VALUES			
		Highest	Lowest	Deviation from Average Daily Mean	Percentage of Normal	Number of Days Deviation from Normal	Percentage of Average Duration	Daily Mean Temperature	Total Rainfall	Number of Days	Daily Sunshine
North Scotland	Jan.	°F. 62	°F. -2	°F. -1.0	% 87	-2	% 131	°F. 39.1	Ins. 5.79	23	Hours 0.90
	Feb.	60	-7	-2.6	152	0	142	39.2	4.57	21	1.89
	Mar.	66	18	+1.2	42	-8	91	41.0	4.41	23	3.16
	April	65	23	+2.4	109	-1	85	43.7	3.23	19	4.39
	May	77	24	+3.4	55	-4	107	47.9	2.80	19	5.49
	June	83	33	+3.1	120	0	107	52.3	2.72	16	5.37
	July	74	30	-0.1	91	+1	113	55.8	3.35	19	4.22
	Aug.	75	33	-0.4	133	+3	98	55.6	4.18	21	4.06
	Sept.	71	23	+0.3	81	-5	129	52.4	3.78	19	3.36
	Oct.	62	29	+1.0	58	-1	59	47.5	5.00	22	2.33
	Nov.	59	19	+0.2	88	+1	111	42.8	5.63	23	1.31
	Dec.	54	10	-2.0	101	0	166	40.4	6.18	24	0.59
	Year	83	-7	+0.5	93	-16	106	46.5	51.64	249	3.09
East Scotland	Jan.	57	5	-0.3	144	+1	90	37.7	2.57	17	1.58
	Feb.	61	-8	-2.0	114	+1	143	38.3	2.24	16	2.54
	Mar.	62	18	-0.4	80	-3	69	41.0	2.48	19	3.54
	April	64	21	+3.2	83	0	98	44.2	1.85	16	4.61
	May	75	22	+3.6	49	-7	112	48.7	2.24	16	5.49
	June	85	35	+3.2	93	0	110	54.4	2.13	14	6.15
	July	73	32	-1.3	106	+5	92	58.0	2.87	17	4.94
	Aug.	78	30	-1.0	153	+7	96	57.1	3.15	18	4.60
	Sept.	72	24	-0.5	74	0	105	53.5	2.24	15	5.06
	Oct.	65	23	+1.1	173	+8	41	47.7	3.27	19	3.02
	Nov.	59	16	-0.1	105	+3	99	42.1	3.11	19	1.96
	Dec.	54	11	-1.9	91	0	139	39.1	3.11	19	1.28
	Year	85	-8	+0.6	110	+15	98	46.8	31.26	205	3.65
West Scotland	Jan.	56	17	-0.3	78	-5	127	38.8	4.57	20	1.15
	Feb.	59	4	-1.8	138	+3	163	39.1	3.94	18	2.12
	Mar.	62	14	+0.8	74	-3	84	41.4	3.58	19	3.28
	April	65	23	+2.8	147	-1	103	44.7	2.76	16	4.77
	May	74	24	+3.2	81	-3	104	49.5	2.91	16	6.06
	June	82	33	+3.4	91	-2	130	54.5	2.87	15	6.24
	July	72	35	-0.7	109	+8	96	57.5	3.46	17	4.84
	Aug.	78	34	-0.1	92	+2	121	57.0	4.41	18	4.51
	Sept.	70	27	-0.3	78	-2	123	53.4	3.66	16	3.72
	Oct.	65	21	+1.3	56	+4	88	48.2	4.69	19	2.58
	Nov.	57	19	+0.6	139	+4	120	42.6	5.16	19	1.70
	Dec.	55	15	-1.9	108	+1	117	40.1	5.63	22	1.02
	Year	82	4	+0.6	98	-2	112	47.2	47.64	215	3.51

Table XI.2. Summary Table of Mean Values of Air Temperatures at the Principal Stations (Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Dumfries and Inverness) together with Extremes of Temperature for Scotland as a whole, and generalised figures for the United Kingdom.

1960	AIR TEMPERATURES								RAINFALL		
	Means of		Mean of A and B	Difference of Mean from Normal	Daily Range		Absolute Extremes		Percentage of Normal		
	Maximum A	Minimum B			Mean A-B	Difference from Normal	Highest	Lowest	Scotland	England and Wales	Northern Ireland
January	42.6	33.1	37.9	-0.4	9.5	+0.2	62	-2	89	142	96
February	42.5	31.1	36.8	-2.3	11.3	+1.5	61	-8	123	120	128
March	46.6	37.4	42.0	+0.3	9.2	-2.9	66	14	65	87	91
April	55.3	41.5	48.4	+3.3	13.8	+0.2	65	21	124	73	119
May	62.1	45.4	53.7	+3.8	16.7	+1.1	77	22	70	70	87
June	67.1	51.0	59.1	+3.6	16.1	+0.4	85	33	92	90	105
July	64.5	51.2	57.8	-0.9	13.4	-0.7	74	30	96	142	157
August	64.5	50.6	57.6	-0.3	13.9	+0.1	78	30	126	139	134
September	60.6	47.3	53.9	-0.2	13.3	0.0	72	23	73	150	87
October	53.7	45.0	49.4	+1.0	8.7	-2.8	65	21	88	199	104
November	47.7	37.1	42.4	+0.1	10.5	+0.2	59	16	111	153	102
December	41.8	32.6	37.2	-2.4	9.2	0.0	55	10	104	129	89
Means and Extremes	54.1	41.9	48.0	+0.5	12.1	-0.2	85	-8	97	125	108

Table XI.3. Number of Hours Bright Sunshine

1960	NO. OF HOURS												YEARLY TOTAL HOURS
	January	February	March	April	May	June	July	August	September	October	November	December	
North Scotland													
SHETLAND													
Lerwick	43	62	68	86	175	130	160	121	123	63	30	28	1,089
ORKNEY													
Kirkwall	43	88	60	112	211	167	198	130	131	71	43	45	1,299
CAITHNESS													
Wick	55	91	75	126	213	196	191	131	133	46	57	59	1,373
SUTHERLAND													
Strathly	37	83	85	97	179	177	136	113	125	42	45	40	1,159
ROSS AND CROMARTY													
Fortrose	47	109	102	114	176	164	162	111	137	40	59	50	1,271
Stornoway	39	93	130	139	177	207	152	132	150	69	56	43	1,387
INVERNESS													
Dalwhinnie	25	67	81	96	(150)	162	100	79	108	(45)	(40)	13	966
Fort William	14	59	89	113	192	190	97	99	111	61	44	21	1,090
Inverness	40	105	99	124	177	183	159	108	144	46	52	38	1,275
Onich	32	81	90	112	171	177	95	134	127	77	51	22	1,169
Skye-Duntulm	37	87	125	133	213	194	138	154	157	83	56	36	1,413
East Scotland													
NAIRN													
Nairn	46	103	107	129	191	168	162	111	151	35	63	54	1,320
MORAY													
Elgin	50	100	99	123	196	171	152	121	136	33	61	71	1,313
Forres	49	99	89	110	165	165	142	110	137	34	65	66	1,231
Gordon Castle	46	91	81	110	178	174	158	110	121	30	57	58	1,214
Kinloss	47	107	98	121	200	184	176	125	145	34	62	68	1,367
BANFF													
Glenlivet	32	94	87	111	179	194	134	99	129	26	50	52	1,187
ABERDEEN													
Braemar	29	79	51	107	161	191	121	96	106	16	26	16	999
Craibstone	50	108	67	136	220	234	157	142	125	29	61	59	1,388
Dyce	50	116	66	140	225	236	158	140	128	30	61	55	1,405
Ratray Head	52	95	85	144	230	143	173	172	137	31	51	61	1,374
KINCARDINE													
Stonehaven	45	92	65	137	222	214	141	132	109	33	48	48	1,286
ANGUS													
Arbroath	49	129	66	133	233	226	175	175	129	55	64	60	1,494
Carnoustie	45	121	63	128	224	215	159	179	120	51	65	55	1,425
Dundee (Mayfield)	48	121	63	130	196	176	120	150	120	34	66	51	1,275
PERTH													
Perth	41	108	63	140	185	237	138	129	125	37	61	21	1,285
FIFE													
Kirkcaldy	41	108	73	139	172	214	132	158	126	39	55	35	1,292
Leuchars	54	120	78	131	210	222	156	162	127	48	69	57	1,434
St. Andrews	51	114	68	134	203	215	160	148	122	48	66	56	1,385

Table XI.3. Number of Hours Bright Sunshine—*continued*

1960	NO. OF HOURS												YEARLY TOTAL HOURS
	January	February	March	April	May	June	July	August	September	October	November	December	
MIDLOTHIAN													
Edinburgh (R.O.)	40	109	77	139	157	205	117	122	120	44	53	48	1,231
Edinburgh (B.G.)	40	101	75	149	175	225	149	152	131	45	52	42	1,336
Penicuik .	24	85	82	138	181	222	135	147	126	47	37	27	1,251
Turnhouse .	44	108	79	146	180	230	134	148	126	48	62	42	1,347
EAST LoTHIAN													
North Berwick .	28	92	71	127	176	195	140	158	123	36	54	35	1,235
BERWICK													
Marchmont .	37	85	64	142	193	235	139	162	123	46	48	60	1,334
PEEBLES													
Blyth Bridge .	35	105	95	144	186	213	124	128	124	55	60	57	1,326
West Scotland													
ARGYLL													
Lepinmore .	43	98	92	119	196	218	114	151	143	71	60	34	1,339
Tiree .	47	110	94	172	227	219	184	214	148	94	51	28	1,588
DUNBARTON													
Helensburgh .	37	87	81	132	168	209	103	143	122	51	51	20	1,204
RENFREW													
Greenock .	33	102	79	131	181	237	133	172	138	55	58	24	1,343
Paisley .	44	84	78	154	189	244	149	180	152	55	63	29	1,421
Renfrew .	40	84	75	149	194	236	134	165	138	53	63	23	1,354
LANARK													
Glasgow .	28	83	79	141	169	225	118	151	129	56	56	25	1,260
Thorntonhall .	30	84	92	156	187	236	134	160	135	54	46	15	1,329
AYR													
Auchincruive .	61	98	110	154	205	251	141	192	162	74	82	45	1,575
Kilmarnock .	50	96	95	147	190	269	139	177	139	66	69	30	1,467
Prestwick (Airport)	63	106	109	159	212	260	150	198	166	75	82	48	1,628
DUMFRIES													
Dumfries .	46	93	83	144	185	235	131	158	126	62	60	36	1,359
Eskdalemuir .	42	90	84	125	172	246	117	139	123	70	55	53	1,316
KIRKCUDBRIGHT													
Castle Douglas .	56	98	104	165	191	260	141	197	153	83	59	52	1,559
WIGTOWN													
Stranraer	62	105	94	159	190	279	150	183	153	84	54	50	1,563

Table XI.4. Monthly and Annual Amounts of Rainfall (Inches) and Number of Days of Rain at Selected Stations.

1960	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	0.4 inch. or more
North Scotland															
SHETLAND															
Lerwick	2.20	5.20	.85	2.91	1.52	2.78	1.35	1.03	2.98	2.96	5.02	4.63	33.43	229	146
ORKNEY															
Kirkwall	3.13	3.45	1.59	2.77	1.20	2.83	1.27	1.91	2.14	3.26	3.65	3.83	31.03	230	169
CAITHNESS															
Wick	3.67	5.33	1.07	1.82	.59	1.91	2.89	3.88	2.46	3.01	2.52	2.71	31.86	227	161
SUTHERLAND															
Cape Wrath	2.87	2.59	.97	3.27	1.62	2.37	3.17	4.26	2.37	1.97	2.08	4.74	32.28	230	172
Strathly	3.58	2.66	1.63	2.17	1.32	2.45	2.25	5.95	1.82	3.60	2.82	3.65	33.90	260	182
ROSS AND CROMARTY															
Achnashellach	5.96	7.26	1.34	6.75	3.02	4.47	4.65	6.44	4.17	2.60	5.65	11.82	64.13	279	201
Fortrose	2.64	1.46	.47	1.14	.38	2.90	2.71	7.39	2.16	1.94	1.81	1.45	26.45	194	132
Stornoway	4.21	4.35	1.26	3.01	1.69	2.89	3.05	3.13	3.13	1.70	4.04	5.10	37.56	234	179
INVERNESS															
Benbecula	3.04	2.98	2.78	3.43	2.88	2.75	4.16	3.29	3.87	1.63	5.73	7.41	43.95	238	180
Dalwhinnie	4.55	5.55	1.19	5.42	1.93	2.00	2.89	6.03	2.87	3.17	4.43	5.19	45.22	243	181
Duntulm	3.16	3.54	1.82	3.34	2.92	4.44	3.00	3.51	3.73	2.00	6.96	7.08	45.50	231	180
Fort William	4.66	6.71	1.07	6.87	3.06	3.61	4.18	5.62	3.19	1.40	6.56	8.88	55.81	245	181
Inverness	3.40	1.38	.34	1.47	.26	2.51	2.57	8.53	1.86	1.34	1.30	1.93	26.89	166	120
Onich	4.40	6.01	1.88	7.11	3.24	4.92	5.59	6.43	4.51	1.71	6.32	9.79	61.91	235	205
East Scotland															
NAIRN															
Nairn	2.56	1.67	.63	1.24	.18	2.61	2.21	6.54	2.17	2.04	1.73	1.27	24.85	216	129
MORAY															
Forres	2.74	1.96	.84	1.13	.26	4.02	2.27	8.18	2.17	2.46	1.47	.82	28.32	184	133
Gordon Castle	3.27	3.37	1.14	1.67	.40	2.66	3.68	7.39	2.15	3.95	1.76	.87	32.31	199	148
Kinloss	3.12	1.98	.81	1.28	.26	4.22	2.30	6.61	2.01	2.30	1.46	.87	27.22	194	117

BAIRFF	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
Glenlivet	1-99	·81	2-11	2-78	7-10	2-35	7-42	3-12	1-28	35-60	235	173
ABERDEEN																
Balmoral	2-86	·87	1-49	2-52	5-70	3-07	8-56	3-79	2-32	41-85	233	172
Braemar	2-87	1-33	1-27	2-55	5-44	3-39	7-63	3-99	2-82	40-86	230	175
Crabstone	1-46	·94	1-59	4-66	4-38	2-83	9-35	5-80	2-66	42-86	227	167
Dyce	1-24	1-41	1-49	4-11	4-18	2-79	7-85	5-21	2-43	39-35	218	161
Rattray Head	1-08	2-45	1-12	1-66	3-67	2-89	4-54	5-53	2-11	34-05	233	169
KINCARDINE																
Stonehaven.	1-62	·74	1-97	3-81	4-02	3-01	7-02	5-42	2-92	39-37	226	171
ANGUS																
Arbroath	1-74	1-04	1-56	1-46	3-01	2-22	5-03	3-34	1-46	27-62	209	145
Buddon Ness	2-08	1-48	1-96	1-73	4-14	2-28	4-87	3-55	1-82	31-92	203	149
Dundee	2-64	2-09	2-77	3-63	4-54	1-75	6-16	3-33	2-31	38-82	212	158
Montrose	2-25	·78	1-75	2-94	4-90	3-01	8-75	4-56	2-49	40-43	207	156
PERTH																
Perth	2-18	3-16	2-06	2-87	4-02	2-52	5-66	3-54	2-93	38-02	214	159
FIFE																
Kirkcaldy	1-08	2-07	1-36	3-54	4-24	1-44	3-93	3-45	3-24	32-65	211	169
Leuchars	2-00	1-76	1-46	3-12	4-32	1-55	4-97	3-34	2-15	32-81	208	147
St. Andrews	1-99	1-61	1-35	2-83	4-33	2-13	3-68	3-60	2-09	31-21	—	—
MIDLOTHIAN																
Bush House	1-17	1-17	1-25	3-17	4-25	1-60	2-98	3-29	4-13	30-52	206	154
Edinburgh (R.O.)	·80	1-37	1-04	2-47	4-42	1-22	2-84	2-09	2-49	24-38	194	130
Midcaldy	1-38	1-38	·97	2-52	3-67	1-99	3-40	2-96	3-42	27-74	207	140
Penicuik	1-51	1-22	1-37	2-57	4-12	1-79	3-25	3-20	3-83	30-68	202	157
Turnhouse	·63	1-46	·79	2-90	3-85	1-31	2-90	2-15	2-30	23-86	193	129
EAST LoTHIAN																
North Berwick	·86	1-09	·66	2-24	3-40	1-84	3-51	2-66	2-13	24-32	198	142
BERWICK																
Marchmont	1-32	1-35	1-08	3-41	3-44	1-77	7-86	2-40	2-18	33-77	217	164
PEEBLES																
Blyth Bridge	2-10	1-25	1-28	2-27	3-86	1-87	2-09	3-63	4-06	30-81	226	167

Table XI.4. Monthly and Annual Amounts of Rainfall (Inches) and Number of Days of Rain at Selected Stations—continued

1960		January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	0.4 inch. or more
ROXBURGH																
	Kelso	3.89	2.03	1.62	1.10	1.31	.96	3.21	4.91	1.41	5.73	2.47	2.63	31.27	217	165
West Scotland																
ARGYLL																
	Colonsay	3.10	3.54	1.91	3.42	2.89	2.05	3.76	4.69	3.16	3.11	4.87	7.39	43.89	261	191
	Dunoon (Benmore F.S.)	6.61	9.04	3.76	8.66	4.37	4.49	8.18	5.42	4.45	5.58	9.26	11.44	81.06	221	194
	Glenbranter	5.60	8.65	3.59	9.88	4.47	3.12	8.01	4.09	4.53	6.33	11.67	12.71	82.65	201	192
	Lephipore	4.36	6.19	2.56	6.14	3.63	2.80	4.97	3.73	3.70	3.69	7.34	8.98	58.09	226	183
	Tiree	2.76	3.33	2.28	2.86	2.00	2.93	3.42	2.76	3.70	2.05	6.22	5.94	40.25	231	177
BUTE																
	Millport	3.23	3.83	2.07	4.73	2.34	2.59	4.33	3.63	3.47	2.69	6.72	6.10	45.73	211	161
DUNBARTON																
	Helensburgh	4.79	4.34	3.11	4.96	2.85	3.53	4.92	3.14	3.24	3.56	6.06	5.12	49.62	225	184
STIRLING																
	Falkirk	4.02	3.08	1.74	2.51	2.83	1.74	2.75	3.34	1.90	3.64	4.10	4.33	35.98	197	157
	Stirling	3.62	3.64	2.05	3.55	2.99	2.09	3.05	2.93	2.75	3.65	4.85	3.71	38.88	210	160
RENFREW																
	Greenock	4.95	5.99	3.25	7.23	3.03	3.33	4.72	3.51	3.50	3.20	8.56	7.60	58.87	227	172
	Paisley	3.98	4.21	2.24	4.24	2.62	2.51	3.56	3.40	3.10	3.09	5.73	5.61	44.29	216	162
	Renfrew	3.44	3.61	1.99	3.37	2.74	1.79	3.35	3.31	2.67	3.07	4.93	4.63	38.90	212	155
AYR																
	Auchincruive	3.70	2.62	1.70	2.16	1.44	1.68	2.66	3.38	2.78	2.13	5.04	4.95	34.24	192	149
	Colmonell	2.94	5.26	1.61	3.57	2.05	2.02	4.51	4.69	3.90	2.83	6.82	4.51	44.71	191	159
	Kilmarnock	4.01	2.94	2.12	2.77	1.72	1.58	2.97	3.69	2.58	2.05	4.96	5.76	37.15	187	149
	Largs	2.99	4.19	2.69	4.62	2.61	2.25	3.85	3.33	4.13	3.30	7.86	6.58	48.40	205	165
	Prestwick (Airport) (a)	3.97	2.76	2.84	2.20	1.34	2.09	2.64	3.46	2.83	1.80	4.06	4.55	34.54	190	144

Table 1. Population of Scotland, estimated in the middle of each year, with the Numbers of Births, Stillbirths, Deaths and Marriages registered in each year, 1855-1960

Year	Estimated Mid-Year Population	Live-Births				Still-Births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.		Twins	Triplets		Total	Males	Fem.	Under 1 Year
1855	2,978,065	93,349	47,804	45,545	7,357	—	—	—	19,680	62,004	30,626	31,378	11,691
1856	2,995,771	101,821	52,239	49,582	8,695	—	1,267	12	20,740	58,529	29,418	29,111	12,058
1857	3,012,310	103,415	53,158	50,257	8,859	—	1,300	16	21,369	61,906	30,937	30,969	12,191
1858	3,027,665	104,018	53,694	50,324	9,354	—	1,262	17	19,655	63,539	31,652	31,887	12,622
1859	3,041,812	106,543	54,628	51,915	9,715	—	1,335	11	21,201	61,714	30,588	31,126	11,523
1860	3,054,738	105,629	54,409	51,220	9,736	—	1,247	23	22,225	68,170	33,610	34,560	13,413
1855-60	3,018,000	102,462	52,655	49,807	8,953	—	1,282	16	20,445	62,644	31,139	31,505	12,250
1861	3,069,403	107,009	54,606	52,403	9,929	—	1,249	18	20,896	62,341	30,890	31,451	11,869
1862	3,098,008	107,069	55,257	51,812	10,376	—	1,279	18	20,597	67,195	33,179	34,016	12,556
1863	3,126,879	109,341	56,226	53,115	10,948	—	1,267	6	22,234	71,481	35,631	35,850	13,125
1864	3,156,023	112,333	57,374	54,959	11,197	—	1,332	12	22,725	74,416	37,010	37,406	14,180
1865	3,185,439	113,070	58,220	54,850	11,262	—	1,364	9	23,611	70,891	35,190	35,701	14,099
1861-65	3,127,000	109,764	56,336	53,428	10,742	—	1,298	13	22,013	69,265	34,380	34,885	13,166
1866	3,215,130	113,667	58,360	55,307	11,673	—	1,366	12	23,688	71,348	35,355	35,993	13,915
1867	3,245,101	114,044	58,517	55,527	11,148	—	1,365	13	22,618	69,068	34,363	34,705	13,521
1868	3,275,353	115,514	59,222	56,292	11,354	—	1,443	15	21,855	69,416	34,662	34,754	13,600
1869	3,305,889	113,354	58,321	55,033	11,066	—	1,407	15	22,444	75,875	37,868	38,007	14,654
1870	3,336,712	115,390	58,959	56,431	11,108	—	1,384	9	23,854	74,165	36,866	37,299	14,166
1866-70	3,276,000	114,394	58,676	55,718	11,270	—	1,393	13	22,832	71,974	35,823	36,151	13,971
1871	3,368,926	116,128	60,029	56,099	11,077	—	1,299	17	24,019	74,712	36,827	37,885	15,134
1872	3,404,799	118,765	61,293	57,472	10,927	—	1,383	11	25,641	75,794	37,939	37,855	14,720
1873	3,441,057	119,700	61,467	58,233	10,925	—	1,410	15	26,748	76,946	39,037	37,909	14,950
1874	3,477,704	123,711	63,602	60,109	10,991	—	1,512	13	26,390	80,720	40,678	40,042	15,447
1875	3,514,744	123,578	63,432	60,146	10,786	—	1,477	9	25,974	81,767	40,323	41,444	16,320
1871-75	3,441,000	120,376	61,964	58,412	10,941	—	1,416	13	25,754	77,988	38,961	39,027	15,314
1876	3,552,182	126,534	64,819	61,715	11,029	—	1,463	20	26,579	74,129	37,404	36,725	15,340
1877	3,590,021	126,822	65,089	61,733	10,568	—	1,429	12	25,817	73,937	37,173	36,764	14,571
1878	3,628,268	126,773	65,200	61,573	10,641	—	1,367	12	24,558	76,793	38,389	38,404	15,599
1879	3,666,923	125,730	64,346	61,384	10,727	—	1,452	20	23,519	73,347	36,296	37,051	15,571
1880	3,705,994	124,570	63,786	60,784	10,589	—	1,438	8	24,505	75,803	38,055	37,748	15,523
1876-80	3,629,000	126,086	64,648	61,348	10,711	—	1,430	14	24,956	74,801	37,463	37,338	14,921
1881	3,742,564	126,171	64,720	61,451	10,484	—	1,418	13	26,004	72,325	36,097	36,228	14,198
1882	3,770,656	126,158	64,505	61,653	10,546	—	1,415	7	26,596	72,989	36,325	36,664	14,883
1883	3,798,961	124,458	63,879	60,579	10,114	—	1,370	18	26,869	76,891	38,296	38,595	14,812
1884	3,827,476	129,157	66,379	62,778	10,439	—	1,457	19	26,106	75,168	37,556	37,612	15,228
1885	3,856,207	126,100	64,543	61,557	10,680	—	1,423	14	25,304	74,607	36,932	37,675	15,200
1881-85	3,799,000	126,409	64,805	61,604	10,453	—	1,417	14	26,176	74,396	37,041	37,355	14,864
1886	3,885,154	127,890	65,910	61,980	10,506	—	1,331	10	24,515	73,640	36,432	37,208	14,797
1887	3,914,318	124,418	63,842	60,576	10,380	—	1,335	18	24,876	74,546	36,805	37,741	15,202
1888	3,943,701	123,269	63,129	60,140	9,968	—	1,380	12	25,305	71,174	34,953	36,221	13,945
1889	3,973,704	122,783	63,303	59,480	9,770	—	1,423	10	26,344	73,238	36,328	36,910	14,895
1890	4,003,131	121,526	62,187	59,339	9,241	—	1,421	13	27,469	79,004	39,130	39,874	15,877
1886-90	3,944,000	123,977	63,674	60,303	9,973	—	1,378	13	25,702	74,320	36,729	37,591	14,943
1891	4,036,245	125,986	64,769	61,217	9,647	—	1,372	14	27,969	83,573	41,122	42,451	16,110
1892	4,078,910	125,043	64,356	60,687	9,248	—	1,468	17	28,670	75,545	37,463	38,082	14,693
1893	4,122,029	127,110	65,010	62,100	9,467	—	1,469	10	27,145	79,670	39,585	40,085	17,286
1894	4,165,606	124,367	63,857	60,510	9,064	—	1,450	13	27,604	71,113	35,153	35,960	14,516
1895	4,209,645	126,494	64,799	61,695	9,204	—	1,342	12	28,422	81,852	40,663	41,189	16,874
1891-95	4,122,000	125,800	64,558	61,242	9,326	—	1,420	13	27,962	78,350	38,797	39,553	15,896
1896	4,254,153	129,172	66,214	62,958	9,393	—	1,493	21	30,270	70,677	35,321	35,356	14,924
1897	4,299,132	128,877	65,817	63,060	9,068	—	1,375	15	31,050	79,144	39,506	39,638	17,773
1898	4,344,589	130,861	66,814	64,047	8,870	—	1,450	14	32,112	78,397	39,344	39,053	17,566
1899	4,390,530	130,733	66,778	63,955	8,486	—	1,463	15	32,978	79,593	39,903	39,690	17,132
1900	4,436,958	131,401	67,147	64,254	8,534	—	1,544	15	32,444	82,296	41,276	41,020	16,888
1896-1900	4,345,000	130,209	66,554	63,655	8,870	—	1,465	16	31,771	78,021	39,070	38,951	16,857
1901	4,479,104	132,192	67,753	64,439	8,359	—	1,547	13	31,387	80,107	40,213	39,894	17,104
1902	4,507,220	132,267	67,442	64,825	8,300	—	1,620	25	31,913	77,941	39,183	38,758	15,004
1903	4,535,513	133,525	68,087	65,438	8,295	—	1,604	13	32,351	76,002	38,136	37,866	15,693
1904	4,563,985	132,603	67,794	64,809	9,010	—	1,603	18	32,271	77,981	38,851	39,130	16,329
1905	4,592,636	131,410	66,750	64,660	9,082	—	1,619	17	31,270	74,536	37,196	37,340	15,275
1901-05	4,536,000	132,399	67,565	64,834	8,609	—	1,599	17	31,838	77,313	38,716	38,597	15,881
1906	4,621,466	132,005	67,461	64,544	9,306	—	1,524	21	33,142	75,635	37,731	37,904	15,174
1907	4,650,478	128,840	65,901	62,939	8,791	—	1,676	14	33,298	77,296	38,240	39,056	14,140
1908	4,679,671	131,362	66,826	64,536	9,111	—	1,675	15	31,606	77,838	38,864	38,974	15,900
1909	4,709,048	128,669	65,725	62,944	9,370	—	1,627	12	30,108	74,632	37,094	37,538	13,856
1910	4,738,611	124,059	63,144	60,915	9,049	—	1,541	8	30,902	72,628	36,049	36,219	13,436
1906-10	4,680,000	128,987	65,811	63,176	9,125	—	1,609	14	31,811	75,534	37,596	37,938	14,501

* Live births only prior to 1939

† Including one case of quadruplets

Table 1—continued

Year	Estimated Mid-Year Popula- tion	Live-Births				Still- Births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.		Total	Twins		Total	Males	Fem.	Under 1 Year
1911	4,751,132	121,850	62,274	59,576	9,200	—	1,552	11	31,844	71,732	35,823	35,909	13,707
1912	4,741,077	122,790	62,931	59,859	8,989	—	1,524	13	32,506	72,340	36,072	36,268	12,949
1913	4,728,132	120,516	61,464	59,052	8,548	—	1,527	21	33,676	73,069	36,504	36,565	13,214
1914	4,747,167	123,934	62,974	60,960	8,879	—	1,634	16	35,028	73,557	36,757	36,800	13,710
1915	4,770,798	114,181	58,392	55,789	7,875	—	1,451	15	36,233	81,631	41,110	40,521	14,441
1911-15	4,748,000	120,654	61,607	59,047	8,698	—	1,538	15	33,857	74,466	37,253	37,213	13,604
1916	4,794,708	109,942	56,471	53,471	7,797	—	1,419	6	31,419	70,640	35,649	34,991	10,674
1917	4,810,338	97,441	50,011	47,430	7,295	—	1,274	7	30,421	69,483	35,361	34,122	10,473
1918	4,812,274	98,554	50,373	48,181	7,854	—	1,357	10	34,529	78,372	39,144	39,228	9,936
1919	4,820,077	106,268	54,771	51,497	8,424	—	1,584	14	44,060	75,149	37,500	37,649	10,795
1920	4,864,396	136,546	69,719	66,827	10,204	—	1,822	15	46,754	68,179	34,619	33,560	12,565
1916-20	4,820,000	109,750	56,269	53,481	8,315	—	1,491	10	37,437	72,365	36,455	35,910	10,869
1921	4,882,497	123,201	63,075	60,126	8,757	—	1,596	8	39,243	66,210	33,085	33,125	11,130
1922	4,898,000	115,085	58,826	56,259	7,881	—	1,498	11	34,375	72,905	36,244	36,661	11,664
1923	4,888,100	111,902	57,332	54,570	7,477	—	1,491	9	35,200	63,283	31,682	31,601	8,825
1924	4,862,200	106,900	54,919	51,981	7,086	—	1,400	13	32,328	70,357	35,168	35,189	10,446
1925	4,867,100	104,137	53,426	50,711	6,831	—	1,309	7	32,456	65,507	33,036	32,471	9,430
1921-25	4,879,600	112,245	57,516	54,729	7,606	—	1,459	10	34,720	67,652	33,843	33,809	10,299
1926	4,864,300	102,449	52,362	50,087	7,046	—	1,279	12	31,244	63,780	32,021	31,759	8,514
1927	4,853,130	96,672	49,314	47,358	6,978	—	1,237	9	32,553	65,830	33,097	32,733	8,576
1928	4,847,900	96,822	49,584	47,238	7,158	—	1,201	15	32,948	65,271	32,577	32,694	8,299
1929	4,832,200	92,880	47,769	45,111	7,165	—	1,157	12	32,967	70,917	35,386	35,531	8,061
1930	4,828,000	94,549	48,069	46,480	6,950	—	1,265	9	33,315	64,285	32,448	31,837	7,852
1926-30	4,845,100	96,674	49,419	47,255	7,059	—	1,228	11	32,605	66,017	33,106	32,911	8,260
1931	4,843,000	92,220	46,972	45,248	6,661	—	1,117	15	32,652	64,229	32,238	31,991	7,544
1932	4,883,100	91,000	46,579	44,421	6,456	—	1,106	17	33,157	66,045	32,743	33,302	7,840
1933	4,912,400	86,546	44,767	41,779	5,964	—	1,067	10	34,201	64,848	32,593	32,255	7,019
1934	4,934,300	88,836	45,414	43,422	6,119	—	1,034	15	36,934	63,741	32,093	31,648	6,901
1935	4,952,500	87,928	44,965	42,963	5,777	—	1,058	5	37,988	65,331	32,822	32,509	6,754
1931-35	4,905,000	89,306	45,739	43,567	6,195	—	1,076	12	34,886	64,839	32,498	32,341	7,212
1936	4,966,300	88,928	45,323	43,605	5,744	—	1,047	7	37,896	66,749	33,873	33,876	7,315
1937	4,976,600	87,810	45,035	42,745	5,404	—	1,035	10	38,334	68,942	34,964	33,978	7,050
1938	4,993,100	88,627	45,447	43,180	5,449	—	1,058	3	38,716	62,953	31,806	31,147	6,163
1939	5,006,700	86,913	44,687	42,226	5,244	3,832	1,233	14	46,236	64,413	33,002	31,411	5,955
1940†	4,841,200	86,392	44,234	42,158	5,144	3,799	1,206	5	53,522	72,775	37,649	35,126	6,766
1936-40	4,956,800	87,734	44,945	42,789	5,397	—	1,116	8	42,941	67,166	34,259	32,907	6,650
1941†	4,819,400	89,748	46,104	43,644	5,948	3,698	1,207	17	47,620	72,558	37,690	34,868	7,426
1942†	4,751,000	90,703	46,405	44,298	6,516	3,602	1,175	8	47,402	64,963	33,813	31,150	6,283
1943†	4,661,600	94,669	48,473	46,196	7,219	3,494	1,299	16	38,177	66,733	34,326	32,407	6,174
1944†	4,653,600	95,920	49,519	46,401	7,612	3,221	1,342	13	37,011	64,603	33,323	31,280	6,237
1945†	4,673,900	86,924	44,774	42,150	7,526	2,949	1,243	13	48,642	62,655	32,001	30,654	4,889
1941-45	4,711,900	91,593	47,055	44,538	6,964	3,393	1,253	13	43,772	66,302	34,230	32,072	6,202
1946†	4,900,800	104,413	53,857	50,556	6,948	3,483	1,474	20	45,785	64,605	32,717	31,888	5,621
1947	5,084,200	113,147	58,010	55,137	6,311	3,563	1,570	19	44,360	66,200	33,801	32,399	6,309
1948	5,096,900	100,344	51,858	48,486	5,776	2,966	1,360	11	43,718	60,979	30,844	30,135	4,486
1949	5,110,900	95,674	49,183	46,491	5,223	2,666	1,331	17	41,708	63,488	31,851	31,637	3,961
1950	5,126,400	92,530	47,822	44,708	4,837	2,557	1,347	16	40,459	63,996	32,191	31,805	3,569
1946-50	5,063,800	101,222	2,1465	49,076	5,819	3,047	1,416	17	43,206	63,854	32,281	31,573	789
1951	5,114,400	90,639	46,699	43,940	4,592	2,479	1,283	18	41,361	65,778	33,116	32,662	3,391
1952	5,114,600	90,422	46,268	44,154	4,306	2,430	1,277	14	41,154	61,510	31,401	30,109	3,181
1953	5,117,600	90,913	46,853	44,060	4,231	2,308	1,222	6	40,902	58,878	30,326	28,552	2,800
1954	5,123,300	92,315	47,414	44,901	4,177	2,401	1,310	14	41,974	61,380	31,493	29,887	2,861
1955	5,123,300	92,539	47,526	45,013	3,991	2,330	1,269	10	43,199	61,645	31,329	30,316	2,811
1951-55	5,120,700	91,366	46,952	44,414	4,259	2,390	1,272	13	41,721	61,838	31,533	30,305	3,009
1956	5,144,600	95,313	48,951	46,362	4,069	2,329	1,295	10	43,963	61,792	31,651	30,141	2,727
1957	5,150,000	97,977	50,350	47,627	4,017	2,378	1,408	12	42,661	61,143	31,622	29,521	2,802
1958	5,169,000	99,481	51,018	48,463	4,073	2,324	1,277	6	41,186	62,065	31,765	30,300	2,758
1959	5,191,700	99,251	51,126	48,125	4,134	2,252	1,237	10	40,442	63,061	32,454	30,607	2,816
1960	5,208,000	101,292	51,938	49,354	4,409	2,252	1,237	16	40,101	61,764	31,682	30,082	2,673
1956-60	5,172,700	98,663	50,677	47,986	4,140	2,307	1,291	11	41,672	61,965	31,835	30,130	2,755

* Live Births only prior to 1939

† Mean civilian population for year

† Including one case of quadruplets
(two cases in 1944)

Table 1A. Estimated Population, Total, De Facto, and Civilian by sex and age, as at 30th June, 1960.

Total population comprises the civilian population, all members of H.M. Forces of Scottish domicile and Merchant Navy at home and abroad, but excludes Forces stationed in Scotland who are not of Scottish domicile.

De facto population comprises the population, of all types, actually in Scotland.

Civilian population comprises all civilians but excludes Merchant Navy at home and abroad.

(Figures in thousands)

Age	Total Population			De facto Population			Civilian Population		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
0	95.8	49.1	46.7	95.8	49.1	46.7	95.8	49.1	46.7
1-4	370.3	189.3	181.0	370.3	189.3	181.0	370.3	189.3	181.0
5-9	419.8	214.7	205.2	419.8	214.7	205.2	419.8	214.7	205.2
10-14	446.4	228.4	218.0	446.4	228.4	218.0	446.4	228.4	218.0
15-19	379.3	192.7	186.6	373.6	187.4	186.2	369.9	184.0	185.9
20-24	364.8	185.2	179.6	343.5	164.3	179.2	330.0	151.0	178.9
25-29	349.3	176.8	172.4	342.2	169.9	172.4	337.7	165.4	172.3
30-34	349.3	174.7	174.6	345.3	170.7	174.6	342.7	168.2	174.5
35-39	358.8	178.2	180.6	355.5	174.9	180.5	353.3	172.8	180.5
40-44	316.0	153.4	162.6	313.8	151.2	162.6	312.4	149.8	162.6
45-49	355.3	172.3	183.0	354.0	171.0	183.0	353.2	170.2	182.9
50-54	340.7	164.7	176.0	340.0	164.0	176.0	339.6	163.6	176.0
55-59	311.5	146.4	165.1	311.2	146.1	165.1	311.1	146.0	165.1
60-64	252.5	109.9	142.7	252.5	109.9	142.7	252.5	109.9	142.7
65-69	202.2	83.3	119.0	202.2	83.3	119.0	202.2	83.3	119.0
70-74	152.0	59.7	92.2	152.0	59.7	92.2	152.0	59.7	92.2
75-79	105.6	40.6	65.0	105.6	40.6	65.0	105.6	40.6	65.0
80-84	57.5	21.8	35.7	57.5	21.8	35.7	57.5	21.8	35.7
85 and over	26.8	9.6	17.1	26.8	9.6	17.1	26.8	9.6	17.1
All Ages	5,253.7	2,550.6	2,703.2	5,208.0	2,505.9	2,702.1	5,178.8	2,477.4	2,701.4

Table 1B. Estimated Total Population, by Age, Sex and Marital Condition, as at 30th June, 1960.

(Figures in thousands)

Age	Males				Females			
	Total	Single	Married	Widowed and Divorced	Total	Single	Married	Widowed and Divorced
Under 15	681.5	681.5	—	—	650.9	650.9	—	—
15-19	192.7	190.1	2.6	—	186.6	175.5	11.1	0.0
20-24	185.2	129.1	56.0	0.1	179.6	83.9	95.0	0.7
25-29	176.8	55.0	121.1	0.7	172.4	30.2	140.8	1.5
30-34	174.7	38.4	134.8	1.4	174.6	29.8	142.7	2.0
35-39	178.2	28.5	147.8	1.9	180.6	26.4	150.6	3.7
40-44	153.4	22.0	127.6	3.8	162.6	23.2	131.9	7.5
45-49	172.3	22.1	145.7	4.4	183.0	27.9	141.8	13.3
50-54	164.7	19.7	138.8	6.2	176.0	30.0	125.9	20.0
55-59	146.4	17.1	121.2	8.0	165.1	31.9	104.1	29.2
60-64	109.9	12.2	87.4	10.2	142.7	28.1	77.4	37.2
65-69	83.3	8.8	62.2	12.3	119.0	24.4	50.5	44.0
70-74	59.7	6.4	39.5	13.8	92.2	19.7	27.7	44.9
75 and over	72.0	8.3	31.4	32.3	117.9	25.5	15.9	76.4
All Ages	2,550.6	1,239.3	1,216.2	95.1	2,703.2	1,207.5	1,215.3	280.4

**Table 1C. Estimated Total Population mid-1960, projected to mid-1980
by sex and age.**

Basis—Mid-1960 estimate of Total Population (including Scottish Armed Forces and Merchant Seamen at home and abroad but excluding Forces stationed in Scotland who are not of Scottish domicile.)

Assumptions—

Mortality—Steady decline of death rates over the period to about one-half of the rates experienced in the years 1955-59 at ages under 45; and progressively less improvement at ages over 45.

Fertility—Births averaging 100,000 in first 5 years, 105,000 in next 10 years, thereafter rising to about 110,000 in 1980. Male to female ratio 1.06.

Migration—Annual net loss of 20,000 (10,000 males and 10,000 females).

(Thousands)

Age Group	1960		1965		1970		1975		1980	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
0-4	238	228	247	234	255	242	269	255	276	261
5-9	215	205	234	223	243	230	251	238	265	251
10-14	228	218	211	201	230	219	239	227	247	234
15-19	193	186	225	215	207	198	226	216	236	223
20-24	185	179	186	181	219	209	201	192	220	210
25-29	177	172	175	171	177	172	209	200	192	184
30-34	175	175	168	165	166	164	168	165	200	193
35-39	178	181	168	168	161	159	160	158	162	159
40-44	153	163	172	175	162	163	155	154	154	153
45-49	172	183	148	157	166	170	156	158	150	150
50-54	165	176	164	177	140	152	158	165	150	154
55-59	146	165	152	168	152	169	131	146	148	158
60-64	110	143	129	154	135	157	136	159	117	138
65-69	83	119	90	128	108	139	114	142	115	145
70-74	60	92	62	99	69	107	83	118	88	122
75-79	41	65	39	68	41	74	46	80	56	89
80-84	22	36	21	39	20	41	22	45	24	50
85+	10	17	9	18	9	19	9	21	9	23
All Ages	2,551	2,703	2,600	2,741	2,660	2,784	2,733	2,839	2,809	2,897
under 15	1,332		1,350		1,419		1,479		1,534	
M.15-64	3,234		3,264		3,241		3,254		3,313	
F.15-59										
M.65+	688		727		784		839		859	
F.60+										
Total	5,254		5,341		5,444		5,572		5,706	

Table 2. Birth-, Stillbirth-, Death-, and Marriage-rates in Scotland, 1855-1960

Year	Rates per 1,000 of Population					Natural Increase (excess of Births over Deaths)	Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth- rate (Living Child- ren)	Mar- riage- rate	Death-rate								
			Total	Males	Fem.						
1855	31-346	6-608	20-820	21-62	20-03	10-53	7-88	1049	—	125-2	—
1856	33-988	6-923	19-537	20-65	18-50	14-45	8-54	1053	1-27	118-4	—
1857	34-331	7-094	20-551	21-61	19-58	13-78	8-58	1057	1-29	117-9	—
1858	34-356	6-492	20-986	22-02	20-05	13-37	8-99	1066	1-25	121-3	—
1859	35-026	6-969	20-288	21-20	19-40	14-74	9-12	1052	1-28	108-2	—
1860	35-578	6-948	22-316	23-21	21-50	13-26	9-22	1062	1-22	127-0	—
1855-60	34-104	6-839	20-750	21-72	19-84	13-36	8-74	1057	1-26	119-6	—
1861	34-863	6-808	20-310	21-25	19-46	14-55	9-28	1042	1-20	110-9	—
1862	34-561	6-648	21-690	22-60	20-87	12-87	9-69	1066	1-23	117-3	—
1863	34-968	7-160	22-860	24-02	21-81	12-11	10-01	1058	1-18	120-0	—
1864	35-594	7-200	23-579	24-70	22-56	12-02	9-97	1044	1-21	126-2	—
1865	35-496	7-412	22-255	23-25	21-35	13-24	9-96	1061	1-23	124-7	—
1861-65	35-096	7-046	22-139	23-16	21-21	12-96	9-79	1054	1-21	119-9	—
1866	35-354	7-367	22-191	23-13	21-34	13-16	10-27	1055	1-23	122-4	—
1867	35-063	6-970	21-284	22-26	20-40	13-78	9-78	1054	1-22	118-6	—
1868	35-267	6-673	21-193	22-22	20-25	14-07	9-83	1052	1-28	117-7	—
1869	34-288	6-698	22-951	24-04	21-96	11-34	9-76	1059	1-27	129-3	—
1870	34-582	7-149	22-227	23-17	21-37	12-36	9-63	1044	1-22	122-8	—
1866-70	34-911	6-971	21-969	22-96	21-06	12-94	9-85	1053	1-24	122-1	—
1871	34-470	7-130	22-177	22-90	21-51	12-29	9-54	1070	1-15	130-3	—
1872	34-882	7-531	22-261	23-33	21-00	12-62	9-20	1066	1-19	123-9	—
1873	34-786	7-773	22-361	23-72	21-11	12-43	9-13	1055	1-20	124-9	—
1874	35-573	7-588	23-211	24-44	22-08	12-36	8-88	1058	1-25	124-9	—
1875	35-160	7-390	23-264	23-94	22-63	11-90	8-73	1055	1-22	132-1	—
1871-75	34-974	7-482	22-655	23-67	21-67	12-32	9-09	1061	1-20	127-2	—
1876	35-621	7-482	20-869	21-96	19-86	14-75	8-72	1050	1-19	121-2	—
1877	35-326	7-191	20-595	21-57	19-69	14-73	8-33	1054	1-15	114-9	—
1878	34-940	6-713	21-165	22-02	20-37	12-78	8-39	1059	1-10	123-0	—
1879	34-288	6-414	20-002	20-58	19-47	14-29	8-53	1048	1-18	107-9	—
1880	33-613	6-612	20-454	21-33	19-64	13-16	8-50	1049	1-17	124-6	—
1876-80	34-758	6-882	20-617	21-49	19-81	13-94	8-49	1052	1-16	118-3	—
1881	33-712	6-948	19-325	20-02	18-68	14-39	8-31	1053	1-15	112-5	—
1882	33-458	7-053	19-357	19-98	18-77	14-10	8-36	1046	1-14	118-0	—
1883	32-761	7-073	20-240	20-90	19-61	12-52	8-13	1054	1-13	119-0	—
1884	33-745	6-821	19-639	20-32	18-97	14-11	8-08	1057	1-16	117-9	—
1885	32-700	6-562	19-347	19-83	18-87	13-35	8-47	1049	1-15	120-5	—
1881-85	33-275	6-891	19-582	20-21	18-98	13-69	8-27	1052	1-15	117-6	—
1886	32-918	6-310	18-954	19-40	18-50	13-96	8-21	1063	1-06	115-7	—
1887	31-785	6-355	19-044	19-44	18-63	12-74	8-34	1054	1-10	122-2	—
1888	31-257	6-417	18-048	18-32	17-75	13-21	8-09	1050	1-14	113-1	—
1889	30-902	6-630	18-433	18-88	17-96	12-47	7-96	1064	1-18	121-3	—
1890	30-358	6-862	19-736	20-26	19-25	10-62	7-60	1048	1-19	130-6	—
1886-90	31-444	6-515	18-843	19-26	18-42	12-60	8-04	1056	1-13	120-5	—
1891	31-214	6-929	20-706	21-11	20-33	10-51	7-66	1058	1-11	127-9	—
1892	30-656	7-029	18-521	19-01	18-06	12-14	7-40	1060	1-20	117-5	—
1893	30-837	6-585	19-328	19-87	18-82	11-51	7-45	1047	1-18	136-0	—
1894	29-856	6-627	17-071	17-45	16-72	12-79	7-29	1055	1-19	116-7	—
1895	30-049	6-752	19-444	19-95	18-96	10-61	7-28	1050	1-08	133-4	—
1891-95	30-522	6-784	19-014	19-48	18-58	11-51	7-41	1054	1-15	126-4	—
1896	30-364	7-115	16-614	17-14	16-12	13-75	7-27	1052	1-19	115-5	—
1897	29-977	7-222	18-409	18-96	17-89	11-57	7-04	1044	1-09	137-9	—
1898	30-120	7-391	18-045	18-67	17-46	12-08	6-78	1043	1-13	134-2	—
1899	29-776	7-511	18-128	18-72	17-57	11-65	6-49	1044	1-14	131-0	—
1900	29-615	7-312	18-548	19-15	17-98	11-07	6-49	1045	1-20	128-5	—
1896-1900	29-970	7-310	17-949	18-53	17-40	12-02	6-81	1046	1-15	129-5	—
1901	29-513	7-007	17-885	18-47	17-33	11-63	6-32	1051	1-19	129-4	—
1902	29-346	7-080	17-292	17-89	16-73	12-05	6-28	1040	1-26	113-4	—
1903	29-440	7-133	16-757	17-31	16-24	12-68	6-21	1040	1-23	117-5	—
1904	29-054	7-071	17-086	17-53	16-67	11-97	6-79	1046	1-24	123-1	—
1905	28-613	6-809	16-229	16-68	15-81	12-38	6-91	1032	1-26	116-2	—
1901-05	29-193	7-020	17-050	17-58	16-56	12-14	6-50	1042	1-24	119-9	—
1906	28-563	7-171	16-366	16-82	15-94	12-20	7-05	1045	1-18	115-0	—
1907	27-705	7-160	16-621	16-94	16-32	11-08	6-82	1047	1-33	109-7	—
1908	28-071	6-754	16-633	17-11	16-18	11-44	6-94	1035	1-30	121-0	—
1909	27-324	6-394	15-849	16-24	15-48	11-48	7-28	1044	1-29	107-7	—
1910	26-180	6-521	15-251	15-68	14-84	10-93	7-29	1037	1-26	108-3	—
1906-10	27-569	6-800	16-144	16-56	15-75	11-43	7-07	1042	1-27	112-4	—

Table 2—continued

Year	Rates per 1,000 of Population					Natural Increase (excess of Births over Deaths)	Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births (live and still)*	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth- rate (Living Child- ren)	Mar- riage- rate	Death-rate								
			Total	Males	Fem.						
1911	25-647	6-702	15-098	15-55	14-67	10-55	7-55	1045	1-30	112-5	—
1912	25-899	6-856	15-258	15-68	14-86	10-64	7-32	1051	1-27	105-5	—
1913	25-489	7-122	15-454	15-90	15-04	10-04	7-09	1041	1-30	109-6	—
1914	26-107	7-379	15-495	15-93	15-08	10-61	7-16	1033	1-35	110-6	—
1915	23-933	7-595	17-111	17-77	16-49	6-82	6-90	1047	1-30	126-5	—
1911-15	25-415	7-131	15-683	16-17	15-23	9-73	7-21	1043	1-30	112-8	—
1916	22-930	6-553	14-733	15-37	14-13	8-20	7-09	1056	1-31	97-1	—
1917	20-257	6-324	14-445	15-24	13-71	5-81	7-49	1054	1-33	107-5	—
1918	20-480	7-175	16-286	16-96	15-67	4-19	7-97	1045	1-41	99-8	—
1919	22-047	9-141	15-591	16-20	15-02	6-46	7-93	1064	1-53	101-6	—
1920	28-070	9-611	14-016	14-81	13-28	14-05	7-47	1043	1-36	92-0	—
1916-20	22-757	7-761	15-014	15-72	14-36	7-74	7-58	1052	1-39	99-0	—
1921	25-233	8-037	13-561	14-09	13-07	11-67	7-11	1049	1-32	90-3	—
1922	23-496	7-018	14-885	15-37	14-43	8-61	6-85	1046	1-33	101-4	—
1923	22-892	7-201	12-946	13-47	12-46	9-95	6-68	1051	1-36	78-9	—
1924	21-986	6-649	14-470	15-10	13-89	7-52	6-63	1057	1-34	97-7	—
1925	21-396	6-668	13-459	14-15	12-82	7-94	6-56	1054	1-28	90-6	—
1921-25	23-001	7-114	13-864	14-44	13-34	9-14	6-78	1051	1-33	91-8	—
1926	21-061	6-423	13-112	13-73	12-55	7-95	6-88	1045	1-28	83-1	—
1927	19-919	6-707	13-564	14-22	12-96	6-35	7-22	1041	1-31	88-7	—
1928	19-971	6-796	13-463	14-01	12-96	6-51	7-39	1050	1-28	85-7	—
1929	19-220	6-822	14-675	15-27	14-12	4-54	7-71	1059	1-27	86-8	—
1930	19-583	6-900	13-314	14-01	12-67	6-27	7-35	1034	1-37	83-0	—
1926-30	19-951	6-730	13-626	14-25	13-05	6-32	7-30	1046	1-30	85-4	—
1931	19-042	6-742	13-262	13-86	12-71	5-78	7-22	1038	1-24	81-8	—
1932	18-636	6-790	13-525	13-94	13-14	5-11	7-09	1049	1-25	86-2	—
1933	17-618	6-962	13-201	13-79	12-66	4-42	6-89	1072	1-26	81-1	—
1934	18-004	7-485	12-918	13-51	12-37	5-09	6-89	1046	1-20	77-7	—
1935	17-754	7-670	13-191	13-76	12-66	4-56	6-57	1047	1-23	76-8	—
1931-35	18-207	7-133	13-219	13-77	12-71	4-99	6-94	1050	1-23	80-8	—
1936	17-906	7-631	13-440	14-16	12-77	4-47	6-46	1039	1-20	82-3	—
1937	17-645	7-703	13-853	14-59	13-17	3-79	6-15	1053	1-20	80-3	—
1938	17-749	7-754	12-608	13-22	12-04	5-14	6-15	1053	1-21	69-5	—
1939	17-359	9-235	12-865	13-68	12-11	4-49	6-03	1058	1-39	68-5	42-2
1940*	17-124	10-609	14-863	16-59	13-40	2-26	5-95	1049	1-36	78-3	42-1
936-40	17-557	8-586	13-517	14-41	12-70	4-03	6-15	1050	1-27	75-8	—
1941*	17-501	9-284	14-741	16-74	13-11	2-76	6-63	1056	1-33	82-7	39-6
1942*	17-632	9-215	13-343	15-24	11-81	4-29	7-18	1048	1-27	69-3	38-2
1943*	18-355	7-402	13-977	15-93	12-43	4-38	7-63	1049	1-36	65-2	35-6
1944*	18-485	7-134	13-574	15-65	11-95	4-91	7-94	1067	1-39	65-0	32-5
1945*	16-855	9-432	13-200	15-11	11-70	3-65	8-66	1062	1-42	56-2	32-8
1941-45	17-766	8-493	13-772	15-74	12-20	4-00	7-61	1056	1-35	67-7	35-7
1946*	20-334	8-917	13-074	14-14	12-15	7-26	6-65	1065	1-40	53-8	32-3
1947	22-254	8-725	13-021	13-86	12-25	9-14	5-58	1052	1-38	55-8	30-5
1948	19-687	8-577	11-964	12-64	11-34	7-62	5-76	1070	1-35	44-7	28-7
1949	18-720	8-161	12-422	12-99	11-90	6-22	5-46	1058	1-39	41-4	27-1
1950	18-050	7-892	12-484	13-09	11-93	5-51	5-23	1070	1-45	38-6	26-9
1946-50	19-806	8-454	12-589	13-33	11-91	7-24	5-75	1063	1-39	47-3	29-2
1951	17-722	8-087	12-861	13-55	12-23	4-86	5-07	1063	1-42	37-4	26-6
1952	17-679	8-046	12-026	12-86	11-26	5-65	4-76	1048	1-41	35-2	26-2
1953	17-765	7-992	11-505	12-41	10-68	6-26	4-65	1063	1-33	30-8	24-8
1954	18-019	8-193	11-980	12-87	11-17	6-04	4-52	1056	1-42	31-0	25-3
1955	18-027	8-415	12-009	12-76	11-32	6-02	4-31	1056	1-37	30-4	24-6
1951-55	17-843	8-148	12-076	12-89	11-33	5-77	4-66	1057	1-39	32-9	25-5
1956	18-527	8-546	12-011	12-85	11-24	6-52	4-27	1056	1-35	28-6	23-9
1957	19-025	8-284	11-872	12-83	11-00	7-15	4-10	1057	1-44	28-6	23-7
1958	19-246	7-968	12-007	12-81	11-27	7-24	4-09	1053	1-28	27-7	22-8
1959	19-117	7-790	12-147	13-01	11-35	6-96	4-17	1062	1-24	28-4	22-2
1960	19-449	7-700	11-859	12-64	11-13	7-59	4-35	1052	1-23	26-4	21-7
1956-60	19-073	8-058	11-979	12-83	11-20	7-09	4-20	1056	1-31	27-9	22-9

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths

† Stillbirths not available prior to 1939

Table 3. Births, Stillbirths, Deaths and Marriages in Scotland, 1950-1960

	Numbers							Rates						
	Live Births		Stillbirths	Marriages	Deaths			Per 1,000 of Estimated Population			Illegit. Births per 100 Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births incl.
	Total	Illegitimate			All Ages	Under One Year	Under Four Weeks	Births (living children.)	Marriages	Deaths				
1st Quarter, 1950	23,542	1,185	673	11,111	18,647	1,080	580	18.6	8.8	14.8	5.0	46	25	28
2nd " "	24,646	1,359	659	8,680	14,986	841	521	19.3	6.8	11.7	5.5	34	21	26
3rd " "	22,498	1,195	627	11,847	13,341	737	487	17.4	9.2	10.3	5.3	33	22	27
4th " "	21,844	1,098	598	8,821	17,022	911	543	16.9	6.8	13.2	5.0	42	25	27
Year 1950	92,530	4,837	2,557	40,459	63,996	3,569	2,131	18.0	7.9	12.5	5.2	39	23	27
1st Quarter, 1951	23,625	1,195	657	11,560	22,428	1,088	583	18.7	9.2	17.8	5.1	46	25	27
2nd " "	24,310	1,289	658	8,958	15,442	850	530	19.1	7.0	12.1	5.3	35	22	26
3rd " "	21,932	1,126	575	12,048	13,104	698	461	17.0	9.3	10.2	5.1	32	21	26
4th " "	20,772	982	589	8,795	14,804	755	445	16.1	6.8	11.5	4.7	36	21	28
Year 1951	90,639	4,592	2,479	41,361	65,778	3,391	2,019	17.7	8.1	12.9	5.1	37	22	27
1st Quarter, 1952	22,892	1,069	677	12,420	18,394	872	516	18.0	9.8	14.5	4.7	38	23	29
2nd " "	23,531	1,126	598	8,156	14,270	801	518	18.5	6.4	11.2	4.8	34	22	25
3rd " "	22,161	1,126	541	11,894	12,813	663	459	17.2	9.3	10.0	5.1	30	21	24
4th " "	21,838	985	614	8,684	16,033	845	465	17.0	6.8	12.5	4.5	39	21	27
Year 1952	90,422	4,306	2,430	41,154	61,510	3,181	1,958	17.7	8.0	12.0	4.8	35	22	26
1st Quarter, 1953	22,860	1,030	602	12,085	17,264	776	459	18.1	9.6	13.7	4.5	34	20	26
2nd " "	23,791	1,175	586	8,212	14,345	696	444	18.6	6.4	11.2	4.9	29	19	24
3rd " "	22,166	1,022	561	12,069	12,722	614	426	17.2	9.4	9.9	4.6	28	19	25
4th " "	22,096	1,004	559	8,536	14,547	714	427	17.1	6.6	11.3	4.5	32	19	25
Year 1953	90,913	4,231	2,308	40,902	58,878	2,800	1,756	17.8	8.0	11.5	4.7	31	19	25
1st Quarter, 1954	23,456	1,049	612	12,371	18,003	892	560	18.6	9.8	14.3	4.5	38	24	25
2nd " "	24,097	1,086	628	8,553	14,638	728	491	18.9	6.7	11.5	4.5	30	20	25
3rd " "	22,823	1,077	601	12,489	13,327	555	375	17.7	9.7	10.3	4.7	24	16	26
4th " "	21,939	965	560	8,561	15,412	686	478	17.0	6.6	11.9	4.4	31	22	25
Year 1954	92,315	4,177	2,401	41,974	61,380	2,861	1,904	18.0	8.2	12.0	4.5	31	21	25
1st Quarter, 1955	23,111	988	598	12,420	19,078	829	517	118.3	9.8	15.1	4.3	36	22	25
2nd " "	23,942	1,046	566	8,662	14,998	692	462	18.7	6.8	11.7	4.4	29	19	23
3rd " "	22,734	1,037	597	12,966	12,733	588	417	17.6	10.0	9.8	4.6	26	18	26
4th " "	22,752	920	569	9,151	14,836	702	430	17.6	7.1	11.5	4.0	31	19	24
Year 1955	92,539	3,991	2,330	43,199	61,645	2,811	1,826	18.0	8.4	12.0	4.3	30	20	25
1st Quarter, 1956	24,594	1,007	617	11,742	19,156	764	496	19.2	9.2	15.0	4.1	31	20	24
2nd " "	24,889	1,099	613	9,843	14,562	656	430	19.5	7.7	11.4	4.4	26	17	24
3rd " "	22,654	1,068	536	12,958	13,088	602	430	17.5	10.0	10.1	4.7	27	19	23
4th " "	23,176	895	563	9,420	14,986	705	463	17.9	7.3	11.6	3.9	30	20	24
Year 1956	95,313	4,069	2,329	43,963	61,792	2,727	1,819	18.5	8.5	12.0	4.3	29	19	24
1st Quarter, 1957	24,759	948	632	11,277	16,175	782	475	19.5	8.9	12.7	3.8	32	19	25
2nd " "	24,974	1,049	602	9,088	14,426	668	489	19.5	7.1	11.2	4.2	27	20	24
3rd " "	24,100	1,047	569	12,972	13,537	653	474	18.6	10.0	10.4	4.3	27	20	24
4th " "	24,144	973	575	9,324	17,005	699	482	18.6	7.2	13.1	4.0	29	20	23
Year 1957	97,977	4,017	2,378	42,661	61,143	2,802	1,920	19.0	8.3	11.9	4.1	29	20	24
1st Quarter, 1958	25,100	1,032	614	10,877	18,622	794	479	19.7	8.5	14.6	4.1	32	19	24
2nd " "	25,588	1,093	568	8,382	15,189	692	486	19.9	6.5	11.8	4.3	27	19	22
3rd " "	23,535	934	530	12,462	12,667	578	422	18.1	9.6	9.7	4.0	25	18	22
4th " "	25,258	1,014	612	9,465	15,587	694	475	19.4	7.3	12.0	4.0	27	19	24
Year 1958	99,481	4,073	2,324	41,186	62,065	2,758	1,862	19.2	8.0	12.0	4.1	28	19	23
1st Quarter 1959	25,478	1,003	573	10,016	21,047	841	557	19.9	7.8	16.5	3.9	33	22	22
2nd " "	25,856	1,129	568	8,576	14,384	681	465	20.0	6.6	11.4	4.4	26	18	21
3rd " "	24,362	1,018	554	12,153	12,900	610	435	18.6	9.3	9.9	4.2	25	18	22
4th " "	23,555	984	557	9,697	14,730	684	465	18.0	7.4	11.2	4.2	29	20	23
Year 1959	99,251	4,134	2,252	40,442	63,061	2,816	1,922	19.1	7.8	12.1	4.2	28	19	22
1st Quarter, 1960	25,230	1,090	625	10,272	17,194	730	469	19.5	7.9	13.3	4.3	29	19	24
2nd " "	26,176	1,176	554	7,997	14,768	673	482	20.2	6.2	11.4	4.5	26	18	21
3rd " "	25,055	1,094	572	12,363	13,705	596	442	19.2	9.5	10.5	4.4	24	18	22
4th " "	24,831	1,049	501	9,469	16,097	674	455	18.9	7.2	12.3	4.2	27	18	20
Year 1960	101,292	4,409	2,252	40,101	61,764	2,673	1,848	19.4	7.7	11.9	4.4	26	18	22

Counties, Counties of Cities and Large Burghs	Estimated Population 1960	Rates per 1,000 of Population												Illigimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (Live and Still)
		Birth-rate		Death-rate													
		Crude (Corrected for Transfer)	Standardised Age and Sex	Marri- age Rate	Crude (Corrected for Transfer)	Standardised Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic* Diseases	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
SCOTLAND	5,208,000	19.4	19.4	7.7	11.9	11.9	0.10	0.09	0.03	2.12	0.81	0.55	0.13	26	18	22	
COUNTIES OF CITIES	1,910,189	20.2	20.1	8.8	12.1	12.6	0.14	0.13	0.03	2.35	1.02	0.59	0.13	28	19	22	
LARGE BURGHS [†]	880,831	20.6	19.5	8.5	11.2	12.0	0.10	0.10	0.02	2.04	0.76	0.47	0.10	28	19	22	
COUNTIES (EX. COUNTIES OF CITIES AND LARGE BURGHs)	2,416,980	18.4	18.9	6.6	11.9	11.3	0.06	0.06	0.02	1.96	0.66	0.55	0.15	25	17	21	
SMALL BURGHS	881,194	18.4	18.3	8.4	13.1	11.9	0.09	0.08	0.02	2.27	0.69	0.52	0.10	24	17	20	
LANDWARD	1,535,786	18.5	19.4	5.5	11.2	10.9	0.05	0.05	0.03	1.79	0.64	0.56	0.18	25	18	22	
ABERDEEN COUNTY	325,637	17.4	17.0	8.2	11.6	11.1	0.03	0.03	0.01	2.08	0.67	0.57	0.10	19	14	20	
Aberdeen C. of C.	187,348	17.5	16.5	9.0	11.7	11.7	0.05	0.05	0.02	2.15	0.69	0.57	0.10	19	14	21	
Remainder of C.	138,289	17.3	17.8	7.1	11.5	10.4	0.01	0.01	0.01	1.98	0.64	0.56	0.11	18	13	18	
ANGUS COUNTY	279,673	19.0	18.7	7.3	11.7	10.8	0.06	0.06	0.03	2.41	0.83	0.68	0.15	21	15	18	
Dundee C. of C.	182,399	20.5	19.6	7.9	11.2	10.9	0.05	0.05	0.03	2.39	0.93	0.67	0.08	22	16	18	
Arbroath Burgh	20,196	19.2	17.1	7.0	12.8	11.0	—	—	—	2.57	0.79	0.74	0.15	23	8	10	
Remainder of Co.	77,078	15.3	16.4	5.9	12.8	10.6	0.09	0.09	0.01	2.40	0.60	0.69	0.32	18	14	19	
ARGYLL COUNTY	56,105	16.0	20.7	6.1	15.6	11.6	0.11	0.09	0.04	2.39	0.48	0.50	0.11	41	30	22	
AYR COUNTY	346,734	19.1	18.3	7.4	11.7	12.1	0.05	0.04	0.02	1.98	0.60	0.55	0.16	28	19	20	
Ayr Burgh	44,785	18.3	18.3	9.2	13.0	12.6	0.07	0.04	—	2.28	0.83	0.56	0.13	32	21	23	
Kilmarnock Burgh	46,390	22.3	20.6	7.9	11.4	12.4	0.04	0.04	0.04	2.00	0.65	0.58	0.02	27	20	21	
Remainder of Co.	255,559	18.7	17.9	7.0	11.6	12.0	0.05	0.04	0.02	1.92	0.56	0.54	0.19	27	18	20	
BANFF COUNTY	48,726	17.7	20.3	7.0	12.8	11.1	0.04	0.04	—	2.15	0.80	0.62	0.16	22	16	29	
BERWICK COUNTY	23,276	12.5	14.1	6.0	14.0	11.5	—	—	—	2.15	0.90	0.47	0.17	10	10	27	
BUTE COUNTY (^a)	14,550 (^b)	13.8 (^c)	16.8 (^d)	6.4 (^e)	19.9 (^f)	13.9 (^g)	0.14 (^h)	0.07 (ⁱ)	— (^j)	3.16 (^k)	1.17 (^l)	0.62 (^m)	0.07 (ⁿ)	10 (^p)	10 (^q)	10 (^r)	

Table 4. continued.

Counties, Counties of Cities and Large Burghs	Estimated Population 1960	Rates per 1,000 of Population											per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 (Total Births Live and Still)		
		Birth-rate			Crude (Corrected for Transfer)	Standardised for Age and Sex	Marriage Rate	Death-rate										
		Crude (Corrected for Transfer)	Standardised for Age and Sex	Tuberculosis All				Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence					Road Transport Accidents	
CAITHNESS COUNTY	27,339	21.7	24.8	6.7	10.5	8.5	0.18	0.15	0.04	1.68	0.51	0.69	0.18	3.4	8	3	23	
CLACKMANNAN Co.	41,561	19.1	16.5	7.5	10.5	11.1	0.12	0.10	—	1.64	0.77	0.79	0.19	4.7	26	15	23	
DUMFRIES COUNTY	90,109	18.2	18.2	10.4	11.8	11.1	0.06	0.03	0.02	1.89	0.91	0.51	0.17	5.5	27	18	23	
Dumfries Burgh	27,862	18.7	17.1	10.9	12.8	13.1	—	—	—	2.48	1.18	0.43	0.14	5.6	29	25	19	
Remainder of Co.	62,247	17.9	18.7	10.1	11.4	10.4	0.08	0.05	0.03	1.62	0.79	0.55	0.18	5.5	26	14	24	
DUNBARTON COUNTY	183,486	20.7	19.9	6.4	10.9	11.6	0.11	0.09	0.03	2.14	0.72	0.37	0.09	3.4	24	17	22	
Clydebank Burgh	51,918	21.0	16.7	6.4	9.8	11.8	0.15	0.12	0.02	1.98	0.65	0.33	0.13	3.0	28	17	26	
Dumbarton Burgh	27,118	21.2	20.8	6.7	10.5	11.5	0.07	0.04	—	2.36	0.66	0.41	0.07	4.2	31	16	24	
Remainder of Co.	104,450	20.3	21.4	6.4	11.7	11.6	0.10	0.10	0.04	2.15	0.77	0.38	0.08	3.4	20	16	19	
EAST LOTHIAN Co.	52,524	17.5	16.9	6.7	12.9	13.0	0.08	0.08	—	2.13	0.72	0.57	0.17	2.3	23	18	25	
FIFE COUNTY	325,983	18.4	16.7	7.3	11.0	11.2	0.03	0.03	0.03	1.75	0.61	0.51	0.10	4.2	25	17	22	
Dunfermline Burgh	47,438	19.2	18.6	8.6	11.4	12.3	0.02	0.02	0.04	1.88	0.53	0.51	0.11	3.9	23	15	22	
Kirkcaldy Burgh	52,515	16.6	14.5	8.8	9.9	10.2	0.08	0.08	0.02	1.77	0.55	0.36	0.04	4.0	16	8	27	
Remainder of Co.	226,030	18.7	16.9	6.6	11.2	11.3	0.03	0.02	0.04	1.71	0.64	0.54	0.11	4.2	28	20	21	
INVERNESS COUNTY	83,241	17.4	22.3	7.0	12.3	10.1	0.17	0.16	0.07	2.21	0.53	0.59	0.20	6.1	15	10	22	
Inverness Burgh	28,777	18.7	18.6	14.2	12.0	11.4	0.21	0.17	0.03	2.71	0.63	0.35	0.14	5.6	9	6	31	
Remainder of Co.	54,464	16.7	24.9	3.2	12.4	9.5	0.15	0.15	0.09	1.95	0.48	0.72	0.24	6.4	18	13	16	
KINCARDINE COUNTY	26,518	16.1	17.5	5.5	12.1	10.3	—	—	0.04	1.96	0.53	0.41	0.15	3.5	23	19	5	
KINROSS COUNTY	7,168	15.3	16.4	7.3	11.9	10.4	—	—	0.14	2.37	0.70	0.70	0.28	1.8	18	9	27	
KIRKCUDBRIGHT COUNTY	30,587	17.9	19.4	5.8	13.2	11.7	0.03	0.03	—	2.19	0.92	0.59	0.23	3.8	20	15	23	
LANARK COUNTY	1,631,687	21.6	21.2	8.4	11.7	13.2	0.16	0.15	0.03	2.13	1.01	0.53	0.15	4.4	31	21	23	
Glasgow C. of C.	1,068,857	21.6	21.3	9.0	12.2	13.7	0.21	0.19	0.03	2.31	1.14	0.57	0.14	5.3	32	21	24	
Airdrie Burgh	33,908	23.3	22.1	8.7	9.6	11.5	0.12	0.12	0.03	1.47	0.71	0.21	0.03	2.5	30	20	20	
Coatbridge Burgh	54,566	25.3	24.0	7.2	9.6	11.7	0.11	0.11	—	1.47	0.75	0.40	0.09	2.7	32	23	19	

MOTHERWELL AND WISHAW BURGH	73,285	20-7	20-0	7-6	11-5	13-3	0-08	0-07	0-01	2-20	0-91	0-50	0-16	2-2	31	20	16
RUTHERGLEN BURGH	24,938	21-2	21-8	9-1	12-3	11-9	0-12	0-12	0-08	1-80	0-73	0-28	0-19	2-3	19	13	24
REMAINDER OF CO.	334,091	20-9	20-6	6-8	10-8	12-2	0-06	0-06	0-02	1-76	1-08	0-51	0-04	2-8	28	19	23
MIDLOTHIAN COUNTY	581,868	18-4	18-8	8-2	12-1	11-4	0-05	0-05	0-02	2-35	0-85	0-63	0-12	4-7	21	16	19
EDINBURGH C. OF C.	471,585	17-9	18-8	8-6	12-6	11-6	0-05	0-05	0-02	2-51	0-92	0-63	0-11	5-2	21	16	19
REMAINDER OF CO.	110,283	20-4	18-6	6-4	9-9	10-8	0-05	0-05	0-02	1-68	0-53	0-60	0-12	2-8	23	17	20
MORAY COUNTY	50,260	20-7	21-1	6-6	10-5	10-1	0-06	0-06	0-02	1-71	0-60	0-78	0-18	5-9	18	8	16
NAIRN COUNTY	8,198	17-1	20-3	6-7	14-6	11-4	—	—	0-12	2-56	0-37	0-24	—	2-1	14	14	28
ORKNEY COUNTY	18,998	15-5	15-8	6-4	14-6	10-7	—	—	—	2-00	0-68	0-47	0-16	3-7	20	20	7
PEEBLES COUNTY	13,948	15-1	17-3	5-4	14-5	11-1	0-14	—	—	2-51	0-72	0-65	0-22	3-8	14	10	—
PERTH COUNTY	126,200	16-8	18-8	6-8	13-3	10-8	0-03	0-03	0-01	2-50	0-61	0-54	0-16	5-3	32	25	16
PERTH BURGH	41,310	17-9	17-3	9-5	11-5	10-4	0-05	0-05	—	2-03	0-75	0-51	0-12	6-0	28	19	16
REMAINDER OF CO.	84,890	16-4	19-9	5-5	14-2	11-1	0-02	0-02	0-01	2-72	0-54	0-55	0-18	5-0	34	28	16
RENFREW COUNTY	338,849	20-4	20-2	7-2	11-6	12-2	0-15	0-15	0-05	2-07	0-74	0-52	0-09	3-3	26	19	24
GREENOCK BURGH	78,089	21-2	20-4	7-6	12-2	13-5	0-18	0-18	0-05	2-27	0-76	0-67	0-05	3-9	31	27	24
PAISLEY BURGH	97,150	21-7	20-8	7-7	11-6	12-5	0-16	0-16	0-03	2-03	0-91	0-49	0-06	3-4	22	14	24
PORT GLASGOW BURGH	23,465	22-2	19-0	8-5	8-6	11-3	0-09	0-09	0-09	1-62	0-47	0-30	0-04	2-5	33	23	37
REMAINDER OF CO.	140,145	18-8	20-1	6-4	11-7	11-5	0-14	0-14	0-06	2-07	6-64	0-49	0-14	3-0	25	16	21
ROSS AND CROMARTY CO.	58,534	16-1	23-4	4-3	13-7	9-6	0-12	0-10	—	2-19	0-48	0-48	0-07	4-5	25	22	10
ROXBURGH COUNTY	44,431	15-0	16-7	6-2	14-2	11-4	0-05	0-05	0-02	2-16	0-56	0-52	0-14	3-6	26	21	19
SELKIRK CO.	20,911	15-7	16-8	7-3	14-5	11-5	0-19	0-14	—	2-10	0-96	0-43	0-10	2-4	12	6	24
STIRLING COUNTY	195,383	18-9	18-3	7-7	11-1	12-0	0-09	0-08	0-02	1-91	0-76	0-52	0-14	3-0	28	18	24
FALKIRK BURGH	37,814	19-4	19-3	9-8	11-4	11-7	0-21	0-19	—	2-06	0-87	0-48	0-16	3-1	34	19	17
STIRLING BURGH	27,265	20-7	21-4	9-1	11-8	11-6	0-07	0-07	—	2-20	0-73	0-66	0-04	4-4	30	16	19
REMAINDER OF CO.	130,304	18-4	17-4	6-8	10-9	12-2	0-05	0-05	0-02	1-80	0-73	0-50	0-15	2-6	25	18	28
SUTHERLAND COUNTY	12,530	15-6	21-9	4-5	17-2	11-1	0-08	0-08	—	0-27	0-80	0-80	0-16	3-6	15	—	25
WEST LOTHIAN CO.	94,450	19-7	17-8	7-1	10-1	11-8	0-04	0-04	0-01	1-86	0-76	0-53	0-08	2-5	23	15	25
WIGTOWN CO.	30,536	18-9	20-1	7-2	12-6	12-6	0-07	0-07	—	1-87	0-69	0-46	0-03	8-5	36	28	33
ZETLAND COUNTY	18,000	15-9	20-1	6-2	16-1	10-5	—	—	0-11	2-11	0-78	0-50	0-11	5-2	21	21	17

* Includes typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infection, measles, and influenza.

Table 5. Birth-, Death- and Marriage-rates in the Small Burghs of Scotland in 1960.

Small Burghs	Estimated Popula- tion 1960	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
		Birth-Rate			Death-Rate							
		Crude (Corrected for transfer)	Standardised for Age and Sex	Marriage Rate	Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
ABERDEEN COUNTY—												
Ballater	1,104	10.9	15.3	6.3	19.9	12.6	—	—	—	8.3	—	—
Ellon	1,432	16.1	19.5	30.0	14.7	10.9	—	—	—	4.3	—	—
Fraserburgh	10,325	20.2	17.8	9.3	10.0	11.3	—	—	—	4.3	14	9
Huntly	3,868	17.1	19.0	13.4	18.4	14.9	—	—	—	4.5	—	15
Inverurie	4,906	17.3	18.2	13.9	13.9	12.6	—	—	—	2.4	47	—
Kintore	822	12.2	12.2	19.5	13.9	—	—	—	—	20.0	200	—
Old Meldrum	1,064	20.7	22.1	14.1	13.2	8.8	—	—	—	—	—	—
Peterhead	12,868	19.9	17.7	9.4	10.3	11.3	—	—	—	5.5	12	30
Rosehearty	1,175	23.8	19.4	9.4	9.4	9.5	—	—	—	3.6	36	—
Turriff	2,778	15.8	14.1	13.0	13.3	11.3	—	—	—	13.6	23	22
ANGUS COUNTY—												
Brechin	7,325	17.9	17.6	7.4	14.9	11.8	—	—	—	5.3	15	22
Carnoustie	5,187	13.1	14.2	3.7	15.0	9.8	0.19	0.19	—	2.9	15	—
Forfar	10,097	14.7	15.1	12.2	15.8	13.0	0.30	0.30	—	3.4	20	51
Kirriemuir	3,460	13.6	17.5	6.9	21.1	13.5	—	—	—	4.3	43	21
Monifieth	3,335	14.1	14.5	5.7	15.6	10.7	—	—	—	—	21	21
Montrose	10,715	17.0	16.3	8.4	15.2	11.3	0.28	0.28	—	1.6	11	16
ARGYLL COUNTY—												
Campbeltown	7,004	17.7	17.0	10.4	12.0	12.4	—	—	—	7.3	24	8
Dunoon	8,734	12.0	14.0	6.1	18.8	12.7	0.23	0.23	—	5.7	57	37
Inveraray	492	20.3	20.4	12.2	10.2	9.0	—	—	—	—	—	167
Lochgilphead	1,162	16.4	18.5	6.9	15.5	11.5	—	—	—	10.5	—	—
Oban	6,082	19.6	24.8	10.4	16.1	13.6	0.16	0.16	—	5.0	59	8
Tobermory	641	14.0	14.5	6.2	23.4	14.7	—	—	—	11.1	111	100
AYR COUNTY—												
Ardrrossan	9,839	20.2	19.8	7.8	11.5	13.4	0.10	0.10	—	6.5	40	29
Cumnock and Holmhead	5,384	17.5	16.0	13.0	13.0	14.7	0.19	0.19	—	4.3	43	31
Darvel	3,354	16.4	17.4	5.1	14.9	12.3	—	—	—	—	36	—
Galston	4,550	14.9	15.4	10.5	15.4	15.1	—	—	0.22	2.9	15	42
Girvan	6,139	17.9	17.7	9.3	13.4	11.5	—	—	—	2.7	9	18
Irvine	16,583	22.2	18.9	8.3	10.4	13.1	0.12	0.12	—	2.4	33	29
Kilwinning	7,487	17.5	14.1	13.0	11.0	13.4	—	—	—	2.3	23	22
Largs	8,087	13.4	18.0	5.6	21.0	12.4	—	—	—	3.7	9	9
Maybole	5,047	18.0	16.4	6.1	10.1	10.9	—	—	—	4.4	22	32
Newmilns and Greenholm	3,936	12.7	11.1	5.1	15.5	13.7	0.25	0.25	0.25	4.0	60	—
Prestwick	12,036	17.9	18.6	6.1	13.7	10.8	—	—	—	3.7	9	—
Saltcoats	14,617	20.5	17.7	9.2	11.7	12.5	—	—	—	4.3	33	23
Stevenson	10,270	22.1	23.4	8.5	10.4	12.1	0.19	0.10	—	1.8	26	30
Stewarton	3,516	19.6	19.2	7.4	13.1	13.2	—	—	—	1.4	29	28
Troon	10,077	13.5	14.3	7.7	14.3	12.3	0.20	0.20	—	2.9	15	29
BANFF COUNTY—												
Aberchirder	775	21.9	23.4	16.8	19.4	11.6	—	—	—	5.9	—	—
Aberlour	1,116	10.8	17.4	10.8	12.5	12.8	—	—	—	—	—	—
Banff	3,328	18.9	20.3	12.9	15.6	12.5	—	—	—	4.8	16	—
Buckie	7,903	19.5	22.4	8.9	13.8	12.6	—	—	—	3.9	19	25
Cullen	1,453	11.7	15.5	3.4	15.8	10.9	—	—	—	—	—	190
Dufftown	1,455	14.4	14.8	2.1	13.1	10.1	—	—	—	—	—	45
Findochty	1,442	18.7	20.5	4.2	16.0	13.1	—	—	—	—	37	36
Keith	4,412	20.2	22.3	11.3	12.7	10.7	—	—	—	5.6	22	11
Macduff	3,318	21.1	23.1	7.2	16.9	12.9	—	—	—	—	—	28
Portnogie	1,415	12.7	15.6	3.5	14.1	12.4	—	—	—	11.1	—	—
Portsoy	1,693	20.7	24.8	10.0	17.7	12.1	—	—	—	2.9	57	—
BERWICK COUNTY—												
Coldstream	1,301	26.1	29.3	9.2	23.8	18.1	—	—	—	2.9	29	—
Duns	1,909	16.8	16.8	11.5	8.4	7.0	—	—	—	6.3	31	—
Eyemouth	2,209	3.6	3.8	7.7	17.2	14.2	—	—	—	12.5	—	111
Lauder	562	17.8	18.1	14.2	32.0	20.2	—	—	—	—	—	—
BUTE COUNTY—												
Millport	1,608	10.6	14.7	3.7	22.4	12.3	—	—	—	11.8	59	56
Rothsay	7,157	13.6	15.1	8.2	18.2	14.4	0.14	—	—	9.3	—	—
CAITHNESS COUNTY—												
Thurso	7,300	27.3	17.7	4.0	6.6	5.8	0.55	0.41	—	2.0	10	20
Wick	8,028	21.7	22.0	10.8	10.1	9.6	—	—	—	3.4	11	17
CLACKMANNAN CO.—												
Alloa	14,355	19.8	18.3	9.3	11.6	12.2	0.14	0.14	—	5.6	32	17
Alva	4,229	19.9	18.4	10.4	13.0	11.4	—	—	—	4.8	36	45
Dollar	1,716	11.1	14.4	7.0	14.6	11.8	—	—	—	—	—	—
Tillicoultry	4,122	17.0	13.5	6.8	12.4	12.1	—	—	—	5.7	—	28

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 5—continued.

Small Burghs	Estimated Popula- tion 1960	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
		Birth-Rate			Death-Rate							
		Crude (Corrected for transfer)	Standardised for Age and Sex	Marriage Rate	Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
DUMFRIES COUNTY—												
Annan	5,405	31.8	33.9	12.6	11.1	9.7	—	—	—	2.9	41	17
Langholm	2,331	15.0	17.0	8.2	16.3	11.2	—	—	0.43	8.6	57	—
Lochmaben	1,230	21.1	22.7	9.8	12.2	9.4	—	—	—	—	38	—
Lockerbie	2,715	10.7	12.4	8.5	22.5	18.3	—	—	—	3.4	34	33
Moffat	2,019	12.4	15.9	7.9	17.8	11.1	—	—	—	12.0	—	—
Sanquhar	2,521	15.1	12.4	6.3	15.1	16.3	0.40	0.40	—	2.6	—	50
DUNBARTON COUNTY—												
Bearsden	14,609	19.7	25.6	3.4	10.9	9.0	—	—	0.14	1.0	14	20
Cove and Kilreggan	797	23.8	31.8	7.5	23.8	11.3	—	—	—	5.3	105	—
Helensburgh	8,770	19.6	23.2	9.9	14.7	10.8	0.11	0.11	—	6.4	23	50
Kirkintilloch	17,548	22.3	21.8	7.8	9.9	12.0	0.11	0.11	—	1.8	23	5
Milngavie	8,576	19.0	18.4	6.2	11.4	10.4	—	—	—	1.8	31	18
EAST LOTHIAN Co.—												
Cockenzie												
and Port Seton	3,354	17.0	13.3	4.8	9.8	10.2	—	—	—	3.5	—	50
Dunbar	4,153	15.9	16.4	10.4	12.8	10.7	0.24	0.24	—	4.5	15	—
East Linton	926	10.8	12.9	2.2	23.8	14.1	—	—	—	10.0	100	—
Haddington	5,065	21.5	22.6	11.1	16.0	13.0	0.20	0.20	—	2.8	28	27
North Berwick	3,680	11.7	14.0	6.0	20.4	14.7	—	—	—	2.3	23	23
Prestonpans	3,222	19.9	17.1	14.3	12.1	15.7	—	—	—	1.6	16	30
Tranent	6,437	24.1	20.3	10.1	11.0	13.7	0.31	0.31	—	—	26	—
FIFE COUNTY—												
Auchtermuchty	1,338	14.9	15.3	10.5	15.7	10.1	—	—	—	10.0	—	—
Buckhaven and Methil	21,853	20.2	16.3	8.3	12.4	14.5	—	—	0.05	4.5	25	22
Burntisland	6,081	16.9	17.0	8.2	10.5	9.2	0.16	0.16	—	5.8	19	28
Cowdenbeath	13,456	13.6	11.6	10.5	12.3	14.1	—	—	—	4.9	38	21
Crail	1,187	14.3	18.9	7.6	16.8	10.7	—	—	—	—	—	—
Culross	584	17.1	12.2	39.4	10.3	10.7	—	—	—	—	—	—
Cupar	5,794	12.6	13.1	9.7	10.9	9.4	—	—	—	2.7	27	27
Elie and Earlsferry	900	10.0	18.6	10.0	25.6	13.0	—	—	1.11	—	—	—
Falkland	1,071	17.7	18.5	6.5	14.0	10.7	—	—	—	10.5	—	—
Inverkeithing	4,144	25.6	21.3	8.0	11.8	13.1	—	—	—	3.8	9	19
Kilrenny etc.	2,918	21.6	28.8	4.8	14.4	9.0	—	—	—	1.6	—	16
Kinghorn	2,303	12.6	11.6	6.1	13.5	12.6	—	—	—	—	34	—
Ladybank	1,180	14.4	14.5	10.2	13.6	9.0	—	—	—	—	—	—
Leslie	3,481	14.7	12.5	8.3	12.1	12.2	0.29	—	—	2.0	78	19
Leven	9,155	17.9	16.8	5.8	12.5	11.8	—	—	—	3.0	18	30
Lochgelly	9,683	21.0	19.3	5.5	11.7	12.8	—	—	—	3.4	44	15
Markinch	2,428	14.4	14.3	20.6	14.8	13.1	0.41	0.41	—	2.9	29	28
Newburgh	2,488	14.1	14.9	6.8	11.3	9.7	—	—	—	2.9	29	—
Newport-on-Tay	3,296	13.3	15.8	3.3	22.5	13.2	—	—	—	4.5	—	22
Pittentween	1,563	17.3	20.0	7.7	21.1	14.5	—	—	0.64	—	—	—
St. Andrews	9,675	13.2	16.1	10.7	13.1	11.2	—	—	—	6.3	31	23
St. Monance	1,432	8.4	10.8	3.5	14.0	10.8	0.70	0.70	—	—	83	—
Tayport	3,257	17.5	18.7	4.3	13.2	10.3	0.31	0.31	—	1.8	18	34
INVERNESS COUNTY—												
Fort William	2,784	18.0	21.0	14.7	16.5	16.9	0.72	0.72	—	6.0	20	20
Kingussie	1,013	11.8	12.6	8.9	21.7	15.4	—	—	—	8.3	83	—
KINCARDINE COUNTY—												
Banchory	1,856	11.3	13.5	12.4	17.8	12.1	—	—	—	4.8	48	—
Inverberie	903	15.5	17.5	13.3	27.7	21.1	—	—	—	—	—	—
Laurencekirk	1,401	18.6	19.3	17.1	15.0	10.1	—	—	—	7.7	—	37
Stonehaven	4,343	14.0	16.3	6.7	15.9	11.0	—	—	—	—	16	—
KINROSS COUNTY—												
Kinross	2,518	16.3	16.8	10.7	13.5	11.8	—	—	—	2.4	24	47
KIRKCUDBRIGHT Co.—												
Castle Douglas	3,326	19.8	20.2	7.2	13.2	11.8	—	—	—	—	—	15
Dalbeattie	3,392	15.0	13.9	6.2	13.6	12.4	—	—	—	5.9	20	19
Gatehouse-of-Fleet	879	18.2	20.6	10.2	18.2	12.0	—	—	—	18.8	—	111
Kirkcudbright	2,555	15.3	16.5	8.6	14.5	12.6	—	—	—	—	26	49
New Galloway	284	14.1	25.3	—	38.7	18.5	—	—	—	—	—	—
LANARK COUNTY—												
Biggar	1,460	14.4	14.6	8.9	12.3	8.4	—	—	—	19.0	—	—
Linark	8,276	15.6	15.4	8.7	12.3	11.2	0.12	—	—	3.1	31	—
MIDLOTHIAN Co.—												
Bonnyrigg and Lasswade	6,221	23.8	23.6	11.4	10.8	11.1	—	—	—	2.0	7	26
Dalkeith	9,249	17.6	15.5	7.5	11.7	12.3	0.11	0.11	0.11	2.5	6	24
Loanhead	5,228	13.4	12.1	6.7	10.5	11.5	—	—	—	1.4	29	41
Musselburgh	18,213	16.1	15.2	6.7	10.4	10.8	0.05	0.05	0.05	2.0	20	20
Penicuik	5,900	18.1	15.4	10.0	9.8	9.9	0.34	0.34	—	2.8	19	9

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 5—continued.

Small Burghs	Estimated Popula- tion 1960	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
		Birth-Rate		Marriage Rate	Death-Rate							
		Crude (Corrected for transfer)	Standardised for Age and Sex		Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
MORAY COUNTY—												
Burghead . . .	1,392	25.9	21.5	7.2	15.8	13.0	—	—	—	11.1	28	27
Elgin . . .	12,006	22.6	21.5	11.7	12.0	10.4	0.08	0.08	—	3.3	22	15
Forres . . .	5,076	16.4	14.7	10.0	12.0	10.5	—	—	—	14.5	—	57
Grantown-on-Spey . . .	1,502	13.3	20.6	8.0	10.7	8.4	—	—	—	—	100	48
Lossiemouth and Branderburgh . . .	5,473	30.5	24.4	8.8	12.8	12.7	—	—	—	4.8	18	18
Rothies . . .	1,215	14.8	17.6	3.3	8.2	6.9	0.82	0.82	0.82	11.1	56	—
NAIRN COUNTY—												
Nairn . . .	4,704	17.6	19.4	10.6	15.7	11.7	—	—	—	1.2	12	24
ORKNEY COUNTY—												
Kirkwall . . .	4,167	13.9	11.8	10.8	13.2	11.6	—	—	—	5.2	17	—
Stromness . . .	1,422	16.2	17.2	10.5	22.5	16.0	—	—	—	4.3	43	—
PEEBLES COUNTY—												
Innerleithen . . .	2,315	18.6	19.6	6.0	16.8	12.4	—	—	—	—	23	—
Peebles . . .	5,495	12.9	14.7	7.1	15.5	11.0	0.36	—	—	8.5	—	—
PERTH COUNTY—												
Aberfeldy . . .	1,459	19.9	24.5	5.5	15.1	11.3	—	—	—	3.4	—	—
Abernethy . . .	631	19.0	22.6	7.9	25.4	20.3	—	—	—	—	83	—
Alyth . . .	1,963	11.7	12.7	11.2	11.7	9.3	—	—	—	4.3	43	42
Auchterarder . . .	2,382	12.2	14.4	6.3	19.7	13.2	—	—	—	—	69	—
Blairstown and Ratray . . .	5,362	17.7	21.0	11.4	17.9	12.3	—	—	0.19	6.3	63	10
Callander . . .	1,587	14.5	18.2	8.8	19.5	14.0	—	—	—	4.3	43	42
Coupar Angus . . .	2,118	14.6	16.8	2.8	17.0	11.9	—	—	—	6.5	—	31
Crieff . . .	5,366	17.7	24.3	6.0	17.9	11.8	—	—	—	2.1	21	—
Doune . . .	832	16.8	16.9	15.6	7.2	5.5	—	—	—	7.1	—	—
Dunblane . . .	2,898	15.9	20.0	7.2	20.0	13.2	—	—	—	4.3	—	—
Pitlochry . . .	2,304	16.5	17.0	8.2	13.9	10.0	—	—	—	10.5	105	—
RENFREW COUNTY—												
Barrhead . . .	14,194	19.9	18.8	5.4	10.1	11.2	0.35	0.35	0.07	0.7	32	17
Gourock . . .	9,216	19.6	19.9	7.1	15.7	13.3	0.22	0.22	—	4.4	33	22
Johnstone . . .	17,724	26.3	22.6	8.7	9.9	12.2	0.23	0.17	0.06	3.2	28	39
Renfrew . . .	18,279	22.0	20.3	5.6	11.4	12.5	0.16	0.16	0.05	1.7	30	15
ROSS AND CROMARTY COUNTY—												
Cromarty . . .	660	13.6	16.1	3.0	21.2	13.0	—	—	—	—	—	—
Dingwall . . .	3,586	20.4	19.9	8.4	12.5	12.3	—	—	—	1.4	68	—
Fortrose . . .	848	10.6	15.3	5.9	16.5	10.5	—	—	—	—	—	—
Invergordon . . .	1,606	16.2	18.6	3.1	20.5	15.2	—	—	—	3.8	—	37
Stornoway . . .	5,358	18.7	27.7	7.3	10.3	8.8	0.19	0.19	—	2.0	10	—
Tain . . .	1,681	14.9	15.1	19.0	13.7	9.9	0.59	0.59	—	8.0	40	—
ROXBURGH COUNTY—												
Hawick . . .	16,414	16.2	18.1	7.3	14.5	12.0	0.06	0.06	—	3.0	23	7
Jedburgh . . .	3,951	18.0	17.3	7.1	12.9	11.7	—	—	—	2.8	28	27
Kelso . . .	4,114	11.4	11.7	10.5	17.5	13.5	0.24	0.24	0.24	2.1	—	60
Melrose . . .	2,103	10.5	16.5	7.1	18.1	10.6	—	—	—	—	45	—
SELKIRK COUNTY—												
Galashiels . . .	12,169	16.0	17.4	8.5	16.4	12.9	0.33	0.25	—	1.0	15	25
Selkirk . . .	5,681	15.7	15.8	6.3	11.1	8.6	—	—	—	4.5	11	22
STIRLING COUNTY—												
Bridge of Allan . . .	3,256	16.6	19.6	5.8	17.2	12.6	—	—	—	9.3	19	36
Denny and Dunipace . . .	7,660	20.9	19.1	6.0	10.1	12.7	—	—	—	1.9	13	18
Grangemouth . . .	17,875	22.3	20.8	6.2	9.5	11.6	0.06	0.06	—	1.8	23	12
Kilsyth . . .	10,554	18.1	17.8	7.2	11.3	13.6	0.09	0.09	0.19	1.6	21	26
SUTHERLAND Co.—												
Dornoch . . .	855	14.0	16.7	9.4	19.9	15.7	—	—	—	—	—	—
WEST LOTHIAN Co.—												
Armadale . . .	6,302	20.9	16.4	11.6	8.7	11.7	—	—	—	2.3	15	—
Bathgate . . .	12,271	21.9	20.4	8.4	9.0	10.1	—	—	—	2.2	22	—
Bo'ness . . .	10,252	19.3	17.8	8.3	11.8	12.7	0.10	0.10	—	3.0	25	10
Linlithgow . . .	4,268	18.7	16.1	11.7	12.2	13.2	0.23	0.23	—	3.8	13	—
Queensferry . . .	2,820	29.8	23.7	7.1	13.5	15.4	—	—	—	2.4	12	—
Whitburn . . .	5,961	19.5	14.1	10.9	7.9	12.3	—	—	—	0.9	17	—
WIGTOWN COUNTY—												
Newton Stewart . . .	2,023	10.4	11.3	8.9	14.8	13.7	—	—	—	—	95	87
Stranraer . . .	9,117	19.9	18.9	11.4	13.2	14.3	0.11	0.11	—	3.9	44	37
Whithorn . . .	1,055	20.9	20.1	12.3	19.9	15.4	—	—	—	9.1	—	—
Wigtown . . .	1,349	14.1	13.8	6.7	14.8	11.1	—	—	—	5.3	—	50
ZETLAND COUNTY—												
Lerwick . . .	5,593	17.7	18.5	11.3	14.3	11.9	—	—	—	4.0	—	29

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the ratio are based will be found in Table 47.

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 6. Birth-, Death- and Marriage-rates in the Landward Areas of Scotland in 1960.

County Landward Areas	Estimated Popula- tion 1960	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
		Birth-Rate		Marriage Rate	Death-Rate							
		Crude (Corrected for transfer)	Standardised for Age and Sex		Crude (Corrected for transfer)	Standardised for Age and Sex	Tuberculosis All	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
Aberdeen . . .	97,947	16.7	17.8	5.2	11.1	9.8	0.02	0.02	0.01	4.9	18	19
Angus . . .	36,959	15.1	17.0	3.5	9.4	8.9	—	—	0.03	5.4	18	12
Argyll . . .	31,990	15.9	23.1	4.3	15.3	10.9	0.09	0.06	0.06	4.5	39	21
Ayr . . .	134,637	19.0	18.2	5.9	10.5	11.7	0.02	0.02	0.01	3.5	28	17
Banff . . .	20,416	16.6	19.2	4.5	10.2	9.5	0.10	0.10	—	9.2	30	37
Berwick . . .	17,295	12.0	13.9	4.7	12.9	10.7	—	—	—	2.4	5	33
Bute . . .	5,785	15.0	20.6	4.8	21.3	13.4	0.17	0.17	—	8.0	11	11
Caithness . .	12,011	18.3	22.8	5.6	13.2	9.7	0.08	0.08	0.08	4.5	5	31
Clackmannan .	17,139	19.6	15.4	5.4	8.2	9.9	0.18	0.12	—	3.9	27	23
Dumfries . . .	46,026	17.2	17.9	10.3	10.0	9.5	0.09	0.04	0.02	6.1	23	27
Dunbarton . .	54,150	20.1	20.5	6.1	11.8	12.9	0.13	0.13	0.04	4.4	17	20
East Lothian .	25,687	16.2	15.9	3.9	11.8	13.0	—	—	—	2.4	24	35
Fife . . .	116,763	20.4	17.5	5.0	9.5	10.4	0.01	—	0.04	4.5	29	22
Inverness . . .	50,667	16.7	25.5	2.4	12.0	9.1	0.12	0.12	0.10	6.4	17	16
Kincardine . .	18,015	16.9	17.9	3.2	9.5	9.0	—	—	0.06	3.9	26	3
Kinross . . .	4,650	14.8	16.2	5.4	11.0	9.6	—	—	0.22	1.4	14	14
Kirkcudbright .	20,151	18.5	20.7	5.0	12.4	11.3	0.05	0.05	—	4.0	24	18
Lanark . . .	324,355	21.0	20.7	6.7	10.8	12.3	0.06	0.06	0.02	2.8	28	24
Midlothian . .	65,472	22.4	20.3	5.4	9.4	10.7	0.02	0.02	—	3.1	27	19
Moray . . .	23,596	18.8	21.2	2.8	8.7	9.3	0.04	0.04	—	5.9	14	7
Nairn . . .	3,494	16.3	21.3	1.4	13.2	11.0	—	—	0.29	3.5	18	34
Orkney . . .	13,409	15.9	17.2	4.6	14.2	10.0	—	—	—	3.3	19	9
Peebles . . .	6,138	15.6	18.7	3.6	12.7	10.7	—	—	—	2.1	21	—
Perth . . .	57,988	16.4	20.0	4.4	12.7	10.4	0.03	0.03	—	5.1	31	20
Renfrew . . .	80,732	16.1	19.3	6.1	12.0	11.1	0.07	0.07	0.07	3.7	20	17
Ross and Cromarty .	44,795	15.6	24.2	3.1	13.8	9.3	0.11	0.09	—	5.1	24	13
Roxburgh . . .	17,849	14.5	16.5	3.9	13.0	10.5	—	—	—	5.0	31	23
Selkirk . . .	3,061	14.4	16.4	4.2	13.1	11.6	—	—	—	4.5	—	22
Stirling . . .	90,959	17.6	16.6	7.0	11.0	12.2	0.05	0.05	0.01	2.8	28	32
Sutherland . . .	11,675	15.8	22.5	4.1	17.0	10.9	0.09	0.09	—	3.8	16	26
West Lothian . .	52,576	18.7	17.6	5.2	10.1	11.7	0.04	0.04	0.02	2.6	26	45
Wigtown . . .	16,992	19.7	22.4	4.4	11.4	11.5	0.06	0.06	—	11.6	33	29
Zetland . . .	12,407	15.1	21.0	3.9	16.8	10.1	—	—	0.16	5.9	32	11

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 7. General Registration Summary.
Events registered in 1960. (Figures in this table show actual numbers as registered and are not "Corrected for Residence")

Counties, Counties of Cities and Large Burghs	Population* (Enumerated at Census of)		Registered Births, Stillbirths, Deaths and Marriages, 1960				
	1951	1931	Live Births		Still- births	Deaths	Mar- riages
			Total	Illegi- timate			
SCOTLAND	5,096,415	4,842,980	101,292	4,409	2,252	61,764	40,101
COUNTIES OF CITIES	1,916,833	1,879,620	42,305	2,412	1,072	25,250	16,793
LARGE BURGHs	829,906	774,878	22,862	791	435	10,574	7,447
COUNTIES (ex Counties of Cities and Large Burghs)	2,349,676	2,188,482	36,125	1,206	745	25,940	15,861
SMALL BURGHs	845,618	759,953	13,808	484	214	8,887	7,399
LANDWARD	1,504,058	1,428,529	22,317	722	531	17,053	8,462
COUNTIES (ex Large Burghs)							
Aberdeen	144,746	143,611	1,731	84	17	1,148	978
Angus	78,015	75,304	782	28	11	1,089	457
Argyll	63,361	63,050	722	31	10	813	343
Ayr	236,720	207,619	4,760	175	125	2,682	1,798
Banff	50,148	54,907	836	55	15	528	340
Berwick	25,068	26,612	173	3	2	214	140
Bute	19,283	18,823	160	7	1	259	93
Caithness	22,710	25,656	497	15	11	277	183
Clackmannan	37,532	31,948	256	9	4	292	310
Dumfries	59,338	77,926	245	17	5	637	630
Dunbarton	95,923	58,010	1,516	60	48	1,187	665
East Lothian	52,258	47,338	559	14	5	663	350
Fife	213,009	196,565	2,647	94	50	1,992	1,493
Inverness	56,823	58,558	351	14	6	661	172
Kincardine	27,882	26,780	167	4	1	233	146
Kinross	7,418	7,454	41	1	1	72	52
Kirkcudbright	30,725	30,341	145	4	—	309	176
Lanark	312,968	293,373	7,206	181	193	3,857	2,265
Midlothian	98,792	87,102	905	15	8	746	708
Moray	48,218	40,806	903	40	11	449	331
Nairn	8,719	8,294	120	2	1	96	55
Orkney	21,255	22,077	289	11	2	265	122
Peebles	15,232	15,051	169	2	—	143	75
Perth	87,525	85,706	576	12	6	1,112	471
Renfrew	132,154	100,758	3,292	85	84	1,310	891
Ross and Cromarty	60,508	62,799	793	30	7	654	251
Roxburgh	45,557	45,788	514	14	6	547	276
Selkirk	21,729	22,608	379	8	7	462	152
Stirling	122,841	105,334	2,832	109	49	1,364	885
Sutherland	13,670	16,101	116	3	2	195	56
West Lothian	88,577	81,431	1,746	36	39	1,066	667
Wigtown	31,620	29,331	422	31	13	342	219
Zetland	19,352	21,421	275	12	5	276	111
COUNTIES OF CITIES							
Glasgow	1,089,767	1,093,337	22,768	1,287	621	13,691	9,607
Edinburgh	466,943	439,194	10,680	556	251	6,546	4,050
Aberdeen	182,783	169,910	4,325	221	111	2,859	1,690
Dundee	177,340	177,179	4,532	348	89	2,154	1,446
LARGE BURGHs							
Paisley	93,711	88,384	2,944	170	24	1,322	751
Greenock	77,177	79,023	1,916	70	55	1,093	594
Motherwell and Wishaw	68,806	66,559	1,259	26	19	618	559
Kirkcaldy	49,050	44,745	1,505	59	40	613	461
Coatbridge	47,541	43,513	432	8	4	490	392
Dunfermline	44,719	35,058	1,650	65	42	663	410
Clydebank	44,638	47,033	365	7	2	391	330
Ayr	42,377	38,905	688	13	7	653	414
Kilmarnock	42,140	38,693	1,162	41	9	612	366
Perth	40,504	35,087	1,244	52	24	575	391
Hamilton	40,384	38,241	1,402	17	7	269	404
Falkirk	37,535	36,566	1,694	34	50	654	369
Airdrie	30,666	27,442	599	11	11	220	294
Inverness	28,107	23,550	1,372	56	39	568	409
Stirling	27,151	24,547	1,105	47	31	543	249
Dumfries	26,322	23,031	1,936	76	50	549	303
Rutherglen	24,231	25,198	119	2	1	128	226
Dumbarton	23,708	21,770	872	25	17	253	183
Port Glasgow	21,618	19,826	210	5	3	123	200
Arbroath	19,521	17,707	388	7	—	237	142

*Adjusted for alteration of boundary.

Table 8. Birth-rate among Married and Unmarried Women in Scotland in 1960.

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Un- married Women and Widows aged 15-44	Total	Legiti- mate	Illegiti- mate	Total per 1,000 Women aged 15-44	Legiti- mate Births per 1,000 Married Women aged 16-44	Illegiti- mate Births per 1,000 Un- married Women aged 15-44
SCOTLAND	1,055,400	672,000	383,400	101,292	96,883	4,409	96.0	144.2	11.5
COUNTIES OF CITIES	399,700	249,100	150,600	38,557	36,492	2,065	96.5	146.5	13.7
LARGE BURGHs	183,100	118,800	64,300	18,189	17,531	658	99.3	147.6	10.2
COUNTIES (excluding Counties of Cities and Large Burghs)	472,600	304,100	168,500	44,546	42,860	1,686	94.3	140.9	10.0
SMALL BURGHs	177,700	115,500	62,200	16,186	15,629	557	91.1	135.3	9.0
LANDWARD	294,900	188,500	106,300	28,360	27,231	1,129	96.2	144.4	10.6
ABERDEEN COUNTY Aberdeen C. of C. Remainder of Co.	40,600 26,300	25,300 16,900	15,200 9,500	3,280 2,393	3,114 2,274	166 119	80.9 90.8	123.0 134.8	10.9 12.6
ANGUS COUNTY Dundee C. of C. Arbroath Burgh Remainder of Co.	37,700 4,200 14,900	24,000 2,800 9,400	13,600 1,400 5,500	3,744 387 1,182	3,518 374 1,133	226 13 49	99.4 93.1 79.2	146.3 134.0 120.2	16.6 9.5 8.9
ARGYLL COUNTY	9,800	6,000	3,800	895	848	47	91.4	142.0	12.3
AYR COUNTY Ayr Burgh Kilmarnock Burgh Remainder of Co.	9,500 9,900 51,900	5,900 6,600 33,900	3,500 3,300 18,000	819 1,035 4,779	783 990 4,615	36 45 164	86.6 104.6 92.1	132.2 149.6 136.3	10.2 13.7 9.1
BANFF COUNTY	9,000	5,500	3,400	861	812	49	96.1	147.0	14.2
BERWICK COUNTY	4,200	2,800	1,400	291	282	9	69.4	100.4	6.5
BUTE COUNTY	2,500	1,600	1,000	201	183	18	78.9	117.5	18.2
CAITHNESS COUNTY	4,900	3,100	1,800	593	573	20	119.9	184.2	10.9
CLACKMANNAN Co.	8,500	5,900	2,600	793	756	37	92.8	127.9	14.1
DUMFRIES COUNTY Dumfries Burgh Remainder of Co.	5,900 11,700	3,800 7,500	2,100 4,100	521 1,117	492 1,056	29 61	88.9 95.7	129.8 140.5	14.0 14.7
DUNBARTON COUNTY Clydebank Burgh Dumbarton Burgh Remainder of Co.	11,300 5,600 20,600	7,800 3,500 13,200	3,500 2,000 7,400	1,088 576 2,125	1,055 552 2,052	33 24 73	95.9 103.2 103.1	134.6 156.3 154.9	9.4 11.7 9.9
EAST LoTHIAN Co.	10,400	7,000	3,400	921	900	21	88.3	128.8	6.1
FIFE COUNTY Dunfermline Burgh Kirkcaldy Burgh Remainder of Co.	9,200 10,900 45,400	6,400 7,500 30,900	2,800 3,400 14,600	913 874 4,224	877 839 4,045	36 35 179	99.4 80.0 93.0	137.0 111.4 131.1	13.0 10.3 12.3
INVERNESS COUNTY Inverness Burgh Remainder of Co.	6,000 8,800	3,700 5,100	2,300 3,700	539 909	509 851	30 58	89.8 103.5	139.4 166.0	12.8 15.9

Table 8—continued

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Un- married Women and Widows aged 15-44	Total	Legiti- mate	Illegiti- mate	Total per 1,000 Women aged 15-44	Legiti- mate Births per 1,000 Married Women aged 16-44	Illegiti- mate Births per 1,000 Un- married Women aged 15-44
KINCARDINE COUNTY	4,900	3,200	1,700	427	412	15	87.7	130.6	8.7
KINROSS COUNTY	1,400	900	500	110	108	2	79.4	122.7	4.0
KIRKCUDBRIGHT CO.	5,700	3,600	2,000	548	527	21	96.9	144.5	10.5
LANARK COUNTY									
Glasgow C. of C.	224,500	139,600	84,800	23,090	21,858	1,232	102.9	156.5	14.5
Airdrie Burgh	7,100	4,600	2,500	791	771	20	110.8	167.8	7.9
Coatbridge Burgh	11,400	7,200	4,200	1,381	1,344	37	121.3	187.4	8.8
Hamilton Burgh	8,900	5,600	3,300	897	865	32	101.0	155.3	9.7
Motherwell and Wishaw Burgh	15,300	9,900	5,400	1,517	1,483	34	99.2	150.5	6.2
Rutherglen Burgh	5,100	3,200	1,900	529	517	12	103.0	160.6	6.3
Remainder of Co.	68,600	43,200	25,400	6,968	6,772	196	101.6	156.9	7.7
MIDLOTHIAN COUNTY									
Edinburgh C. of C.	97,000	60,100	36,900	8,443	8,002	441	87.0	133.1	11.9
Remainder of Co.	22,400	15,100	7,300	2,247	2,185	62	100.3	145.1	8.4
MORAY COUNTY	9,400	6,000	3,400	1,038	977	61	110.7	163.5	17.9
NAIRN COUNTY	1,500	1,000	600	140	137	3	91.8	142.3	5.3
ORKNEY COUNTY	3,300	2,300	1,100	294	283	11	88.1	125.6	10.1
PEEBLES COUNTY	2,600	1,700	900	210	202	8	80.7	121.3	8.5
PERTH COUNTY									
Perth Burgh	8,500	5,500	3,000	738	694	44	87.1	126.0	14.9
Remainder of Co.	15,900	9,600	6,300	1,388	1,319	69	87.3	137.3	11.0
RENFREW COUNTY									
Greenock Burgh	16,000	10,100	5,900	1,659	1,594	65	103.7	158.1	11.0
Paisley Burgh	20,200	13,000	7,200	2,108	2,036	72	104.5	156.7	10.0
Port Glasgow Burgh	4,900	3,200	1,700	520	507	13	105.7	156.4	7.7
Remainder of Co.	28,300	18,000	10,400	2,630	2,550	80	92.8	141.8	7.7
ROSS AND CROMARTY CO.	10,000	5,700	4,200	943	901	42	94.7	157.0	10.0
ROXBURGH COUNTY	8,400	5,400	3,000	665	641	24	79.6	119.2	8.1
SELKIRK COUNTY	4,100	2,600	1,500	328	320	8	80.3	123.5	5.4
STIRLING COUNTY									
Falkirk Burgh	7,700	5,200	2,700	733	710	23	94.6	141.6	8.4
Stirling Burgh	5,600	3,500	2,100	564	539	25	101.5	155.2	12.0
Remainder of Co.	26,900	17,500	9,500	2,404	2,342	62	89.2	134.0	6.6
SUTHERLAND COUNTY	2,100	1,300	800	196	189	7	94.0	147.8	8.7
WEST LOTHIAN CO.	19,400	13,000	6,400	1,862	1,815	47	96.0	140.1	7.3
WIGTOWN COUNTY	5,600	3,600	2,000	578	529	49	102.4	145.2	24.5
ZETLAND COUNTY	3,200	1,900	1,300	286	271	15	90.0	140.9	12.0

Table 9. Births by Single Age of Mother, Sex and Legitimacy, Scotland, 1960.

Ages	All Births	Males	Females	Legitimate			Illegitimate		
				Total	Males	Females	Total	Males	Females
13	—	—	—	—	—	—	—	—	—
14	7	2	5	*1	—	1	6	2	4
15	38	17	21	—	—	—	38	17	21
16	237	121	116	143	75	68	94	46	48
17	852	425	427	675	331	344	177	94	83
18	1,780	895	885	1,539	769	770	241	126	115
19	3,052	1,596	1,456	2,743	1,435	1,308	309	161	148
Under 20	5,966	3,056	2,910	5,101	2,610	2,491	865	446	419
20	4,440	2,338	2,102	4,137	2,195	1,942	303	143	160
21	6,046	3,109	2,937	5,726	2,943	2,783	320	166	154
22	6,557	3,297	3,260	6,263	3,149	3,114	294	148	146
23	6,983	3,636	3,347	6,720	3,490	3,230	263	146	117
24	7,307	3,782	3,525	7,058	3,657	3,401	249	125	124
20-24	31,333	16,162	15,171	29,904	15,434	14,470	1,429	728	701
25	7,096	3,688	3,408	6,890	3,576	3,314	206	112	94
26	6,766	3,474	3,292	6,589	3,381	3,208	177	93	84
27	6,130	3,146	2,984	5,957	3,068	2,889	173	78	95
28	6,018	3,029	2,989	5,856	2,943	2,913	162	86	76
29	5,656	2,862	2,794	5,487	2,777	2,710	169	85	84
25-29	31,666	16,199	15,467	30,779	15,745	15,034	887	454	433
30	5,157	2,652	2,505	5,009	2,570	2,439	148	82	66
31	4,172	2,129	2,043	4,044	2,051	1,993	128	78	50
32	3,776	1,948	1,828	3,659	1,885	1,774	117	63	54
33	3,302	1,660	1,642	3,182	1,593	1,589	120	67	53
34	3,143	1,556	1,587	3,015	1,489	1,526	128	67	61
30-34	19,550	9,945	9,605	18,909	9,588	9,321	641	357	284
35	2,656	1,381	1,275	2,558	1,329	1,229	98	52	46
36	2,328	1,210	1,118	2,229	1,153	1,076	99	57	42
37	1,891	950	941	1,807	916	891	84	34	50
38	1,775	939	836	1,699	898	801	76	41	35
39	1,424	741	683	1,343	693	650	81	48	33
35-39	10,074	5,221	4,853	9,636	4,989	4,647	438	232	206
40	1,070	534	536	1,012	508	504	58	26	32
41	600	300	300	572	286	286	28	14	14
42	424	213	211	402	201	201	22	12	10
43	261	126	135	243	116	127	18	10	8
44	151	84	67	144	78	66	7	6	1
40-44	2,506	1,257	1,249	2,373	1,189	1,184	133	68	65
45	94	44	50	90	41	49	4	3	1
46	42	25	17	40	23	17	2	2	—
47	17	8	9	15	7	8	2	1	1
48	9	4	5	9	4	5	—	—	—
49	1	1	—	1	1	—	—	—	—
45-49	163	82	81	155	76	79	8	6	2
50	—	—	—	—	—	—	—	—	—
Not stated	34	16	18	26	10	16	8	6	2
Total	101,292	51,938	49,354	96,883	49,641	47,242	4,409	2,297	2,112

* Married in Egypt

Table 10. Births by Age of Mother and Duration of Marriage, Scotland, 1960.

Duration of Marriage (Years)	Age of Mother															50 and over	Not stated
	All Ages	Under 16	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44		
Under one year	13,140	*1	143	595	1,116	1,541	1,736	1,672	1,423	1,143	859	1,979	613	260	51	7	1
1	13,026	—	—	80	344	832	1,413	1,859	1,738	1,570	1,221	2,758	802	330	75	3	1
2	10,982	—	—	—	79	303	681	1,210	1,379	1,422	1,298	3,349	308	308	62	—	—
3	10,318	—	—	—	—	67	247	691	983	1,274	1,402	4,182	1,051	347	64	3	7
4	8,958	—	—	—	—	—	60	246	530	787	1,114	4,580	1,246	344	47	3	1
5	7,362	—	—	—	—	—	—	48	182	381	719	4,122	1,486	369	52	3	5
6	6,130	—	—	—	—	—	—	—	28	122	299	3,567	1,604	433	70	2	5
7	5,132	—	—	—	—	—	—	—	—	21	121	2,634	1,826	456	62	7	2
8	4,286	—	—	—	—	—	—	—	—	—	25	1,726	1,955	514	62	2	2
10-14	3,384	—	—	—	—	—	—	—	—	—	—	1,022	1,781	518	57	4	1
15-19	10,178	—	—	—	—	—	—	—	—	—	—	859	5,311	3,454	536	17	1
20-24	3,170	—	—	—	—	—	—	—	—	—	—	—	343	2,095	699	33	—
25 and over	76,707	—	—	—	—	—	—	—	—	—	—	—	—	208	51,961	46	—
Not stated	56,200	—	—	—	—	—	—	—	—	—	—	—	—	—	25,775	25	—
All Legitimate Births	96,883	1	143	675	1,539	2,743	4,137	5,726	6,263	6,720	7,058	30,779	18,909	9,636	2,373	155	26
Male	49,641	—	75	331	769	1,435	2,195	2,943	3,149	3,490	3,657	15,745	9,588	4,989	1,189	76	10
Female	47,242	1	68	344	770	1,308	1,942	2,783	3,114	3,230	3,401	15,034	9,321	4,647	1,184	79	16
All Illegitimate Births	4,409	44	94	177	241	309	303	320	294	263	249	887	641	438	133	8	8
Male	2,297	19	46	94	126	161	143	166	148	146	125	454	357	232	68	6	6
Female	2,112	25	48	83	115	148	160	154	146	117	124	433	284	206	65	2	2
All Births	101,292	45	237	852	1,780	3,052	4,440	6,046	6,557	6,983	7,307	31,666	19,550	10,074	2,506	163	34
Male	51,938	19	121	425	895	1,596	2,338	3,109	3,297	3,636	3,782	16,199	9,945	5,221	1,257	82	16
Female	49,354	26	116	427	885	1,456	2,102	2,937	3,260	3,347	3,525	15,467	9,605	4,853	1,249	81	18

• Married in Egypt

† Married in India

Table 11. Fertility by Age of Mother, Scotland, 1960.

	Age of Mother								Not stated
	All Ages	15-19*	20-24	25-29	30-34	35-39	40-44	45-49	50 and over
Births, 1960:									
Total	101,292	5,966	31,333	31,666	19,550	10,074	2,506	163	—
Legitimate	96,883	5,101	29,904	30,779	18,909	9,636	2,373	155	—
Illegitimate	4,409	865	1,429	887	641	438	133	8	—
Rates per annum per 1,000 females:									
All Births	81.80†	32.05	174.91	183.78	112.05	55.82	15.41	0.89	—
Legitimate Births (per 1,000 married females)	119.06†	460.96	314.89	218.72	132.53	64.02	17.99	1.09	—
Illegitimate Births (per 1,000 unmarried females including widowed and divorced)	10.38†	4.94	16.98	28.17	20.23	14.64	4.33	0.19	—

† Rates in this column are calculated on the appropriate population of women aged 15-49.

* Including 7 aged 14.

Table 12. Interval between Present Marriage and Birth of First Child, Scotland, 1960.

Duration of Marriage	Age of Mother													50 and over	Not stated
	All Ages	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49
<i>Months.</i>															
Under One	117	7	7	11	12	15	14	8	6	5	18	5	7	2	—
1	162	3	15	19	23	26	14	12	9	7	23	4	5	2	—
2	265	11	21	34	30	36	28	22	20	16	31	9	6	2	—
Under 3	544	21	43	64	65	77	56	42	35	28	72	18	18	—	—
3	517	22	52	73	77	61	49	51	30	16	42	24	15	4	1
4	806	23	81	128	130	108	92	67	39	30	70	25	12	5	—
5	1,309	21	104	193	211	195	170	106	82	54	116	35	16	1	—
3-5	2,632	66	237	394	418	364	311	224	151	100	228	84	43	3	3
6	1,704	30	111	233	306	260	202	144	93	78	181	46	16	4	—
7	1,332	12	88	177	196	205	202	131	82	64	139	40	22	5	—
8	740	5	44	46	93	106	106	77	59	41	97	44	16	6	—
6-8	3,776	47	243	456	595	571	479	352	234	183	417	130	54	15	—
9	1,550	5	29	53	123	191	200	210	162	152	294	91	34	6	—
10	2,453	*3	31	86	187	286	329	333	293	207	491	145	54	7	—
11	1,991	2	11	55	140	230	276	246	247	173	436	127	37	9	—
9-11	5,994	10	71	194	450	707	805	789	702	532	1,221	363	125	22	3
12-14	4,105	—	37	113	270	438	586	547	503	361	876	240	109	25	—
15-17	2,505	—	10	49	146	237	355	376	305	233	574	151	52	16	—
18-20	1,891	—	5	29	88	180	248	247	248	220	419	128	62	15	2
21-23	1,495	—	—	15	39	100	168	212	199	164	419	112	53	14	—
<i>Years.</i>															
Under One	12,946	144	594	1,108	1,528	1,719	1,651	1,407	1,122	843	1,938	595	240	50	7
1	9,996	—	52	206	543	955	1,357	1,382	1,255	978	2,288	631	276	70	3
2	3,993	—	—	16	65	149	352	462	521	502	1,417	359	121	29	—
3	2,298	—	—	—	3	25	76	154	276	313	1,084	250	91	25	1
4	1,353	—	—	—	—	4	9	37	83	130	767	242	72	7	2
5	842	—	—	—	—	—	4	7	28	52	474	201	65	10	1
6	544	—	—	—	—	—	—	—	5	17	266	178	65	13	—
7	406	—	—	—	—	—	—	—	—	2	155	181	58	10	—
8	279	—	—	—	—	—	—	—	—	—	64	157	50	7	—
9	232	—	—	—	—	—	—	—	—	—	41	129	52	10	—
10-14	455	—	—	—	—	—	—	—	—	—	25	221	184	25	—
15-19	88	—	—	—	—	—	—	—	—	—	—	13	58	16	1
20 and over	11	—	—	—	—	—	—	—	—	—	—	—	2	9	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	33,443	144	646	1,330	2,139	2,852	3,449	3,449	3,290	2,837	8,519	3,157	1,334	281	16

Table 13. Legitimate Births by Age of Mother and Number of Previous Children, Scotland, 1960.

Number of Previous Children (including Stillborn and Dead)	All Ages	Age of Mother												50 and over	Not stated	
		16	17	18	19	20	21	22	23	24	25-29	30-34	35-39			40-44
<i>By All Husbands.</i>																
None	32,918	*144	646	1,330	2,139	2,852	3,436	3,440	3,283	2,828	8,405	2,999	1,180	225	11	—
1	28,329	—	29	199	550	1,063	1,770	2,000	2,320	2,550	10,694	5,155	1,737	254	8	—
2	16,817	—	—	10	49	200	441	644	838	1,132	6,487	4,526	2,067	396	27	—
3	8,690	—	—	—	5	20	69	149	221	392	3,047	2,750	1,624	387	26	—
4	4,542	—	—	—	—	2	9	27	50	124	1,290	1,631	1,071	320	18	—
5	2,424	—	—	—	—	—	1	3	8	24	546	839	738	246	19	—
6	1,414	—	—	—	—	—	—	—	—	7	200	517	511	169	10	—
7	799	—	—	—	—	—	—	—	—	1	81	275	298	135	9	—
8	432	—	—	—	—	—	—	—	—	—	24	131	188	82	7	—
9	228	—	—	—	—	—	—	—	—	—	3	59	105	55	6	—
10-14	256	—	—	—	—	—	—	—	—	—	2	26	116	99	13	—
15-19	8	—	—	—	—	—	—	—	—	—	—	1	1	5	1	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
TOTAL	96,883	144	675	1,539	2,743	4,137	5,726	6,263	6,720	7,058	30,779	18,909	9,636	2,373	155	26
<i>By Present Husband.</i>																
None	33,443	*144	646	1,330	2,139	2,852	3,449	3,449	3,290	2,837	8,519	3,157	1,334	281	16	—
1	28,347	—	29	199	550	1,063	1,759	1,993	2,318	2,547	10,701	5,151	1,756	271	10	—
2	16,687	—	—	10	49	200	440	642	833	1,128	6,438	4,482	2,046	394	25	—
3	8,530	—	—	—	5	20	68	149	221	393	3,005	2,701	1,585	359	24	—
4	4,473	—	—	—	—	2	9	27	50	121	1,276	1,613	1,041	315	19	—
5	2,357	—	—	—	—	—	1	3	8	24	539	827	708	230	17	—
6	1,364	—	—	—	—	—	—	—	—	7	196	498	491	163	9	—
7	761	—	—	—	—	—	—	—	—	1	77	270	277	127	9	—
8	416	—	—	—	—	—	—	—	—	—	23	126	182	79	6	—
9	224	—	—	—	—	—	—	—	—	—	3	58	103	54	6	—
10-14	247	—	—	—	—	—	—	—	—	—	2	25	112	95	13	—
15-19	8	—	—	—	—	—	—	—	—	—	—	1	1	5	1	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
TOTAL	96,883	144	675	1,539	2,743	4,137	5,726	6,263	6,720	7,058	30,779	18,909	9,636	2,373	155	26

*Including one aged 14. Married in Egypt.

Table 14. Legitimate Births by Duration of Marriage and Number of Previous Children, Scotland, 1960.

Number of Previous Children (Including Stillborn and Dead)	Total Births	Duration of Present Marriage—Years										Not stated	Total Children (Including Present Birth)
		Under 1 year	1	2	3	4	5	6	7	8	9	10-14	15-19
By All Husbands—None	32,918	12,707	9,844	3,948	2,268	1,339	823	537	400	278	228	447	88
1	28,329	2,655	2,890	6,138	5,613	4,253	2,882	1,972	1,341	970	615	1,222	152
2	16,817	78	193	775	2,098	2,503	2,308	2,031	1,646	1,294	955	2,361	508
3	8,690	46	53	87	276	721	987	1,026	1,017	899	733	2,141	601
4	4,542	24	19	15	31	107	290	402	474	489	420	1,620	533
5	2,424	10	13	11	12	20	50	123	174	231	241	1,011	424
6	1,414	3	4	3	6	7	8	25	58	91	115	311	680
7	799	3	4	4	6	3	8	4	14	24	61	188	382
8	432	3	—	1	1	2	4	2	2	4	14	79	188
9	228	—	—	—	—	1	1	1	1	—	—	32	48
10	121	—	—	—	—	1	—	—	—	—	—	32	33
11	76	—	—	—	—	—	—	—	—	—	—	12	5
12	29	—	—	—	—	—	—	—	—	—	—	5	10
13	21	—	—	—	—	—	—	—	—	—	—	2	5
14	9	—	—	—	—	—	—	—	—	—	—	1	1
15 and over	*8	—	—	—	—	—	—	—	—	—	—	1	1
Not stated	26	1	1	—	7	1	—	5	—	2	2	1	—
TOTAL	96,883	13,140	13,026	10,982	10,318	8,958	7,362	6,130	5,132	4,286	3,384	10,178	3,170
TOTAL NUMBER OF CHILDREN (Including Present Birth)	237,710	13,908	16,684	19,100	21,225	21,006	19,386	17,692	16,053	14,434	12,222	43,568	16,848
By Present Husband—None	33,443	12,946	9,996	3,993	2,298	1,353	842	544	406	279	232	455	88
1	28,347	160	2,865	6,175	5,643	4,274	2,886	1,997	1,350	976	615	1,234	152
2	16,687	15	133	746	2,095	2,506	2,312	2,022	1,653	1,295	966	2,367	510
3	8,530	8	16	60	247	706	983	1,022	1,011	899	725	2,150	600
4	4,473	7	7	4	18	98	283	403	478	491	421	1,610	533
5	2,357	2	4	3	5	15	45	118	165	229	235	1,008	316
6	1,364	—	—	—	2	5	6	15	53	87	114	311	970
7	761	—	1	—	3	1	3	2	10	22	57	183	132
8	416	—	—	—	—	—	—	—	—	—	13	37	31
9	224	—	—	—	—	—	—	—	—	—	—	32	37
10	177	—	—	—	—	—	—	—	—	—	—	13	5
11	76	—	—	—	—	—	—	—	—	—	—	4	3
12	27	—	—	—	—	—	—	—	—	—	—	—	—
13	19	—	—	—	—	—	—	—	—	—	—	—	—
14	8	—	—	—	—	—	—	—	—	—	—	—	—
15 and over	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	26	1	1	—	7	1	—	5	—	2	2	1	—
TOTAL	96,883	13,140	13,026	10,982	10,318	8,958	7,362	6,130	5,132	4,286	3,384	10,178	3,170
TOTAL CHILDREN BY PRESENT HUSBAND (Including Present Birth)	235,543	13,400	16,278	18,867	21,022	20,862	19,252	17,563	15,954	14,384	12,156	43,395	16,831
Average Number of Children to Present Husband	2.43	1.03	1.25	1.72	2.04	2.33	2.62	2.87	3.11	3.36	3.59	4.26	5.31
TOTAL	96,883	13,140	13,026	10,982	10,318	8,958	7,362	6,130	5,132	4,286	3,384	10,178	3,170
TOTAL CHILDREN BY PRESENT HUSBAND (Including Present Birth)	235,543	13,400	16,278	18,867	21,022	20,862	19,252	17,563	15,954	14,384	12,156	43,395	16,831
Average Number of Children to Present Husband	2.43	1.03	1.25	1.72	2.04	2.33	2.62	2.87	3.11	3.36	3.59	4.26	5.31
TOTAL	96,883	13,140	13,026	10,982	10,318	8,958	7,362	6,130	5,132	4,286	3,384	10,178	3,170
TOTAL CHILDREN BY PRESENT HUSBAND (Including Present Birth)	235,543	13,400	16,278	18,867	21,022	20,862	19,252	17,563	15,954	14,384	12,156	43,395	16,831
Average Number of Children to Present Husband	2.43	1.03	1.25	1.72	2.04	2.33	2.62	2.87	3.11	3.36	3.59	4.26	5.31

NOTE.—The above numbers indicate that in some cases children born before marriage have been included by informant.

*DURATION OF PRESENT MARRIAGE

10-14 years—1 with 16 previous children.

15-19 years—1 with 16 previous children.

20-24 years—3 with 15 previous children; 1 with 17 previous children.

25 years and over—1 with 15 previous children; 1 with 19 previous children.

Table 15. Deaths, by Age-Groups, of Women who had been married, and number returned at time of death as having had no children, Scotland, 1960.

Conjugal Condition at Date of Death	Age of Women											
	All Ages	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-59	60-69	70 and over	Not stated
All women*—												
Married . . .	8,550	1	46	88	121	250	327	550	1,772	2,517	2,878	—
Widowed . . .	13,709	—	—	1	1	4	21	55	455	2,014	11,158	—
Divorced . . .	102	—	—	—	2	5	7	10	29	20	29	—
Women stated to have had no children—												
Married . . .	1,402	1	17	23	19	43	48	74	339	374	464	—
Widowed . . .	2,090	—	—	—	—	1	3	6	87	317	1,676	—
Divorced . . .	22	—	—	—	—	3	1	3	7	4	4	—
No statement as to children—												
Married . . .	10	—	—	—	—	—	—	1	1	1	7	—
Widowed . . .	48	—	—	—	—	—	—	—	2	3	43	—
Divorced . . .	1	—	—	—	—	—	—	—	—	1	—	—
Not stated . . .	2	—	—	—	—	1	—	—	—	1	—	—
Percentage of women* in each group stated to have had no children—												
Married . . .	16.4	100.0	37.0	26.1	15.7	17.2	14.7	13.5	19.1	14.9	16.1	—
Widowed . . .	15.2	—	—	—	—	25.0	14.3	10.9	19.1	15.7	15.0	—
Divorced†. . .	21.6	—	—	—	—	—	—	—	—	—	—	—

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Numbers in age columns too small for the calculation of significant rates.

Table 16. Deaths of Women who had been married, by duration of marriage, and numbers returned at time of death as having had no Children, Scotland, 1960.

Duration of Marriage (Years)	Deaths of Women* who had been Married				Number who had had no Children				No statement as to Children				Percentage of Women* in each Group who had had no Children			
	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced†
Under 1	63	26	37	—	34	16	18	—	—	—	—	—	54.0	61.5	48.6	—
1	103	37	66	—	46	15	31	—	—	—	—	—	44.7	40.5	47.0	—
2	102	40	62	—	37	15	22	—	—	—	—	—	36.3	37.5	35.5	—
3	145	44	97	4	54	18	35	1	—	—	—	—	37.2	40.9	36.1	—
4	135	38	93	4	44	16	27	1	—	—	—	—	32.6	42.1	29.0	—
5	154	51	99	4	46	17	29	—	—	—	—	—	29.9	33.3	29.3	—
6	155	42	110	3	49	13	36	—	—	—	—	—	31.6	31.0	32.7	—
7	163	45	116	2	52	16	35	1	—	—	—	—	31.9	35.6	30.2	—
8	193	71	119	3	62	32	30	—	—	—	—	—	32.1	45.1	25.2	—
9	209	64	137	8	67	25	40	2	—	—	—	—	32.1	39.1	29.2	—
10-14	1,237	415	793	29	346	134	208	4	—	—	—	—	28.0	32.3	26.2	—
15-19	1,342	479	846	17	346	137	204	5	—	—	—	—	25.8	28.6	24.1	—
20-29	3,928	1,521	2,392	15	831	357	471	3	—	—	—	—	21.2	23.5	19.7	—
30-39	5,469	2,134	3,329	6	695	293	400	2	—	—	—	—	12.7	13.7	12.0	—
40-49	5,591	2,239	3,352	—	525	220	305	—	—	—	—	—	9.4	9.8	9.1	—
50-59	2,778	1,131	1,646	1	160	62	98	—	—	—	—	—	5.8	5.5	6.0	—
60-69	343	149	194	—	15	7	8	—	—	—	—	—	4.4	4.7	4.1	—
70 and over	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	248	23	219	6	105	9	93	3	61	10	48	1	42.3	39.1	42.5	—
TOTAL	22,361	8,550	13,709	102	3,514	1,402	2,090	22	61	10	48	1	15.7	16.4	15.2	21.6

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Individual numbers too small for the calculation of significant rates.

Table 17. Deaths from Selected Causes and Age Groups of Women who had been married—Scotland, 1960.

Cause of Death	Women who had Children						Women who had no Children									
	Total	15—	25—	35—	45—	55—	65—	75 +	Total	15—	25—	35—	45—	55—	65—	75 +
001-019 Tuberculosis	97	—	18	20	12	18	20	9	19	1	5	6	3	1	1	2
020-029 Syphilis	14	—	—	—	3	3	3	4	5	—	—	—	—	2	2	—
170 Malignant neoplasm of breast	565	—	6	57	130	124	132	116	140	—	1	9	29	42	26	33
171-174 Malignant neoplasm of uterus	336	—	8	43	93	68	70	54	54	1	1	7	14	12	12	7
175-176 Malignant neoplasm of other organs and unspecified female genital organs	187	1	3	16	47	48	42	30	62	—	1	1	13	16	21	10
140-165 Malignant neoplasm of all other and unspecified sites	2,315	4	34	89	250	506	713	719	426	2	4	15	54	117	119	115
214-217 Benign neoplasm of female genital organs	9	—	—	2	2	—	3	2	5	—	—	—	—	1	—	4
241 Asthma	46	1	4	5	11	12	9	4	9	1	1	1	1	2	2	—
252 Thyrototoxicosis, with or without goitre	7	—	—	1	1	1	3	1	2	—	—	—	—	—	1	—
260 Diabetes mellitus	322	—	1	1	14	71	127	108	32	1	1	1	4	7	7	11
290-293 Anæmias	120	—	—	2	—	8	33	77	19	1	1	—	1	2	5	9
300-326 Mental, psychoneurotic and personality disorders	53	—	—	1	3	9	15	25	21	—	—	—	1	4	2	14
330-334 Vascular lesions affecting central nervous system	3,711	2	10	43	153	400	1,058	2,045	667	—	2	6	29	80	175	375
353 Epilepsy	9	—	3	—	1	2	2	1	4	—	1	1	—	1	1	6
410-416 Chronic rheumatic heart disease	316	2	11	40	83	73	67	40	53	1	7	8	11	11	9	—
420-422 Arteriosclerotic and degenerative heart disease	5,785	—	4	38	168	683	1,686	3,206	1,055	—	6	4	36	123	269	617
430-434 Other diseases of heart	338	1	1	4	11	34	88	199	56	1	—	2	3	7	16	27
440-447 Hypertensive disease	705	1	2	6	31	90	228	347	128	1	—	2	2	19	40	66
460-466 Diseases of veins	94	—	3	3	8	19	35	26	22	—	—	—	—	5	6	11
490-493 Pneumonia	509	1	7	18	43	109	134	331	109	—	—	1	1	13	30	64
500-502 Bronchitis	414	1	3	7	16	56	139	197	63	—	3	1	1	9	19	26
560, 561, 570 Intestinal obstruction and hernia	116	—	—	5	5	18	40	48	18	—	—	—	2	3	7	6
581-586 Diseases of the liver	182	—	1	5	12	27	59	78	38	—	—	3	3	10	11	11
590-609 Diseases of the urinary and genito-urinary system	244	1	5	15	33	42	79	69	57	1	3	6	8	11	17	11
620-637 Diseases of female genital organs	21	—	—	2	2	3	8	6	2	—	—	—	1	1	—	—
640-689 Deliveries and complications of pregnancy and the puerperium	28	5	14	9	—	—	—	—	2	1	1	—	—	—	—	—
Remainder																
001-795 All other natural causes	1,712	5	17	59	107	202	366	956	329	2	3	17	21	37	80	169
E800-E999 Violence	592	4	23	34	72	61	116	282	117	4	1	10	13	21	14	54
TOTAL	18,847	29	171	515	1,286	2,621	5,245	8,980	3,514	18	42	99	256	557	892	1,650

**Table 18. Number of Stillbirths and Neo-Natal Deaths
in Counties of Cities, Large Burghs and Counties of Scotland 1960.**

Counties of Cities Large Burghs, and Counties	Living Births	Stillbirths		Neo- natal Deaths	Rate per 1,000 Total Births		
		Total	Illegiti- mate		Still- births	Neo- natal Deaths	Com- bined Rates
SCOTLAND	101,292	2,252	145	1,848	21·7	17·8	39·6
COUNTIES OF CITIES	38,557	878	69	737	22·3	18·7	41·0
LARGE BURGHS	18,189	409	22	338	22·0	18·2	40·2
COUNTIES (ex. Counties of Cities and Large Burghs)	44,546	965	54	773	21·2	17·0	38·2
SMALL BURGHS	16,186	322	13	272	19·5	16·5	36·0
LANDWARD	28,360	643	41	501	22·2	17·3	39·4
NORTHERN DIVISION	16,800	317	26	262	18·5	15·3	33·8
EAST CENTRAL DIVISION	27,722	600	34	462	21·2	16·3	37·5
WEST CENTRAL DIVISION	52,512	1,235	78	1,050	23·0	19·5	42·5
SOUTHERN DIVISION	4,258	100	7	74	22·9	17·0	39·9
ABERDEEN COUNTY	5,673	113	11	78	20	13	33
Aberdeen County of City	3,280	69	5	46	21	14	34
Remainder of County	2,393	44	6	32	18	13	31
ANGUS COUNTY	5,313	95	8	78	18	14	32
Dundee County of City	3,744	68	7	59	18	15	33
Arbroath Burgh	387	4	—	3	10	8	18
Remainder of County	1,182	23	1	16	19	13	32
ARGYLL COUNTY	895	20	4	27	22	30	51
AYR COUNTY	6,633	138	7	124	20	18	39
Ayr Burgh	819	19	1	17	23	20	43
Kilmarnock Burgh	1,035	22	2	21	21	20	41
Remainder of County	4,779	97	4	86	20	18	38
BANFF COUNTY	861	26	4	14	29	16	45
BERWICK COUNTY	291	8	—	3	27	10	37
BUTE COUNTY	201	2	—	2	10	10	20
CAITHNESS COUNTY	593	14	1	2	23	3	26
CLACKMANNAN COUNTY	793	19	2	12	23	15	38
DUMFRIES COUNTY	1,638	38	4	29	23	17	40
Dumfries Burgh	521	10	—	13	19	24	43
Remainder of County	1,117	28	4	16	24	14	38
DUNBARTON COUNTY	3,789	85	5	63	22	16	38
Clydebank Burgh	1,088	29	2	19	26	17	43
Dumbarton Burgh	576	14	2	9	24	15	39
Remainder of County	2,125	42	1	35	19	16	36
EAST LOTHIAN COUNTY	921	24	—	17	25	18	43

**Table 18. Number of Stillbirths and Neo-Natal Deaths
in Counties of Cities, Large Burghs and Counties of Scotland 1960—continued.**

Counties of Cities Large Burghs, and Counties	Living Births	Stillbirths		Neo- natal Deaths	Rate per 1,000 Total Births		
		Total	Illegiti- mate		Still- births	Neo- natal Deaths	Com- bined Rates
FIFE COUNTY	6,011	137	5	105	22	17	39
Dunfermline Burgh	913	21	1	14	22	15	37
Kirkcaldy Burgh	874	24	1	7	27	8	35
Remainder of County	4,224	92	3	84	21	19	41
INVERNESS COUNTY	1,448	32	2	15	22	10	32
Inverness Burgh	539	17	2	3	31	5	36
Remainder of County	909	15	—	12	16	13	29
KINCARDINE COUNTY	427	2	—	8	5	19	23
KINROSS COUNTY	110	3	—	1	27	9	35
KIRKCUDBRIGHT COUNTY	548	13	1	8	23	14	37
LANARK COUNTY	35,173	842	58	734	23	20	44
Glasgow County of City	23,090	575	45	494	24	21	45
Airdrie Burgh	791	16	2	16	20	20	40
Coatbridge Burgh	1,381	27	1	32	19	23	42
Hamilton Burgh	897	20	—	23	22	25	47
Motherwell etc. Burgh	1,517	24	2	31	16	20	36
Rutherglen Burgh	529	13	1	7	24	13	37
Remainder of County	6,968	167	7	131	23	18	42
MIDLOTHIAN COUNTY	10,690	212	15	176	19	16	36
Edinburgh County of City	8,443	166	12	138	19	16	35
Remainder of County	2,247	46	3	38	20	17	37
MORAY COUNTY	1,038	17	1	8	16	8	24
NAIRN COUNTY	140	4	—	2	28	14	42
ORKNEY COUNTY	294	2	—	6	7	20	27
PEEBLES COUNTY	210	—	—	2	—	10	10
PERTH COUNTY	2,126	35	1	53	16	25	41
Perth Burgh	738	12	—	14	16	19	35
Remainder of County	1,388	23	1	39	16	28	44
RENFREW COUNTY	6,917	170	8	129	24	18	42
Greenock Burgh	1,659	41	—	44	24	26	50
Paisley Burgh	2,108	52	3	30	24	14	38
Port Glasgow Burgh	520	20	1	12	37	22	59
Remainder of County	2,630	57	4	43	21	16	37
ROSS AND CROMARTY Co.	943	10	1	21	10	22	33
ROXBURGH COUNTY	665	13	—	14	19	21	40
SELKIRK COUNTY	328	8	—	2	24	6	30
STIRLING COUNTY	3,701	92	3	66	24	17	42
Falkirk Burgh	733	13	—	14	17	19	36
Stirling Burgh	564	11	1	9	19	16	35
Remainder of County	2,404	68	2	43	28	17	45
SUTHERLAND COUNTY	196	5	—	—	25	—	25
WEST LOTHIAN COUNTY	1,862	48	2	27	25	14	39
WIGTOWN COUNTY	578	20	2	16	33	27	60
ZETLAND COUNTY	286	5	—	6	17	21	38

Table 19. Stillbirths by Age of Mother and Number of Previous Children, Scotland, 1960.

Number of Previous Children (Present or any Previous Husband)	All Ages	Rate per 1,000 Births	Age of Mother						50 and over	Not stated
			Under 20	20-	25-	30-	35-	40-	45-	
None	754	22	91	325	189	101	36	12	—	—
1	437	15	11	124	150	90	40	21	1	—
2	333	19	4	52	119	91	57	9	1	—
3	208	23	—	19	53	61	55	18	2	—
4	135	29	—	4	25	51	39	13	3	—
5	82	33	—	—	14	28	33	7	—	—
6	57	40	—	—	12	20	16	8	1	—
7	41	51	—	—	2	13	14	10	2	—
8	20	46	—	—	—	6	5	9	—	—
9	18	79	—	—	—	3	8	4	3	—
10 and over	22	83	—	—	—	2	7	13	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
All Legitimate Stillbirths	2,107	21.3	106	524	564	466	310	124	13	—
All Illegitimate Stillbirths	145	31.8	*33	38	29	19	16	5	1	4
ALL STILLBIRTHS	2,252	21.7	139	562	593	485	326	129	14	4
Stillbirths per 1,000 Total Births (including Stillbirths)—										
Legitimate	21.3	—	20	17	18	24	31	50	77	—
Illegitimate	31.8	—	37	26	32	29	35	36	111	—
All Births	21.7	—	23	18	18	24	31	49	79	—

*Including one aged 15.

Table 20. Multiple Confinements by Age of Mother (all Births, live and still), Scotland, 1960.

	Live Births		Stillbirths		Total	Legitimate	Illegitimate	Age of Mother						50 and over	Not stated	
	Male	Female	Male	Female				Under 20	20—24	25—29	30—34	35—39	40—44			45—49
Twin Births .	2	—	—	—	344	329	15	17 (2)	77 (3)	103 (2)	89 (5)	51 (2)	7 (1)	—	—	
	1	1	—	—	436	413	23	10 (2)	85 (6)	138 (3)	107 (5)	88 (7)	8	—	—	
	—	2	—	—	372	359	13	17 (1)	96 (4)	104 (3)	93 (2)	49 (3)	13	—	—	
	1	—	1	—	20	20	—	1	4	4	4	2	—	—	—	
	1	—	—	1	11	9	2	—	—	6 (2)	4	1	—	—	—	
Triplet Births	—	1	—	—	9	9	—	—	1	4	—	4	—	—	—	
	—	1	—	—	19	17	2	—	3	4	5 (1)	4 (1)	3	—	—	
	—	—	—	—	15	15	—	—	5	6	3	1	—	—	—	
	—	—	—	—	2	2	—	—	—	—	1	1	—	—	—	
	—	—	1	—	9	9	—	1	2	1	3	1	1	—	—	
Quadruplet Births	3	—	—	—	4	3	1	—	1	2	1 (1)	—	—	—	—	
	2	1	—	—	1	1	—	—	—	—	1	—	—	—	—	
	1	2	—	—	3	2	1	—	—	—	1	2 (1)	—	—	—	
	—	3	—	—	2	2	—	—	1	—	1	1	—	—	—	
	1	1	—	—	2	2	—	—	—	—	1	—	1	—	—	
Twin Confinements. Triplet Confinements Quadruplet Confinements .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
All Multiple Confinements Illegitimate only . All mothers . Percentage of mothers who had multiple births	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

NOTE.—The total in each group includes the illegitimate births which are also shown separately in brackets.

Table 21. Stillbirths, 1960—Cause, with Age of Mother.

Inter- national Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother										
			All Ages	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated	
	ALL CAUSES	B.S. M. F.	2,252 1,141 1,111	139 74 65	562 305 257	593 282 311	485 245 240	326 170 156	129 56 73	14 8 6	- - -	4 1 3	
	Sex not stated		-	-	-	-	-	-	-	-	-	-	
	Chronic Disease in mother	M. F.	30 31	1 1	5 7	9 8	4 5	6 7	5 2	- 1	- -	- -	
30.0	Syphilis	M F.	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	
30.1	Tuberculosis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
30.2	Diabetes	M. F.	8 7	1 -	3 3	2 1	1 2	- -	1 1	- -	- -	- -	
30.3	Chronic diseases of circulatory system	M. F.	11 18	- -	1 3	1 6	2 1	3 6	4 1	- 1	- -	- -	
30.4	Chronic disease of genito-urinary system	M. F.	4 1	- -	1 -	2 -	- 1	1 -	- -	- -	- -	- -	
30.5	Other chronic disease	M. F.	7 4	- 1	- 1	4 -	1 2	2 -	- -	- -	- -	- -	
	Acute disease in mother	M. F.	4 3	- -	- -	2 2	1 1	1 -	- -	- -	- -	- -	
31.1	Influenza	M. F.	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	
31.2	Pneumonia	M. F.	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	
31.3	Other acute respiratory disease	M. F.	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	
31.0, 31.4	Other acute disease or condition	M. F.	3 1	- -	- -	2 1	1 -	- -	- -	- -	- -	- -	
	Diseases and conditions of pregnancy and childbirth	M. F.	101 84	9 4	29 20	24 21	19 22	18 9	2 8	- -	- -	- -	
32.1	Ectopic gestation	M. F.	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	
32.3a	Eclampsia and pre-eclampsia	M. F.	91 76	9 4	25 18	24 20	19 19	12 9	2 6	- -	- -	- -	
32.3b	Nephritic toxæmia	M. F.	3 -	- -	1 -	- -	- -	2 -	- -	- -	- -	- -	
32.3c	Toxæmia not stated	M. F.	4 1	- -	- -	- -	1 -	4 -	- -	- -	- -	- -	
32.4a	Acute yellow atrophy of liver	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
32.4b	Hyperemesis gravidarum	M. F.	- 2	- -	- 2	- -	- -	- -	- -	- -	- -	- -	
32.5a	Pyelitis	M. F.	1 1	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	
32.5b	Infection	M. F.	2 3	- -	2 -	- 1	- 2	- -	- -	- -	- -	- -	
33	Absorption of toxic substance from mother	M. F.	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	
	Difficult Labour	M. F.	98 71	6 5	30 16	15 20	28 18	17 10	2 2	- -	- -	- -	
34.0a	Abnormality of bones of pelvis with immaturity	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 21—continued

Inter-national Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother									
			All Ages	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated
	<i>Difficult Labour—continued</i>											
34.0b	Abnormality of bones of pelvis without immaturity	M. F.	3	—	1	—	1	1	—	—	—	—
34.1a	Disproportion with immaturity	M. F.	21 9	1 2	9 —	2 1	5 3	4 2	— 1	—	—	—
34.1b	Disproportion without immaturity	M. F.	18 7	—	3 3	5 2	5 1	5 1	—	—	—	—
34.2a	Malposition of foetus, with immaturity	M. F.	6 4	1 1	2 —	1 1	1 1	1 1	—	—	—	—
34.2b	Malposition of foetus, without immaturity	M. F.	22 31	3 2	8 7	3 12	6 6	1 3	1 1	—	—	—
34.3a	Abnormality of forces of labour, with immaturity	M. F.	2 —	—	1 —	1 —	—	—	—	—	—	—
34.3b	Abnormality of forces of labour, without immaturity	M. F.	7 4	—	2 2	1 1	4 1	—	—	—	—	—
34.4a	Operative delivery, with immaturity	M. F.	—	—	—	—	—	—	—	—	—	—
34.4b	Operative delivery, without immaturity	M. F.	1 —	—	1 —	—	—	—	—	—	—	—
34.5a	Abnormality of organs or tissues of pelvis with immaturity	M. F.	— 1	—	—	—	1 —	—	—	—	—	—
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	M. F.	1 —	—	—	—	— 1	—	—	—	—	—
34.6a	Difficult labour without mention of condition, but with immaturity	M. F.	—	—	—	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of condition, and without immaturity	M. F.	20 12	1 —	4 3	2 3	7 4	5 2	1 —	—	—	—
	Other causes in Mother	M. F.	5 8	1 1	— 2	— 2	1 1	1 1	2 1	—	—	—
35.0	Fall	M. F.	1 1	—	— 1	—	—	—	1 —	—	—	—
32.0, 35.1	Other accident or violence	M. F.	1 1	—	—	1 —	—	—	1 —	—	—	—
35.2	Over-exertion	M. F.	—	—	—	—	—	—	—	—	—	—
35.3	Other and ill-defined causes in mother	M. F.	3 6	1 1	— 1	— 1	1 1	1 1	— 1	—	—	—
	Placental and cord conditions	M. F.	428 336	26 14	113 71	112 94	92 75	57 58	23 22	5 2	—	—
36.0a	Prolapse of cord	M. F.	44 42	2 1	8 5	11 12	14 9	6 10	3 4	— 1	—	—
36.0b	Torsion of cord	M. F.	55 50	1 2	15 10	19 14	13 14	6 9	— 1	1 —	—	—
36.1, 36.3	Placenta prævia	M. F.	8 12	— 1	— 2	3 5	4 2	1 2	—	—	—	—
32.2	Accidental hæmorrhage	M. F.	189 125	15 4	51 29	44 32	38 31	29 20	10 8	2 1	—	—
36.2, 36.4	Other hæmorrhage	M. F.	15 11	1 —	4 2	4 2	2 1	2 5	2 1	—	—	—
36.5	Placental infarct	M. F.	53 42	3 5	14 6	14 14	8 6	9 5	5 6	—	—	—
36.6	Others of placenta and cord	M. F.	64 54	4 1	21 17	17 15	13 12	4 7	3 2	2 —	—	—

Table 21—continued.

Inter- national Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother									
			All Ages	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated
37a	Birth injury	M.	36	3	15	3	3	8	4	-	-	-
		F.	29	-	6	5	12	3	3	-	-	-
37b	Birth injury with immaturity	M.	2	1	1	-	-	-	-	-	-	-
		F.	1	-	-	1	-	-	-	-	-	-
37b	Birth injury without immaturity	M.	34	2	14	3	3	8	4	-	-	-
		F.	28	-	6	4	12	3	3	-	-	-
	Congenital malformation of fetus	M.	192	10	63	54	33	28	4	-	-	-
		F.	334	31	95	94	63	33	16	2	-	-
38.0	Anencephalus	M.	86	2	27	26	12	17	2	-	-	-
		F.	219	18	64	62	41	24	10	-	-	-
38.1	Hydrocephalus	M.	60	5	21	18	11	5	-	-	-	-
		F.	58	8	15	12	12	5	1	-	-	-
38.2	Spina bifida	M.	15	2	5	3	5	-	-	-	-	-
		F.	11	1	2	4	3	1	-	-	-	-
38.3	Other malformations of the central nervous system	M.	1	-	-	-	-	1	-	-	-	-
		F.	13	1	3	3	3	2	1	-	-	-
38.4	Malformation of the cardiovascular system	M.	5	1	2	2	-	-	-	-	-	-
		F.	3	1	2	-	-	-	-	-	-	-
38.5	Malformation of other specified system	M.	8	-	3	1	2	2	1	-	-	-
		F.	15	-	5	7	1	-	-	1	-	-
38.6	Monster	M.	2	-	1	-	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-
38.7	Other and unspecified malformations	M.	15	-	4	4	3	3	1	-	-	-
		F.	15	2	4	6	2	1	-	-	-	-
	Diseases of fetus and ill-defined causes	M.	246	18	50	62	64	34	14	3	-	1
		F.	215	9	40	65	43	35	19	1	-	3
39.2	Erythroblastosis (Rhesus Factor)	M.	51	-	11	19	9	11	1	-	-	-
		F.	43	-	5	14	12	8	4	-	-	-
39.0 39.1, 39.3	Other diseases of fetus	M.	-	-	-	-	-	-	-	-	-	-
		F.	1	-	-	-	1	-	-	-	-	-
39.4	Maceration	M.	54	7	8	13	15	6	5	-	-	-
		F.	34	1	9	11	7	4	1	1	-	-
39.5a	Premature birth (cause not stated)	M.	19	1	8	5	2	1	1	1	-	-
		F.	16	1	2	5	1	4	3	-	-	-
39.5b	Debility	M.	2	-	-	-	1	1	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-
39.5c	Asphyxia	M.	61	5	13	18	15	8	1	1	-	-
		F.	66	6	16	15	10	11	8	-	-	-
39.5d	Atelectasis	M.	18	3	4	2	7	1	1	-	-	-
		F.	11	-	2	3	4	2	-	-	-	-
39.5e	Other ill-defined	M.	5	-	2	1	2	-	-	-	-	-
		F.	9	-	2	3	1	-	2	-	-	1
39.6	Cause unknown	M.	36	2	4	4	13	6	5	1	-	1
		F.	35	1	4	14	7	6	1	-	-	2
	Sex not stated		-	-	-	-	-	-	-	-	-	-

Table 21A. Stillbirths by Cause of Death and Sex, 1950 to 1960—Scotland.

Inter- national Nos. (Y30-Y39)	Cause of Death.	Sex	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	ALL CAUSES	B.S.	2,252	2,252	2,324	2,378	2,329	2,330	2,401	2,308	2,430	2,479	2,557
		M.	1,141	1,120	1,176	1,195	1,170	1,229	1,243	1,197	1,249	1,292	1,319
		F.	1,111	1,130	1,147	1,183	1,156	1,098	1,157	1,107	1,180	1,186	1,237
	Sex not stated		—	2	1	—	3	3	1	4	1	1	1
	Chronic disease in mother	{ M.	30	35	22	29	27	41	28	26	35	45	29
		{ F.	31	28	18	27	29	23	16	20	30	19	28
30.0	Syphilis	{ M.	—	—	—	—	—	2	2	2	5	5	10
		{ F.	1	1	1	—	1	—	1	—	3	1	5
30.1	Tuberculosis	{ M.	—	1	—	—	1	2	—	2	—	—	2
		{ F.	—	—	—	3	1	—	1	2	—	2	1
30.2	Diabetes	{ M.	8	9	4	4	6	12	6	7	6	5	3
		{ F.	7	3	4	5	5	4	3	5	7	2	5
30.3	Chronic disease of circulatory system	{ M.	11	19	11	20	16	18	12	9	17	19	7
		{ F.	18	17	12	15	15	14	10	8	7	9	7
30.4	Chronic disease of genito-urinary system	{ M.	4	—	—	—	—	—	2	5	2	5	1
		{ F.	1	2	1	1	1	1	—	1	4	4	2
30.5	Other chronic disease	{ M.	7	9	7	5	4	7	6	1	5	11	6
		{ F.	4	2	—	3	6	4	1	4	9	1	8
	Acute disease in mother	{ M.	4	3	7	5	9	7	7	12	5	11	13
		{ F.	3	4	2	12	9	4	—	10	7	4	9
31.1	Influenza	{ M.	—	2	3	2	4	2	—	4	1	2	3
		{ F.	1	2	—	5	1	1	—	—	2	3	4
31.2	Pneumonia	{ M.	—	1	1	—	—	2	4	1	2	4	6
		{ F.	1	1	—	4	5	—	—	3	2	—	1
31.3	Other acute respiratory disease	{ M.	1	—	—	1	—	—	—	1	1	—	1
		{ F.	—	—	1	1	—	1	—	1	—	2	1
31.0 31.4	Other acute disease or condition	{ M.	3	—	3	2	5	3	3	6	1	3	—
		{ F.	1	1	1	2	3	2	—	2	3	1	3
	Diseases and conditions of pregnancy and childbirth	{ M.	101	94	110	113	100	87	116	121	109	142	124
		{ F.	84	94	100	105	107	83	116	96	90	113	94
32.1	Ectopic gestation	{ M.	—	—	—	1	—	—	—	—	—	1	—
		{ F.	—	—	—	—	—	—	—	1	—	1	—
32.3a	Eclampsia and pre-eclampsia	{ M.	91	84	97	102	86	75	106	96	100	118	96
		{ F.	76	88	93	87	93	69	99	80	73	94	80
32.3b	Nephritic toxæmia	{ M.	3	3	2	2	—	2	1	8	2	7	5
		{ F.	—	—	2	2	4	5	6	6	7	5	1
32.3c	Toxæmia not stated	{ M.	4	2	8	4	6	7	6	10	7	10	18
		{ F.	1	3	5	11	3	4	7	6	4	8	11
32.4a	Acute yellow atrophy of liver	{ M.	—	—	—	—	1	2	—	2	—	—	1
		{ F.	—	—	—	—	—	1	1	2	1	—	1
32.4b	Hyperemesis gravidarum	{ M.	—	—	1	1	1	—	—	—	—	—	1
		{ F.	2	1	—	—	—	1	—	—	1	2	1
32.5a	Pyelitis	{ M.	1	—	1	1	—	—	2	1	—	—	2
		{ F.	1	1	—	4	1	1	2	—	3	2	—
32.5b	Infection	{ M.	2	5	1	3	6	1	1	4	—	6	1
		{ F.	3	1	—	—	6	2	1	1	1	1	—
33	Absorption of toxic substance from mother	{ M.	1	—	—	—	—	1	—	1	—	1	—
		{ F.	—	—	—	—	—	2	2	—	—	—	—
	Difficult Labour	{ M.	98	111	99	134	127	136	169	140	158	203	225
		{ F.	71	98	73	85	100	93	110	108	130	141	178
		N.S.	—	—	—	—	—	—	—	—	—	—	—
34.0a	Abnormality of bones of pelvis with immaturity	{ M.	—	—	—	—	—	1	1	1	—	—	2
		{ F.	—	—	—	—	—	—	—	—	1	—	—

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 21A—continued

Inter-national Nos. (Y30-Y39)	Cause of Death	Sex	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
	<i>Difficult Labour—continued</i>												
34.0b	Abnormality of bones of pelvis without immaturity	M. F. N.S.	— 3 —	1 2 —	— 4 —	1 3 —	4 2 —	5 3 —	8 4 —	9 6 1	4 1 —	3 2 —	7 4 —
34.1a	Disproportion with immaturity	M. F.	21 9	11 13	4 5	15 9	10 13	10 5	12 7	2 4	4 7	9 5	1 11
34.1b	Disproportion without immaturity	M. F.	18 7	20 14	16 17	20 8	24 7	21 20	30 18	17 16	19 10	29 16	38 10
34.2a	Malposition of fœtus, with immaturity	M. F.	6 4	9 6	4 6	5 1	6 9	8 7	10 9	7 7	6 10	10 3	15 11
34.2b	Malposition of fœtus, without immaturity	M. F.	22 31	35 33	38 21	50 36	39 38	46 27	53 44	54 38	68 51	79 53	78 72
34.3a	Abnormality of forces of labour, with immaturity	M. F.	2 —	2 1	3 2	— 4	1 1	— 1	1 1	— 1	6 5	2 2	8 1
34.3b	Abnormality of forces of labour, without immaturity	M. F.	7 4	14 9	15 4	13 9	14 12	9 7	24 8	22 23	33 35	36 31	48 42
34.4a	Operative delivery, with immaturity	M. F.	— —	— —	1 —	— —	— —	— 1	— 1	— —	1 —	— —	— —
34.4b	Operative delivery, without immaturity	M. F.	1 —	3 3	1 2	2 3	4 1	9 7	1 5	5 2	3 2	13 10	6 7
34.5a	Abnormality of organs or tissues of pelvis with immaturity	M. F.	— 1	— —	— —	— —	— 1	— 1	— 1	— —	1 —	— —	2 —
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	M. F.	1 —	1 3	— 1	2 1	2 2	7 1	5 —	3 —	5 3	5 5	2 8
34.6a	Difficult labour without mention of condition, but with immaturity	M. F.	— —	— —	— —	1 —	— —	— —	1 —	2 1	1 —	— 4	2 3
34.6b	Difficult labour without mention of condition, and without immaturity	M. F.	20 12	15 14	17 11	26 10	23 15	19 15	22 12	18 10	8 4	16 10	8 7
	Other Causes in Mother	M. F. N.S.	5 8 —	5 5 —	3 11 —	7 8 —	12 6 1	13 7 —	16 16 —	25 6 —	9 10 —	12 16 —	8 16 —
35.0	Fall	M. F.	1 1	1 2	4 1	2 1	2 2	3 —	2 4	7 —	2 1	3 4	1 6
32.0, 35.1	Other accident or violence	M. F.	1 1	1 —	— 1	1 1	2 —	— —	3 2	3 1	1 1	1 1	2 —
35.2	Over-exertion	M. F.	— —	— —	1 —	— —	1 1	3 1	1 3	— —	2 1	1 3	4 4
35.3	Other and ill-defined causes in mother	M. F. N.S.	3 6 —	3 3 —	2 5 —	4 6 —	8 3	7 6	10 7 —	15 5 —	7 6	7 10	4 4
	Placental and cord conditions	M. F.	428 336	434 358	438 339	452 374	421 353	463 328	451 332	411 350	442 358	409 314	423 331
36.0a	Prolapse of cord	M. F.	44 42	55 42	60 41	55 39	58 49	71 51	71 43	74 53	79 51	65 45	69 50
36.0b	Torsion of cord	M. F.	55 50	55 57	55 52	56 62	49 59	65 56	63 63	65 62	73 62	62 46	57 46
36.1, 36.3	Placenta prævia	M. F.	8 12	13 10	12 3	11 8	4 14	18 19	19 13	17 14	33 29	38 34	40 36
32.2	Accidental hæmorrhage	M. F.	189 125	206 145	176 119	M218 F 161	192	203	197	158	161	169	168
36.2, 36.4	Other hæmorrhage	M. F.	15 11	15 12	14 19		129	120	141	124	130	117	124
36.5	Placental infarct	M. F.	53 42	36 44	55 47	53 48	57 57	52 46	61 46	69 58	66 57	47 43	57 53
36.6	Others of placenta and cord	M. F.	64 54	54 48	66 58	59 56	61 45	54 36	40 36	28 39	30 29	28 29	32 22

Table 21A—continued

Inter-national Nos (30-Y39)	Cause of Death	Sex	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
37a	Birth injury	M.	36	45	51	47	55	55	57	43	47	62	61
		F.	29	19	16	18	38	34	39	30	31	42	48
37b	Birth injury with immaturity	M.	2	2	2	2	3	3	1	—	5	4	6
		F.	1	1	2	2	2	2	6	—	1	3	4
37b	Birth injury without immaturity	M.	34	43	49	45	52	52	56	43	42	58	55
		F.	28	18	14	16	36	32	33	30	30	39	44
38.0	Congenital malformation of fetus	M.	192	176	178	171	170	193	172	181	191	167	174
		F.	334	318	359	342	331	306	309	295	327	309	286
38.0	Anencephalus	N.S.	—	1	1	—	2	3	1	3	1	—	1
		M.	86	92	93	70	71	77	69	70	68	61	63
38.1	Hydrocephalus	F.	219	215	237	219	205	189	207	181	193	181	161
		M.	60	53	43	63	55	72	52	70	73	71	64
38.1	Hydrocephalus	F.	58	43	71	61	71	69	54	64	60	66	71
		N.S.	—	—	—	—	—	1	—	—	—	—	—
38.2	Spina bifida	M.	15	5	6	9	7	9	11	8	7	10	10
		F.	11	20	19	26	18	15	11	17	28	22	17
38.2	Spina bifida	N.S.	—	—	—	—	—	—	—	—	—	—	—
38.3	Other malformations of the central nervous system	M.	1	5	4	8	11	6	7	9	12	6	5
		F.	13	16	9	10	12	10	9	8	12	7	8
38.4	Malformation of the cardiovascular system	M.	5	5	3	—	5	3	5	6	3	3	7
		F.	3	4	2	4	1	1	4	1	4	2	5
38.5	Malformation of other specified system	M.	8	4	16	7	9	10	11	7	8	8	10
		F.	15	7	5	11	9	8	11	3	13	11	8
38.5	Malformation of other specified system	N.S.	—	1	—	—	—	1	—	—	—	—	1
38.6	Monster	M.	2	1	2	1	1	1	1	1	2	—	1
		F.	—	2	1	1	1	—	4	4	1	2	—
38.6	Monster	N.K.	—	—	—	—	2	—	—	1	—	—	—
38.7	Other and unspecified malformations	M.	15	11	11	13	12	15	16	10	18	8	14
		F.	15	11	15	10	14	14	9	17	16	18	16
38.7	Other and unspecified malformations	N.S.	—	—	1	—	—	1	1	1	1	—	—
39.2	Diseases of fetus and ill-defined causes	M.	246	214	268	237	249	233	227	237	253	240	262
		F.	215	209	229	212	183	218	217	192	197	228	247
39.2	Erythroblastosis (Rhesus factor)	N.S.	—	1	—	—	—	—	—	—	—	1	—
		M.	51	49	57	48	54	35	46	44	40	38	35
39.0	Other diseases of fetus	F.	43	46	43	38	34	31	45	37	36	38	27
39.1, 39.3	Other diseases of fetus	M.	—	—	—	—	1	—	2	1	2	2	3
		F.	1	1	—	2	—	—	1	1	6	1	—
39.4	Maceration	M.	54	41	35	63	37	53	41	47	38	42	61
		F.	34	34	42	34	42	58	50	45	39	48	44
39.4	Maceration	N.S.	—	—	—	—	—	—	—	—	—	1	—
39.5a	Premature birth (cause not stated)	M.	19	17	22	15	30	21	22	24	35	16	35
		F.	16	13	25	19	14	21	17	17	16	25	30
39.5b	Debility	M.	2	1	1	1	2	4	1	9	7	11	6
		F.	—	2	3	1	1	2	3	5	8	4	2
39.5c	Asphyxia	M.	61	63	61	47	24	36	24	40	50	38	39
		F.	66	58	54	58	18	22	15	21	31	45	62
39.5d	Atelectasis*	M.	18	11	31	—	—	—	—	—	—	—	—
		F.	11	11	27	—	—	—	—	—	—	—	—
39.5e	Other ill-defined†	M.	5	4	8	53	90	77	71	53	40	46	31
		F.	9	6	6	45	68	75	73	53	38	40	35
39.6	Cause unknown	M.	36	28	53	10	11	7	20	19	41	47	52
		F.	35	38	29	15	6	9	13	13	23	27	47
39.6	Cause unknown	N.S.	—	1	—	—	—	—	—	—	—	—	—

*During the period 1950-1957 "Atelectasis" (unqualified) was classified to "Other ill-defined".

†During the period 1950-1957 "Death in utero" was classified to "Other ill-defined", but is now allocated to "Cause unknown."

Table 22. Stillbirths—Cause, by Order of Birth, including Children by any Previous Husband, Scotland, 1960.

Inter- national Nos. (Y30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)												Not stated	Illegitimate
			None	1	2	3	4	5	6	7	8	9	10 and over			
	ALL CAUSES	2,107	754	437	333	208	135	82	57	41	20	18	22	-	14	
	Chronic Disease in Mother	56	18	12	9	4	4	4	1	-	2	-	2	-	-	
30.0	Syphilis	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
30.1	Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30.2	Diabetes	13	6	1	2	2	1	-	1	-	-	-	-	-	-	
30.3	Chronic disease of circulatory system	28	9	6	5	1	2	2	-	-	2	-	1	-	-	
30.4	Chronic disease of genito-urinary system	5	2	1	-	-	-	1	-	-	-	-	1	-	-	
30.5	Other chronic disease	9	1	4	2	-	1	1	-	-	-	-	-	-	-	
	Acute Disease in Mother	3	1	1	1	-	-	-	-	-	-	-	-	-	-	
31.1	Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31.2	Pneumonia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31.3	Other acute respiratory disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31.0, 31.4	Other acute disease or condition	3	1	1	1	-	-	-	-	-	-	-	-	-	-	
	Diseases and Conditions of Preg- nancy and Childbirth	165	87	27	21	15	7	3	3	1	-	-	1	-	20	
32.1	Ectopic gestation	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
32.3a	Eclampsia and pre-eclampsia	147	80	21	20	13	6	3	3	1	-	-	-	-	20	
32.3b	Nephritic toxæmia	3	1	-	1	1	-	-	-	-	-	-	-	-	-	
32.3c	Toxæmia not stated	5	2	2	-	-	-	-	-	-	-	-	1	-	-	
32.4a	Acute yellow atrophy of liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32.4b	Hyperemesis gravidarum	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
32.5a	Pyelitis	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
32.5b	Infection	5	2	1	-	1	1	-	-	-	-	-	-	-	-	
33	Absorption of Toxic Substance from Mother	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Difficult Labour	160	69	26	25	18	5	3	5	6	2	1	-	-	9	
34.0a	Abnormality of bones of pelvis with immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
34.0b	Abnormality of bones of pelvis without immaturity	3	2	-	-	1	-	-	-	-	-	-	-	-	-	
34.1a	Disproportion with immaturity	30	14	9	3	2	-	-	2	-	-	-	-	-	-	
34.1b	Disproportion without immatur- ity	25	12	3	7	-	1	-	1	1	-	-	-	-	-	
34.2a	Malposition of fœtus, with im- maturity	8	5	1	2	-	-	-	-	-	-	-	-	-	2	
34.2b	Malposition of fœtus, without immaturity	50	20	6	7	8	2	2	2	1	1	1	-	-	3	
34.3a	Abnormality of forces of labour, with immaturity	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
34.3b	Abnormality of forces of labour, without immaturity	8	5	-	2	1	-	-	-	-	-	-	-	-	3	
34.4a	Operative delivery, with imma- turity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
34.4b	Operative delivery, without im- maturity	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
34.5a	Abnormality of organs or tissues of pelvis with immaturity	1	-	-	1	-	-	-	-	-	-	-	-	-	-	

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 22—continued.

International Nos. (30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)										Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over	
	Difficult Labour—continued													
34.5b	Abnormality of organs or tissues of pelvis, without immaturity .	1	—	—	—	—	—	—	—	1	—	—	—	—
34.6a	Difficult labour without mention of condition, but with immaturity .	—	—	—	—	—	—	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of condition, and without immaturity .	31	9	6	3	6	2	1	—	3	1	—	—	1
	Other Causes in Mother	13	5	2	2	1	—	1	1	—	—	—	1	—
35.0	Fall .	2	—	1	—	—	—	—	—	—	—	—	1	—
35.0, 35.1	Other accident or violence .	2	—	—	1	1	—	—	—	—	—	—	—	—
35.2	Over-exertion .	—	—	—	—	—	—	—	—	—	—	—	—	—
35.3	Other and ill-defined causes in mother .	9	5	1	1	—	—	1	1	—	—	—	—	—
	Placental and Cord Conditions	725	216	156	115	82	52	35	25	19	9	8	8	39
36.0a	Prolapse of cord .	83	16	23	12	6	7	7	5	4	1	—	2	3
36.0b	Torsion of cord .	99	32	23	20	6	8	4	3	2	—	—	1	6
36.1, 36.3	Placenta previa .	20	3	3	5	2	1	2	3	1	—	—	—	—
36.2	Accidental hæmorrhage .	297	87	54	47	43	20	16	7	9	5	5	4	17
36.2, 36.4	Other hæmorrhage .	24	6	8	1	4	—	1	2	—	2	—	—	2
36.5	Placental infarct .	89	28	14	15	12	8	4	5	2	—	1	—	6
36.6	Others of placenta and cord .	113	44	31	15	9	8	1	—	1	1	2	1	5
	Birth injury	64	33	9	8	3	4	2	1	—	2	2	—	1
37a	Birth injury with immaturity .	3	3	—	—	—	—	—	—	—	—	—	—	—
37b	Birth injury without immaturity .	61	30	9	8	3	4	2	1	—	2	2	—	1
	Congenital Malformation of Fetus	490	203	106	67	33	28	19	13	10	3	4	4	36
38.0	Anencephalus .	289	124	70	32	17	15	14	5	7	2	—	3	16
38.1	Hydrocephalus .	109	45	16	21	8	7	2	6	1	—	2	1	9
38.2	Spina bifida .	20	6	3	2	3	1	3	1	—	—	1	—	6
38.3	Other malformations of the central nervous system .	13	2	4	3	1	2	—	—	1	—	—	—	1
38.4	Malformation of the cardiovascular system .	8	6	1	1	—	—	—	—	—	—	—	—	—
38.5	Malformation of other specified system .	21	7	5	5	1	2	—	—	—	—	1	—	2
38.6	Monster .	2	1	1	—	—	—	—	—	—	—	—	—	—
38.7	Other and unspecified malformations .	28	12	6	3	3	1	—	1	1	1	—	—	2
	Diseases of Fetus and Ill-Defined Causes	430	122	97	85	52	35	15	8	5	2	3	6	31
39.2	Erythroblastosis (Rhesus factor) .	92	5	17	28	20	11	8	2	—	—	—	1	2
39.0, 39.3	Other diseases of fetus .	1	—	—	—	1	—	—	—	—	—	—	—	—
39.4	Maceration .	82	26	22	11	9	7	1	3	1	1	—	1	6
39.5a	Premature birth (cause not stated) .	32	10	9	5	1	2	2	1	1	—	—	1	3
39.5b	Debility .	2	—	—	1	1	—	—	—	—	—	—	—	—
39.5c	Asphyxia .	116	53	21	17	10	7	2	2	1	—	1	2	11
39.5d	Atelectasis .	27	11	8	4	1	2	—	—	—	1	—	—	2
39.5e	Other ill-defined .	12	2	5	2	—	1	1	—	1	—	—	—	2
39.6	Cause unknown .	66	15	15	17	9	5	1	—	1	—	2	1	5

Table 23. Stillbirths—Cause by Month of Registration, Scotland, 1960

Inter- national Nos. (Y30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	ALL CAUSES	2,252	229	185	211	179	200	175	193	204	175	161	168	172
	Legitimate	2,107	213	177	197	167	183	164	183	194	165	152	156	156
	Illegitimate	145	16	8	14	12	17	11	10	10	10	9	12	16
	Rates per 1,000 total births	22	27	22	23	20	22	20	22	23	21	18	21	20
	Chronic Disease in Mother	61	4	6	5	6	8	4	4	3	10	4	1	6
30.0	Syphilis	1	1	—	—	—	—	—	—	—	—	—	—	—
30.1	Tuberculosis	—	—	—	—	—	—	—	—	—	—	—	—	—
30.2	Diabetes	15	—	2	2	—	3	1	1	—	2	1	1	2
30.3	Chronic disease of circulatory system	29	3	2	1	—	2	3	3	3	7	3	—	2
30.4	Chronic disease of genito-urinary system	5	—	1	—	2	2	—	—	—	—	—	—	—
30.5	Other chronic disease	11	—	1	2	4	1	—	—	—	1	—	—	2
	Acute Disease in Mother	7	1	2	2	—	—	—	—	1	—	—	1	—
31.1	Influenza	1	—	—	—	—	—	—	—	—	—	—	1	—
31.2	Pneumonia	1	—	1	—	—	—	—	—	—	—	—	—	—
31.3	Other acute respiratory disease	1	—	—	—	—	—	—	—	1	—	—	—	—
31.0, 31.4	Other acute disease or condition	4	1	1	2	—	—	—	—	—	—	—	—	—
	Diseases and Conditions of Pregnancy and Childbirth	185	20	21	16	21	19	8	7	17	19	11	13	13
32.1	Ectopic gestation	1	—	—	—	—	—	—	—	1	—	—	—	—
32.3a	Eclampsia and pre-eclampsia	167	20	21	16	20	18	8	7	11	15	10	12	9
32.3b	Nephritic toxæmia	3	—	—	—	—	1	—	—	—	1	—	—	1
32.3c	Toxæmia not stated	5	—	—	—	1	—	—	—	2	1	1	—	—
32.4a	Acute yellow atrophy of liver	—	—	—	—	—	—	—	—	—	—	—	—	—
32.4b	Hyperemesis gravidarum	2	—	—	—	—	—	—	—	—	—	—	—	2
32.5a	Pyelitis	2	—	—	—	—	—	—	—	—	2	—	—	—
32.5b	Infection	5	—	—	—	—	—	—	—	3	—	—	1	1
33	Absorption of toxic substance from Mother	1	—	—	—	—	—	1	—	—	—	—	—	—
	Difficult Labour	169	27	10	18	12	11	12	11	14	12	16	11	15
34.0a	Abnormality of bones of pelvis with immaturity	—	—	—	—	—	—	—	—	—	—	—	—	—
34.0b	Abnormality of bones of pelvis without immaturity	3	—	—	—	—	—	1	—	—	—	—	—	1
34.1a	Disproportion with immaturity	30	5	3	5	—	2	3	2	1	3	3	1	3
34.1b	Disproportion without immaturity	25	6	2	1	2	—	2	2	1	—	5	2	2
34.2a	Malposition of fœtus, with immaturity	10	2	—	—	1	—	1	1	2	1	—	1	1
34.2b	Malposition of fœtus, without immaturity	53	7	2	10	5	3	1	4	6	2	5	3	5
34.3a	Abnormality of forces of labour, with immaturity	2	1	—	—	—	—	—	—	—	1	—	—	—
34.3b	Abnormality of forces of labour, without immaturity	11	2	1	—	2	3	1	—	1	—	—	—	1
34.4a	Operative delivery, with immaturity	—	—	—	—	—	—	—	—	—	—	—	—	—
34.4b	Operative delivery, without immaturity	1	—	1	—	—	—	—	—	—	—	—	—	—
34.5a	Abnormality of organs or tissues of pelvis with immaturity	1	—	—	—	—	—	—	—	—	—	—	—	—
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	1	—	—	—	—	—	—	1	—	—	—	—	—
34.6a	Difficult labour without mention of condition, but with immaturity	—	—	—	—	—	—	—	—	1	—	—	—	—
34.6b	Difficult labour without mention of condition, and without immaturity	32	4	1	2	2	3	3	1	2	5	3	4	2

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 23—continued

Inter- national Nos. (Y30-Y39)	Cause of Death.	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	Other Causes in Mother	13	2	1	-	1	-	1	1	5	2	-	-	-
35.0	Fall	2	1	-	-	-	-	1	-	-	-	-	-	-
35.1	Other accident or violence	2	-	-	-	-	-	-	-	1	1	-	-	-
35.2	Over-exertion	-	-	-	-	-	-	-	-	-	-	-	-	-
35.3	Other and ill-defined causes in mother	9	1	1	-	1	-	-	1	4	1	-	-	-
	Placental and Cord Conditions	764	64	69	73	61	59	76	82	79	50	42	56	53
36.0a	Prolapse of cord	86	6	9	8	3	9	13	12	7	3	4	5	7
36.0b	Torsion of cord	105	4	14	13	6	10	4	10	15	8	6	8	7
36.1, 36.3	Placenta prævia	20	2	2	1	3	1	4	-	2	-	1	3	1
36.2	Accidental hæmorrhage	314	32	23	29	28	23	30	29	33	23	20	28	16
36.2, 36.4	Other hæmorrhage	26	-	4	1	2	-	4	6	2	3	-	-	4
36.5	Placental infarct	95	7	5	10	4	11	12	12	6	3	4	8	13
36.6	Others of placenta and cord	118	13	12	11	15	5	9	13	14	10	7	4	5
	Birth Injury	65	7	4	6	4	6	2	4	6	4	7	8	7
37a	Birth injury with immaturity	3	-	-	-	-	-	-	1	-	-	-	2	-
37b	Birth injury without immaturity	62	7	4	6	4	6	2	3	6	4	7	6	7
	Congenital Malformation of Fetus	526	52	25	49	41	52	35	47	46	49	42	44	44
38.0	Anencephalus	305	27	14	27	24	29	19	33	29	24	24	26	29
38.1	Hydrocephalus	118	13	5	15	10	10	6	11	9	13	8	5	13
38.2	Spina bifida	26	2	2	3	2	5	3	-	2	4	2	1	-
38.3	Other malformations of the central nervous system	14	1	-	-	1	1	1	-	1	2	1	6	-
38.4	Malformation of the cardiovascular system	8	-	3	-	-	-	-	-	1	1	1	1	1
38.5	Malformation of other specified system	23	5	-	1	2	2	5	-	-	1	3	3	1
38.6	Monster	2	-	-	1	-	-	-	-	-	1	-	-	-
38.7	Other and unspecified malformations	30	4	1	2	2	5	1	3	4	3	3	2	-
	Diseases of Fetus and Ill-Defined Causes	461	52	47	42	33	45	36	37	33	29	39	34	34
39.2	Erythroblastosis (Rhesus factor)	94	13	11	5	3	14	7	4	5	10	8	5	9
39.0 } 9.1, 39.3 }	Other diseases of fetus	1	-	-	-	-	-	-	-	-	-	-	1	-
39.4	Maceration	88	13	8	10	8	6	4	5	3	8	9	8	6
39.5a	Premature birth (cause not stated)	35	1	2	3	3	3	5	4	3	2	1	2	6
39.5b	Debility	2	-	-	-	-	-	-	-	-	-	-	-	1
39.5c	Asphyxia	127	15	10	10	6	13	12	10	15	5	11	12	8
39.5d	Atelectasis	29	-	2	2	6	2	3	4	1	2	4	-	3
39.5e	Other ill-defined	14	1	1	3	-	-	-	6	-	-	2	-	1
39.6	Cause unknown	71	9	13	9	7	6	5	4	6	2	4	6	-

Table 23A. Place of occurrence of Stillbirths by Cause, Scotland, 1960.

International Nos. (Y30-Y39)	Cause of Death	Total	At Home	In Institutions
	ALL CAUSES	2,252	334	1,918
	Chronic Disease in Mother	61	8	53
30.0	Syphilis	1	1	—
30.1	Tuberculosis	—	—	—
30.2	Diabetes	15	—	15
30.3	Chronic disease of circulatory system	29	5	24
30.4	Chronic disease of genito-urinary system	5	2	3
30.5	Other chronic disease	11	—	11
	Acute Disease in Mother	7	1	6
31.1	Influenza	1	—	1
31.2	Pneumonia	1	—	1
31.3	Other acute respiratory disease	1	—	1
31.0, 31.4	Other acute disease or condition	4	1	3
	Diseases and Conditions of Pregnancy and Childbirth	185	8	177
32.1	Ectopic gestation	1	—	1
32.3a	Eclampsia and pre-eclampsia	167	7	160
32.3b	Nephritic toxæmia	3	1	2
32.3c	Toxæmia not stated	5	—	5
32.4a	Acute yellow atrophy of liver	—	—	—
32.4b	Hyperemesis gravidarum	2	—	2
32.5a	Pyelitis	2	—	2
32.5b	Infection	5	—	5
33	Absorption of Toxic Substance from Mother	1	1	—
	Difficult Labour	169	40	129
34.0a	Abnormality of bones of pelvis with immaturity	—	—	—
34.0b	Abnormality of bones of pelvis without immaturity	3	—	3
34.1a	Disproportion with immaturity	30	5	25
34.1b	Disproportion without immaturity	25	5	20
34.2a	Malposition of fœtus, with immaturity	10	3	7
34.2b	Malposition of fœtus, without immaturity	53	16	37
34.3a	Abnormality of forces of labour, with immaturity	2	1	1
34.3b	Abnormality of forces of labour, without immaturity	11	5	6
34.4a	Operative delivery, with immaturity	—	—	—
34.4b	Operative delivery, without immaturity	1	—	1
34.5a	Abnormality of organs or tissues of pelvis with immaturity	1	—	1
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	1	—	1
34.6a	Difficult labour without mention of condition, but with immaturity	—	—	—
34.6b	Difficult labour without mention of condition, and without immaturity	32	5	27
	Other Causes in Mother	13	7	6
35.0	Fall	2	2	—
32.0, 35.1	Other accident or violence	2	1	1
35.2	Over-exertion	—	—	—
35.3	Other and ill-defined causes in mother	9	4	5
	Placental and Cord Conditions	764	125	639
36.0a	Prolapse of cord	86	19	67
36.0b	Torsion of cord	105	30	75
36.1, 36.3	Placenta prævia	20	2	18
32.2	Accidental hæmorrhage	314	15	299
36.2, 36.4	Other hæmorrhage	26	11	15
36.5	Placental infarct	95	33	62
36.6	Others of placenta and cord	118	15	103
	Birth Injury	65	4	61
37a	Birth injury with immaturity	3	1	2
37b	Birth injury without immaturity	62	3	59
	Congenital Malformation of Fœtus	526	72	454
38.0	Anencephalus	305	27	278
38.1	Hydrocephalus	118	22	96
38.2	Spina bifida	26	6	20
38.3	Other malformations of the central nervous system	14	3	11
38.4	Malformation of the cardiovascular system	8	2	6
38.5	Malformation of other specified system	23	4	19
38.6	Monster	2	—	2
38.7	Other and unspecified malformations	30	8	22
	Diseases of Foetus and Ill-Defined Causes	461	68	393
39.2	Erythroblastosis (Rhesus factor)	94	4	90
39.0, 39.1, 39.3	Other diseases of fœtus	1	—	1
39.4	Maceration	88	14	74
39.5a	Premature birth (cause not stated)	35	12	23
39.5b	Debility	2	2	—
39.5c	Asphyxia	127	6	121
39.5d	Atelectasis	29	6	23
39.5e	Other ill-defined	14	6	8
39.6	Cause unknown	71	18	53

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only

Inter-national Nos. (Y30-Y39)	Cause of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Blackmanman Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dumbarton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kintross Co.	Kirkcud-bright Co.	
	ALL CAUSES	2,252	69	44	68	4	23	20	19	22	97	26	8	2	14	19	10	28	29	14	42	24	21	24	92	17	15	2	3	13	
30.0	Chronic Disease in Mother	61	3	-	1	1	1	1	2	2	1	-	-	-	-	-	-	-	2	-	2	-	1	1	1	1	-	-	-	-	
30.1	Syphilis	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30.2	Tuberculosis	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	
30.3	Diabetes	29	1	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
30.4	Chronic disease of circulatory system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30.5	Chronic disease of genito-urinary system	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Other chronic disease	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Acute Disease in Mother	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
31.1	Influenza	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31.2	Pneumonia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31.3	Other acute respiratory disease	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31.4	Other acute disease or condition	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	Diseases and Conditions of Pregnancy and Childbirth	185	5	7	2	-	2	3	-	-	12	4	-	-	-	2	-	2	5	-	4	1	1	1	10	1	-	-	-	-	-
32.1	Ectopic gestation	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32.3a	Eclampsia and pre-eclampsia	167	4	6	2	-	1	3	-	-	11	3	-	-	-	2	-	2	5	-	4	1	-	1	9	1	-	-	-	-	-
32.3b	Nephritic toxemia	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32.3c	Toxamia not stated	5	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32.4a	Acute yellow atrophy of liver	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32.4b	Hyperemesis gravidarum	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32.5a	Pyelitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32.5b	Infection	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
33	Absorption of toxic substance from Mother	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
34.0a	Difficult Labour	169	5	11	4	-	1	5	-	-	3	1	1	1	1	2	-	3	3	1	5	1	2	1	4	1	-	-	-	-	-
34.0b	Abnormality of bones of pelvis with immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.0b	Abnormality of bones of pelvis without immaturity	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
34.1a	Disproportion with immaturity	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.1b	Disproportion without immaturity	25	1	2	1	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
34.2a	Malposition of fetus, with immaturity	10	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
34.2b	Malposition of fetus, without immaturity	53	-	3	-	-	1	3	-	-	2	-	1	-	1	-	-	-	1	1	1	-	1	-	-	3	1	-	-	-	-
34.3a	Abnormality of forces of labour, with immaturity	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.3b	Abnormality of forces of labour, without immaturity	11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
34.4a	Operative delivery, with immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.4b	Operative delivery, without immaturity	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.5a	Abnormality of organs or tissues of pelvis with immaturity	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE — Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International Yearbook of Statistics.

Table 24. Causes of Stillbirths in the Public Health Districts of Scotland, 1960—continued

Inter-national Nos. (Y30-Y39)	Cause of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Bervick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dumbarton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kintross Co.	Kirkcudbright Co.	
	<i>Difficult Labour—continued</i>																														
34.6a	Difficult labour without mention of condition, but with immaturity		-																												
34.6b	Difficult labour without mention of condition, and without immaturity	32	3	3	2																										
35.0	Other Causes in Mother	13	1																												
35.1	Fall	2																													
35.2	Other accident or violence	2																													
35.3	Over-exertion	9	1																												
	Other and ill-defined causes in mother																														
36.0a	Placental and Cord Conditions	764	23	12	29	4	11	6	7	11	39	13	1			6	9	4	4	9	5	17	7	3	10	36	6	10		2	7
36.0b	Protrusion of cord	86	3	3	5	1	2	1	1	1	1	3																			
36.1, 36.3	Torsion of cord	105	3	3	1	1	2	1	1	1	4	2					1	1	1	2		3	1	1	2	3	1	4			
36.2, 36.4	Placenta previa	20	1																												
36.2, 36.4	Accidental haemorrhage	314	12	4	9	1	2	1	1	3	21	2	1			1	5	2	5	4	12	4	2	3	12	1	3		1	1	
36.5	Other haemorrhage	26	2																												
36.5	Placental infarct	95	2	5	1	1	2	2	1	1	7	4				2	1	2	1	2	1	2	2	1	1	6	2	1	1	1	
36.6	Others of placenta and cord	118	2	12	1	1	1					2				2											8	2		1	3
37a	Birth Injury	65		2	1							1				1											4	1		1	
37b	Birth injury with immaturity	3		1								1																			
	Birth injury without immaturity	62		1								1															4	1		1	
38.0	Congenital Malformation of Fetus	526	15	7	22		6	3	4	4	20	4	5			3	1	4	6	3	9	6	6	8	16	3		1		4	2
38.1	Anencephalus	305	7	1	14		1	2	2	1	12	4	3				2	2	10	3	2	7	5	2	6	10	1				
38.2	Hydrocephalus	118	6	6			1		2	2	2	1				1	2	2	3	3	1	1	1	3	1	2					
38.3	Spina bifida	26	1		1						2						1	1	1	1	1	1									
	Other malformations of the central nervous system	14	1				2	1			2								1					2			1				
38.4	Malformation of the cardiovascular system	8			1		2																								
38.5	Malformation of other specified system	23			3						1															2					1
38.6	Monster	2									2																				
38.7	Other and unspecified malformations	30			3						2		1																		1
39.2	Diseases of Fetus and Ill-Defined Causes	461	17	5	9		2		5	5	21	3	1			1	5	2	4	4	5	5	9	6	3	21	5	4	1		2
39.0, 39.1, 39.3	Erythroblastosis (Rhesus factor)	94	5	1	3				2	2	1					1	3	2	2	2	2	1	3			3	2				1
39.4	Other diseases of fetus	88					1																								
39.5a	Maceration	1																													
39.5b	Premature birth (cause not stated)	35		2	3						4	2																			
39.5c	Debility	32																													
39.5d	Asphyxia	127	3	2	2						13																				
39.5e	Atelectasis	29																													
39.5f	Other ill-defined	14																													
39.6	Cause unknown	71	4																												

TABLE 44. Causes of blindness in the 1000 blind patients in England, 1900-1909.

[illegible]

Table 24. Causes of Stillbirths in the Public Health Districts of Scotland, 1960—continued.

Inter- national Nos. (Y30-Y39)	Cause of Death	Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B. Burgh	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remireux Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	Difficult Labour—continued																													
	Difficult labour without mention of condition, but with immaturity																													
	Difficult labour without mention of condition, and without immaturity																													
34.6a	Other Causes in Mother																													
35.0	Fall																													
32.0, 35.1	Over-exertion																													
35.2	Other accident or violence																													
35.3	Other and ill-defined causes in mother																													
36.0a	Placental and Cord Conditions																													
36.0b	Prolapse of cord																													
36.1, 36.3	Torsion of cord																													
32.2	Placenta previa																													
36.2, 36.4	Accidental hemorrhage																													
36.5	Other hemorrhage																													
36.6	Placental infarct																													
	Others of placenta and cord																													
37a	Birth Injury																													
37b	Birth injury with immaturity																													
	Birth injury without immaturity																													
38.0	Congenital Malformation of Fetus																													
38.1	Anencephalus																													
38.2	Hydrocephalus																													
38.3	Spina bifida																													
	Other malformations of the central nervous system																													
38.4	Malformation of the cardiovascular system																													
38.5	Malformation of other specified system																													
38.6	Monster																													
38.7	Other and unspecified malformations																													
39.2	Diseases of Fetus and Ill-Defined Causes																													
39.0, 39.1, 39.3	Erythroblastosis (Rhesus factor)																													
39.4	Maceration																													
39.5a	Premature birth (cause not stated)																													
39.5b	Debility																													
39.5c	Asphyxia																													
39.5d	Atelectasis																													
39.5e	Other ill-defined																													
39.6	Cause unknown																													

Table 25. Legitimate Stillbirths by Cause and Social Classification, 1960.

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
	ALL CAUSES	2,107	59	154	1,134	488	272	—
	Chronic Diseases in Mother	56	—	5	24	20	7	—
30.0	Syphilis	1	—	—	—	—	1	—
30.1	Tuberculosis	—	—	—	—	—	—	—
30.2	Diabetes	13	—	2	5	6	—	—
30.3	Chronic disease of circulatory system	28	—	3	13	7	5	—
30.4	Chronic disease of genito-urinary system	5	—	—	2	3	—	—
30.5	Other chronic disease	9	—	—	4	4	1	—
	Acute Disease in Mother	3	—	1	2	—	—	—
31.1	Influenza	—	—	—	—	—	—	—
31.2	Pneumonia	—	—	—	—	—	—	—
31.3	Other acute respiratory disease	—	—	—	—	—	—	—
31.0, 31.4	Other acute disease or condition	3	—	1	2	—	—	—
	Diseases and Conditions of Pregnancy and Childbirth	165	6	14	94	36	15	—
32.1	Ectopic gestation	1	—	—	1	—	—	—
32.3a	Eclampsia and pre-eclampsia	147	6	14	83	31	13	—
32.3b	Nephritic toxæmia	3	—	—	1	2	—	—
32.3c	Toxæmia not stated	5	—	—	4	1	—	—
32.4a	Acute yellow atrophy of liver	—	—	—	—	—	—	—
32.4b	Hyperemesis gravidarum	2	—	—	2	—	—	—
32.5a	Pyelitis	2	—	—	—	1	1	—
32.5b	Infection	5	—	—	3	1	1	—
33	Absorption of Toxic Substance from Mother	1	—	—	1	—	—	—
	Difficult Labour	160	4	12	90	35	19	—
34.0a	Abnormality of bones of pelvis with immaturity	—	—	—	—	—	—	—
34.0b	Abnormality of bones of pelvis without immaturity	3	—	—	3	—	—	—
34.1a	Disproportion with immaturity	30	1	3	19	6	1	—
34.1b	Disproportion without immaturity	25	2	2	14	6	1	—
34.2a	Malposition of fœtus, with immaturity	8	—	—	5	1	2	—
34.2b	Malposition of fœtus, without immaturity	50	—	5	26	10	9	—
34.3a	Abnormality of forces of labour, with immaturity	2	—	—	2	—	—	—
34.3b	Abnormality of forces of labour, without immaturity	8	—	1	3	2	2	—
34.4a	Operative delivery, with immaturity	1	—	—	—	—	—	—
34.4b	Operative delivery, without immaturity	1	—	—	1	—	—	—
34.5a	Abnormality of organs or tissues of pelvis with immaturity	1	1	—	—	—	—	—
34.5b	Abnormality of organs or tissues of pelvis, without immaturity	1	—	—	—	1	—	—
34.6a	Difficult labour without mention of con- dition, but with immaturity	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of con- dition, and without immaturity	31	—	1	17	9	4	—

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 25.—continued

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
	Other Causes in Mother . . .	13	—	1	4	2	6	—
35.0	Fall	2	—	—	1	—	1	—
32.0, 35.1	Other accident or violence	2	—	—	—	—	2	—
35.2	Over-exertion	—	—	—	—	—	—	—
35.3	Other and ill-defined causes in mother .	9	—	1	3	2	3	—
	Placental and Cord Conditions . . .	725	23	50	386	171	95	—
36.0a	Prolapse of cord	83	1	6	47	17	12	—
36.0b	Torsion of cord	99	3	10	61	17	8	—
36.1, 36.3	Placenta previa	20	2	1	6	6	5	—
32.2	Accidental hæmorrhage	297	11	14	153	76	43	—
36.2, 36.4	Other hæmorrhage	24	1	2	11	6	4	—
36.5	Placental infarct	89	4	6	50	20	9	—
36.6	Others of placenta and cord	113	1	11	58	29	14	—
	Birth Injury	64	—	8	40	9	7	—
37a	Birth injury with immaturity	3	—	—	1	2	—	—
37b	Birth injury without immaturity . . .	61	—	8	39	7	7	—
	Congenital Malformation of Fetus . .	490	11	29	265	124	61	—
38.0	Anencephalus	289	7	20	156	76	30	—
38.1	Hydrocephalus	109	2	4	55	29	19	—
38.2	Spina bifida	20	—	1	10	5	4	—
38.3	Other malformations of the central nervous system	13	1	—	9	2	1	—
38.4	Malformation of the cardiovascular system	8	—	1	4	2	1	—
38.5	Malformation of other specified system .	21	1	1	12	4	3	—
38.6	Monster	2	—	—	2	—	—	—
38.7	Other and unspecified malformations . .	28	—	2	17	6	3	—
	Diseases of Fetus and Ill-Defined Causes	430	15	34	228	91	62	—
39.2	Erythroblastosis (Rhesus factor) . . .	92	2	7	50	20	13	—
39.0, 39.1, } 39.3	Other diseases of fetus	1	—	—	1	—	—	—
39.4	Maceration	82	3	6	42	14	17	—
39.5a	Premature birth (cause not stated) . .	32	1	2	15	8	6	—
39.5b	Debility	2	—	—	2	—	—	—
39.5c	Asphyxia	116	5	9	60	28	14	—
39.5d	Atelectasis	27	1	2	12	9	3	—
39.5e	Other ill-defined	12	—	3	7	1	1	—
39.6	Cause unknown	66	3	5	39	11	8	—

Table 26. Deaths of Legitimate Children under one year from Selected Causes by Social Classification, 1960

International Nos. Detailed List	Cause of Death	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
010	Tuberculous meningitis .	1	—	—	—	—	1	—
011	Abdominal tuberculosis .	—	—	—	—	—	—	—
001-008, 012-019	Other tuberculous diseases .	—	—	—	—	—	—	—
020-029	Syphilis .	—	—	—	—	—	—	—
055	Diphtheria .	—	—	—	—	—	—	—
056	Whooping cough .	9	—	—	4	3	—	2
057	Meningococcal infections	7	—	1	5	1	—	—
085	Measles .	—	—	—	—	—	—	—
340	Meningitis (not meningococcal or tuberculous)	26	1	2	19	2	2	—
490-493	Pneumonia (excluding newborn)	221	3	15	113	52	38	—
500-502	Bronchitis .	39	1	2	22	5	9	—
470-483, 510-527	Other respiratory diseases	17	1	—	9	5	2	—
543, 571, 572	Diarrhoea (excluding newborn) gastritis and duodenitis .	60	—	1	30	12	17	—
530-542, 544-570, 573-587	Other digestive diseases .	30	—	3	13	9	5	—
750-759	Congenital malformations	489	15	40	268	106	60	—
760-761	Birth injuries .	279	8	26	155	50	40	—
762	Asphyxia and atelectasis	499	18	33	266	131	51	—
763	Pneumonia of newborn .	87	2	11	38	24	12	—
764	Diarrhoea of newborn .	13	—	1	7	3	2	—
765-776	Other infantile diseases .	480	13	45	251	112	59	—
780a	Convulsions .	25	—	—	12	9	4	—
Remainder	All other natural causes .	85	1	6	40	22	16	—
E921, E922, E924, E925	Accidental mechanical suffocation .	114	—	8	51	36	19	—
E800-E920, E923, E926-E999	Other violence .	13	1	—	5	4	2	1
	TOTAL .	2,494	64	194	1,308	586	339	3

Table 27. Stillbirths by Social Classification, Age of Mother and Number of Previous Children, Scotland 1960

[illegible]

No. of Previous Children	All Ages	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
Social Class I										
None	1,667	38	563	723	259	74	8	2	--	--
1	1,347	3	144	659	413	109	19	--	--	--
2	692	--	23	224	289	128	17	1	--	--
3	240	--	3	45	95	77	27	3	--	--
4	87	--	4	24	29	41	10	2	--	--
5	29	--	1	3	7	14	2	2	--	--
6	8	--	--	--	4	4	--	--	--	--
7	3	--	--	1	1	--	1	--	--	--
8	2	--	--	--	1	--	--	--	--	--
9	1	--	--	--	1	--	--	--	--	--
10 and over	2	--	--	--	1	1	--	--	--	--
Not stated	--	--	--	--	--	--	--	--	--	--
Total Illegitimate	4,078	41	734	1,660	1,099	448	86	10	--	--
Social Class II										
None	3,099	118	1,112	1,169	477	185	37	1	--	--
1	2,906	19	506	1,218	802	308	51	2	--	--
2	1,642	4	124	522	608	316	64	4	--	--
3	757	--	21	169	295	208	60	4	--	--
4	311	--	2	62	118	92	36	1	--	--
5	156	--	2	25	47	51	28	3	--	--
6	89	--	--	3	33	34	19	9	--	--
7	39	--	--	1	11	17	9	1	--	--
8	24	--	--	1	3	12	8	4	--	--
9	7	--	--	1	1	1	4	1	--	--
10 and over	11	--	--	--	1	6	4	--	--	--
Not stated	3	--	--	--	--	--	--	--	--	--
Total Illegitimate	9,044	141	1,767	3,170	2,396	1,230	320	17	--	--
Social Class III										
None	19,152	2,295	9,813	4,727	1,590	613	109	5	--	--
1	16,143	376	5,692	6,210	2,837	906	127	5	--	--
2	9,082	21	1,692	3,675	2,412	1,083	186	15	--	--
3	4,534	3	417	1,574	1,492	839	194	13	--	--
4	2,322	--	90	630	852	569	168	9	--	--
5	1,262	--	12	250	411	406	118	5	--	--
6	1,687	--	3	94	226	283	75	6	--	--
7	379	--	3	37	123	152	64	3	--	--
8	187	--	--	10	52	98	26	1	--	--
9	105	--	--	24	24	50	28	2	--	--
10 and over	111	--	--	2	12	47	44	6	--	--
Not stated	12	--	--	--	--	--	--	--	--	--
Total Illegitimate	53,916	2,695	17,719	17,200	10,035	5,044	1,139	72	--	--
	979	353	366	150	72	32	6	--	--	--
Total Illegitimate	53,916	2,695	17,719	17,200	10,035	5,044	1,139	72	--	--
	979	353	366	150	72	32	6	--	--	--

Table 28A Deaths of infants aged under 1 week, by social class, age of mother and number of previous children, 1960

No. Previous Children	All Ages	Age of Mother						No. Previous Children	All Ages	Age of Mother						50 and over	45-49	40-44	Age of Mother				50 and over	Not stated		
		Under 20	20-24	25-29	30-34	35-39	40-44			45-49	20-24	25-29	30-34	35-39	40-44				45-49							
Social Class I None 1 2 3 4 5 6 7 8 9 10 and over Not stated TOTAL Illegitimate	21 14 5 4 2 — — — — — —	1 — — — — — — — — — —	10 — — — — — — — — — —	7 7 — 1 — — — — — — —	2 4 1 1 — — — — — — —	1 2 1 1 — — — — — — —	— — 1 — — — — — — — —	— — — — — — — — — — —	115 65 61 28 30 14 6 4 1 1 2 2 3	26 1 — — — — — — — — — —	54 24 16 4 3 — — — — — —	21 14 16 4 4 2 1 1 — — —	7 12 12 14 14 7 1 1 1 — —	6 14 14 7 7 1 1 2 1 — —	1 — 2 2 2 3 2 — — — —	— — — — — — — — — — —	— — — — — — — — — — —	— — — — — — — — — — —	— — — — — — — — — — —	— — — — — — — — — — —	— — — — — — — — — — —					
	46	1	10	15	10	6	3	1	331	27	98	63	70	55	12	3	—	—	27	8	18	55	12	3	—	
	Social Class II None 1 2 3 4 5 6 7 8 9 10 and over Not stated TOTAL Illegitimate	54 27 25 12 7 4 4 1 1 — — 3	2 — — — — — — — — — — —	10 1 2 — — — — — — — — —	26 14 6 1 3 — — — — — — —	11 8 9 3 2 2 1 — — — — —	4 4 5 7 1 2 1 — — — — —	1 — 1 — — — — — — — — —	— — — — — — — — — — — —	54 47 25 18 15 7 4 4 4 1 1 1	15 5 — — — — — — — — — — —	22 24 13 2 1 — — — — — — —	8 13 6 10 6 1 1 — — — — —	5 4 5 3 5 — 1 3 1 1 — —	3 1 1 2 3 5 1 1 2 1 — —	1 — 1 — 1 1 — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —				
		134	2	13	50	34	25	5	2	181	20	62	46	28	20	4	—	—	20	2	2	20	4	—	—	
		Social Class III None 1 2 3 4 5 6 7 8 9 10 and over Not stated TOTAL Illegitimate	293 213 121 69 28 26 16 14 7 3 4 4	45 5 — — — — — — — — — — —	130 75 23 1 1 — — — — — — — —	79 39 38 31 7 8 2 3 — — — —	29 31 35 16 11 5 2 5 3 1 — —	7 20 35 17 6 12 5 5 3 1 2 —	1 — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —	— — — — — — — — — — — —			
			798	50	230	247	138	102	26	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

[illegible]

Table 29. Deaths in Scotland from Selected Causes of Children aged under One Year, 1960

International Nos. Detailed List	Cause of Death	Total (All Ages)	Illegitimate only	Age									
				Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days -2 mths.	3-5 months	6-8 months	9-11 months	12 months
010	Tuberculous meningitis . . { M. F.	1	-	-	-	-	-	-	1	-	-	-	-
011	Abdominal tuberculosis . . { M. F.	-	-	-	-	-	-	-	-	-	-	-	-
001-008 012-019	Other tuberculous diseases . { M. F.	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis . . . { M. F.	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria . . . { M. F.	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough . . { M. F.	5 4	-	-	-	-	-	-	2 1	1 2	2	-	-
057	Meningococcal infections . { M. F.	2 6	1	-	-	-	-	-	-	1 2	3	-	-
085	Measles . . . { M. F.	-	-	-	-	-	-	-	-	-	-	-	-
340	Meningitis, not meningococcal or tuberculous . . { M. F.	11 15	-	-	1	1 1	3	1	3 4	1	4	2	-
490-493	Pneumonia (excluding newborn) . { M. F.	152 90	14 7	-	-	-	-	-	67 33	56 32	20 15	-	-
500-502	Bronchitis . . . { M. F.	21 20	2	-	-	-	-	-	6 4	6 9	5 5	-	-
470-483 510-527	Other respiratory diseases . { M. F.	9 9	- 1	-	-	-	1	-	3 6	2	3 2	-	-
543, 571, 572	Diarrhoea (excluding newborn), gastritis and duodenitis . { M. F.	42 25	7	-	-	-	-	-	19 14	8 5	11 5	-	-
530-542, 544-570, 573-587	Other digestive diseases . . { M. F.	16 14	-	1 4	2 5	1	1	1	3 1	5 1	2 3	-	-
750-759	Congenital malformations . . { M. F.	250 255	5 11	57 62	65 50	22 25	14 19	10 9	41 37	22 30	8 9	-	-
760-761	Birth injuries . . . { M. F.	196 108	20 5	93 65	94 39	3 2	6	2	-	-	-	-	-
762	Asphyxia and atelectasis . . { M. F.	317 212	13 17	201 125	111 81	2 3	2 1	-	- 1	1 1	-	-	-
763	Pneumonia of newborn . . { M. F.	50 40	1 2	3 2	16 18	13 9	10 5	8 6	-	-	-	-	-
764	Diarrhoea of newborn . . { M. F.	12 3	2	-	-	4 1	1 2	7	-	-	-	-	-
765-776	Other infantile diseases . . { M. F.	294 230	25 19	179 139	92 75	11 9	2 1	2 2	5 2	2 1	1	-	-
780a	Convulsions . . . { M. F.	14 12	1	-	3	-	-	-	7 6	2 5	2	-	-
Remainder	All other natural causes . . { M. F.	51 37	2 1	1 1	1 1	- 2	1 4	2	19 12	13 11	8 1	-	-
E921, E922, E924, E925	Accidental mechanical suffocation { M. F.	84 42	7 5	-	1 1	- 2	3 2	3 1	27 17	32 9	11 7	-	-
E800-E920, E923 E926-E999	Other violence . . . { M. F.	15 9	7 4	8 4	1 -	-	-	1 1	2 -	1 2	1 5	-	-
TOTAL—Both Sexes . . .		2,673	-	946	657	111	78	56	343	263	131	-	-
Male . . .		1,542	-	543	386	57	41	35	205	152	78	-	-
Females . . .		1,131	-	403	271	54	37	21	138	111	53	-	-
Illegitimate only—Both Sexes . . .		-	179	70	42	9	3	3	26	11	11	-	-
Males . . .		-	106	40	24	2	2	2	18	10	6	-	-
Females . . .		-	73	30	18	7	1	1	8	1	5	-	-

Table 29A. Deaths and Death Rates per 1,000 Live Births by

Cause and Sex among Children under One Year of age—1950-1960.

International Detailed List Numbers	Causes of Death	Sex	Numbers						
			1960	1959	1958	1957	1956	1955	1954
010	Tuberculous meningitis . . .	B.S.	1	—	2	1	2	2	—
		M.	1	—	1	1	1	2	—
		F.	—	—	1	—	1	—	—
011	Abdominal tuberculosis . . .	B.S.	—	—	—	—	—	—	—
		M.	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—
001-008 012-019	Other tuberculous diseases . . .	B.S.	—	2	1	2	1	1	10
		M.	—	1	—	—	—	5	8
		F.	—	1	1	2	1	1	5
020-029	Syphilis	B.S.	—	—	—	—	—	—	—
		M.	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—
055	Diphtheria	B.S.	—	—	—	—	—	—	—
		M.	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—
056	Whooping cough	B.S.	9	7	3	17	11	8	15
		M.	5	3	1	9	6	2	9
		F.	4	4	2	8	5	6	18
057	Meningococcal infections . . .	B.S.	8	11	14	14	12	9	21
		M.	2	5	6	11	7	5	15
		F.	6	6	8	3	5	4	6
085	Measles	B.S.	—	4	1	3	2	6	3
		M.	—	1	1	3	1	3	3
		F.	—	3	—	—	—	—	—
340	Meningitis, except meningococcal or tuberculous	B.S.	26	17	21	25	13	14	22
		M.	11	7	8	16	8	6	24
		F.	15	10	13	9	5	8	27
490-493	Pneumonia (excluding newborn) .	B.S.	242	283	273	254	231	258	258
		M.	152	160	152	144	122	140	142
		F.	90	123	121	110	109	118	116
500-502	Bronchitis	B.S.	41	30	34	28	36	40	34
		M.	21	20	20	16	23	23	13
		F.	20	10	14	12	13	17	21
470-483 510-527	Other respiratory diseases . . .	B.S.	18	28	17	20	20	37	23
		M.	9	15	8	11	11	19	15
		F.	9	13	9	9	18	8	35
543, 571, 572	Diarrhoea (excluding newborn), gastritis and duodenitis . . .	B.S.	67	82	59	54	92	112	87
		M.	42	48	30	29	55	76	53
		F.	25	34	29	25	37	36	34
530-542 544-570 573-587	Other digestive diseases	B.S.	30	49	41	44	48	44	31
		M.	16	23	22	22	31	22	20
		F.	14	26	19	22	17	22	11
750-759	Congenital malformations . . .	B.S.	505	561	496	540	508	478	519
		M.	250	291	237	290	274	214	261
		F.	255	270	259	250	234	264	258
760-761	Birth injuries	B.S.	304	284	245	249	251	235	242
		M.	196	175	166	157	158	155	158
		F.	108	109	79	92	93	80	84
762	Asphyxia and atelectasis	B.S.	529	562	563	513	476	462	468
		M.	317	355	345	316	288	285	275
		F.	212	207	188	197	188	177	193
763	Pneumonia of newborn	B.S.	90	97	9	95	111	117	122
		M.	50	58	59	62	66	69	83
		F.	40	39	40	33	45	48	39
764	Diarrhoea of newborn	B.S.	15	20	10	18	15	11	6
		M.	12	14	4	8	11	8	4
		F.	3	6	6	10	4	3	2
765-776	Other infantile diseases	B.S.	524	539	591	653	619	677	710
		M.	294	319	367	386	370	380	412
		F.	230	220	224	267	249	297	298
780a	Convulsions	B.S.	26	19	30	32	44	43	45
		M.	14	11	15	19	26	19	30
		F.	12	8	15	13	18	24	15
Remainder	All other natural causes . . .	B.S.	88	77	90	80	76	64	84
		M.	51	39	44	50	48	36	53
		F.	37	38	46	30	28	28	31
E921, E922 E924, E925	Accidental mechanical suffocation	B.S.	126	134	145	140	146	168	135
		M.	84	86	83	78	83	101	74
		F.	42	48	62	62	63	67	61
E800-E920 E923 E926-E999	Other violence	B.S.	24	10	23	20	13	24	25
		M.	15	6	9	11	8	12	16
		F.	9	4	14	9	5	12	9
	Total	B.S.	2,673	2,816	2,758	2,802	2,727	2,811	2,861
		M.	1,542	1,637	1,578	1,639	1,597	1,577	1,655
		F.	1,131	1,179	1,180	1,163	1,130	1,234	1,206

	Numbers				Rates per 1,000 live births											
	1953	1952	1951	1950	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950	
1	3	9	7	10	0.01	—	0.02	0.01	0.02	0.02	—	0.03	0.10	0.08	0.11	
2	1	4	5	5	0.02	—	0.02	0.02	0.02	0.04	—	0.02	0.09	0.11	0.10	
3	2	5	2	5	—	—	0.02	—	0.02	—	—	0.05	0.11	0.05	0.11	
4	—	—	1	—	—	—	—	—	—	—	—	—	—	0.01	—	
5	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	—	
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	7	16	10	21	—	0.02	0.01	0.02	0.01	0.01	0.11	0.08	0.18	0.11	0.23	
8	4	9	3	13	—	0.02	—	—	—	—	0.11	0.09	0.19	0.06	0.27	
9	3	7	7	8	—	0.02	0.02	0.04	0.02	0.02	0.11	0.07	0.16	0.16	0.18	
10	1	2	4	7	—	—	—	—	—	0.01	—	0.01	0.02	0.04	0.08	
11	—	1	3	4	—	—	—	—	—	—	—	—	0.02	0.06	0.08	
12	1	1	1	3	—	—	—	—	—	0.01	—	0.02	0.02	0.02	0.07	
13	—	—	—	1	—	—	—	—	—	—	0.01	—	—	—	0.01	
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	
15	—	—	—	—	—	—	—	—	—	—	0.02	—	—	—	—	
16	25	18	74	39	0.09	0.07	0.03	0.17	0.12	0.09	0.16	0.27	0.20	0.82	0.42	
17	10	9	43	23	0.10	0.06	0.02	0.18	0.12	0.04	0.19	0.21	0.19	0.92	0.48	
18	15	9	31	16	0.08	0.08	0.04	0.17	0.11	0.13	0.13	0.34	0.20	0.71	0.36	
19	17	22	14	10	0.08	0.11	0.14	0.14	0.13	0.10	0.23	0.19	0.24	0.15	0.11	
20	9	10	6	6	0.04	0.10	0.12	0.22	0.14	0.11	0.32	0.19	0.22	0.13	0.13	
21	8	12	8	4	0.12	0.12	0.17	0.06	0.11	0.09	0.13	0.18	0.27	0.18	0.09	
22	8	9	18	—	—	0.04	0.01	0.03	0.02	0.06	0.03	0.09	0.10	0.10	0.19	
23	2	5	7	10	—	0.02	0.02	0.06	0.02	0.06	0.06	0.04	0.11	0.04	0.21	
24	6	4	8	—	—	0.06	—	—	0.02	0.07	—	0.14	0.09	0.16	0.18	
25	15	28	26	22	0.26	0.17	0.21	0.26	0.14	0.15	0.24	0.16	0.31	0.29	0.24	
26	11	15	13	13	0.21	0.14	0.16	0.32	0.16	0.13	0.30	0.23	0.32	0.32	0.27	
27	4	13	11	9	0.30	0.21	0.27	0.19	0.11	0.18	0.18	0.09	0.29	0.25	0.20	
28	266	369	389	416	2.39	2.85	2.74	2.59	2.42	2.79	2.79	2.93	4.05	4.29	4.50	
29	148	203	221	246	2.93	3.13	2.98	2.86	2.49	2.95	2.99	3.16	4.39	4.73	5.14	
30	118	163	168	170	1.82	2.56	2.50	2.31	2.35	2.62	2.58	2.68	3.69	3.82	3.80	
31	29	48	51	54	0.40	0.30	0.34	0.29	0.38	0.43	0.37	0.32	0.53	0.56	0.58	
32	16	31	31	33	0.40	0.39	0.39	0.32	0.47	0.48	0.27	0.34	0.67	0.66	0.69	
33	13	17	20	21	0.41	0.21	0.29	0.25	0.28	0.38	0.47	0.30	0.39	0.46	0.47	
34	26	33	50	42	0.18	0.28	0.17	0.20	0.21	0.40	0.25	0.29	0.36	0.55	0.45	
35	9	19	28	19	0.17	0.29	0.16	0.22	0.22	0.40	0.32	0.19	0.41	0.60	0.40	
36	17	14	22	23	0.18	0.27	0.19	0.19	0.19	0.40	0.18	0.39	0.32	0.50	0.51	
37	117	130	188	253	0.66	0.83	0.59	0.55	0.97	1.21	0.94	1.29	1.44	2.07	2.73	
38	68	80	114	146	0.81	0.94	0.59	0.58	1.12	1.60	1.12	1.45	1.73	2.44	3.05	
39	49	50	74	107	0.51	0.71	0.60	0.52	0.80	0.80	0.76	1.11	1.13	1.68	2.39	
40	51	40	33	20	0.30	0.49	0.41	0.45	0.50	0.48	0.34	0.56	0.44	0.36	0.22	
41	30	30	22	11	0.31	0.45	0.43	0.44	0.63	0.46	0.42	0.64	0.65	0.47	0.23	
42	21	10	11	9	0.28	0.54	0.39	0.46	0.37	0.49	0.24	0.48	0.23	0.25	0.20	
43	459	480	464	493	4.99	5.65	4.99	5.51	5.33	5.17	5.62	5.05	5.31	5.12	5.33	
44	246	240	261	255	4.81	5.69	4.65	5.76	5.60	4.50	5.50	5.25	5.19	5.59	5.33	
45	213	240	203	238	5.17	5.61	5.34	5.25	5.05	5.86	5.75	4.83	5.44	4.62	5.32	
46	231	258	304	306	3.00	2.86	2.46	2.54	2.63	2.54	2.62	2.54	2.85	3.35	3.31	
47	150	146	193	199	3.77	3.42	3.25	3.12	3.23	3.26	3.33	3.20	3.16	4.13	4.16	
48	81	112	111	107	2.19	2.26	1.63	1.93	2.01	1.78	1.87	1.84	2.54	2.53	2.39	
49	424	412	324	341	5.22	5.66	5.66	5.24	4.99	4.99	5.07	4.66	4.56	3.57	3.69	
50	253	252	184	213	6.10	6.94	6.76	6.28	5.88	6.00	5.80	5.40	5.45	3.94	4.45	
51	171	160	140	128	4.30	4.30	4.50	4.14	4.06	3.93	4.30	3.88	3.62	3.19	2.86	
52	94	113	166	146	0.89	0.98	1.00	0.97	1.16	1.26	1.32	1.03	1.25	1.83	1.58	
53	58	71	98	86	0.96	1.13	1.16	1.23	1.35	1.45	1.75	1.24	1.53	2.10	1.80	
54	36	42	68	60	0.81	0.81	0.83	0.69	0.97	1.07	0.87	0.82	0.95	1.55	1.34	
55	16	24	34	35	0.15	0.20	0.10	0.18	0.16	0.12	0.06	0.18	0.27	0.38	0.38	
56	8	14	22	17	0.23	0.27	0.08	0.16	0.22	0.17	0.08	0.17	0.30	0.47	0.36	
57	8	10	12	18	0.06	0.12	0.12	0.21	0.09	0.07	0.04	0.18	0.23	0.27	0.40	
58	694	838	893	972	5.17	5.43	5.94	6.66	6.49	7.32	7.69	7.63	9.27	9.85	10.50	
59	420	492	510	552	5.66	6.24	7.19	7.67	7.56	8.00	8.69	8.96	10.63	10.92	11.54	
60	274	346	383	420	4.66	4.57	4.62	5.61	5.37	6.60	6.64	6.22	7.84	8.72	9.39	
61	48	54	76	67	0.26	0.19	0.30	0.33	0.46	0.46	0.49	0.53	0.60	0.84	0.72	
62	29	33	42	38	0.27	0.22	0.29	0.38	0.53	0.40	0.63	0.62	0.71	0.90	0.79	
63	19	21	34	29	0.24	0.17	0.31	0.27	0.39	0.53	0.33	0.43	0.48	0.77	0.65	
64	96	112	116	136	0.87	0.78	0.90	0.82	0.80	0.69	0.91	1.06	1.24	1.28	1.47	
65	56	60	71	84	0.98	0.76	0.86	0.99	0.98	0.76	1.12	1.20	1.30	1.52	1.76	
66	40	52	45	52	0.75	0.79	0.95	0.63	0.60	0.62	0.69	0.91	1.18	1.02	1.16	
67	161	147	145	140	1.24	1.35	1.46	1.43	1.53	1.82	1.46	1.77	1.63	1.60	1.51	
68	94	84	86	75	1.62	1.68	1.63	1.55	1.70	2.13	1.56	2.01	1.82	1.84	1.57	
69	67	63	59	65	0.85	1.00	1.28	1.30	1.36	1.49	1.36	1.52	1.43	1.34	1.45	
70	12	22	13	20	0.24	0.10	0.23	0.20	0.14	0.26	0.27	0.13	0.24	0.14	0.22	
71	6	11	8	9	0.29	0.12	0.18	0.22	0.16	0.25	0.34	0.13	0.24	0.17	0.19	
72	6	11	5	11	0.18	0.08	0.29	1.89	0.11	0.27	0.20	0.14	0.25	0.11	0.25	
73	2,800	3,181	3,391	3,569	26.39	28.37	27.72	28.60	28.61	30.38	30.99	30.80	35.18	37.41	38.57	
74	1,628	1,819	1,969	2,058	29.69	32.02	30.93	32.55	32.62	33.18	34.91	34.75	39.31	42.16	43.03	
75	1,172	1,362	1,422	1,511	22.92	24.50	24.35	24.42	24.37	27.41	26.86	26.60	30.85	32.36	33.80	

Table 30. Month of Registration of Children aged under One Year dying from Selected Causes in Scotland, in 1960

International Nos. Detailed List	Cause of Death	Total	Month of Registration of Death											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
010	Tuberculous meningitis .	1	-	-	-	-	-	-	-	-	-	-	-	1
011	Abdominal tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008, 012-019	Other tuberculous diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis . .	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria . .	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough .	9	1	-	1	-	1	1	1	2	1	-	-	1
057	Meningococcal infections	8	-	2	-	-	1	2	1	1	-	1	-	-
085	Measles . .	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Meningitis, not meningococcal or tuberculous .	26	3	1	3	-	3	2	1	1	-	3	4	5
490-493	Pneumonia (excluding newborn) . .	242	44	26	27	24	18	8	8	15	13	12	18	29
500-502	Bronchitis . .	41	3	2	2	6	5	2	1	2	4	7	3	4
470-483, 510-527	Other respiratory diseases	18	4	2	2	-	1	-	-	3	1	4	1	-
543, 571, 572	Diarrhoea (excluding newborn), gastritis and duodenitis . .	67	8	4	6	3	8	8	4	5	8	3	6	4
530-542, 544-570, 573-587	Other digestive diseases .	30	2	3	4	2	3	1	-	4	4	3	1	3
750-759	Congenital malformations	505	40	50	41	38	46	39	34	37	44	49	46	41
760-761	Birth injuries . .	304	24	27	22	30	34	34	18	23	18	24	24	26
762	Asphyxia and atelectasis	529	48	42	52	49	37	41	39	50	43	53	32	43
763	Pneumonia of newborn .	90	13	10	14	5	6	4	5	7	2	11	7	6
764	Diarrhoea of newborn .	15	1	1	1	2	-	-	-	3	2	-	-	5
765-776	Other infantile diseases .	524	33	42	41	43	42	62	53	35	46	43	38	46
780a	Convulsions . .	26	5	3	3	3	-	3	1	4	1	1	-	2
Remainder	All other natural causes .	88	6	9	4	10	9	13	7	5	7	4	10	4
E921, E922, E924, E925	Accidental mechanical suffocation . .	126	14	14	15	7	4	7	11	8	9	8	16	13
E800-E920, E923, E926-E999	Other violence . .	24	-	3	2	1	1	4	4	-	-	1	3	5
	TOTAL .	2,673	249	241	240	223	219	231	188	205	203	227	209	238
	Illegitimate .	179	13	13	12	15	16	23	19	8	16	13	19	12

Table 31. Births, Deaths under one year by Age-Periods, and Death-Rates per 1,000 Births in Scotland, 1960

	Number of Births (Living Children)	NUMBERS										RATES												
		Under 1 yr. Total	Under 1 yr. Illegitimate	Under 28 days	Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days- 2 months	3-5 months	6-8 months	9-11 months	Under 1 yr. *	Under 28 days	Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days- 2 months	3-5 months	6-8 months	9-11 months
SCOTLAND	101,292	2,673	1,848	946	657	111	78	56	343	263	131	88	26.4	—	18.2	9.3	6.5	1.1	0.8	0.6	3.4	2.6	1.3	0.9
Counties of Cities	38,557	1,067	737	384	246	52	30	25	149	100	50	31	27.7	—	19.1	10.0	6.4	1.3	0.8	0.6	3.9	2.6	1.3	0.8
Large Burghs	18,189	503	338	191	111	18	12	6	68	58	23	16	27.7	—	18.6	10.5	6.1	1.0	0.7	0.3	3.7	3.2	1.3	0.9
Counties (ex. Co. of C. and L.B.)	44,546	1,103	773	371	300	41	36	25	126	105	58	41	24.8	—	17.4	8.3	6.7	0.9	0.8	0.6	2.8	2.4	1.3	0.9
LEGITIMATE BIRTHS																								
Scotland	96,883	2,494	1,721	876	615	102	75	53	317	252	120	84	25.7	—	17.8	9.0	6.3	1.1	0.8	0.5	3.3	2.6	1.2	0.9
Counties of Cities	36,492	977	674	351	225	47	28	23	137	93	43	30	26.8	—	18.5	9.6	6.2	1.3	0.8	0.6	3.8	2.5	1.2	0.8
Large Burghs	17,531	468	314	173	106	17	12	6	65	54	21	14	26.7	—	17.9	9.9	6.0	1.0	0.7	0.3	3.7	3.1	1.2	0.8
Counties (ex Co. of C. and L.B.)	42,860	1,049	733	352	284	38	35	24	115	105	56	40	24.5	—	17.1	8.2	6.6	0.9	0.8	0.6	2.7	2.4	1.3	0.9
ILLEGITIMATE BIRTHS																								
Scotland	4,409	—	179	127	70	42	9	3	26	11	11	4	—	40.6	28.8	15.9	9.5	2.0	0.7	0.7	5.9	2.5	2.5	0.9
Counties of Cities	2,065	—	90	63	33	21	5	2	12	3	7	2	—	43.6	30.5	16.0	10.2	2.4	1.0	1.0	5.8	3.4	3.4	0.5
Large Burghs	658	—	35	24	18	5	3	1	7	4	2	1	—	55.2	36.5	27.4	7.6	1.5	0.3	0.6	4.6	6.1	3.0	0.5
Counties (ex. Co. of C. and L.B.)	1,686	—	54	40	19	16	1	1	11	—	—	—	—	32.0	23.7	11.3	9.5	1.8	0.6	0.6	6.5	—	1.2	0.6
ABERDEEN COUNTY	5,673	107	78	32	36	6	2	2	11	7	8	3	18.9	31.6	13.7	5.6	6.3	1.1	0.4	0.4	1.9	1.2	1.4	0.5
Aberdeen County of City	3,280	63	46	22	17	5	1	1	6	4	7	3	19.2	30.1	14.0	6.7	5.2	1.5	0.3	0.3	1.8	1.2	2.1	—
Remainder of County	2,393	44	32	10	19	1	1	1	5	3	1	3	18.4	33.6	13.4	4.2	7.9	0.4	0.4	0.4	2.1	1.3	0.4	1.3
ANGUS COUNTY	5,313	112	10	78	35	5	3	1	16	5	9	4	21.1	34.7	14.7	6.6	6.4	0.9	0.6	0.2	3.0	0.9	1.7	0.8
Dundee County of City	3,744	82	59	25	28	4	2	—	11	2	7	3	21.9	39.8	15.8	6.7	7.5	1.1	0.5	0.2	2.9	0.5	1.9	0.8
Arbroath Burgh	387	9	3	3	—	—	—	—	3	2	1	—	23.3	—	7.8	7.8	—	—	—	—	7.8	5.2	2.6	—
Remainder of County	1,182	21	16	7	6	1	1	1	2	1	1	1	17.8	20.4	13.5	5.9	5.1	0.8	0.8	0.8	1.7	0.8	0.8	—
ARGYLL COUNTY	895	37	27	16	8	1	2	—	5	3	2	—	41.3	42.6	30.2	17.9	8.9	1.1	2.2	—	5.6	3.4	2.2	—
AYR COUNTY	6,633	185	124	66	43	8	5	2	25	18	11	7	27.9	40.8	18.7	10.0	6.5	1.2	0.8	0.3	3.8	2.7	1.7	1.1
Ayr Burgh	819	26	17	7	8	1	1	—	5	3	1	—	31.7	27.8	20.8	8.5	9.8	1.2	1.2	—	6.1	3.7	1.2	—
Kilmarnock Burgh	1,035	28	21	14	6	—	—	—	3	4	2	—	27.1	44.4	20.3	13.5	5.8	1.0	—	—	1.0	3.9	1.9	—
Remainder of County	4,779	131	86	45	29	6	4	2	19	11	8	7	27.4	42.7	18.0	9.4	6.1	1.3	0.8	0.4	4.0	2.3	1.7	1.5
BANFF COUNTY	861	19	14	8	5	—	1	—	4	—	1	—	22.1	—	16.3	9.3	5.8	—	1.2	—	4.6	—	1.2	—
BERWICK COUNTY	291	3	3	3	—	—	—	—	—	—	—	—	10.3	—	10.3	10.3	—	—	—	—	—	—	—	—
BUTE COUNTY	201	2	—	—	—	—	—	—	—	—	—	—	10.0	—	10.0	—	10.0	—	—	—	—	—	—	—
CAITHNESS COUNTY	593	5	2	2	2	—	—	—	1	—	2	—	8.4	—	3.4	—	3.4	—	—	—	1.7	—	3.4	—
CLACKMANNAN COUNTY	793	21	12	6	4	2	—	—	2	4	2	1	26.5	54.1	15.1	7.6	5.0	2.5	—	—	2.5	5.0	2.5	1.3
DUMFRIES COUNTY.	1,638	44	29	10	12	4	1	2	3	5	3	4	26.9	22.2	17.7	6.1	7.3	2.4	0.6	1.2	1.8	3.1	1.8	2.4
Dumfries Burgh	521	15	13	6	4	2	—	—	1	1	—	1	28.8	34.5	25.0	11.5	7.7	3.8	—	—	1.9	1.9	1.9	1.9
Remainder of County	1,117	29	16	4	8	2	1	1	2	4	3	3	26.0	16.4	14.3	3.6	7.2	1.8	0.9	0.9	2.7	3.6	2.7	2.7
DUNBARTON COUNTY	3,789	92	63	31	27	2	3	—	12	6	6	5	24.3	46.2	16.6	8.2	7.1	0.5	0.8	—	3.2	1.6	1.6	1.3
Clydebank Burgh	1,088	31	19	13	6	—	—	—	6	2	2	2	28.5	30.3	17.5	11.9	5.5	—	—	—	5.5	1.8	1.8	1.8
Dunbarton Burgh	576	18	2	9	4	1	—	—	4	4	3	1	31.2	83.3	15.6	6.9	6.9	1.7	—	—	6.9	5.2	1.7	1.7
Remainder of County	2,125	43	35	14	17	1	3	—	2	4	3	2	20.2	41.1	16.5	6.6	8.0	0.5	—	—	0.9	0.5	1.4	0.9

Remainder of County . . .	4,224	118	9	84	46	27	5	1	5	8	11	7	8	279	503	109	64	1-2	0-2	1-2	1-9	2-6	1-7	1-9
INVERNESS COUNTY . . .	1,448	21	6	15	8	7	—	—	—	2	3	—	1	145	682	104	55	48	—	—	14	21	—	07
Inverness Burgh . . .	539	16	2	13	2	6	—	—	—	—	—	—	1	667	54	37	19	—	—	19	—	—	—	
Remainder of County . . .	909	16	4	12	6	—	—	—	—	1	3	—	—	176	690	132	66	66	—	—	11	33	—	19
KINCARDINE COUNTY . . .	427	10	1	8	3	5	—	—	—	—	1	1	—	234	667	187	70	11.7	—	—	—	23	23	—
KINROSS COUNTY . . .	110	2	—	1	—	—	1	—	—	1	—	—	—	182	—	91	—	9-1	—	—	9-1	—	—	—
KIRKCUDBRIGHT COUNTY . . .	548	11	—	8	4	3	1	—	—	—	2	—	1	201	—	146	73	55	18	—	—	3-6	—	18
LANARK COUNTY . . .	35,173	1,099	80	734	386	242	45	33	28	166	119	45	35	312	512	209	110	69	13	09	47	34	13	10
Glasgow County of City . . .	23,090	744	61	494	259	163	33	20	19	117	78	29	26	322	495	214	112	71	14	09	51	34	13	13
Airdrie Burgh . . .	791	24	2	16	9	4	2	1	—	4	1	2	1	303	1000	202	114	51	25	13	51	34	13	13
Coatbridge Burgh . . .	1,381	44	4	32	16	12	2	2	—	5	4	1	2	319	1081	232	116	87	14	14	3-6	29	07	14
Hamilton Burgh . . .	897	33	5	23	18	3	33	3	2	6	3	1	—	368	1563	256	201	33	—	22	67	33	11	—
Motherwell and Wishaw Burgh . . .	1,517	47	—	31	18	12	—	1	—	5	8	2	1	310	—	—	119	79	—	07	33	53	13	07
Rutherglen Burgh . . .	529	10	—	7	5	1	—	1	—	2	1	—	5	189	—	132	95	19	19	—	38	19	—	—
Remainder of County . . .	6,968	197	8	131	61	47	8	8	7	27	24	10	5	283	408	188	88	67	11	11	10	39	34	14
MIDLOTHIAN COUNTY . . .	10,690	229	16	176	99	51	11	8	7	21	21	8	3	214	318	165	93	48	10	07	20	07	03	—
Edinburgh County of City . . .	8,443	178	15	138	78	38	10	7	5	15	16	7	2	211	340	163	92	45	12	08	18	19	08	02
Remainder of County . . .	2,247	51	1	38	21	13	1	1	2	6	5	1	1	227	161	169	93	58	04	04	27	22	04	04
MORAY COUNTY . . .	1,038	19	1	8	4	4	—	—	—	5	4	1	1	183	164	77	39	39	—	—	48	39	10	10
NAIRN COUNTY . . .	140	2	—	2	1	1	—	—	—	—	—	—	—	143	—	143	71	71	—	—	—	—	—	—
ORKNEY COUNTY . . .	294	6	—	6	5	1	—	—	—	—	—	—	—	204	—	204	170	34	—	—	—	—	—	—
PEEBLES COUNTY . . .	210	3	—	2	1	1	—	—	—	—	1	—	—	143	—	95	48	48	—	—	—	48	—	—
PERTH COUNTY . . .	2,126	68	3	53	28	19	4	—	2	5	5	3	2	320	265	249	132	89	19	—	24	24	14	09
Perth Burgh . . .	738	21	1	14	9	3	—	—	—	1	3	2	1	285	227	190	122	41	14	14	41	27	14	14
Remainder of County . . .	1,388	47	2	39	19	16	3	—	1	2	3	2	1	339	250	281	137	115	22	—	07	14	14	07
RENFREW COUNTY . . .	6,917	181	9	129	58	53	5	9	4	23	16	8	5	262	391	186	84	77	07	13	06	33	12	07
Greenock Burgh . . .	1,659	51	2	44	19	20	2	2	1	12	3	1	1	307	308	265	115	121	12	12	18	06	06	05
Paisley Burgh . . .	2,108	47	5	30	16	12	2	—	—	11	3	2	1	223	694	242	76	57	09	—	52	14	09	05
Port Glasgow Burgh . . .	520	17	1	12	6	5	—	1	—	5	3	1	—	327	769	231	115	96	—	19	58	19	—	—
Remainder of County . . .	2,630	66	1	43	17	16	1	6	3	9	7	4	3	251	125	163	65	61	04	23	34	27	15	11
ROSS AND CROMARTY COUNTY . . .	943	24	1	21	12	4	3	2	—	1	1	1	—	255	238	223	127	42	32	21	11	11	11	—
ROXBURGH COUNTY . . .	665	17	1	14	7	5	1	1	—	1	1	1	—	256	417	211	105	75	15	15	15	15	15	—
SELKIRK COUNTY . . .	328	4	—	2	1	1	—	—	—	2	—	—	—	122	—	61	30	30	—	—	61	—	—	—
STIRLING COUNTY . . .	3,701	103	6	66	31	28	3	2	2	10	15	6	6	278	545	178	84	76	08	05	27	41	16	16
Falkirk Burgh . . .	733	25	1	14	7	3	2	1	1	3	6	1	1	341	435	191	95	41	27	14	41	82	14	14
Stirling Burgh . . .	564	17	3	9	6	3	—	—	—	1	3	2	2	301	1200	160	55	106	—	14	18	53	35	35
Remainder of County . . .	2,404	61	2	43	18	22	1	1	1	6	6	3	3	254	323	179	75	92	04	04	25	25	12	12
SUTHERLAND COUNTY . . .	196	3	—	—	—	—	—	—	—	1	1	1	—	153	—	—	—	—	—	—	51	51	51	—
WEST LOTHIAN COUNTY . . .	1,862	43	2	27	8	16	1	2	—	10	3	2	1	231	426	145	43	86	05	11	54	16	11	05
WIGTOWN COUNTY . . .	578	21	1	16	11	4	—	1	—	2	3	—	—	363	204	277	190	69	—	17	35	52	—	—
ZETLAND COUNTY . . .	286	6	—	6	2	3	—	—	1	—	—	—	—	210	—	210	70	105	—	35	—	—	—	—

NOTE.—Some of the above rates are based on very few observations and are therefore of limited value. * Per 1,000 illegitimate births.

Table 32. Deaths and Death-rates of Children aged under One Year
by selected age groups Scotland, 1960.

Age	Numbers			Rates per 1,000 live births.		
	Total	Males	Females	Total	Males	Females
Under 1 day	946	543	403	9.3	10.5	8.2
1 day	264	155	109	2.6	3.0	2.2
2 days	205	124	81	2.0	2.4	1.6
3 "	63	38	25	0.6	0.7	0.5
4 "	54	34	20	0.5	0.7	0.4
5 "	33	16	17	0.3	0.3	0.3
6 "	38	19	19	0.4	0.4	0.4
7-13 "	111	57	54	1.1	1.1	1.1
14-20 "	78	41	37	0.8	0.8	0.7
21-27 "	56	35	21	0.6	0.7	0.4
28 days—Under 2 months	186	112	74	1.8	2.2	1.5
2 months	157	93	64	1.5	1.8	1.3
3 "	129	83	46	1.3	1.6	0.9
4 "	72	36	36	0.7	0.7	0.7
5 "	62	33	29	0.6	0.6	0.6
6 "	66	34	32	0.7	0.7	0.6
7 "	31	23	8	0.3	0.4	0.2
8 "	34	21	13	0.3	0.4	0.3
9 "	28	14	14	0.3	0.3	0.3
10 "	36	19	17	0.4	0.4	0.3
11 "	24	12	12	0.2	0.2	0.2
TOTAL	2,673	1,542	1,131	26.4	29.7	22.9

Table 33. Ages at Death in 1960

Age Groups	Number of Deaths					
	Scotland	Counties of Cities	Large Burghs	Counties ex. Counties of Cities and Large Burghs but including Small Burghs and Landward	Small Burghs	Landward
Under 1 .	2,673	1,067	503	1,103	383	720
1- . .	379	151	50	178	57	121
5- . .	218	76	33	109	22	87
10- . .	162	54	26	82	27	55
15- . .	486	154	68	264	86	178
25- . .	785	332	122	331	104	227
35- . .	1,713	637	291	785	281	504
45- . .	4,916	1,977	801	2,138	864	1,274
55- . .	10,437	4,178	1,751	4,508	1,768	2,740
65- . .	16,038	6,133	2,568	7,337	3,003	4,334
75- . .	17,670	6,303	2,805	8,562	3,589	4,973
85 and over .	6,287	2,135	871	3,281	1,342	1,939
Not stated .	—	—	—	—	—	—
ALL AGES	61,764	23,197	9,889	28,678	11,526	17,152

Table 34. Deaths, Male and Female, at each year of age

MALES

Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated	Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated
0 . . .	1,542	1,542	-	-	-	-	50 . . .	321	54	250	12	5	-
1 . . .	98	98	-	-	-	-	51 . . .	371	67	291	12	1	-
2 . . .	51	51	-	-	-	-	52 . . .	395	60	314	14	7	-
3 . . .	37	37	-	-	-	-	53 . . .	410	68	322	14	6	-
4 . . .	37	37	-	-	-	-	54 . . .	460	83	356	18	2	-
0-4 . . .	1,765	1,765	-	-	-	-	50-54 . . .	1,957	332	1,533	70	21	-
5 . . .	34	34	-	-	-	-	55 . . .	492	85	374	27	5	-
6 . . .	25	25	-	-	-	-	56 . . .	544	67	428	42	7	-
7 . . .	18	18	-	-	-	-	57 . . .	560	74	457	26	2	-
8 . . .	23	23	-	-	-	-	58 . . .	661	93	520	44	4	-
9 . . .	21	21	-	-	-	-	59 . . .	676	99	512	60	4	-
5-9 . . .	121	121	-	-	-	-	55-59 . . .	2,933	418	2,291	199	22	-
10 . . .	14	14	-	-	-	-	60 . . .	718	105	561	48	4	-
11 . . .	19	19	-	-	-	-	61 . . .	654	84	496	69	4	-
12 . . .	22	22	-	-	-	-	62 . . .	685	85	521	75	3	-
13 . . .	25	25	-	-	-	-	63 . . .	719	94	547	75	3	-
14 . . .	25	25	-	-	-	-	64 . . .	732	89	534	99	9	-
10-14 . . .	105	105	-	-	-	-	60-64 . . .	3,508	457	2,659	366	23	-
15 . . .	19	19	-	-	-	-	65 . . .	767	98	543	122	3	-
16 . . .	27	27	-	-	-	-	66 . . .	764	98	536	125	4	-
17 . . .	25	25	-	-	-	-	67 . . .	804	99	577	124	2	-
18 . . .	30	30	-	-	-	-	68 . . .	831	97	561	171	2	-
19 . . .	33	32	1	-	-	-	69 . . .	816	83	561	170	2	-
15-19 . . .	134	133	1	-	-	-	65-69 . . .	3,982	475	2,778	712	13	-
20 . . .	44	41	3	-	-	-	70 . . .	814	108	533	170	-	-
21 . . .	35	33	2	-	-	-	71 . . .	868	108	540	217	2	-
22 . . .	37	35	2	-	-	-	72 . . .	921	116	564	236	3	-
23 . . .	32	23	9	-	-	-	73 . . .	846	106	481	254	4	-
24 . . .	40	28	12	-	-	-	74 . . .	899	105	505	288	-	-
20-24 . . .	188	160	28	-	-	-	70-74 . . .	4,348	543	2,623	1,165	9	-
25 . . .	35	23	12	-	-	-	75 . . .	911	119	476	311	4	-
26 . . .	48	18	29	-	1	-	76 . . .	845	104	424	315	1	-
27 . . .	39	15	23	-	1	-	77 . . .	795	101	378	313	2	-
28 . . .	46	15	31	-	-	-	78 . . .	875	146	382	346	1	-
29 . . .	48	19	28	1	-	-	79 . . .	848	120	355	371	2	-
25-29 . . .	216	90	123	1	2	-	75-79 . . .	4,274	590	2,015	1,656	10	-
30 . . .	40	15	25	-	-	-	80 . . .	836	95	345	393	2	-
31 . . .	62	24	37	1	-	-	81 . . .	802	93	307	400	2	-
32 . . .	53	12	41	-	-	-	82 . . .	689	88	248	351	-	-
33 . . .	51	17	32	1	1	-	83 . . .	668	80	199	389	-	-
34 . . .	67	19	47	-	1	-	84 . . .	625	68	194	363	-	-
30-34 . . .	273	87	182	2	2	-	80-84 . . .	3,620	424	1,293	1,896	4	-
35 . . .	67	23	43	-	1	-	85 . . .	534	57	164	313	-	-
36 . . .	77	25	50	2	-	-	86 . . .	419	45	113	259	-	-
37 . . .	81	28	51	1	1	-	87 . . .	336	41	73	222	-	-
38 . . .	85	21	59	1	4	-	88 . . .	269	32	53	184	-	-
39 . . .	82	21	60	1	-	-	89 . . .	179	19	36	123	1	-
35-39 . . .	392	118	263	5	6	-	85-89 . . .	1,737	194	439	1,101	1	-
40 . . .	107	26	78	-	3	-	90 . . .	161	19	27	115	-	-
41 . . .	92	19	68	3	2	-	91 . . .	100	5	23	72	-	-
42 . . .	92	20	69	1	2	-	92 . . .	87	8	11	68	-	-
43 . . .	117	26	88	1	2	-	93 . . .	53	2	9	42	-	-
44 . . .	154	22	129	2	1	-	94 . . .	42	7	5	30	-	-
40-44 . . .	562	113	432	7	10	-	90-94 . . .	443	41	75	327	-	-
45 . . .	172	33	132	3	2	2	95 . . .	21	1	4	16	-	-
46 . . .	185	29	151	5	-	-	96 . . .	16	-	1	15	-	-
47 . . .	212	37	170	3	2	-	97 . . .	9	-	2	7	-	-
48 . . .	231	46	169	10	6	-	98 . . .	3	-	-	3	-	-
49 . . .	269	45	208	12	4	-	99 . . .	2	1	1	-	-	-
45-49 . . .	1,069	190	830	33	14	2	95-99 . . .	51	2	8	41	-	-
							100 and over	4	1	1	2	-	-
							Not stated	-	-	-	-	-	-
All Ages . . .	31,682	6,359	17,574	7,583	137	29							

FEMALES

Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated	Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated
0 . . .	1,131	1,131	-	-	-	-	50 . . .	194	31	143	19	1	-
1 . . .	61	61	-	-	-	-	51 . . .	211	42	141	24	4	-
2 . . .	40	40	-	-	-	-	52 . . .	229	46	147	32	4	-
3 . . .	34	34	-	-	-	-	53 . . .	239	47	152	36	4	-
4 . . .	21	21	-	-	-	-	54 . . .	271	51	178	37	5	-
0-4 . . .	1,287	1,287	-	-	-	-	50-54 . . .	1,144	217	761	148	18	-
5 . . .	22	22	-	-	-	-	55 . . .	266	53	170	42	1	-
6 . . .	22	22	-	-	-	-	56 . . .	314	52	221	39	2	-
7 . . .	18	18	-	-	-	-	57 . . .	345	63	222	59	1	-
8 . . .	25	25	-	-	-	-	58 . . .	347	71	205	69	2	-
9 . . .	10	10	-	-	-	-	59 . . .	379	80	194	100	5	-
5-9 . . .	97	97	-	-	-	-	55-59 . . .	1,651	319	1,012	309	11	-
10 . . .	8	8	-	-	-	-	60 . . .	409	88	208	110	3	-
11 . . .	8	8	-	-	-	-	61 . . .	437	94	231	110	2	-
12 . . .	12	12	-	-	-	-	62 . . .	447	94	210	142	1	-
13 . . .	14	14	-	-	-	-	63 . . .	502	109	238	152	3	-
14 . . .	15	15	-	-	-	-	64 . . .	550	108	255	183	3	1
10-14 . . .	57	57	-	-	-	-	60-64 . . .	2,345	493	1,142	697	12	1
15 . . .	9	9	-	-	-	-	65 . . .	596	117	282	194	3	-
16 . . .	17	17	-	-	-	-	66 . . .	648	133	280	232	3	-
17 . . .	14	14	-	-	-	-	67 . . .	644	132	249	262	1	-
18 . . .	16	16	-	-	-	-	68 . . .	709	136	281	290	2	-
19 . . .	19	18	1	-	-	-	69 . . .	773	147	284	342	-	-
15-19 . . .	75	74	1	-	-	-	65-69 . . .	3,370	665	1,376	1,320	9	-
20 . . .	11	8	3	-	-	-	70 . . .	786	170	262	352	2	-
21 . . .	15	5	10	-	-	-	71 . . .	799	164	248	384	3	-
22 . . .	16	8	8	-	-	-	72 . . .	874	173	275	426	-	-
23 . . .	22	11	11	-	-	-	73 . . .	908	189	250	466	3	-
24 . . .	25	11	14	-	-	-	74 . . .	971	200	255	514	2	-
20-24 . . .	89	43	46	-	-	-	70-74 . . .	4,338	896	1,290	2,142	10	-
25 . . .	28	12	16	-	-	-	75 . . .	967	215	206	543	3	-
26 . . .	25	10	15	-	-	-	76 . . .	957	206	200	549	2	-
27 . . .	24	6	17	1	-	-	77 . . .	985	223	187	574	1	-
28 . . .	20	6	14	-	-	-	78 . . .	1,051	231	174	646	-	-
29 . . .	33	7	26	-	-	-	79 . . .	1,061	232	153	673	3	-
25-29 . . .	130	41	88	1	-	-	75-79 . . .	5,021	1,107	920	2,985	9	-
30 . . .	24	7	15	-	2	-	80 . . .	1,013	221	126	663	3	-
31 . . .	35	8	27	-	-	-	81 . . .	981	245	118	617	1	-
32 . . .	38	9	29	-	-	-	82 . . .	958	209	113	635	1	-
33 . . .	33	8	25	-	-	-	83 . . .	945	239	80	626	-	-
34 . . .	36	10	25	1	-	-	84 . . .	858	203	69	586	-	-
30-34 . . .	166	42	121	1	2	-	80-84 . . .	4,755	1,117	506	3,127	5	-
35 . . .	50	12	38	-	-	-	85 . . .	755	157	54	544	-	-
36 . . .	66	14	48	-	3	1	86 . . .	676	146	39	491	-	-
37 . . .	63	9	51	3	-	-	87 . . .	537	117	20	400	-	-
38 . . .	74	18	54	1	1	-	88 . . .	492	115	19	356	2	-
39 . . .	79	19	59	-	1	-	89 . . .	392	103	12	277	-	-
35-39 . . .	332	72	250	4	5	1	85-89 . . .	2,852	638	144	2,068	2	-
40 . . .	84	15	66	3	-	-	90 . . .	302	70	9	222	1	-
41 . . .	68	8	57	1	2	-	91 . . .	278	63	6	209	-	-
42 . . .	76	12	55	5	4	-	92 . . .	183	43	5	134	1	-
43 . . .	100	18	79	3	-	-	93 . . .	146	39	1	105	1	-
44 . . .	99	19	70	9	1	-	94 . . .	105	27	3	75	-	-
40-44 . . .	427	72	327	21	7	-	90-94 . . .	1,014	242	24	745	3	-
45 . . .	129	21	96	11	1	-	95 . . .	67	12	1	54	-	-
46 . . .	149	21	114	12	2	-	96 . . .	50	17	-	33	-	-
47 . . .	123	29	88	6	-	-	97 . . .	26	7	-	19	-	-
48 . . .	154	24	110	14	6	-	98 . . .	14	5	-	9	-	-
49 . . .	191	35	143	12	1	-	99 . . .	16	6	-	10	-	-
45-49 . . .	746	130	551	55	10	-	95-99 . . .	173	47	1	125	-	-
							100 and over	13	4	-	9	-	-
							Not stated	-	-	-	-	-	-
All Ages . . .	30,082	7,660	8,560	13,757	103	2							

Table 35. Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1960

International Nos.			Causes of Death	Sex	Numbers Aged										Not Stated		Death-rate per 100,000 at Ages											
Detailed List	Abbreviated List 'B'	All Ages			-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	
001-008		{ M. F. }	Tuberculosis of respiratory system	{ M. F. }	337 136	- -1	- -1	- -3	22 26	37 34	60 19	102 19	77 21	33 12	3 1	13 5	- -1	- -1	- -1	- -1	1 7	6 10	11 5	18 6	40 10	54 12	53 31	
010-019		{ M. F. }	Tuberculosis, other forms	{ M. F. }	17 19	1 -1	1 -1	- 1	4 4	2 4	4 4	3 4	3 2	- -	- -	1 1	2 1	0 -1	- 0	- 1	0 1	1 0	1 1	2 2	2 2	- -	- -	
020-029		{ M. F. }	Syphilis and its sequelae	{ M. F. }	41 23	- -	- -	- -	1 1	2 4	2 6	14 7	19 7	2 5	1 1	2 1	- -	- -	- -	- -	0 1	1 1	5 2	13 3	3 5	10 10	- -	
045-048		{ M. F. }	Dysentery, all forms	{ M. F. }	3	1	-	-	-	-	1	1	1	1	-	0	2	-	-	-	-	-	0	-	1	-	-	
056		{ M. F. }	Whooping cough	{ M. F. }	5 5	5 4	1	-	-	-	-	-	-	-	-	0	10	-	-	-	-	-	-	-	-	-	-	
057		{ M. F. }	Meningococcal infections	{ M. F. }	7 12	2 6	5 4	1	-	-	1	-	-	-	-	0	4	3	-	-	-	-	0	-	-	-	-	
080		{ M. F. }	Acute poliomyelitis	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
085		{ M. F. }	Measles	{ M. F. }	2	-	1	1	-	-	-	-	-	-	-	0	1	-	0	-	-	-	-	-	-	-	-	
030-044, 049-055, 058-074, 081-084, 086-138		{ M. F. }	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	{ M. F. }	55 62	4 3	2 1	2 6	- 4	4 1	7 4	9 17	8 9	4 7	1	2	8	1	1	-	0	1	2	4	4	6	6	
	140-205	{ M. F. }	Malignant neoplasms Total	{ M. F. }	5815 5218	4 3	22 15	17 9	33 17	68 76	190 274	759 761	1727 1478	1122 1114	179 287	232 193	6 7	12 4	7 4	4 5	20 22	58 80	227 212	656 383	1208 700	1862 1106	1862 1675	
160-165		{ M. F. }	Malignant neoplasms of respiratory system	{ M. F. }	2160 389	-	-	-	1 2	8 21	59 67	851 108	669 11	207 64	9	14	-	-	-	-	0	2	6	19	35	64	53	
200-205		{ M. F. }	Malignant neoplasms of lymphatic and hematopoietic tissues	{ M. F. }	302 273	3 1	11 10	5 4	8 17	16 33	70 76	31 7	35 4	2	10	12	6	6	5	4	4	5	8	13	30	34	56	42
140-159, 170-199		{ M. F. }	Other malignant neoplasms	{ M. F. }	3353 4556	1 2	4 4	9 8	16 51	42 237	105 661	750 1000	880 1292	164 276	134	169	2	6	2	4	5	12	32	108	293	706	1412	1706
210-239		{ M. F. }	Benign and unspecified neoplasms	{ M. F. }	41 70	2 2	2 1	- 4	1 5	4 14	5 15	11 14	3 8	9 4	1	2	4	1	0	-	0	1	2	4	2	14	10	23
260		{ M. F. }	Diabetes mellitus	{ M. F. }	146 409	1 2	2 1	- 4	5 20	18 3	21 86	42 156	44 123	11 10	6	3	2	1	-	-	1	2	5	8	29	71	114	58

(a)	(b)	(c)	{	M.	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)			
290-293	21	Anemias . . .	{	M. 171	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
240-254, 270-289, 294-299	46.0	Other general diseases	{	M. 127	5	2	2	5	4	6	3	15	36	26	18	5	5	10	1	1	2	1	2	1	4	14	18	29		
			{	F. 226	2	1	3	9	10	18	27	50	54	39	13	8	4	1	1	1	1	2	3	5	8	16	26	39	76	
330-334	22	Vascular lesions affecting central nervous system .	{	M. 4206	5	3	4	3	6	15	47	211	619	1279	1593	421	168	10	2	2	1	2	4	14	63	242	894	2555	4379	
			{	F. 5644	2	3	1	3	5	14	55	225	611	1569	2246	910	209	4	2	0	1	1	4	16	63	199	743	2229	5310	
340	23	Non-meningococcal meningitis .	{	M. 27	11	7	1	1	1	1	1	2	2	2	2	2	1	22	4	0	0	0	0	1	1	1	1	2	—	
			{	F. 29	15	2	—	—	—	—	—	—	—	—	—	—	1	32	1	—	—	—	—	—	—	—	—	—	—	
300-326, 341-398	46.1	Other diseases of nervous system .	{	M. 444	11	17	6	6	20	19	32	63	92	87	73	18	18	22	9	3	3	6	6	10	19	36	61	117	187	
			{	F. 494	8	10	7	2	8	13	36	49	78	125	129	29	18	17	6	3	1	2	4	10	14	25	59	128	169	
400-402	24	Rheumatic fever . . .	{	M. 6	—	—	—	1	1	1	2	2	2	1	—	—	0	—	—	0	0	0	1	1	1	0	—	6	—	
			{	F. 11	—	—	—	—	—	—	—	—	—	—	—	—	0	—	—	0	0	0	1	1	0	—	—	—	—	
410-416	25	Chronic rheumatic heart disease . . .	{	M. 261	—	—	—	1	6	22	34	53	67	41	31	6	10	—	—	—	0	2	6	10	16	26	29	50	62	
			{	F. 480	—	—	—	3	7	19	61	103	110	102	58	17	18	—	—	—	1	2	5	18	29	36	48	58	99	
420-422	26	Arteriosclerotic and degenerative heart disease .	{	M. 9904	—	—	—	—	3	33	235	1034	2223	2799	2683	894	395	—	—	—	—	—	1	10	72	309	868	1957	4303	9298
			{	F. 8676	—	—	—	—	1	14	52	250	1002	2387	3379	1591	321	—	—	—	—	—	0	4	15	70	326	1130	3354	9285
430-434	27	Other diseases of heart . . .	{	M. 396	1	2	—	3	2	7	12	26	59	109	143	34	16	—	1	1	1	2	4	8	23	76	229	354	356	
			{	F. 505	1	2	—	2	3	8	17	49	134	248	61	19	2	1	—	—	—	1	1	2	5	16	63	226	356	
440-443	28	Hypertensive heart disease . . .	{	M. 422	—	—	—	—	3	2	22	77	136	152	30	61	17	—	—	—	—	—	1	1	7	30	95	244	312	341
			{	F. 729	—	—	—	—	2	1	1	16	92	233	306	78	27	—	—	—	—	—	1	0	0	4	30	110	304	455
444-447	29	Other hypertensive disease . . .	{	M. 234	—	—	—	1	8	13	33	43	63	53	20	3	9	—	0	2	4	10	17	44	85	208	485	208	175	
			{	F. 286	—	—	—	3	1	6	20	36	82	107	30	11	—	—	—	—	0	2	6	12	39	106	175	106	175	
450-468	46.2	Other circulatory disease . . .	{	M. 813	—	—	—	1	5	7	24	89	202	331	154	—	32	—	—	—	—	0	1	2	7	35	141	531	1602	
			{	F. 1019	—	—	—	3	4	10	21	62	205	457	257	38	—	—	—	—	—	1	1	3	6	20	97	454	1500	
480-483	30	Influenza . . .	{	M. 56	3	—	—	1	1	5	3	6	6	15	12	4	2	6	—	—	—	0	0	1	1	2	10	19	42	47
			{	F. 48	1	3	—	1	1	1	4	4	8	16	8	—	2	2	—	—	—	0	0	0	1	2	4	16	47	47
490-493	31	Pneumonia (except of newborn) . . .	{	M. 1037	152	35	5	7	10	13	47	107	240	322	99	—	41	309	18	2	—	2	3	4	14	42	168	516	1030	
			{	F. 971	90	27	5	5	5	18	31	77	183	334	194	—	36	193	15	2	1	1	1	5	9	25	87	332	1132	
500-502	32	Bronchitis . . .	{	M. 1589	20	8	1	2	7	10	32	78	181	209	68	—	63	43	4	1	0	1	2	3	9	25	86	207	444	
			{	F. 625	21	7	2	—	2	7	14	455	567	329	76	—	23	43	4	0	0	1	1	2	3	9	25	86	207	444
470-475, 510-527	46.3	Other respiratory diseases . . .	{	M. 422	6	4	1	1	5	11	32	88	161	101	11	—	17	12	2	0	0	0	1	3	10	34	113	162	114	114
			{	F. 122	8	1	3	—	2	12	13	12	29	33	9	—	5	17	1	1	—	—	1	3	4	14	33	53	53	53
540, 541	33	Ulcer of stomach and duodenum . . .	{	M. 406	—	—	—	1	8	13	49	70	132	118	15	—	16	—	—	—	—	0	2	4	15	27	92	189	156	156
			{	F. 156	—	—	—	—	2	5	12	31	40	53	13	—	6	—	—	—	—	—	1	3	4	10	19	53	76	76

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
 *Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 35. Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1960—continued.

International Nos.		Causes of Death	Sex	Numbers Aged										Not Stated	Death-rate per 100,000 at Ages											
Detailed List	Abbreviated List 'B'			All Ages	1-	5-	10-	15-	25-	35-	45-	55-	65-		75-	85 and over	All Ages	1-	5-	10-	15-	25-	35-	45-	55-	65-
550-553	34	Appendicitis	{ M. F. }	54 33	- 3	6 3	1 5	7 2	2 2	2 2	3 1	11 4	15 8	5 5	2 5	2 1	3 1	0 2	1 1	1 1	1 0	1 4	10 4	8 5	21 -	
		Intestinal obstruction and hernia	{ M. F. }	171 173	8 7	1 1	2 1	- 1	- 1	6 5	15 9	28 26	46 56	54 45	10 23	- -	7 6	16 15	1 0	- 0	- 1	3 8	27 45	87 104	134	
543	36.0	Gastritis and duodenitis	{ M. F. }	8 12	2 -	- -	- -	- 1	- 1	- 1	1 1	3 2	1 4	1 2	1 2	0 4	- 2	- -	- 0	- 0	- 2	2 4	2 12	10 12		
		Diarrhoea (except of newborn)	{ M. F. }	131 168	40 24	9 3	2 1	1 1	6 7	8 11	9 17	16 39	19 49	17 9	3 9	- -	5 6	81 51	5 2	1 0	2 2	3 6	13 18	27 49	53	
581	37	Cirrhosis of liver	{ M. F. }	120 105	1 1	- -	- 1	- 1	2 2	11 6	28 13	37 29	28 31	11 20	2 2	4 2	1 -	- 0	- 1	3 8	14 20	18 15	20 12	21 12		
		Other diseases of liver	{ M. F. }	88 174	1 -	- -	- 1	2 2	2 3	9 9	14 29	24 53	29 68	10 -	2 10	- -	4 6	2 -	- 0	1 1	3 3	5 9	17 25	47 67	58	
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	{ M. F. }	98 91	7 6	3 3	2 1	1 5	13 8	18 23	23 37	21 10	9 9	3 3	4 3	14 13	2 2	1 0	- 1	2 4	7 16	34 34	31 53			
		Nephritis and nephrosis	{ M. F. }	187 166	4 -	2 1	3 2	10 7	12 12	33 23	35 25	37 47	29 27	8 5	8 -	7 6	9 1	1 1	- 3	4 2	5 6	10 8	26 22	47 27	83 29	
610	39	Hyperplasia of prostate	M	359	-	-	-	-	-	-	-	20	76	199	64	14	-	-	-	-	8	53	319	666		
		Other diseases of genito-urinary system	{ M. F. }	202 275	6 1	2 3	1 2	1 3	6 15	13 33	25 57	66 79	52 62	26 18	- -	8 10	12 2	1 1	0 1	2 4	10 9	46 37	83 62	270 105		
40, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	8	-	-	-	2	4	2	-	-	-	-	-	0	-	-	1	1	1	-	-	-	-	
		Other puerperal causes	F.	27	-	-	-	8	12	7	-	-	-	-	-	1	-	-	2	3	2	-	-	-	-	
690-749	46.7	Diseases of skin and organs of locomotion	{ M. F. }	89 227	2 1	1 3	1 1	3 2	6 4	9 12	16 30	27 62	16 94	5 19	- -	4 8	4 -	1 0	0 1	1 2	3 3	6 10	19 29	26 93	52 111	
		Congenital malformations	{ M. F. }	325 334	250 255	18 21	7 6	8 8	5 11	6 6	7 9	8 1	1 8	2 -	- -	13 20	509 1044	10 12	8 686	2 3	2 2	2 3	2 4	3 1	2 -	-
750-759	41	Birth injuries, postnatal asphyxia and atelectasis	{ M. F. }	513 320	513 320	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	20 12	1044 686	- -	- -	- -	- -	- -	- -	- -	- -	-
		Pneumonia of newborn	{ M. F. }	50 40	50 40	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 1	102 86	- -	- -	- -	- -	- -	- -	- -	- -	-

Table 36. Deaths and Death-Rates from Selected Causes in Scotland, 1960

International Nos.		Causes of Death	Numbers					Death-rate per 100,000 of Population						
Detailed List	Abbreviated List		Scotland	Countries of Cities	Large Burghs	Countries ex Cities and Large Burghs†	Small Burghs	Land-ward	Scotland	Countries of Cities	Large Burghs	Countries ex Cities and Large Burghs†	Small Burghs	Land-ward
001-008 010-019 020-029 045-048 056 057 080 085 030-044, 049-055, 058-074, 081-084, 086-138 140-205 160-165 200-205	B1	Tuberculosis of respiratory system.	473	250	84	139	68	71	9	13	10	6	8	5
	B2	Tuberculosis, other forms.	36	14	7	15	9	6	1	1	1	1	1	0
	B3	Syphilis and its sequelæ	64	35	8	21	10	11	1	2	1	1	1	1
	B6	Dysentery, all forms	4	1	3	—	—	—	0	0	0	—	—	—
	B9	Whooping cough	10	5	3	2	1	1	1	0	0	0	0	0
	B10	Meningococcal infections	19	13	2	4	—	4	0	1	0	0	—	0
	B12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—
	B14	Measles	2	1	—	1	—	1	1	—	0	0	—	0
	B17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	117	41	14	62	20	42	2	2	2	3	2	3
	B18	Malignant neoplasms	11,033	4,488	1,799	4,746	1,998	2,748	212	235	204	196	227	179
140-159, 170-199 210-239 260 290-293 240-254, 270-289, 294-299 330-334	—	Malignant neoplasms of respiratory system	2,549	1,280	423	846	382	464	49	67	48	35	43	30
	—	Malignant neoplasms of lymphatic and hematopoietic tissues	575	215	88	272	102	170	11	11	10	11	12	11
	—	Other malignant neoplasms	7,909	2,993	1,288	3,628	1,514	2,114	152	157	146	150	172	138
	B19	Benign and unspecified neoplasms	111	45	17	49	22	27	2	2	2	2	2	2
	B20	Diabetes mellitus	555	188	84	283	99	184	11	10	10	12	11	12
	B21	Anæmias	247	87	44	116	47	69	5	5	5	5	5	4
	B46.0	Other general diseases	353	133	52	168	67	101	7	7	6	7	8	7
	B22	Vascular lesions affecting central nervous system	9,850	3,506	1,560	4,784	1,966	2,818	189	184	177	198	223	183
	B23	Non-meningococcal meningitis	56	21	11	24	12	12	1	1	1	1	1	1
	B46.1	Other diseases of nervous system	938	411	116	411	152	259	18	22	13	17	17	17
300-326, 341-398 400-402 410-416 420-422 430-434 440-443 444-447 450-459	B24	Rheumatic fever	17	7	6	4	1	3	0	0	1	0	0	0
	B25	Chronic rheumatic heart disease	741	315	116	310	124	186	14	16	13	13	14	12
	B26	Arteriosclerotic and degenerative heart disease	18,580	6,556	2,981	9,043	3,799	5,244	357	343	338	374	431	341
	B27	Other diseases of heart	901	274	156	471	183	288	17	14	18	19	21	19
	B28	Hypertensive heart disease	1,151	417	191	543...	218	325	22	22	22	22	25	21
	B29	Other hypertensive disease	520	167	94	259	90	169	10	9	11	11	10	11
	B46.2	Other diseases of nervous system	1,822	600	287	926	323	574	25	25	22	28	32	27
	B46.3	Other diseases of nervous system	—	—	—	—	—	—	—	—	—	—	—	—
	B46.4	Other diseases of nervous system	—	—	—	—	—	—	—	—	—	—	—	—
	B46.5	Other diseases of nervous system	—	—	—	—	—	—	—	—	—	—	—	—

Table 37. Deaths from Selected Causes and in Age-Groups in Scotland 1951-1960

International Classification		Causes of Death	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
Detailed List Nos.	Abbreviated List											
001-008	B1	Tuberculosis of respiratory system	473	513	638	664	715	860	1,010	1,159	1,409	1,886
010-019	B2	Tuberculosis, other forms	36	63	49	59	86	122	118	182	203	293
020-029	B3	Syphilis and its sequelae	64	79	58	94	88	97	109	96	110	149
045-048	B6	Dysentery, all forms	2	11	2	8	3	15	7	13	6	15
056	B9	Whooping cough	10	8	4	21	14	10	25	41	26	98
057	B10	Meningococcal infections	19	23	25	21	27	29	41	37	45	44
080	B12	Acute poliomyelitis	—	1	16	11	9	22	21	13	12	24
085	B14	Measles	2	18	4	16	10	20	8	29	22	25
030-044, 049-055, 058-}	B17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	117	113	119	108	112	118	126	132	165	186
074, 081-084, 086-138 }	B18	Malignant neoplasms	11,033	11,032	10,831	10,747	10,754	10,585	10,505	10,125	10,119	9,840
140-205	—	Malignant neoplasms of respiratory system	2,549	2,451	2,373	2,220	2,129	1,948	1,965	1,927	1,664	1,556
160-165	—	Malignant neoplasms of lymphatic and haematopoietic tissues	575	584	560	531	542	530	502	460	463	446
170-199	—	Other malignant neoplasms	7,909	7,997	7,898	7,996	8,083	8,107	8,038	7,738	7,992	7,838
210-239	B19	Benign and unspecified neoplasms	111	133	94	133	146	114	123	106	145	169
260	B20	Diabetes mellitus	555	550	528	505	473	459	445	439	477	559
290-293	B21	Anaemias	247	245	239	214	245	216	248	220	269	345
240-254, 270-289, 294-299	B46.0	Other general diseases	353	382	409	415	434	475	480	426	526	614
330-334	B22	Vascular lesions affecting central nervous system	9,850	9,862	9,982	9,566	9,680	9,607	9,562	8,895	9,087	9,122
340	B23	Non-meningococcal meningitis	56	46	58	59	45	48	59	49	72	59
300-326, 341-398	B46.1	Other diseases of nervous system	938	878	898	817	838	905	894	918	960	1,167
400-402	B24	Rheumatic fever	17	21	17	45	48	54	49	45	44	49
410-416	B25	Chronic rheumatic heart disease	741	816	815	907	819	847	860	807	878	900
420-422	B26	Arteriosclerotic and degenerative heart disease	18,580	18,364	18,507	17,840	18,442	18,014	17,254	16,362	17,307	18,447
430-434	B27	Other diseases of heart	901	816	786	636	608	722	1,208	1,195	1,139	1,324
440-443	B28	Hypertensive heart disease	1,151	1,126	1,238	1,182	1,282	1,307	1,068	990	891	831
444-447	B29	Other hypertensive disease	520	555	637	624	709	710	833	753	835	648
450-468	B46.2	Other circulatory disease	1,832	1,832	1,696	1,645	1,795	1,662	1,654	1,460	1,424	1,219
480-483	B30	Influenza	104	583	143	680	262	212	176	272	316	958
490-493	B31	Pneumonia (except of newborn)	2,008	2,557	2,108	2,042	1,916	1,828	1,728	1,694	1,881	2,297
500-502	B32	Bronchitis	2,214	2,556	2,294	2,013	2,077	2,086	1,843	1,752	2,025	2,488
470-475, 510-527	B46.3	Other respiratory diseases	544	577	610	539	594	587	583	587	634	657
540-541	B33	Ulcer of stomach and duodenum	562	507	534	564	608	666	656	561	639	619
550-553	B34	Appendicitis	87	94	85	103	91	87	106	114	118	118
560, 561, 570	B35	Intestinal obstruction and hernia	344	339	353	423	403	399	408	397	424	394
543	B36.0	Gastritis and duodenitis	20	16	10	10	18	16	22	22	18	34

B40.4 530-539, 542, 544, 545, 573-578, 587 590-594 600-609, 611-637 640, 641, 651, 681, 682, 640, 684, 684	Other diseases of liver	262	226	268	241	246	254	263	202
B46.5 B38 B39 B46.6 B40.0 B40.1 B46.7 B41 B42 B43.0 B43.1 B43.2 B44 B45.0 B45.1 E963, E970-E979 E810-E835 E840-E845 E870-E936 (part) E961 (part) E962 (part) Remainder of E800-E999	Other digestive diseases Nephritis and nephrosis Hyperplasia of prostate Other diseases of genito-urinary system Puerperal sepsis including abortion with sepsis Other puerperal causes Diseases of skin and organs of locomotion Congenital malformations Birth injuries, postnatal asphyxia and atelectasis Pneumonia of newborn Diarrhea of newborn Other infections of the newborn Other diseases peculiar to early infancy and im- maturity unqualified Senility without mention of psychosis Ill-defined and unknown causes Suicide and self-inflicted injury Motor vehicle accidents Other road vehicle accidents Accidents in the home Other violence (BE50) ALL CAUSES	8 27 316 659 833 90 15 12 513 450 317 408 676 15 1,050 718	11 25 328 718 846 97 20 17	15 38 307 648 808 99 10 18 17	16 30 324 718 762 95 18 23	11 36 320 662 627 697 111 11 19	15 55 332 676 710 122 94 16 21	20 66 260 618 655 670 113 16 12	22 70 233 610 602 425 310 28 71 246 602 166 34 9 884 1,252 1,071 281 276 516 49 32 1,023 704
B46.4 530-539, 542, 544, 545, 573-578, 587 590-594 600-609, 611-637 640, 641, 651, 681, 682, 640, 684, 684	Other diseases of liver	262	226	268	241	246	254	263	202
B46.5 B38 B39 B46.6 B40.0 B40.1 B46.7 B41 B42 B43.0 B43.1 B43.2 B44 B45.0 B45.1 E963, E970-E979 E810-E835 E840-E845 E870-E936 (part) E961 (part) E962 (part) Remainder of E800-E999	Other digestive diseases Nephritis and nephrosis Hyperplasia of prostate Other diseases of genito-urinary system Puerperal sepsis including abortion with sepsis Other puerperal causes Diseases of skin and organs of locomotion Congenital malformations Birth injuries, postnatal asphyxia and atelectasis Pneumonia of newborn Diarrhea of newborn Other infections of the newborn Other diseases peculiar to early infancy and im- maturity unqualified Senility without mention of psychosis Ill-defined and unknown causes Suicide and self-inflicted injury Motor vehicle accidents Other road vehicle accidents Accidents in the home Other violence (BE50) ALL CAUSES	8 27 316 659 833 90 15 12 513 450 317 408 676 15 1,050 718	11 25 328 718 846 97 20 17	15 38 307 648 808 99 10 18 17	16 30 324 718 762 95 18 23	11 36 320 662 627 697 111 11 19	15 55 332 676 710 122 94 16 21	20 66 260 618 655 670 113 16 12	22 70 233 610 602 425 310 28 71 246 602 166 34 9 884 1,252 1,071 281 276 516 49 32 1,023 704
B46.4 530-539, 542, 544, 545, 573-578, 587 590-594 600-609, 611-637 640, 641, 651, 681, 682, 640, 684, 684	Other diseases of liver	262	226	268	241	246	254	263	202
B46.5 B38 B39 B46.6 B40.0 B40.1 B46.7 B41 B42 B43.0 B43.1 B43.2 B44 B45.0 B45.1 E963, E970-E979 E810-E835 E840-E845 E870-E936 (part) E961 (part) E962 (part) Remainder of E800-E999	Other digestive diseases Nephritis and nephrosis Hyperplasia of prostate Other diseases of genito-urinary system Puerperal sepsis including abortion with sepsis Other puerperal causes Diseases of skin and organs of locomotion Congenital malformations Birth injuries, postnatal asphyxia and atelectasis Pneumonia of newborn Diarrhea of newborn Other infections of the newborn Other diseases peculiar to early infancy and im- maturity unqualified Senility without mention of psychosis Ill-defined and unknown causes Suicide and self-inflicted injury Motor vehicle accidents Other road vehicle accidents Accidents in the home Other violence (BE50) ALL CAUSES	8 27 316 659 833 90 15 12 513 450 317 408 676 15 1,050 718	11 25 328 718 846 97 20 17	15 38 307 648 808 99 10 18 17	16 30 324 718 762 95 18 23	11 36 320 662 627 697 111 11 19	15 55 332 676 710 122 94 16 21	20 66 260 618 655 670 113 16 12	22 70 233 610 602 425 310 28 71 246 602 166 34 9 884 1,252 1,071 281 276 516 49 32 1,023 704

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.
See footnote Table 35 (Page 148).

Table 38. Death-Rates from Selected Causes and in Age-Groups in Scotland 1951-1960

International Classification		Causes of Death	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
Detailed List Nos.	Abbreviated List											
001-008	B1	Tuberculosis of respiratory system	9	10	12	13	14	17	20	23	28	37
010-019	B2	Tuberculosis, other forms	1	1	1	1	2	2	2	2	4	6
020-029	B3	Syphilis and its sequelae	0	2	1	2	2	2	2	2	4	3
045-048	B6	Dysentery, all forms	0	0	0	0	0	0	0	0	0	0
056	B9	Whooping cough	0	0	0	0	0	0	0	1	1	2
057	B10	Meningococcal infections	0	0	0	0	1	1	1	1	1	1
080	B12	Acute poliomyelitis	—	0	0	0	0	0	0	0	0	0
085	B14	Measles	—	0	0	0	0	0	0	1	0	0
030-044, 049-055, 058-069	B17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	2	2	2	2	2	2	2	3	3	4
074, 081-084, 086-138	B18	Malignant neoplasms	212	212	210	209	209	206	205	198	198	192
140-205	—	Malignant neoplasms of respiratory system	49	47	46	43	41	38	38	38	33	30
160-165	—	Malignant neoplasms of lymphatic and haematopoietic tissues	11	11	11	10	11	10	10	9	9	9
200-205	—	Other malignant neoplasms	152	154	153	155	157	158	157	151	156	153
140-159, 170-199	B19	Benign and unspecified neoplasms	2	3	2	3	3	2	2	2	3	3
210-239	B20	Diabetes mellitus	11	11	10	10	9	9	9	9	9	11
260	B21	Anæmias	5	5	5	5	5	4	5	4	5	4
290-293	B21	Other general diseases	7	7	8	8	8	9	9	8	10	12
240-254, 270-289, 294-299	B46.0	Vascular lesions affecting central nervous system	189	190	193	186	188	187	187	174	178	178
330-334	B22	Non-meningococcal meningitis	1	1	1	1	1	1	1	1	1	1
340	B23	Other diseases of nervous system	18	17	17	16	17	18	17	18	19	23
300-326, 341-398	B46.1	Rheumatic fever	0	0	0	1	1	1	1	1	1	1
400-402	B24	Chronic rheumatic heart disease	14	16	16	18	16	17	17	16	17	18
410-416	B25	Arteriosclerotic and degenerative heart disease	357	354	358	346	358	351	337	320	338	361
420-422	B26	Other diseases of heart	17	16	15	12	12	14	24	23	22	26
430-434	B27	Hypertensive heart disease	22	22	24	23	25	25	21	19	17	16
440-443	B28	Other hypertensive disease	10	11	12	12	14	14	16	15	16	13
444-447	B29	Other circulatory disease	35	35	33	32	35	32	32	29	28	24
450-468	B46.2	Influenza	2	2	3	13	5	4	3	5	6	19
480-483	B30	Pneumonia (except of newborn)	39	49	41	40	37	36	34	33	37	45
490-493	B31	Bronchitis	43	49	44	39	40	41	36	34	40	49
500-502	B32	Other respiratory diseases	10	11	12	10	12	11	11	11	12	13
470-475, 510-527	B46.3	Ulcer of stomach and duodenum	11	10	10	11	12	13	13	11	12	12
540-541	B33	Appendicitis	2	2	2	2	2	2	2	2	2	2
550-553	B34	Intestinal obstruction and hernia	7	7	7	8	8	8	8	8	8	8
560, 561, 570	B35											

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis. See footnote Table 35 (page 148).

Table 39. Deaths in Scotland from Principal Epidemic and certain other Diseases, 1855-1960. Quinquennial Averages

Year	Number of Deaths from													
	Typhoid Fever	Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis		Cancer	Bronchitis*	Pneumonia*	All Diarrhoeal Diseases†	Violence
								All Forms	Respira- tory					
1855-60	2,573		995	1,223	2,766	2,035	1,226	10,140	7,194	953	3,538	2,104	2,976	2,034
1861-65	3,633		992	1,377	2,423	2,193	2,549	11,171	7,914	1,207	5,768	2,071	2,604	2,216
1866-70	1,346	1,799	99	1,206	3,472	2,064	1,587	11,983	8,472	1,348	7,095	2,284	3,212	2,273
1871-75	1,406	779	1,268	1,311	591	2,015	2,090	12,262	8,535	1,569	8,680	3,072	3,202	2,756
1876-80	1,341	276	20	1,166	1,873	2,347	1,733	12,211	8,338	1,792	8,762	3,135	3,061	2,686
1881-85	1,029	162	17	1,359	1,340	2,273	1,680	11,029	7,998	2,058	7,916	4,075	2,766	2,725
1886-90	765	91	10	1,628	882	2,425	1,623	10,192	7,436	2,441	7,509	4,270	2,734	2,628
1891-95	761	57	51	2,110	811	2,151	1,513	9,935	7,169	2,351	6,238	5,656	3,825	3,128
1896-1900	716	39	14	1,857	756	2,206	921	10,149	7,151	3,351	5,570	6,578	3,166	3,084
1901-05	521	25	118	1,470	403	2,222	770	9,790	6,618	3,845	5,707	6,717	2,697	2,941
1906-10	322	14	2	1,647	399	1,841	839	9,464	6,079	4,663	5,017	6,132	2,502	3,105
1911-15	207	8	5	1,583	649	1,951	857	8,011	5,214	5,207	5,046	6,132	2,502	3,105
1916-20	109	10	31	1,264	287	1,330	734	7,073	4,781	5,574	4,999	8,545	1,820	3,014
1921	87	4	24	269	270	1,478	611	5,737	3,970	5,962	4,135	5,393	1,991	2,702
1922	65	7	—	2,695	247	1,408	536	5,818	4,061	6,133	5,730	8,265	1,244	2,444
1923	67	1	—	1,118	352	989	492	5,790	3,996	6,376	3,635	4,840	1,159	2,469
1924	34	—	—	1,592	410	1,625	442	5,653	3,887	6,498	4,843	7,691	1,147	2,599
1925	52	4	—	512	404	1,737	505	5,390	3,734	6,675	4,191	5,821	1,168	2,817
1921-25	61	3	5	1,237	337	1,447	517	5,678	3,930	6,329	4,507	6,402	1,342	2,606
1926	39	3	—	928	343	506	490	4,861	3,384	6,640	3,771	5,844	1,084	2,657
1927	41	2	—	660	200	850	485	4,868	3,466	6,919	4,231	6,642	976	2,957
1928	29	—	—	1,005	140	1,072	488	4,722	3,318	6,901	3,585	6,098	1,016	2,914
1929	18	—	—	149	109	901	471	4,580	3,288	7,108	5,344	8,778	959	2,994
1930	24	1	2	792	127	628	460	4,286	3,024	7,120	3,869	5,958	854	3,060
1926-30	30	1	0	707	184	791	479	4,663	3,296	6,938	4,160	6,664	978	2,916
1931	20	1	—	641	161	957	356	4,205	3,004	7,158	3,879	5,417	885	2,730
1932	24	—	—	892	250	459	368	4,123	2,991	7,458	3,645	6,163	1,129	2,811
1933	17	—	—	36	310	762	356	3,910	2,930	7,520	3,629	5,435	1,067	2,836
1934	16	1	—	1,014	345	383	583	3,702	2,794	7,561	2,804	4,749	847	2,823
1935	31	—	—	141	199	567	513	3,646	2,812	7,793	3,239	5,222	875	2,705
1931-35	22	0	—	545	253	626	435	3,917	2,906	7,498	3,439	5,397	961	2,781
1936	27	—	—	610	172	411	387	3,665	2,753	7,909	3,411	5,093	1,209	2,826
1937	11	—	—	119	123	717	426	3,663	2,791	7,810	3,650	6,131	1,038	3,020
1938	23	—	—	549	98	219	430	3,432	2,581	8,072	2,494	4,002	960	2,878
1939	19	—	—	15	47	397	395	3,526	2,717	8,045	2,775	3,275	1,005	3,412
1940	14	—	—	262	35	197	676	4,003	3,037	8,260	4,693	4,832	926	4,251
1936-40	19	—	—	311	95	388	463	3,658	2,776	8,019	3,405	4,667	1,028	3,277
1941	7	—	—	103	26	720	517	4,175	3,117	8,436	3,246	3,822	1,118	6,627
1942	20	—	25	144	24	92	290	3,998	3,043	8,557	2,489	2,889	1,058	4,405
1943	14	—	—	88	22	305	231	3,959	2,976	8,659	2,900	3,594	873	4,191
1944	4	—	—	46	18	179	183	3,936	2,978	8,742	2,311	2,745	1,278	3,593
1945	6	—	—	89	15	120	126	3,803	2,932	9,045	2,450	2,233	1,058	2,944
1941-45	10	—	5	94	21	283	269	3,974	3,009	8,688	2,679	3,057	1,077	4,352
1946	8	—	—	85	5	103	91	3,984	3,231	8,873	2,711	3,011	807	2,686
1947	5	—	—	57	8	223	45	4,095	3,390	9,069	2,563	2,874	1,281	2,636
1948	1	—	—	74	7	63	31	3,901	3,415	9,361	1,939	2,174	748	2,610
1949	—	—	—	22	5	96	14	3,484	3,084	9,587	2,344	2,570	528	2,572
1950	—	1	6	38	1	61	3	2,775	2,439	10,029	2,342	2,415	401	2,598
1946-50§	3	0	1	55	5	109	37	3,649	3,111	9,323	2,402	2,609	756	2,620
1951	1	—	—	25	1	98	5	2,179	1,886	9,840	2,711	2,814	354	2,584
1952	1	1	—	22	1	26	8	1,612	1,409	10,119	2,094	2,102	229	2,535
1953	2	—	—	29	—	41	2	1,341	1,159	10,125	1,815	1,881	209	2,766
1954	1	—	—	8	—	25	1	1,128	1,010	10,505	1,869	1,925	143	2,672
1955	1	—	—	20	1	10	—	982	860	10,585	2,126	2,025	214	2,920
1951-55	1	0	—	21	1	40	3	1,448	1,265	10,235	2,123	2,149	230	2,695
1956	2	1	—	10	1	14	2	801	715	10,754	2,135	2,122	166	2,642
1957	—	—	—	16	—	21	—	723	664	10,747	2,108	2,543	124	2,801
1958	1	—	—	4	—	4	—	687	638	10,831	2,312	2,275	126	2,850
1959	—	—	—	18	—	8	1	576	513	11,032	2,637	2,958	189	2,860
1960	—	—	—	2	—	10	—	509	473	11,033	2,229	2,141	144	2,867
1956-60	1	0	—	10	0	11	1	659	601	10,879	2,284	2,408	150	2,804

NOTE.—For comparability with previous years deaths from pneumonia from 1950 onwards, include International Rubric 763.

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 and subsequent years those from Bronchitis include "Influenza with other respiratory complications" (481a, page 182).

† Including Dysentery but excluding ulcerative colitis. From 1950 and subsequent years it excludes "Chronic enteritis".

§ Deaths for year 1950 are classified to the Sixth Revision but the averages for 1946-50 are calculated on the Fifth Revision.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

Table 40. Death-rate per 100,000 of Population in Scotland from the Principal Epidemic and certain other Diseases, 1855-1960. Quinquennial Averages

Year	Typhoid Fever		Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis		Cancer	Bronchitis*	Pneumonia*	All Diarrhoeal Diseases†	Violence
									All Forms	Respiratory					
1855-60	92			36	44	98	72	43	360	255	34	125	75	106	72
1861-65	122			33	46	81	73	85	375	266	40	194	70	88	74
1866-70	43	57	3	38	109	66	51	382	270	43	226	73	102	72	
1871-75	42	23	38	39	106	60	62	365	254	47	258	91	95	82	
1876-80	38	8	0	33	52	66	49	343	234	50	246	88	86	76	
1881-85	27	4	0	36	36	61	45	296	213	55	211	109	74	73	
1886-90	20	2	0	41	23	62	41	261	190	62	192	109	70	67	
1891-95	19	1	1	51	20	53	37	243	175	69	186	128	79	70	
1896-1900	17	1	0	43	18	51	22	235	166	78	145	131	89	73	
1901-05	11	0	3	32	9	49	17	218	148	86	124	146	71	69	
1906-10	7	0	0	35	9	40	18	204	131	100	108	144	58	63	
1911-15	5	0	0	33	13	41	18	169	110	110	106	129	53	65	
1916-20	2	0	1	26	6	28	15	147	99	116	104	177	38	63	
1921	2	0	0	6	6	30	13	118	81	122	85	110	41	55	
1922	1	0	—	55	5	29	11	119	83	125	117	169	25	50	
1923	1	0	—	23	7	20	10	118	82	130	74	99	24	51	
1924	1	—	—	33	8	33	9	116	80	134	100	158	24	53	
1925	1	0	—	11	8	36	10	111	77	137	86	120	24	58	
1921-25	1	0	0	26	7	30	11	117	81	130	92	131	28	53	
1926	1	0	—	19	7	10	10	100	70	137	78	120	22	55	
1927	1	0	—	14	4	18	10	100	71	143	87	137	20	61	
1928	1	—	—	21	3	22	10	97	68	142	74	126	21	60	
1929	0	—	—	3	2	19	10	95	68	147	111	182	20	62	
1930	0	0	0	16	3	13	10	89	63	147	80	123	18	63	
1926-30	1	0	—	15	4	16	10	96	68	143	86	137	20	60	
1931	0	0	—	13	3	20	7	87	62	148	80	112	18	56	
1932	0	—	—	18	5	9	8	84	61	153	75	126	23	58	
1933	0	—	—	1	6	16	7	80	60	153	74	111	22	58	
1934	0	0	—	21	7	8	12	75	57	153	57	96	17	57	
1935	1	—	—	3	4	11	10	74	57	157	65	105	18	55	
1931-35	0	0	—	11	5	13	9	80	59	153	70	110	20	57	
1936	1	—	—	12	3	8	8	74	55	159	69	103	24	57	
1937	0	—	—	2	2	14	9	74	56	157	73	123	21	61	
1938	0	—	—	11	2	4	9	69	52	162	50	80	19	58	
1939	0	—	—	0	1	8	8	70	54	161	55	65	20	68	
†1940	0	—	—	5	1	4	14	82	62	170	97	99	19	77	
1936-40	0	—	—	6	2	8	10	74	56	162	69	94	21	64	
†1941	0	—	—	2	1	15	11	85	63	174	67	79	23	115	
†1942	0	—	1	3	1	2	6	82	62	179	52	60	22	69	
†1943	0	—	—	2	0	7	5	83	62	185	62	76	19	67	
†1944	0	—	—	1	0	4	4	82	62	186	50	59	27	57	
†1945	0	—	—	2	0	3	3	79	60	192	52	47	23	53	
1941-45	0	—	0	2	0	6	6	82	62	183	57	64	23	72	
†1946	0	—	—	2	0	2	2	79	64	180	55	61	16	51	
†1947	0	—	—	1	0	4	1	81	67	178	50	57	25	52	
1948	0	—	—	1	0	1	1	77	67	184	38	43	15	51	
1949	—	—	—	0	0	2	0	68	60	188	46	50	10	50	
1950	—	0	0	1	0	1	0	54	48	196	46	47	8	51	
1946-50§	0	0	0	1	0	2	1	72	61	184	47	52	15	52	
1951	0	—	—	0	0	2	0	43	37	192	53	55	7	51	
1952	0	0	—	0	0	1	0	32	28	198	41	41	4	50	
1953	0	—	—	1	0	1	0	26	23	198	35	37	4	54	
1954	0	—	—	0	—	0	0	22	20	205	36	38	3	52	
1955	0	—	—	0	0	0	—	19	17	206	41	39	4	57	
1951-55	0	0	—	0	0	1	0	28	25	200	41	42	4	53	
1956	0	—	—	0	0	0	0	16	14	209	42	41	3	51	
1957	—	—	—	0	—	0	—	14	13	209	41	49	2	54	
1958	—	—	—	0	—	0	—	13	12	210	45	44	2	55	
1959	—	—	—	0	—	0	0	11	10	212	51	57	4	55	
1960	—	—	—	0	—	0	—	10	9	212	43	41	3	55	
1956-60	0	0	—	0	0	0	0	13	12	210	44	47	3	54	

* , † , §. See footnotes, Table 39. † Civilians only.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

Table 41A. Deaths in Scotland from Non-Transport Accidents, by Place of Occurrence, Age and Sex, 1960.

International Detailed List Nos.	Cause of Death	Age Group	Total		Home		Farm and Forest		Mine and Quarry		Industrial Place and Premises		Street and Highway		Residential Institution		Other Specified Places		Place not Specified	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
E870-E888	Accidental poisoning by solid and liquid substances	0-5-	4	2	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		5-15-	6	13	6	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15-45-	19	20	19	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		65 and over	3	6	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	32	41	32	41	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E890-E895	Accidental poisoning by gases and vapours	0-5-	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		5-15-	18	9	17	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15-45-	46	19	46	19	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		65 and over	30	76	28	76	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		ALL AGES	94	106	90	106	—	—	—	—	2	—	—	—	—	—	2	—	—	—
E900-E904	Accidental Falls	0-5-	4	7	3	7	—	—	—	—	—	—	1	—	—	—	1	—	—	—
		5-15-	8	1	1	2	1	—	2	—	22	—	2	—	—	—	5	—	—	—
		15-45-	47	3	8	1	1	—	—	—	20	—	1	—	2	1	10	1	2	—
		65 and over	150	403	13	15	—	—	—	—	5	—	14	5	21	35	6	3	1	—
		ALL AGES	252	432	131	383	2	—	2	—	47	—	18	8	23	36	25	5	4	—
E910	Blow from falling or projected object or missile	0-5-	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		5-15-	3	1	—	—	—	—	—	—	1	—	—	—	—	—	2	1	—	—
		15-45-	27	1	—	—	—	—	12	—	14	—	1	—	—	—	1	—	—	—
		65 and over	28	—	—	—	—	—	15	—	1	—	—	—	—	—	—	—	—	—
		ALL AGES	60	2	—	—	—	—	27	—	29	—	—	1	—	—	4	1	—	—
E911	Accident caused by vehicle	0-5-	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		5-15-	5	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
		15-45-	6	—	—	—	—	—	5	—	1	—	—	—	—	—	—	—	—	—
		65 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	11	—	—	—	—	—	10	—	1	—	—	—	—	—	—	—	—	—
E912	Accident caused by machinery	0-5-	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		5-15-	10	—	—	—	1	—	4	—	5	—	—	—	—	—	—	—	—	—
		15-45-	11	—	—	—	1	—	2	—	8	—	—	—	—	—	—	—	—	—
		65 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	22	—	—	—	3	—	6	—	13	—	—	—	—	—	—	—	—	—

Table 41B. Deaths from Poisoning in Scotland in 1960

ACCIDENTAL POISONING

<i>Inter-national List Nos.</i>		Both Sexes	M.	F.	<i>Inter-national List Nos.</i>		Both Sexes	M.	F.
E871	Barbituric acids and derivatives:					Brought forward	56	23	33
	Amytal	1	1	—	E874	Other analgesic and soporific drugs:			
	Barbiturate and salicylate	1	—	1		Chloral, bromide and nepenthe	1	—	1
	Butobarbitone	1	—	1		Chloral hydrate and nepenthe	1	—	1
	Carbital	4	2	2		Carbromal	1	1	—
	Cyclobarbitone	3	2	1		Paraldehyde	1	1	—
	Ethobral	1	1	—		Persomnia	1	—	1
	Medinal	1	—	1		Hypnotic drug (unspecified)	2	—	2
	Nembutal	8	2	6	E878	Other and unspecified drugs:			
	Nembutal and phenobarbitone	1	1	—		Doriden	1	1	—
	Pentobarbitone	1	1	—		Ferrous sulphate	1	1	—
	Phenobarbitone	1	1	—		Iodine	1	—	1
	Seconal	2	—	2		Pipadone	1	—	1
	Sodium amytal	5	—	5		Quinine	2	2	—
	Soneryl	2	1	1		Tofranal	1	—	1
	Soneryl and nembutal	1	—	1		Unspecified	1	1	—
	Tuinal	3	1	2	E883	Corrosive aromatic acids and caustic alkalis:			
	Barbiturate (unspecified)	15	7	8		Acetic acid	1	1	—
E872	Aspirin and salicylates:				E888	Other and unspecified solid and liquid substances:			
	Aspirin	3	1	2		Hemlock	1	1	—
	Salicylate	2	2	—	E890	Utility (illuminating) gas	191	86	105
					E891	Motor vehicle exhaust gas	2	2	—
					E892	Other carbon monoxide gas	3	3	—
					E894	Other specified gas vapours:			
						Carbon dioxide	4	3	1
	Carried forward	36	23	33		Total	273	126	147

SUICIDAL AND SELF-INFLICTED POISONING

<i>Inter-national List Nos.</i>		Both Sexes	M.	F.	<i>Inter-national List Nos.</i>		Both Sexes	M.	F.
E970	Analgesic and soporific sub- stances:					Brought forward	43	15	28
	Aspirin	4	2	2	E971	Other solid and liquid sub- stances:			
	Carbital	2	1	1		Doriden and valmidate	1	—	1
	Cyclobarbitone	1	—	1		Lysol	3	—	3
	Dinamyl	1	—	1		Phenol	1	—	1
	Nembutal	4	1	3		Potassium, bromide, chloral hydrate, valerian and sodium amytal	1	—	1
	Pethidine	1	1	—		Potassium oxalate	1	—	1
	Phenobarbitone	3	1	2		Sulphuric acid	1	1	—
	Rutonal (M and B) Phenyl Methyl and carbituric acid	1	1	—	E972	Gases in domestic use	200	122	78
	Seconal	2	1	1	E973	Other gases:			
	Sodium amytal	9	5	4		Carbon monoxide gas	2	2	—
	Sodium seconal	1	1	—					
	Soneryl	1	—	1					
	Tuinal	5	—	5					
	Barbiturate (unspecified)	7	1	6					
	Sedative drug (unspecified)	1	—	1					
	Carried forward	43	15	28		Total	253	140	113

Table 41C. Deaths in Anæsthesia and Deaths connected with administration of Anæsthetics, Scotland, 1960

International Detailed List No. E.945

Complications of Anæsthesia for Non-therapeutic purposes

NIL.

International Detailed List No. E.954

Therapeutic misadventure in anæsthesia

NIL.

Deaths connected with Administration of Anæsthetic

Mention of anæsthetic other than as primary cause.

Name of Anæsthetic	Both Sexes	M.	F.	Name of Anæsthetic	Both Sexes	M.	F.
Ether	1	1	—	Brought forward	72	38	34
Ether and nitrous oxide	2	—	2	Nitrous oxide, thiopentone, pethidine and scoline	1	—	1
Ether, nitrous oxide and cyclopropane	2	1	1	Nitrous oxide, thiopentone, pethidine and tubarine	1	—	1
Ether, nitrous oxide and fluothane	1	1	—	Nitrous oxide, thiopentone and scoline	2	1	1
Ether, nitrous oxide and thiopentone*	2	2	—	Nitrous oxide, thiopentone, scoline and flaxedil	1	1	—
Ether, nitrous oxide, thiopentone and scoline	1	1	—	Nitrous oxide, thiopentone and trichlorethylene	1	1	—
Ether and thiopentone	1	—	1	Nitrous oxide, thiopentone and trilene	1	—	1
Ether and tubarine	1	1	—	Nitrous oxide, thiopentone and tubarine	1	1	—
Nitrous oxide	18	12	6	Nitrous oxide, thiopentone, tubarine and pethidine	1	1	—
Nitrous oxide and brevidil	1	—	1	Nitrous oxide, thiopentone and tubocurarine	3	2	1
Nitrous oxide and cyclopropane	4	—	4	Nitrous oxide, thiopentone, tubo- curarine, prostigmin and atropine	1	1	—
Nitrous oxide, cyclopropane, scoline and tubarine	1	—	1	Nitrous oxide and trilene	1	1	—
Nitrous oxide, cyclopropane, thio- pentone and brevidil	1	1	—	Thiopentone	2	2	—
Nitrous oxide and fluothane	4	3	1	Thiopentone and cyclopropane	1	—	1
Nitrous oxide, gallamine and hydroxydione	1	—	1	Thiopentone, cyclopropane and flaxedil	1	—	1
Nitrous oxide and halothane	5	2	3	Thiopentone, cyclopropane and gallamine	1	—	1
Nitrous oxide and scoline	1	1	—	Thiopentone, cyclopropane and tubocurarine	3	3	—
Nitrous oxide and thiopentone	10	6	4	Thiopentone, cyclopropane and tubocurarine chloride	1	—	1
Nitrous oxide, thiopentone and brevidil	2	—	2	Thiopentone and halothane	1	—	1
Nitrous oxide, thiopentone, brevidil, enlissin and halothane	1	—	1	Thiopentone, pethidine, pentolinium and succinylcholine	1	1	—
Nitrous oxide, thiopentone and curare	1	—	1	Thiopentone and xylocaine	1	1	—
Nitrous oxide, thiopentone and flaxedil	3	1	2	Cyclopropane	5	2	3
Nitrous oxide, thiopentone, flaxedil and pethidine	1	1	—	Cyclopropane and scoline	1	1	—
Nitrous oxide, thiopentone, flaxedil and pethilorfan	1	1	—	Cyclopropane and tubarine	1	—	1
Nitrous oxide, thiopentone and gallamine	3	2	1	Fluothane	1	1	—
Nitrous oxide, thiopentone, gallamine and triethiodide	1	1	—	Halothane	2	1	1
Nitrous oxide, thiopentone and nupercaine	1	—	1	Anæsthesia not stated	5	3	2
Nitrous oxide, thiopentone, pethidine and gallamine	1	—	1				
Carried forward	72	38	34	Total	113	62	51

*All cases of "pentothal" and "sodium pentothal" where they are so described are listed under "thiopentone."

NOTES: (1) Deaths registered during 1950-57 have been classified in accordance with the Sixth Revision of the International Statistical Classification of Causes of Death (1948) and those from 1958 with the Seventh Revision (1955). In a number of instances fourth digit subdivisions are also given: International Classification subdivisions by numbers (0, 1, 2, etc.) Scottish subdivisions by letters (a, b, c, etc.).

(2) A separate line has not been devoted to a number of those rubrics to which very few deaths are assigned each year and the practice has been to amalgamate them, for example, 004-008. In order to have the record complete details of any deaths regis-

Inter- national Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
	ALL CAUSES—Both Sexes	63996	65778	61510	58878	61380	61645	61792	61143	62065	63061
	Males	32191	33116	31401	30326	31493	31329	31651	31622	31765	32454
	Females	31805	32662	30109	28552	29887	30316	30141	29521	30300	30607
001-138	I. INFECTIVE AND PARASITIC DISEASES	1820 1519	1544 1176	1162 836	1017 685	889 576	802 491	687 377	650 352	588 327	518 311
001-019	TUBERCULOSIS, all forms	1469 1306	1256 923	941 671	811 530	688 440	619 363	525 276	484 239	459 228	379 197
001-008	<i>Tuberculosis of respiratory system</i>	1306 1133	1106 780	847 562	724 435	617 393	555 305	478 237	452 212	431 207	344 169
001	Respiratory tuberculosis with mention of occupational disease of lung	15 —	14 —	17 —	31 —	21 —	17 —	9 —	25 —	26 —	19 —
002	Pulmonary tuberculosis	1283 1125	1086 778	821 555	691 433	595 393	533 302	467 237	426 211	403 205	324 169
003	Pleural tuberculosis	5 6	3 2	6 4	2 2	1 —	4 2	— —	1 —	1 —	— —
004-008	Other respiratory tuberculosis and tuberculosis, unspecified site	3 2	3 —	3 3	— —	— —	1 1	2 —	— —	1 2	1 —
010-019	<i>Tuberculosis, other forms</i>	163 173	150 143	94 109	87 95	71 47	64 58	47 39	32 27	28 21	35 28
010	Tuberculosis of meninges and central nervous system	89 102	78 83	47 53	30 34	26 18	20 17	12 10	8 7	7 6	9 2
011	Tuberculosis of intestines, peritoneum and mesenteric glands	12 16	12 16	8 12	3 14	10 7	6 5	3 4	4 7	4 3	1 12
012	Tuberculosis of bones and joints, active or unspecified	18 19	23 15	13 18	12 13	8 10	15 12	12 10	6 7	5 4	6 3
012.0	Vertebral column	12 15	20 12	9 15	8 12	7 2	12 6	5 4	5 4	4 1	6 3
012.1-3	Other bones and joints	6 4	3 3	4 3	4 1	1 —	3 4	7 3	1 —	1 —	— —
013	Tuberculosis of bones and joints, late effects	1 —	2 —	1 1	3 —	— 2	2 —	1 —	1 —	— —	2 1
013.0	Vertebral column	— —	2 2	1 1	1 —	— 2	2 —	1 —	1 —	— —	2 —
013.1-3	Other bones and joints	1 —	— —	— —	2 1	— —	— —	— —	— —	— —	1 —
014	Tuberculosis of skin and subcutaneous cellular tissue	3 5	3 —	1 —	1 —	— —	— —	— —	— —	— —	1 —
015	Tuberculosis of lymphatic system	— 2	2 —	1 4	3 3	— 2	2 7	2 2	1 2	— 1	— 2
016	Tuberculosis of genito-urinary system	21 19	13 7	15 12	25 16	11 7	17 9	15 8	10 6	10 7	12 4
017	Tuberculosis of adrenal glands	3 —	2 —	2 1	6 4	3 2	— 3	— 1	2 —	— 2	— 1
018	Tuberculosis of other organs	1 —	1 —	— 2	— —	2 1	1 1	— 1	— —	1 —	3 —
019	Disseminated tuberculosis	15 10	14 17	6 6	4 10	12 5	1 6	2 5	— 1	1 —	1 2
020-029	<i>Syphilis and its sequelae</i>	126 44	100 49	76 34	72 24	71 38	70 27	71 17	72 22	40 18	54 25
020	Congenital syphilis	5 6	3 1	1 2	1 —	— 3	— 2	1 —	— 1	— —	1 3
021	Early syphilis	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
022	Aneurysm of aorta	57 24	41 29	34 11	23 4	18 9	22 4	20 5	22 10	9 7	17 6
023	Other cardiovascular syphilis	13 3	18 2	8 1	14 4	14 8	23 3	21 3	17 10	16 3	16 6
024	Tabes dorsalis	19 2	11 4	6 6	12 2	14 7	7 3	9 1	10 1	5 2	4 2
025	General paralysis of insane	24 9	19 7	17 5	17 10	15 12	12 5	16 4	15 4	14 5	14 6
026	Other syphilis of central nervous system	5 —	7 2	8 7	4 2	5 2	3 5	4 3	4 5	1 1	2 —
027	Other forms of late syphilis	— —	— 1	— —	1 —	2 —	1 —	— 1	— —	— —	— 1
028	Latent syphilis	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
029	Syphilis, unqualified	3 —	1 1	1 2	— 1	2 1	1 —	— —	3 —	— —	— 1

and by Age and Sex, 1960

tered from these causes are shown on page 206, figures in roman type indicating the number of male deaths while those in italics the female deaths. The ages are also given for those which occurred during 1960. Thus "008, Tuberculosis, unspecified site, 1955, 1; 1956 1", denotes 1 female death in 1955 and 1 male death in 1956.

(3) In accordance with the Sixth and Seventh Revisions of the International Statistical Classification of Causes of Death, rubrics 306, 308, 649 and 775 have been omitted from this table as they are not applicable to primary death classification.

1960 Ages																					85 and over	Inter- national Detailed List Numbers
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-			
159	91	71	58	218	162	209	277	346	439	724	989	1815	3101	4584	5853	7352	8686	9295	8375	6287		
98	51	37	37	121	105	134	188	216	273	392	562	1069	1957	2933	3508	3982	4348	4274	3620	2235		
61	40	34	21	97	57	75	89	130	166	332	427	746	1144	1651	2345	3370	4338	5021	4755	4052		
3	1	5	-	3	1	1	3	8	20	26	24	27	51	71	59	66	41	25	14	4		
4	2	1	1	7	4	4	4	16	15	25	15	17	18	24	22	21	21	18	9	2		
-	-	1	-	1	-	-	3	6	17	22	19	21	41	56	50	46	34	23	10	3		
1	1	-	-	-	-	1	3	15	15	23	12	11	9	11	12	11	15	9	5	1		
-	-	-	-	-	-	-	3	5	17	20	17	19	41	54	48	44	33	23	10	3		
1	-	-	-	-	-	-	3	12	14	22	12	11	8	9	10	9	12	7	5	1		
-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	1	2	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	-	-	-	-	-	-	3	5	17	20	17	19	36	54	48	40	32	21	9	3		
-	-	-	-	-	-	-	3	11	12	22	12	11	8	9	10	9	12	7	5	1		
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-													

Inter- national Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
001-138	I. INFECTIVE AND PARASITIC DISEASES—continued										
	<i>Gonococcal infection and other venereal diseases</i>	M. 2	F. —	F. —	F. —	F. —	F. —	F. —	F. 1	F. —	F. 1
030-039	Gonococcal infection	M. 1	F. —	F. —	F. —	F. 1	F. —	F. 1	F. —	F. 1	F. —
030-035	Gonococcal infection	M. 1	F. —	F. —	F. —	F. 1	F. —	F. —	F. —	F. 1	F. —
036-039	Other venereal diseases	M. 1	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —
	<i>Infectious diseases commonly arising in intestinal tract</i>	M. 11	F. 17	F. 3	F. 14	F. 4	F. 13	F. 2	F. 5	F. 2	F. 5
040-049	Typhoid fever	M. 7	F. 10	F. 8	F. 11	F. 9	F. 11	F. 4	F. 7	F. 5	F. 1
040	Typhoid fever	M. —	F. 1	F. —	F. 1	F. —	F. —	F. —	F. —	F. —	F. —
041	Paratyphoid fever	M. —	F. —	F. 1	F. 1	F. 1	F. 2	F. 1	F. —	F. —	F. —
042	Other Salmonella infections	M. 4	F. 5	F. —	F. 4	F. 2	F. 2	F. —	F. 1	F. —	F. 2
043	Cholera	M. —	F. 4	F. 2	F. 5	F. 2	F. 2	F. —	F. 2	F. 4	F. 3
044	Brucellosis (undulant fever)	M. —	F. —	F. —	F. —	F. —	F. —	F. —	F. 1	F. —	F. —
045	Bacillary dysentery	M. 4	F. 4	F. —	F. 4	F. 1	F. 4	F. 1	F. 2	F. 2	F. 1
046	Amoebiasis	M. 4	F. 2	F. 4	F. 4	F. 4	F. 7	F. —	F. 3	F. —	F. 5
047	Other protozoal dysentery	M. 1	F. 1	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —
048	Unspecified forms of dysentery	M. 2	F. 4	F. —	F. 4	F. 1	F. 2	F. —	F. 1	F. —	F. 2
049	Food poisoning (infection and intoxication)	M. 3	F. 4	F. 1	F. 1	F. 1	F. 1	F. 2	F. 2	F. —	F. 3
050-064	<i>Other bacterial diseases</i>	M. 91	F. 100	F. 72	F. 56	F. 67	F. 35	F. 42	F. 42	F. 27	F. 31
050	Scarlet fever	M. 69	F. 95	F. 67	F. 59	F. 35	F. 32	F. 26	F. 27	F. 28	F. 22
051	Streptococcal sore throat	M. 1	F. 1	F. 1	F. —	F. —	F. 1	F. 1	F. —	F. —	F. —
052	Erysipelas	M. 2	F. —	F. 3	F. 2	F. 1	F. 2	F. 1	F. 1	F. —	F. 1
053	Septicæmia and pyæmia	M. 3	F. 4	F. 1	F. 1	F. 2	F. —	F. 1	F. —	F. 1	F. —
054	Bacterial toxæmia	M. 24	F. 19	F. 25	F. 9	F. 17	F. 8	F. 11	F. 14	F. 12	F. 10
054	Bacterial toxæmia	M. 20	F. 14	F. 16	F. 7	F. 8	F. 11	F. 4	F. 6	F. 8	F. 7
055	Diphtheria	M. 2	F. 3	F. 5	F. 1	F. —	F. —	F. 1	F. —	F. —	F. 1
056	Whooping cough	M. 35	F. 50	F. 10	F. 15	F. 14	F. 3	F. 7	F. 10	F. 1	F. 3
057	Meningococcal infections	M. 26	F. 48	F. 16	F. 26	F. 11	F. 7	F. 7	F. 11	F. 3	F. 5
058	Plague	M. 15	F. 21	F. 25	F. 17	F. 12	F. 11	F. 10	F. 7	F. 12	F. 19
059	Tularæmia	M. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —
060	Leprosy	M. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —
061	Tetanus	M. 7	F. 4	F. 10	F. 8	F. 4	F. 6	F. 5	F. 2	F. 1	F. 1
062	Anthrax	M. 1	F. 5	F. 2	F. 3	F. —	F. —	F. 1	F. 2	F. 3	F. —
063	Gas gangrene	M. —	F. —	F. 1	F. —	F. —	F. —	F. —	F. —	F. —	F. 1
064	Other bacterial diseases	M. —	F. —	F. —	F. 1	F. —	F. —	F. —	F. —	F. 1	F. 1
070-074	<i>Spirochætal diseases, except syphilis</i>	M. 6	F. 9	F. 7	F. 4	F. 3	F. —	F. —	F. 3	F. 3	F. —
070	Vincent's infection	M. —	F. 1	F. —	F. —	F. —	F. —	F. 1	F. 1	F. —	F. —
071	Relapsing fever	M. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —
072	Leptospirosis	M. 4	F. 9	F. 7	F. 4	F. 3	F. —	F. —	F. 2	F. 3	F. —
073	Yaws	M. —	F. 1	F. —	F. —	F. —	F. —	F. 1	F. —	F. —	F. —
074	Other spirochætal infections	M. 2	F. —	F. —	F. —	F. —	F. —	F. —	F. 1	F. —	F. —
080-096	<i>Diseases attributable to viruses</i>	M. 112	F. 56	F. 57	F. 54	F. 52	F. 59	F. 42	F. 41	F. 51	F. 43
080	Acute poliomyelitis	M. 89	F. 96	F. 51	F. 61	F. 51	F. 55	F. 46	F. 51	F. 44	F. 51
081	Late effects of acute poliomyelitis	M. 24	F. 13	F. 4	F. 7	F. 7	F. 5	F. 1	F. 4	F. 3	F. 1
082	Acute infectious encephalitis	M. 1	F. —	F. 3	F. 1	F. 2	F. —	F. —	F. 1	F. 2	F. 1
083	Late effects of acute infectious encephalitis	M. 5	F. 5	F. 5	F. 3	F. 4	F. 3	F. 3	F. 5	F. 3	F. 6
084	Smallpox	M. 9	F. 9	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —
085	Measles	M. 27	F. 17	F. 13	F. 21	F. 13	F. 19	F. 3	F. 6	F. 5	F. 7
086	Rubella (German measles)	M. 16	F. 29	F. 15	F. 20	F. 16	F. 19	F. 16	F. 14	F. 15	F. 16
087	Chickenpox	M. 6	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —	F. —
088	Measles	M. 19	F. 8	F. 11	F. 11	F. 4	F. 8	F. 4	F. 6	F. 3	F. 9
089	Rubella (German measles)	M. 1	F. —	F. 11	F. 18	F. 1	F. 12	F. 6	F. 10	F. 1	F. 9
090	Chickenpox	M. 2	F. 1	F. 1	F. 1	F. 1	F. —	F. —	F. —	F. 2	F. —

Table 42—continued

1960 Ages																			85 and over	Inter- national Detailed List Numbers
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. 001-138
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F. 030-039
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 030-035
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 036-039
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	M. 040-049
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 040
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 041
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	M. 042
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 043
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	M. 044
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 045
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 046
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 047
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	M. 048
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 048
2	1	4	-	4	-	1	-	-	-	-	1	1	1	1	-	1	1	-	2	M. 050-064
3	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	F. 050
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	M. 051
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 052
-	1	1	-	-	2	1	-	-	-	-	1	1	1	1	-	1	1	-	1	M. 053
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 054
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 055
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 056
2	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. 057
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 058
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 059
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 060
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 061
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F. 062
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 063
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 064
-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	M. 070-074
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 070
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	M. 071
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F. 072
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 073
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 074
1	-	-	1	2	3	1	1	1	3	2	4	3	5	6	1	2	4	1	2	M. 080-096
-	-	-	-	-	-	-	-	-	-	1	2	4	3	4	7	4	4	4	1	F. 080
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 081
-	-	-	-	1	-	1	1	1	2	1	-	-	1	1	-	-	-	-	-	F. 082
-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	M. 083
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	-	F. 084
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 085
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 086
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. 087

International Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
001-138	I. INFECTIVE AND PARASITIC DISEASES—continued										
080-096	<i>Diseases attributable to viruses continued—</i>										
088	Herpes zoster M. F.	4 6	5 11	3 5	— 4	2 5	3 5	2 3	1 3	4 2	2 4
089	Mumps M. F.	— 1	— 1	— —	— —	1 —	1 —	— 1	— —	— —	— —
090	Dengue M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
091	Yellow fever M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
092	Infectious hepatitis M. F.	10 6	9 14	11 10	10 9	9 15	7 12	9 15	8 13	13 13	6 11
093	Glandular fever (infectious mononucleosis) M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
094	Rabies M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
095	Trachoma M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
096	Other diseases attributable to viruses M. F.	3 1	— 1	— —	— —	2 —	1 —	— —	— —	— 4	— 1
100-108	<i>Typhus and other rickettsial diseases</i> M. F.	— 1	— 1	— 1	— —	— —	— —	1 —	— —	— —	— —
110-117	<i>Malaria</i> M. F.	1 —	1 —	— —	1 —	— —	— —	1 —	— —	1 —	— 1
120-138	<i>Other infective and parasitic diseases</i> M. F.	2 2	5 2	6 4	5 —	4 2	6 3	3 6	2 5	5 3	5 4
140-239	II. NEOPLASMS M. F.	5122 5128	4988 5021	5233 5031	5348 4883	5528 5100	5503 5196	5646 5254	5691 5189	5859 5066	5941 5224
140-205	MALIGNANT NEOPLASMS M. F.	5037 4992	4925 4915	5172 4947	5310 4815	5478 5027	5462 5123	5591 5163	5632 5115	5821 5010	5878 5154
140-148	<i>Malignant neoplasm of buccal cavity and pharynx</i> M. F.	218 78	179 65	220 75	187 71	226 85	178 90	162 72	175 81	154 80	148 87
140	Lip M. F.	18 4	14 3	18 2	23 4	23 4	10 1	9 2	13 2	4 2	4 1
141	Tongue M. F.	69 24	47 18	61 23	65 13	56 23	46 20	51 22	42 27	37 17	36 18
142	Salivary gland M. F.	16 4	10 7	7 12	3 10	16 9	7 14	11 6	11 7	6 7	7 10
143	Floor of mouth M. F.	25 10	22 6	32 5	19 7	34 7	24 7	15 23	23 6	12 6	26 7
144	Other parts of mouth, and of mouth unspecified M. F.	30 7	25 8	31 9	25 4	23 8	23 7	21 3	29 7	26 14	24 11
144a	Palate upper alveoli M. F.	18 6	19 7	22 7	19 3	16 6	16 6	16 1	14 3	18 12	11 8
144b	Cheek internal M. F.	12 1	6 1	9 2	6 1	7 2	7 5	15 2	8 4	13 2	13 3
145	Oral mesopharynx M. F.	23 8	16 2	15 4	14 2	18 5	17 4	15 4	14 —	22 —	20 3
146	Nasopharynx M. F.	7 4	6 4	8 2	5 4	8 2	13 4	4 4	6 7	10 9	9 5
147	Hypopharynx M. F.	4 3	5 5	8 5	3 12	5 10	7 17	9 13	5 13	1 11	1 14
148	Pharynx, unspecified M. F.	26 14	34 12	40 13	30 15	43 17	31 16	27 13	32 17	32 18	21 18
148a	Pharynx M. F.	14 12	12 10	24 10	29 12	30 10	21 12	23 11	23 11	22 16	14 15
148b	Throat M. F.	3 2	10 2	11 3	7 3	13 7	10 4	4 2	9 6	10 7	7 3
150-159	<i>Malignant neoplasm of digestive organs and peritoneum</i> M. F.	2470 2460	2352 2380	2435 2380	2337 2241	2357 2283	2406 2407	2308 2431	2290 2313	2331 2223	2307 2276
150	Esophagus M. F.	193 144	176 121	190 148	158 135	175 160	178 147	168 130	171 142	178 136	179 136
151	Stomach M. F.	951 878	910 881	982 831	891 824	919 774	926 847	912 845	874 820	887 774	944 746
152	Small intestine, including duodenum M. F.	8 9	22 9	17 17	17 15	17 15	11 17	18 11	19 21	17 12	16 20
152.0	Duodenum M. F.	2 3	2 2	4 2	5 2	3 3	5 6	3 6	3 6	2 4	2 3
152.7-9	Other specified, multiple† and unspecified parts M. F.	6 6	20 16	13 11	15 12	14 15	8 15	12 9	16 12	11 8	14 17
153	Large intestine, except rectum* M. F.	626 802	560 752	597 773	591 714	596 724	615 788	554 771	489 673	518 695	486 695
153.0	Cæcum, appendix and ascending colon M. F.	— —	— —	— —	— —	— —	— —	— —	— —	113 185	97 182
153.1	Transverse colon, including hepatic and splenic flexures M. F.	— —	— —	— —	— —	— —	— —	— —	— —	96 133	82 124
153.2	Descending colon M. F.	— —	— —	— —	— —	— —	— —	— —	— —	79 86	44 67
153.3	Sigmoid colon M. F.	— —	— —	— —	— —	— —	— —	— —	— —	158 205	202 238
153.7	Multiple† parts of large intestine M. F.	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —
153.8	Large intestine (including colon), part unspecified M. F.	— —	— —	— —	— —	— —	— —	— —	— —	54 64	46 63
153.9	Intestinal tract, part unspecified M. F.	91 136	103 149	94 127	72 104	91 104	75 99	61 107	14 33	18 20	15 21

*During 1950 to 1957 this rubric was subdivided: a. malignant neoplasm of large intestine; b. malignant neoplasm of undefined intestine.

†During 1950 to 1957 any "multiple sites" cases would have been classified to site first named on death certificate.

Table 42—continued

1960 Ages																					Inter- national Detailed List Numbers	
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
																					001-138	
																					080-096	
																1				1	M. 088	
																					F. 089	
																					F. 090	
																					F. 091	
				1					1	1	2	1	2	1	5	2		1	2		F. 092	
				3																	F. 093	
																					F. 094	
									1												F. 095	
																					F. 096	
												1									F. 100-108	
																					F. 110-117	
																1					F. 120-138	
7	4	6	7	16	17	13	20	34	35	81	113	266	500	763	927	910	820	705	426	180	M. 140-239	
3	4	3	2	10	9	7	14	38	42	104	175	316	459	530	663	719	773	658	464	291	F. 140-205	
5	4	6	7	15	17	13	20	33	35	81	109	261	498	756	923	908	819	699	423	179	M. 140-205	
3	4	3	2	9	9	6	11	35	41	102	172	311	450	521	657	714	764	654	460	287	F. 140-148	
										1	2	3	8	6	12	8	13	11	4	3	9	F. 140
														1	1	5	7	7	5	2	2	M. 141
									1	1	1		1		3	2	2	5	1	1	4	F. 142
													1			1	1	5	4	1	6	M. 143
															1	1	1	1	6	1	2	F. 144
																2	1	5	2	3	2	M. 144a
																	1	1	2	3	1	F. 144b
							1				1	2			1	1	1	5	2	1		M. 145
												1	1		1	1	2	1	1			F. 146
										1			2		2	1						M. 147
											1	1	1	3	3	6	5	6	6	2	2	F. 148
										1	1	1	1	1	3	5	5	2	4	1	1	M. 148a
										1		1		1	3		2	2	1	1	1	F. 148b
																						M. 150-159
																						F. 150
																						M. 151
																						F. 152
																						M. 152.0
																						F. 152.7-9
																						M. 153
																						F. 153.0
																						M. 153.1
																						F. 153.2
																						M. 153.3
																						F. 153.7
																						M. 153.8
																						F. 153.9

Table 42—continued

International Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
140-239	II. NEOPLASMS—continued										
154	Rectum	M. 351 F. 235	348 237	334 228	332 207	323 242	335 202	311 251	352 267	331 239	293 256
155	Biliary passages and of liver (stated to be primary site)	M. 85 F. 133	115 173	86 130	75 100	74 124	89 138	90 129	91 104	85 100	90 129
155.0	Liver	M. 51 F. 66	84 79	51 53	36 34	33 32	48 41	49 33	50 21	41 30	44 33
155.1a	Gallbladder	M. 22 F. 46	17 70	18 56	22 44	19 74	16 76	19 69	21 64	25 53	22 76
155.1b	Bile ducts	M. 12 F. 21	14 24	17 21	22 22	22 18	25 21	22 27	20 19	18 17	22 22
155.8	Multiple sites*	M. — F. —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
156	Liver (secondary and unspecified)	M. 45 F. 45	19 24	51 40	36 36	35 39	45 29	38 58	43 41	37 41	37 41
157	Pancreas	M. 178 F. 155	178 156	197 188	197 175	190 196	197 193	189 216	228 193	251 205	233 224
158	Peritoneum	M. 24 F. 38	20 25	23 23	23 35	18 31	17 32	19 44	15 28	20 15	20 20
159	Unspecified digestive organs	M. 9 F. 21	4 2	— 2	2 1	2 4	2 5	4 7	9 6	6 9	9 9
160-165	<i>Malignant neoplasm of respiratory system</i>	M. 1220 F. 347	1240 316	1374 290	1580 347	1626 339	1612 336	1780 349	1880 340	1989 384	2042 409
160	Nose, nasal cavities, middle ear, and accessory sinuses	M. 14 F. 10	14 12	9 7	14 15	12 11	13 12	13 12	11 12	8 11	8 11
161	Larynx	M. 80 F. 26	55 15	79 23	75 21	74 21	64 27	70 24	67 17	70 24	61 16
162	Bronchus and trachea, and of lung specified as primary	M. 938 F. 252	1101 268	1233 242	1468 301	1517 295	1515 287	1677 306	1777 304	1887 339	1958 372
162.0	Trachea	M. 4 F. 3	2 1	3 —	2 —	3 —	— 1	1 —	— —	1 —	4 —
162.1	Bronchus and lung	M. 932 F. 248	1098 266	1228 241	1463 299	1514 295	1514 285	1674 304	1775 303	1879 335	1952 372
162.2	Pleura	M. 2 F. 1	1 1	2 —	3 1	— —	1 —	2 2	2 1	2 —	2 —
162.8	Multiple sites*	M. — F. —	— —	— —	— —	— —	— —	— —	— —	2 1	— —
163	Lung, unspecified as to whether primary or secondary	M. 168 F. 43	48 10	42 4	4 —	— —	— —	— —	— —	— —	— —
164	Mediastinum	M. 20 F. 16	21 11	18 14	19 10	20 6	12 4	15 8	13 5	8 1	8 4
165	Thoracic organs (secondary)	M. — F. —	1 —	1 —	1 —	4 8	2 3	8 3	8 2	8 8	6 6
170-181	<i>Malignant neoplasm of breast and genito- urinary organs</i>	M. 591 F. 1680	594 1650	591 1701	638 1695	658 1827	636 1802	739 1802	719 1841	718 1766	760 1798
170	Breast	M. 8 F. 821	6 800	— 823	6 822	6 863	6 838	7 896	4 940	6 869	8 892
171	Cervix uteri	M. 208 F. 18	187 26	228 27	245 22	229 31	229 39	254 32	232 30	218 41	220 39
172	Corpus uteri	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
173	Other parts of uterus, including chorion-epithelioma	M. 14 F. 225	11 228	14 206	4 205	3 213	3 220	2 199	1 159	1 152	— 157
174	Uterus, unspecified	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Ovary, Fallopian tube, and broad ligament	M. 226 F. 215	215 226	226 216	216 261	261 254	254 251	251 290	290 279	279 278	273 268
175.0	Ovary	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
175.1	Fallopian tube and broad ligament	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
175.8-9	Multiple* and unspecified sites	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Fourth digit sub-division of rubric 175 introduced in Seventh Revision											
176	Other and unspecified female genital organs	M. 49 F. 317	55 314	49 304	35 341	37 343	54 328	42 418	41 373	52 376	55 363
177	Prostate	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Testis	M. 33 F. 30	23 17	24 18	34 14	18 26	14 15	27 15	22 12	26 10	21 20
179	Other and unspecified male genital organs	M. 12 F. 22	17 12	18 15	14 9	26 20	15 10	15 11	12 11	10 3	20 12
179.0	Penis	M. 30 F. 22	17 12	18 15	14 9	26 20	15 10	15 11	12 11	10 3	20 12
179.1	Scrotum	M. 7 F. —	5 —	2 —	5 —	5 —	5 —	3 —	1 —	7 —	8 —
179.7-9	Other specified, multiple* and unspecified sites	M. 1 F. 74	— 82	— 66	— 91	— 79	— 107	1 116	— 110	— 109	— 126
180	Kidney	M. 52 F. 129	58 152	56 171	63 152	78 186	74 166	51 156	63 198	64 191	60 222
181	Bladder and other urinary organs	M. 67 F. 126	70 149	72 168	83 151	92 186	91 161	75 153	85 198	90 191	102 218
181.0	Bladder	M. 62 F. 3	65 3	70 3	81 1	92 —	90 5	73 3	82 3	90 —	100 4
181.7	Other urinary organs	M. 3 F. 5	3 5	3 2	1 2	— —	5 1	3 2	— 3	— —	2 —
181.8	Multiple sites*	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
190-199	<i>Malignant neoplasms of other and unspecified sites</i>	M. 297 F. 260	322 296	290 300	304 265	319 283	323 265	304 265	284 293	323 303	317 304
190	Malignant melanoma of skin	M. 2 F. 10	7 10	16 9	22 14	22 19	22 21	19 21	22 22	22 27	28 28
191	Other malignant neoplasms of skin	M. 44 F. 45	48 48	39 38	46 28	58 36	36 40	37 33	40 29	50 41	27 25
191.0-3	Face	M. 20 F. 22	26 15	10 12	22 13	24 17	12 16	14 16	20 9	34 12	20 7
191.4-9	Other specified, multiple* and un- specified sites	M. 24 F. 23	22 33	25 28	24 16	24 23	24 23	23 17	20 17	16 29	22 18
192	Eye	M. 8 F. 3	5 7	9 6	8 3	6 6	10 7	3 9	7 9	4 5	7 6

*During 1950-1957 any "multiple sites" cases would have been classified to site first named on death certificate.

Table 42—continued

[illegible]

International Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
140-239 190-199	II. NEOPLASMS—continued <i>Malignant neoplasms of other and unspecified sites—continued</i>										
193	Brain and other parts of nervous system	M. 91	87	86	93	122	111	110	90	109	117
	F. 56	48	83	79	62	64	77	89	75	83	
193.0	Brain	M. 79	81	78	85	117	99	100	83	91	92
	F. 52	44	77	70	58	59	70	87	63	68	68
193.1.2	Spinal cord and meninges†	M. 5	4	6	5	3	4	—	4	6	
	F. 4	3	5	8	3	1	1	1	1	1	
193.3.4.8.9	Other specified, multiple* and unspecified sites	M. 7	2	2	3	2	8	10	7	14	19
	F. —	1	1	1	1	4	6	1	11	14	
194	Thyroid gland	M. 15	13	11	13	10	10	22	11	11	11
	F. 35	42	43	36	36	35	39	45	39	31	
195	Other endocrine glands	M. 8	8	7	11	3	5	4	9	3	5
	F. 6	5	10	6	5	8	5	7	9	3	
196	Bone (including jaw bone)	M. 68	86	60	55	62	90	67	61	56	47
196a	Skull and face (excluding maxilla superior)**	M. 44	56	53	42	63	50	40	42	43	34
	F. —	—	—	—	—	—	—	—	—	—	6
196b	Jaw	M. 10	26	11	12	11	19	14	12	10	12
	F. 3	6	2	6	13	8	2	3	5	7	
196.2	Vertebral column (excluding sacrum and coccyx)	M. 8	14	11	9	12	8	16	12	5	8
	F. 7	17	11	10	13	8	11	11	9	8	
196.3-9	Other specified, multiple* and unspecified sites	M. 50	46	38	34	39	63	37	37	36	19
	F. 34	33	40	26	37	34	27	28	25	13	13
197	Connective tissue	M. 10	8	12	17	12	8	14	17	13	12
	F. 13	8	11	11	12	6	14	15	6	10	
198	Secondary and unspecified of lymph nodes	M. 12	9	5	7	5	8	3	11	11	
	F. 10	7	4	5	8	2	6	3	4	4	
199	Other and unspecified sites	M. 39	51	45	32	28	26	18	27	44	44
	F. 38	65	43	41	34	34	21	32	54	80	
199a	Other sites	M. 33	42	34	25	23	23	12	20	18	6
	F. 35	54	35	34	28	28	19	23	19	30	
199b	Unspecified site	M. 6	9	11	7	5	3	6	7	26	38
	F. 3	11	8	7	6	6	2	9	35	50	
200-205	<i>Neoplasms of lymphatic and hæmatopoietic tissues</i>	M. 241	238	262	264	292	307	298	284	306	304
	F. 167	208	201	196	210	223	244	247	254	280	
200	Lymphosarcoma and reticulosarcoma	M. 44	41	50	58	51	67	47	47	66	55
	F. 23	28	30	37	46	36	49	49	50	61	
201	Hodgkin's disease	M. 55	47	68	51	45	60	61	50	60	53
	F. 32	40	46	38	27	44	43	32	36	33	
202	Other forms of lymphoma (reticulosis)	M. 9	17	15	17	16	16	19	17	14	17
	F. 9	10	7	11	11	10	14	14	15	12	
203	Multiple myeloma (plasmacytoma)	M. 18	24	17	20	28	25	39	24	27	40
	F. 15	17	13	29	27	24	27	39	28	46	
204	Leukæmia and aleukæmia	M. 113	109	108	118	149	138	130	142	137	137
	F. 87	111	104	78	98	109	111	109	122	127	
204.0	Lymphatic leukæmia	M. 41	47	41	43	59	50	62	56	34	35
	F. 31	36	27	23	32	31	41	40	23	17	
204.1	Myeloid leukæmia	M. 30	24	25	39	31	43	28	42	26	18
	F. 23	34	32	27	30	40	36	23	29	31	
204.2	Monocytic leukæmia	M. —	—	—	—	—	—	—	—	—	—
	F. —	—	—	—	—	—	—	—	—	—	—
204.3	Acute leukæmia	M. 42	38	42	36	59	45	40	44	50	58
	F. 33	41	45	28	36	38	34	46	45	48	
204.4	Other and unspecified leukæmia	M. —	—	—	—	—	—	—	—	—	—
	F. —	—	—	—	—	—	—	—	—	—	—
205	Mycosis fungoides	M. 2	—	4	—	3	1	2	4	2	2
	F. 1	1	1	3	1	—	—	4	3	1	
210-229	<i>Benign neoplasm</i>	M. 48	32	43	24	34	26	45	40	26	41
	F. 95	66	61	50	52	55	72	55	39	47	
210	Buccal cavity and pharynx	M. 1	—	1	—	—	—	—	—	—	—
	F. 4	1	5	—	3	2	3	3	1	5	
211	Other parts of digestive system	M. 4	2	6	4	3	6	1	2	—	2
	F. 4	3	1	3	4	—	1	3	2	—	
212	Respiratory system	M. 2	2	3	—	2	—	1	2	3	2
	F. —	—	—	—	—	—	—	—	—	—	—
213	Breast	M. —	1	—	1	—	—	—	—	—	—
	F. —	—	—	—	—	—	—	—	—	—	—
214	Uterine fibromyoma	M. 24	8	6	12	8	11	10	8	3	4
215	Other uterus	M. 1	1	1	1	3	—	—	2	1	1
216	Ovary	M. 24	21	19	10	11	13	21	12	10	6
217	Other female genital organs	M. —	—	—	—	—	—	—	—	—	—
218	Male genital organs	M. —	2	—	—	—	1	—	1	—	—
	F. 17	14	9	6	6	10	10	8	6	12	
219	Kidney and other urinary organs	M. 6	5	5	1	4	3	4	4	1	5
219a	Bladder	M. 16	14	9	6	5	9	8	6	6	11
	F. 6	5	4	1	3	3	3	3	1	4	
219b	Kidney and other urinary organs	M. 1	—	—	—	1	1	2	2	—	1
	F. —	—	—	—	—	—	—	—	—	—	—
220	Benign melanoma of skin	M. —	—	—	—	—	—	—	—	—	—
	F. —	—	—	—	—	—	—	—	—	—	—
221	Pilonidal cyst	M. 1	—	—	—	—	—	—	—	—	—
	F. —	—	—	—	—	—	—	—	—	—	—
222	Other skin	M. —	—	—	—	—	—	1	—	—	—
	F. —	—	—	—	—	—	—	—	—	—	—
223	Brain and other parts of nervous system	M. 12	9	16	9	14	6	20	17	12	14
	F. 22	14	15	16	15	14	24	20	15	15	
224	Endocrine glands	M. 4	2	3	4	3	4	6	2	3	3
	F. 6	7	3	3	3	3	3	2	2	2	
225	Bone and cartilage	M. 1	—	1	1	—	—	2	1	—	1
	F. —	2	1	1	1	—	3	1	—	2	
226	Lipoma	M. —	—	1	1	1	1	—	—	—	—
	F. 1	1	—	—	—	—	—	—	—	—	—

†During 1950-1957 malignant neoplasm of meninges was allocated to "193c other parts of nervous system."

*During 1950-1957 any "multiple sites" cases would have been classified to site first named on death certificate.

††During 1950-1957 rubrics 204.2.3.4 were amalgamated and designated "204.4(2.3) Other and unspecified leukaemia."

**196, Fourth-digit subdivision of this rubric was introduced in Seventh Revision, but prior to 1958 there was a Scottish subdivision; a. Jaw (including maxilla, inferior, superior); b. Spine; c. Others. In order to preserve the Scottish series of these deaths the Seventh Revision subdivision .0 Skull and face (including maxilla superior) and .1 Lower jawbone, have not been adopted.

Table 42—continued

Inter- national Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
140-239	II. NEOPLASMS—continued										
210-229	Benign neoplasm—continued										
227	Other muscular and connective tissue	M. F.	— 4	— —	— —	1 —	— 1	— 2	1 —	— 3	4 2
228	Hæmangioma and lymphangioma	M. F.	1 1	2 —	— —	2 —	2 —	3 —	1 —	2 —	3 2
229	Other and unspecified organs and tissues	M. F.	2 2	— —	— —	— —	1 —	— —	1 —	— —	— —
230-239	Neoplasm of unspecified nature	M. F.	37 41	31 40	18 23	14 18	16 21	15 18	10 19	19 17	22 23
230	Digestive organs	M. F.	6 10	2 8	— —	— 3	1 1	1 1	— 1	2 —	1 2
231	Respiratory organs	M. F.	11 1	8 2	1 —	1 —	1 —	1 —	— —	— —	— —
232	Breast	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
233	Uterus	M. F.	— —	1 —	— —	— —	— —	— —	— —	— —	1 —
234	Ovary	M. F.	— 2	— —	— —	2 —	3 —	— —	4 —	— —	— —
235	Other female genital organs	M. F.	— —	— —	— —	— —	1 —	— —	— —	— —	— —
236	Other genito-urinary organs	M. F.	3 1	2 1	3 —	— —	— 1	— 1	— —	1 —	1 1
236a	Bladder	M. F.	1 —	2 1	2 —	— —	1 —	1 —	— —	1 —	1 1
236b	Other genito-urinary organs	M. F.	2 1	1 —	1 —	— —	— —	1 —	— —	— —	1 —
237	Brain and other parts of nervous system	M. F.	17 26	17 23	12 19	10 13	12 13	12 12	10 17	15 13	20 18
238	Skin and musculoskeletal system	M. F.	— —	1 2	1 —	3 —	— 2	— —	— —	1 —	— —
239	Other unspecified organs	M. F.	1 —	2 —	2 —	— —	1 —	— —	2 —	2 —	1 —
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES										
240-289		M. F.	377 698	411 705	337 612	289 522	292 575	312 579	299 566	306 570	286 611
240-245	Allergic disorders	M. F.	174 167	187 186	150 155	114 117	113 146	110 117	117 132	106 95	77 91
240	Hay fever	M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —
241	Asthma	M. F.	174 165	185 185	149 154	113 117	112 144	109 117	116 131	106 95	76 90
242	Angioneurotic œdema	M. F.	1 —	1 —	1 —	— —	1 —	1 —	1 —	— —	1 —
243	Urticaria	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
244	Allergic eczema	M. F.	— —	1 —	— —	— —	— —	— —	— —	— —	— —
245	Other allergic disorders	M. F.	— —	— —	1 —	— —	— —	— —	— —	— —	— —
250-254	Diseases of thyroid gland	M. F.	15 87	15 72	9 72	7 51	5 65	17 80	6 60	14 67	9 83
250	Simple goitre	M. F.	— —	1 —	1 —	2 —	2 —	3 —	3 —	1 —	— —
251	Non-toxic nodular goitre	M. F.	3 —	3 —	1 —	— —	— —	— —	— —	— —	— —
252	Thyrotoxicosis with or without goitre	M. F.	8 37	5 31	6 23	2 16	5 24	4 24	2 14	1 28	5 22
253	Myxœdema and cretinism	M. F.	6 46	3 36	45 29	3 34	8 45	4 38	7 35	6 67	4 59
254	Other diseases of thyroid gland	M. F.	1 —	1 —	3 —	— —	3 —	1 —	2 —	2 —	— —
260	Diabetes mellitus	M. F.	162 403	169 390	142 335	129 310	128 317	141 318	129 344	145 360	155 373
270-277	Diseases of other endocrine glands	M. F.	12 23	14 29	11 30	16 21	19 24	13 26	15 17	15 23	14 17
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M. F.	— 2	1 —	— —	2 —	1 —	1 —	2 —	2 —	— —
271	Diseases of parathyroid gland	M. F.	— —	— —	— —	— —	1 —	— —	— —	1 —	— —
272	Diseases of pituitary gland	M. F.	4 9	2 12	5 10	4 9	9 6	6 5	7 5	3 11	9 9
273	Diseases of thymus gland	M. F.	5 4	8 4	2 3	3 3	12 3	16 —	4 —	5 1	8 —
274	Diseases of adrenal glands	M. F.	2 8	2 9	3 13	5 9	6 6	5 7	4 5	8 6	2 4
275	Ovarian dysfunction	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
276	Testicular dysfunction	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
277	Polyglandular dysfunction and other diseases of endocrine glands	M. F.	1 —	2 3	2 —	— —	1 —	1 —	2 —	1 —	1 —
280-289	Avitaminoses and other metabolic diseases	M. F.	14 18	26 28	25 20	23 23	27 38	31 38	32 13	26 25	33 37
280	Beriberi	M. F.	— —	— —	— —	— —	1 —	— —	— —	— —	— —
281	Pellagra	M. F.	— —	— —	— —	— —	1 —	— —	— —	— —	— —
282	Scurvy	M. F.	1 1	1 1	1 2	— —	2 —	1 2	1 1	2 —	1 —
283	Active rickets	M. F.	2 —	— —	— —	— —	1 —	— —	1 —	— —	— —

Table 42—continued

1960 Ages																				85 and over	Inter- national Detailed List Numbers	
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-		140-239	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	210-229	
1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. F.	227
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	229
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	229
-	-	-	-	-	-	-	-	1	-	-	3	2	-	2	3	1	-	2	2	1	F.	230-239
-	-	-	-	1	-	-	2	1	1	-	1	2	-	7	3	-	-	1	1	1	F.	230
-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	1	1	-	M.	231
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	232
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F.	233
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	234
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	235
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M.	236
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	F.	236a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	236b
-	-	-	-	1	-	-	2	1	1	-	3	1	1	-	3	1	-	-	-	-	F.	237
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	238
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	F.	239
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M.	239
2	-	-	1	2	4	1	1	3	4	5	3	9	23	25	27	25	41	35	23	15	M.	240-289
-	-	-	1	2	4	8	5	9	3	1	11	17	28	63	67	95	106	94	66	22	F.	240-245
-	-	-	-	1	4	4	3	1	1	4	3	2	7	8	8	6	6	3	5	1	M.	240-245
-	-	-	-	-	2	2	-	7	1	1	3	6	7	7	8	7	5	5	4	2	F.	240
-	-	-	1	1	4	2	-	1	1	4	3	2	7	8	8	6	5	3	5	1	M.	241
-	-	-	-	-	2	5	3	7	-	-	-	6	-	-	-	7	-	-	-	2	F.	242
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	243
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	244
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	245
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	245
-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	11	11	8	8	9	1	M.	250-254
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	250
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	251
-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	1	2	4	-	1	1	F.	252
-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	4	8	2	8	8	7	M.	253
-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	4	1	1	1	F.	254
2	-	-	-	2	1	-	2	1	1	2	4	6	12	37	13	15	27	30	14	11	M.	260
-	-	-	-	-	1	-	1	1	-	1	2	5	15	3	49	69	87	73	50	10	F.	270-277
-	-	-	-	-	-	-	-	-	-	-	4	3	1	3	1	4	3	1	-	-	M.	270
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	271
-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	1	1	-	-	M.	272
-	-	-	-	-	-	-	1	-	-	-	2	1	1	2	-	3	2	1	-	-	F.	273
-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	M.	274
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	275
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	276
-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	F.	277
-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	5	1	5	6	3	2	M.	280-289
-	-	-	-	-	-	-	-	-	-	3	-	1	2	5	4	4	-	-	-	-	F.	280
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	281
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	282
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	283

Table 42—continued

International Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
240-289	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES—continued										
280-289	<i>Avitaminoses and other metabolic diseases— continued</i>										
284	Late effects of rickets	M. F.	— —	— —	— —	— —	— 1	— —	— —	— —	— 1
285	Osteomalacia	M. F.	— 1	— 1	— —	— 1	— —	— 1	— —	— —	— —
286	Other avitaminoses and nutritional deficiency states	M. F.	7 8	16 17	11 6	11 13	14 11	17 20	12 10	19 22	18 13
287	Obesity, not specified as of endocrine origin	M. F.	1 2	— 1	— 1	— 2	— 2	— 6	— 4	— 2	— 5
288	Gout	M. F.	— —	1 —	— —	1 —	1 —	— —	1 2	— —	— —
289	Other metabolic diseases	M. F.	3 6	8 8	13 11	11 8	11 9	12 13	11 11	14 10	8 8
290-299	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	M. F.	174 242	136 266	114 209	95 179	99 207	98 161	106 181	84 174	85 192
290	Pernicious and other hyperchromic anemias	M. F.	98 133	74 160	61 106	46 90	46 104	36 85	48 101	40 80	42 119
290a	Pernicious and other hyperchromic anemias	M. F.	94 128	70 156	58 97	41 87	43 99	34 81	48 97	40 78	42 118
290b	Subacute combined degeneration of spinal cord without mention of pernicious anaemia	M. F.	4 5	4 4	3 9	5 3	3 5	2 4	2 4	— 2	1 1
291	Iron deficiency anaemias (hypochromic anemias)	M. F.	6 15	7 12	4 7	5 6	4 3	3 9	5 13	3 6	— 10
292	Other anaemias of specified type	M. F.	26 34	24 31	21 42	14 30	20 36	23 20	21 29	19 29	16 23
292.4	Aplastic anaemia	M. F.	16 16	18 24	16 27	7 18	13 21	15 18	12 23	9 16	10 12
292.0-3, 5-7	Other anaemias included under 292	M. F.	10 18	6 15	5 12	7 15	8 2	9 2	10 6	13 13	11 11
293	Anaemia of unspecified type	M. F.	14 31	11 26	6 22	9 20	17 26	14 23	14 27	10 18	11 24
294	Polycythemia	M. F.	4 3	1 4	2 3	2 —	1 4	6 5	2 5	4 7	5 3
295	Hæmophilia	M. F.	5 —	1 —	4 —	1 —	2 —	1 —	1 —	1 —	— 4
296	Purpura and other hæmorrhagic con- ditions	M. F.	10 11	6 11	6 13	9 7	9 10	5 9	11 11	5 10	4 6
297	Agranulocytosis	M. F.	2 —	3 7	2 1	2 8	4 6	1 3	2 1	1 4	1 3
298	Diseases of spleen	M. F.	9 14	9 15	8 15	6 16	4 18	7 7	2 6	1 11	4 7
299	Other diseases of blood and blood- forming organs	M. F.	— 1	— —	— —	1 2	— —	— —	— 1	— —	1 3
300-326	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS	M. F.	78 117	61 93	53 79	55 76	57 67	67 91	73 80	55 77	92 79
300-309	<i>Psychoses</i>	M. F.	58 98	37 82	23 64	25 59	34 54	37 63	48 63	29 54	65 59
300	Schizophrenic disorders (dementia præcox)	M. F.	2 5	3 4	1 8	2 4	2 7	6 6	3 4	5 3	3 2
301	Manic-depressive reaction	M. F.	1 12	4 11	4 13	1 4	1 5	8 8	4 4	1 3	1 2
302	Involitional melancholia	M. F.	— 1	— 3	— —	— 1	— —	— —	— 3	— 2	— 1
303	Paranoia and paranoid states	M. F.	— 1	— 3	— —	— —	— —	— —	— 3	— 2	— 1
304	Senile psychosis	M. F.	39 56	20 48	12 25	10 33	22 31	19 27	17 42	14 32	42 40
305	Presenile psychosis	M. F.	5 9	3 7	2 8	3 8	5 5	2 17	8 7	3 7	3 8
307	Alcoholic psychosis	M. F.	— 1	— —	2 —	1 —	3 —	1 —	4 —	3 —	2 —
309	Other and unspecified psychoses	M. F.	11 14	5 9	4 8	4 12	1 6	1 4	7 3	3 4	13 4
310-318	<i>Psychoneurotic disorders</i>	M. F.	3 6	3 4	3 4	1 3	2 1	4 7	3 8	4 8	4 2
320-326	<i>Disorders of character, behaviour and intelligence</i>	M. F.	17 13	21 7	27 11	29 14	21 12	26 21	24 12	23 15	24 18
320	Pathological personality	M. F.	— —	— —	— —	— —	— —	— —	— 1	— 1	— —
321	Immature personality	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
322	Alcoholism	M. F.	10 3	11 —	10 4	16 3	11 5	10 7	11 5	8 6	13 7
323	Other drug addiction	M. F.	— —	— —	1 —	— —	— —	— —	— —	— —	— —
324	Primary childhood behaviour disorders	M. F.	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
325	Mental deficiency	M. F.	7 10	10 7	16 7	13 10	10 6	16 14	13 6	15 8	11 11
326	Other and unspecified character, be- haviour, and intelligence disorders	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —

Table 42—continued

1960 Ages																					Inter- national Detailed List Numbers
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	284
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	285
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	286
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	287
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	288
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	289
2	1	-	1	1	1	-	2	1	1	-	-	5	3	6	6	10	10	15	22	6	M.
-	2	-	-	1	2	-	1	2	1	-	1	1	3	9	13	21	30	38	40	28	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	290-299
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	290
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	290a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	290b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	291
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	292
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	292.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	292 0-3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5-7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	293
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	294
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	295
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	296
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	297
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	298
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	299
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
1	-	1	-	1	1	1	1	-	-	1	2	2	2	5	8	3	7	9	14	7	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300-326
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300-309
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300
-	-	-	-	-	-	-	-	-	-	-	-</										

Table 42—continued

Inter- national Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
330-398	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS										
330-334	<i>Vascular lesions affecting central nervous system</i>	M. 4111 F. 5604 M. 3635 F. 5097	4364 5830 3863 5259	4311 5676 3859 5228	4198 5533 3781 5114	4373 6018 3953 5609	4396 6006 4020 5587	4435 5995 4076 5604	4377 5933 4030 5536	4485 6282 4111 5871	4406 6218 4049 5813
330	Subarachnoid hæmorrhage	M. 45 F. 83	72 93	69 102	77 106	82 122	94 119	118 125	82 137	108 165	98 142
331	Cerebral hæmorrhage	M. 1811 F. 2713	1856 2661	1813 2553	1761 2475	1732 2614	1730 2451	1740 2428	1566 2293	1595 2403	1586 2333
332	Cerebral embolism and thrombosis	M. 1626 F. 2095	1708 2278	1705 2319	1640 2211	1826 2503	1888 2655	1882 2659	2056 2726	2039 2834	1969 2835
333	Spasm of cerebral arteries	M. 1 F. —	1 —	1 —	2 —	2 —	2 —	2 —	1 —	— —	— —
334	Other and ill-defined vascular lesions affecting central nervous system	M. 152 F. 206	226 227	271 254	301 322	313 369	306 362	336 391	325 380	369 469	397 503
340-345	<i>Inflammatory diseases of central nervous system</i>	M. 116 F. 139	138 171	149 144	139 138	145 150	117 145	103 129	124 141	135 140	117 130
340	Meningitis, except meningococcal and tuberculous	M. 31 F. 27	31 28	44 28	30 19	36 23	30 18	27 18	33 26	24 32	26 22
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M. 3 F. 2	— 7	4 11	3 5	3 —	1 2	— —	— 2	1 —	— —
342	Intracranial and intraspinal abscess	M. 13 F. 3	12 7	11 7	14 5	5 4	4 7	6 11	7 9	14 10	13 11
343	Encephalitis, myelitis, and encephalo-myelitis (except acute infectious)	M. 17 F. 16	27 20	16 16	17 14	22 16	17 16	11 11	13 9	7 10	13 11
344	Late effects of intracranial abscess or pyogenic infection	M. — F. 1	— 3	2 7	5 5	3 5	3 5	3 5	2 5	2 1	— —
345	Multiple sclerosis	M. 52 F. 90	68 106	72 85	70 86	76 104	62 97	56 93	60 93	85 84	59 89
350-357	<i>Other diseases of central nervous system</i>	M. 330 F. 347	337 376	277 285	257 261	251 245	241 265	236 243	208 243	215 258	232 261
350	Paralysis agitans	M. 80 F. 105	80 101	87 82	87 97	71 89	72 98	83 90	78 89	78 99	80 104
351	Cerebral spastic infantile paralysis	M. 17 F. 12	11 12	14 8	9 8	16 11	13 11	12 9	16 13	14 12	17 11
352	Other cerebral paralysis	M. 82 F. 118	93 137	42 62	35 46	39 49	25 49	36 29	27 43	21 32	26 40
353	Epilepsy	M. 64 F. 60	73 55	60 66	61 45	65 52	47 53	48 54	44 41	38 52	56 33
354	Migraine	M. — F. —	— —	2 —	— —	— —	— —	— —	— —	— —	— —
355	Other diseases of brain	M. 31 F. 33	36 42	36 45	26 39	23 25	23 24	16 19	21 25	19 29	28 39
356	Motor neurone disease and muscular atrophy	M. 49 F. 17	38 22	37 19	33 24	34 16	45 24	43 37	28 27	27 28	30 27
357	Other diseases of spinal cord	M. 7 F. 2	6 7	9 3	6 2	3 3	5 6	7 7	8 5	8 6	5 7
360-369	<i>Diseases of nerves and peripheral ganglia</i>	M. 11 F. 7	11 7	13 14	10 11	5 4	1 2	7 6	3 6	11 7	4 4
360	Facial paralysis	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
361	Trigeminal neuralgia	M. 1 F. —	— —	— 1	— 1	— —	— —	— —	— 1	— 1	— —
362	Brachial neuritis	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
363	Sciatica	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
364	Polyneuritis and polyradiculitis	M. 2 F. 2	4 3	9 3	2 3	3 1	1 1	2 4	3 2	7 4	4 2
365	Erythredema polyneuritica	M. 1 F. 2	4 —	2 5	5 4	2 —	— —	1 5	1 —	— —	— —
366	Other and unspecified forms of neuralgia and neuritis	M. 5 F. 3	2 2	5 5	3 3	— 1	— 1	— 1	— 1	— 1	— 2
367	Other diseases of cranial nerves	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
368	Other diseases of peripheral nerves except autonomic	M. 1 F. —	— —	— —	— —	— —	— —	— —	— 1	— 1	— —
369	Diseases of peripheral autonomic nervous system	M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
370-389	<i>Inflammatory and other diseases and conditions of eye</i>	M. 2 F. 3	3 4	— 4	1 4	2 3	— 2	3 6	2 3	3 3	1 7
390-398	<i>Diseases of ear and mastoid process</i>	M. 17 F. 11	12 13	13 1	10 5	17 7	17 5	10 5	10 5	10 3	7 3
390	Otitis externa	M. — F. —	— —	— —	— 1	— —	— —	— —	— —	— —	— —
391	Otitis media without mention of mastoiditis	M. 11 F. 6	7 13	11 4	7 4	12 6	15 5	8 4	8 4	7 3	2 2
392	Otitis media with mastoiditis	M. 1 F. —	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —
393	Mastoiditis without mention of otitis media	M. 4 F. 3	4 —	1 —	2 —	4 1	2 —	2 —	2 1	1 —	1 —
394	Other inflammatory diseases of ear	M. — F. —	— —	— —	— —	— —	— —	— 1	— —	— —	— —
395	Ménière's disease	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
396	Other diseases of ear and mastoid process	M. 1 F. —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
397	Deaf mutism	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
398	Other deafness	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —

Table 42—continued

[illegible]

Table 42—continued

Inter- national Detailed List Numbers	Causes of Death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
400-468	VII. DISEASES OF THE CIRCULATORY SYSTEM	M. F.	10994 11162	11748 11670	11494 11024	11048 10564	11729 11167	11729 11587	12028 11675	11774 11105	11919 11777	11952 11578
400-402	Rheumatic fever	M. F.	16 2	21 3	21 —	23 4	20 1	27 1	29 1	26 1	7 —	9 —
400	Rheumatic fever without mention of heart involvement	M. F.	7 1	1 —	1 —	1 —	1 —	1 —	—	—	—	—
401	Rheumatic fever with heart involvement	M. F.	14 33	15 24	21 22	19 21	17 28	26 26	28 18	23 19	7 10	8 11
402	Chorea	M. F.	— 1	— 3	— —	— —	— 2	— —	— 1	— —	— —	— 1
410-443	HEART DISEASE	M. F.	10086 10217	10787 10715	10371 9844	9945 9409	10522 9868	10540 10350	10815 10336	10685 9880	10824 10522	10822 10300
410-416	Chronic rheumatic heart disease	M. F.	347 595	332 568	291 587	274 533	323 537	293 554	292 527	303 604	243 572	258 558
410	Diseases of mitral valve	M. F.	237 436	241 443	205 466	212 438	255 418	229 441	229 406	207 473	164 447	168 440
411	Diseases of aortic valve specified as rheumatic	M. F.	49 30	10 9	9 5	4 —	8 8	2 1	12 6	9 3	6 4	8 4
412	Diseases of tricuspid valve	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
413	Diseases of pulmonary valve specified as rheumatic	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
414	Other endocarditis specified as rheumatic	M. F.	23 63	35 40	28 36	24 40	27 45	28 40	29 43	26 41	29 44	27 42
415	Other myocarditis specified as rheumatic	M. F.	15 26	7 25	18 27	8 16	8 23	9 18	14 17	12 12	9 10	9 10
416	Other heart disease specified as rheumatic	M. F.	23 40	39 51	31 52	26 39	25 47	24 49	30 54	38 69	29 65	46 61
420-422	Arteriosclerotic and degenerative heart diseases	M. F.	8915 8747	9478 8969	9192 8115	8664 7698	9195 8059	9367 8647	9686 8756	9573 8267	9740 8767	9762 8602
420	Arteriosclerotic heart disease including coronary disease	M. F.	4275 2502	4801 2660	4991 2866	4919 2795	5416 3168	5458 3281	5819 3611	5942 3571	6359 3958	6641 3982
420.0	Arteriosclerotic heart disease so described	M. F.	11 9	26 14	68 51	77 69	131 109	162 148	334 156	180 155	230 211	230 304
420.1, 2	Coronary thrombosis	M. F.	4264 2493	4775 2646	4923 2815	4842 2726	5285 3059	5296 3133	5685 3455	5762 3416	6176 3747	6411 3678
421	Chronic endocarditis not specified as rheumatic	M. F.	271 329	290 343	233 247	194 193	159 197	169 193	156 191	168 189	140 175	149 185
422	Other myocardial degeneration	M. F.	4369 5916	4387 5966	3968 5002	3551 4710	3620 4694	3740 5173	3791 4954	3463 4507	3241 4634	2972 4435
422.0	Fatty degeneration of heart	M. F.	12 38	16 34	9 36	8 20	8 19	10 29	6 32	4 27	4 23	4 15
422.1	Myocardial degeneration with arteriosclerosis	M. F.	2010 2660	2100 2889	2097 2606	1792 2550	1974 2537	2063 2709	2039 2789	1911 2574	1840 2741	1674 2,111
422.2	Other myocardial degeneration	M. F.	2347 3218	2271 3043	1862 2360	1751 2140	1640 2138	1669 2238	1662 2133	1546 1906	1397 1870	1294 1709
430-434	Other diseases of heart	M. F.	593 656	609 715	522 617	585 610	578 630	324 398	292 316	298 338	362 424	334 482
430	Acute and subacute endocarditis	M. F.	22 18	23 23	14 18	20 24	16 12	16 12	21 10	20 12	16 11	14 14
431	Acute myocarditis not specified as rheumatic	M. F.	85 97	82 79	47 72	59 65	31 47	40 57	46 44	42 37	31 39	29 27
432	Acute pericarditis specified as non-rheumatic	M. F.	1 4	2 —	2 —	1 2	3 4	3 —	3 1	2 —	2 —	1 —
433	Functional disease of heart	M. F.	168 250	159 288	127 190	95 159	116 159	112 181	105 164	98 174	176 255	179 311
434	Other and unspecified diseases of heart	M. F.	317 287	343 325	332 333	410 360	454 408	153 148	120 97	136 115	137 117	114 130
434.0	Kyphoscoliotic heart disease	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
434.1	Congestive heart failure	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
434.2	Left ventricular failure	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
434.3	Other disease of heart	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
434.4	Unspecified disease of heart	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
440-443	Hypertensive heart disease	M. F.	231 219	368 463	366 525	422 568	426 642	556 751	545 737	511 671	479 759	468 658
440	Essential benign hypertensive heart disease	M. F.	3 4	— 1	1 5	1 —	— 1	2 —	1 1	4 2	3 10	3 3
441	Essential malignant hypertensive heart disease	M. F.	6 3	7 7	3 6	8 —	10 2	12 8	9 8	11 3	3 2	5 1
442	Hypertensive heart disease with arteriolar nephrosclerosis	M. F.	37 29	23 31	39 39	45 52	21 33	32 64	42 37	23 40	23 36	21 40
443	Other and unspecified hypertensive heart disease	M. F.	185 183	338 424	323 475	368 516	395 604	510 679	493 691	473 624	450 707	439 618
444-447	Other hypertensive disease	M. F.	267 272	322 326	408 427	353 400	396 437	343 367	340 369	294 330	298 339	258 297
444	Essential benign hypertension	M. F.	21 29	128 130	86 152	137 202	139 185	122 168	128 179	125 171	163 211	147 189
445	Essential malignant hypertension	M. F.	16 16	25 21	34 24	51 27	51 34	50 35	51 40	48 25	65 50	66 47
446	Hypertension with arteriolar nephrosclerosis	M. F.	114 97	104 90	141 95	99 88	126 118	87 71	82 67	69 56	70 76	44 61
447	Other hypertensive disease	M. F.	116 130	65 85	147 156	66 83	80 100	74 93	79 83	52 78	— 2	1 —

During 1950-57 deaths assigned to rubric 434 were not classified to the four sub-divisions of the Sixth Revision.

Table 42—continued

1960 Ages																					85 and over	Inter- national Detailed List Numbers
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-			
1	1	-	-	2	5	2	11	28	51	104	201	419	774	1193	1365	1588	1763	1786	1607	1138	M. F.	400-468
1	1	-	-	2	3	6	13	14	29	68	72	151	278	500	853	1336	1808	2248	2287	2035	M. F.	400-402
-	-	-	-	1	1	1	-	1	1	2	1	1	2	1	1	1	-	-	-	1	M. F.	400
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	401
-	-	-	-	-	1	1	-	1	1	2	1	1	2	1	1	1	-	-	-	1	M. F.	402
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	410-443
1	1	-	-	-	4	2	9	25	40	92	191	398	737	1134	1292	1479	1606	1598	1411	964	M. F.	410-416
1	1	-	-	-	3	3	9	11	26	57	65	139	247	466	787	1220	1636	2009	1962	1747	M. F.	410
-	-	-	-	-	1	2	4	11	11	16	18	27	26	38	29	24	17	16	15	6	M. F.	411
-	-	-	-	-	3	2	5	8	11	13	28	53	53	54	55	47	34	24	24	5	M. F.	412
-	-	-	-	-	1	2	4	7	9	10	13	16	26	21	21	12	13	14	15	5	M. F.	413
-	-	-	-	-	-	-	-	6	7	7	25	37	43	39	45	34	25	18	-	-	M. F.	414
-	-	-	-	-	1	-	-	-	-	2	1	1	1	1	1	1	2	-	-	-	M. F.	415
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	416
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	420-422
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	420
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	420.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	420.1, 2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	421
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	422
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	422.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	422.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	422.2
1	1	1	-	-	3	-	1	4	3	4	8	11	15	29	30	41	68	72	71	34	M. F.	430-434
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	430
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	431
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	432
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	433
1	-	-	-	-	1	-	1	2	-	1	5	4	10	11	14	16	22	22	23	10	M. F.	434
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	434.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	434.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	434.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	434.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	434.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	440-443
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	440
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	441
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	442
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	443
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	444-447
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	444
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	445
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	446
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	447

Table 42—continued

International Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
400-468	VII. DISEASES OF THE CIRCULATORY SYSTEM—continued											
450-456	<i>Diseases of arteries</i>	M. 539 F. 484	519 489	595 598	627 604	726 696	720 706	751 809	651 720	695 765	759 807	779 807
450	General arteriosclerosis	M. 432 F. 398	427 397	512 516	538 533	604 594	615 623	704 704	622 663	663 710	710 710	710 710
451	Aortic aneurysm, non-syphilitic and dissecting aneurysm	M. 2 F. —	8 26	21 4	32 4	46 11	52 7	80 48	63 42	76 54	77 46	77 46
452	Other aneurysm, except of heart and aorta	M. 20 F. 11	8 6	10 5	6 2	4 1	1 6	4 10	7 10	8 14	8 14	8 14
453	Peripheral vascular disease	M. 12 F. 15	15 6	12 5	6 2	17 11	2 2	7 3	3 3	7 3	3 3	3 3
454	Arterial embolism and thrombosis	M. 18 F. 19	16 7	12 6	6 19	11 15	11 15	17 14	8 19	7 13	7 13	7 13
455	Gangrene of unspecified cause	M. 51 F. 43	38 37	21 7	17 24	22 24	17 13	27 19	14 19	14 10	15 10	15 10
456	Other diseases of arteries	M. 9 F. 8	15 8	8 14	11 24	12 18	18 10	11 11	10 11	17 17	17 17	17 17
460-468	<i>Diseases of veins and other diseases of circulatory system</i>	M. 86 F. 148	99 112	99 132	100 129	95 137	99 137	93 142	118 156	95 141	104 162	104 162
460	Varicose veins of lower extremities	M. 3 F. 9	2 3	2 9	— 2	3 7	— 17	1 1	— 9	— 7	— 10	— 10
461	Hæmorrhoids	M. 1 F. 1	2 —	— —	3 —	1 7	1 11	1 3	— 10	— 2	— 3	— 3
462	Varicose veins of other specified sites	M. 3 F. 6	2 6	— 4	5 7	1 11	— 10	— 4	— 3	— 1	— 6	— 6
463	Phlebitis and thrombophlebitis of lower extremities	M. 10 F. 26	4 7	7 14	4 14	19 5	16 3	13 10	12 13	21 10	19 14	19 14
464	Phlebitis and thrombophlebitis of other sites	M. 14 F. 40	5 53	6 57	8 66	10 49	6 31	13 40	13 20	14 24	14 24	14 24
465	Pulmonary embolism and infarction	M. 62 F. 17	58 18	64 18	57 18	66 17	49 26	32 32	53 53	46 46	47 47	47 47
466	Other venous embolism and thrombosis	M. 21 F. 5	22 3	18 7	32 5	31 3	42 11	66 5	72 5	76 5	88 5	88 5
467	Other diseases of circulatory system	M. 5 F. 1	3 —	7 —	5 —	3 —	11 —	5 —	5 —	5 —	5 —	5 —
468	Certain diseases of lymph nodes and lymph channels	M. 2 F. —	1 —	2 —	— —	— —	1 —	2 —	— —	— —	— —	— —
470-527	VIII. DISEASES OF THE RESPIRATORY SYSTEM	M. 3038 F. 2356	3522 2878	2822 2034	2519 1786	2595 1735	2834 1879	2971 1878	3244 2030	3250 1905	3843 2430	3177 1786
470-475	<i>Acute upper respiratory infections</i>	M. 13 F. 16	11 13	17 11	12 13	12 12	15 12	17 14	4 5	15 11	8 9	17 9
470	Acute nasopharyngitis (common cold)	M. 2 F. 1	2 1	— 1	3 —	— —	— —	— —	— —	— —	— —	— —
471	Acute sinusitis	M. 2 F. 1	1 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— —
472	Acute pharyngitis	M. 1 F. 1	1 1	1 —	1 —	1 —	1 —	1 —	— —	— —	— —	— —
473	Acute tonsillitis	M. 3 F. 3	5 3	2 3	2 3	2 3	2 3	3 5	1 1	2 6	2 1	2 1
474	Acute laryngitis and tracheitis	M. 4 F. 4	4 3	6 8	8 3	5 3	8 3	1 1	6 1	— 3	— 3	— 3
475	Acute upper respiratory infection of multiple or unspecified sites	M. 6 F. 6	2 2	3 2	3 3	3 3	6 5	5 1	1 5	5 5	5 5	5 5
480-483	<i>Influenza</i>	M. 152 F. 234	431 527	141 175	134 138	75 101	96 116	106 156	335 345	73 70	290 293	290 293
480	Influenza with pneumonia	M. 70 F. 82	153 198	49 59	44 49	36 40	39 40	60 60	200 33	151 151	151 151	151 151
481	Influenza with other respiratory manifestations, and influenza unqualified	M. 81 F. 142	274 321	87 113	85 93	58 58	74 95	141 141	37 36	136 135	136 135	136 135
481a	Influenza with other respiratory manifestations	M. 24 F. 59	108 115	28 41	27 36	13 13	17 23	31 27	51 44	13 15	41 40	41 40
481b	Influenza unqualified	M. 57 F. 83	166 206	59 72	58 57	25 45	37 51	39 68	76 97	24 31	95 95	95 95
482	Influenza with digestive manifestations, but without respiratory symptoms	M. — F. 3	3 8	1 2	— 1	1 2	2 2	1 1	— 3	— 1	1 4	— 4
483	Influenza with nervous manifestations but without digestive or respiratory symptoms	M. 1 F. 7	1 1	4 1	— —	— 2	— —	— —	2 1	1 1	2 1	— 1
490-493	<i>Pneumonia</i>	M. 1115 F. 1002	1148 888	993 820	874 904	900 928	973 943	1067 975	1096 1012	1342 1215	1057 1215	1057 1215
490	Lobar pneumonia	M. 254 F. 171	208 195	187 172	176 134	167 124	191 175	223 168	207 162	224 159	224 159	224 159
491	Bronchopneumonia	M. 752 F. 735	814 845	673 629	587 578	642 617	593 654	661 663	745 727	780 954	773 954	773 954
492	Primary atypical pneumonia	M. 8 F. 3	4 7	12 5	5 3	8 5	11 3	11 10	7 10	11 12	11 12	11 12
493	Pneumonia, other and unspecified	M. 101 F. 93	122 102	121 82	106 103	94 80	108 109	78 104	104 73	102 90	134 90	134 90
500-502	<i>Bronchitis</i>	M. 1390 F. 869	1513 178	1291 158	1108 106	1205 123	1396 132	1423 132	1415 102	1610 116	1765 128	1586 128
500	Acute bronchitis	M. 191 F. 280	255 263	147 172	133 162	155 117	135 73	148 99	135 103	130 77	146 75	146 75
501	Bronchitis, unqualified	M. 238 F. 140	240 110	138 62	136 60	108 51	108 52	82 36	85 28	69 35	85 35	85 35
501a	Bronchitis, unqualified	M. 124 F. 140	110 153	64 88	60 90	52 60	44 38	26 63	26 65	26 49	37 40	37 40
501b	Bronchitis unqualified with heart disease	M. 114 F. 130	130 76	76 76	76 76	57 57	58 58	38 38	32 32	43 43	48 48	48 48

Table 42—continued

1960 Ages																			85 and over	Inter- national Detailed List Numbers	
2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-			
-	-	-	-	-	-	-	-	4	1	2	4	11	25	39	66	115	145	162	147	M.	400-468
-	-	-	-	-	1	2	-	1	3	2	2	7	13	20	53	100	161	250	251	F.	450-456
-	-	-	-	-	-	-	-	-	-	-	1	1	8	20	36	83	123	145	141	M.	450
-	-	-	-	-	-	-	-	1	1	1	1	4	5	9	42	82	128	231	241	F.	451
-	-	-	-	-	-	-	-	-	1	1	2	2	1	8	18	19	11	8	2	M.	452
-	-	-	-	-	-	1	-	-	-	-	-	4	2	-	2	-	16	12	4	F.	453
-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	3	2	2	1	M.	454
-	-	-	-	-	-	-	-	1	-	-	-	-	-	6	3	3	3	2	2	F.	455
-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	9	4	3	M.	456
-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	5	4	4	M.	460-468
-	-	-	-	-	1	1	-	2	1	5	1	2	5	15	23	28	31	11	7	F.	460
-	-	-	-	-	-	1	1	2	-	2	3	1	1	6	-	-	-	15	6	-	461
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	M.	462
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	463
-	-	-	-	-	-	-	1	-	1	1	-	-	-	3	4	5	6	-	1	M.	464
-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	2	1	2	-	F.	465
-	-	-	-	-	-	-	-	1	3	1	-	1	1	3	3	4	8	3	1	M.	466
-	-	-	-	-	-	-	-	2	-	-	-	3	3	10	14	13	19	7	2	F.	467
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	-	M.	468
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	F.	470-527
11	4	7	8	2	4	7	8	12	14	27	61	148	255	401	474	509	424	340	182	M.	470-475
7	6	6	9	4	3	5	5	10	21	23	31	49	67	101	165	236	310	282	287	F.	470
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F.	471
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	472
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	473
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	F.	474
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	F.	475
-	-	-	-	-	-	-	-	1	1	2	4	2	3	3	5	10	6	6	4	F.	480-483
-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	5	9	7	8	M.	480
-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	5	9	7	8	F.	481
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	481a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	481b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	482
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	483
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	490-493
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	490
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	491
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	492
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	493
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	500-502
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	500
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	501
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	501a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	501b

International Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
470-527	VIII. DISEASES OF THE RESPIRATORY SYSTEM—continued										
502	Chronic bronchitis	M. 954 F. 440	1072 480	961 449	840 375	965 375	1191 445	1192 424	1210 405	1417 485	1562 560
502a	Chronic bronchitis	M. 454 F. 204	598 234	403 200	358 140	393 150	438 147	420 148	464 148	507 181	577 234
502b	Chronic bronchitis with heart disease	M. 500 F. 236	474 246	558 249	482 235	572 225	753 298	772 276	746 257	910 304	985 326
510-527	Other diseases of respiratory system	M. 368 F. 235	419 214	380 226	391 171	402 160	427 133	452 111	423 107	456 128	438 12
510	Hypertrophy of tonsils and adenoids	M. 2 F. 3	1 1	2 3	1 1	4 1	1 1	4 —	— 2	— 1	— —
511	Peritonsillar abscess (quinsy)	M. 1 F. 1	1 1	2 —	— —	1 2	— —	— —	— —	— —	— 1
512	Chronic pharyngitis and nasopharyngitis	M. — F. —	— —	— —	— —	— —	— —	— —	1 1	— —	— —
513	Chronic sinusitis	M. 2 F. 2	1 1	— —	1 —	— 1	4 —	— 1	1 —	— —	— —
514	Deflected nasal septum	M. — F. —	1 1	— —	— —	1 1	— 1	— —	— —	— —	— —
515	Nasal polyp	M. — F. 3	— 1	— —	— —	— —	— 1	— —	— —	— —	— —
516	Chronic laryngitis	M. — F. —	— —	— —	— —	— —	— —	— —	1 1	— —	— —
517	Other diseases of upper respiratory tract	M. 2 F. 2	3 1	5 1	3 1	— 5	1 5	6 4	6 4	3 2	1 13
518	Empyema	M. 6 F. 4	9 5	7 1	6 1	4 3	5 6	4 3	4 3	4 4	5 5
519	Pleurisy	M. 28 F. 19	19 15	17 15	12 14	15 15	12 9	7 12	10 8	9 9	7 9
520	Spontaneous pneumothorax	M. 4 F. 1	4 1	— 2	— —	6 —	7 —	5 1	5 6	3 1	— —
521	Abscess of lung	M. 10 F. 10	13 7	7 4	4 3	6 1	8 5	8 6	7 6	7 8	8 7
522	Pulmonary congestion and hypostasis	M. 64 F. 117	70 80	58 91	43 63	23 34	13 20	15 16	13 21	13 22	9 20
523	Pneumoconiosis due to silica and silicates (occupational)	M. 103 F. —	106 1	129 —	160 —	180 —	225 —	244 —	229 —	259 —	225 —
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M. 8 F. —	3 —	2 —	3 —	— —	3 —	8 —	6 —	3 —	5 —
525	Other chronic interstitial pneumonia	M. 21 F. 8	15 6	16 7	19 9	15 7	18 6	7 11	22 9	22 7	19 15
526	Bronchiectasis	M. 67 F. 43	95 52	84 68	80 47	88 52	69 38	75 37	56 37	82 58	87 51
527	Other diseases of lung and pleural cavity	M. 50 F. 22	78 42	51 32	60 31	56 41	65 29	67 24	64 18	48 14	59 14
530-587	IX. DISEASES OF THE DIGESTIVE SYSTEM	M. 1282 F. 990	1267 1032	1172 941	1088 879	1161 903	1155 921	1137 932	1108 915	998 914	1040 875
530-539	<i>Diseases of buccal cavity and esophagus</i>	M. 6 F. 18	14 17	11 15	19 18	10 11	16 14	10 13	8 21	17 17	17 16
530	Dental caries	M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
531	Abscesses of supporting structures of teeth	M. — F. —	1 1	— —	— —	1 —	— —	— —	— —	— —	— —
532	Other inflammatory diseases of supporting structures of teeth	M. — F. 1	— 1	2 1	1 —	— —	— —	— —	— —	— —	— —
533	Disorders of occlusion, eruption and tooth development	M. — F. —	1 1	— —	— —	— 1	1 —	— —	— —	— —	— —
534	Toothache from unspecified cause	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —
535	Other diseases of teeth and supporting structures	M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	— —	1 1
536	Stomatitis	M. — F. 1	— 1	1 1	1 1	— —	— 2	— 1	— 1	— 1	— 1
537	Diseases of salivary glands	M. 1 F. 5	2 6	2 4	— 4	2 5	2 4	1 4	1 3	1 6	1 3
538	Other diseases of buccal cavity	M. — F. 3	1 1	1 1	1 1	— —	1 —	— —	1 —	1 —	1 —
539	Diseases of esophagus	M. 3 F. 8	9 6	6 8	16 12	8 4	13 7	9 8	7 16	9 9	14 11
540-545	<i>Diseases of stomach and duodenum</i>	M. 555 F. 145	531 171	514 175	455 155	517 178	515 197	461 198	446 154	404 157	387 164
540	Ulcer of stomach	M. 215 F. 82	220 82	185 93	168 82	184 105	181 103	166 103	157 81	148 90	137 87
541	Ulcer of duodenum	M. 296 F. 36	266 51	299 62	256 55	308 59	311 71	267 58	268 55	241 55	221 62
542	Gastrojejunal ulcer	M. 3 F. —	3 1	4 —	7 —	5 1	7 3	11 1	6 3	7 1	10 3
543	Gastritis and duodenitis	M. 16 F. 20	13 21	7 11	13 9	8 5	5 11	8 10	3 7	4 6	8 8
544	Disorders of function of stomach	M. 2 F. —	4 —	3 2	1 —	1 —	— 4	1 4	2 —	3 1	3 2
545	Other diseases of stomach and duodenum	M. 23 F. 7	25 12	16 7	10 9	11 7	11 6	8 7	10 7	2 2	8 6
550-553	<i>Appendicitis</i>	M. 81 F. 73	64 54	64 54	62 52	49 52	51 36	63 28	68 35	48 37	61 33
550	Acute appendicitis	M. 76 F. 66	61 48	56 42	50 42	42 48	44 32	57 23	66 33	44 35	57 24
551	Appendicitis, unqualified	M. 2 F. 3	— 5	8 10	10 8	5 3	6 5	6 2	1 2	3 2	4 8
552	Other appendicitis	M. 2 F. —	— —	— —	1 1	2 1	1 —	— —	1 —	— —	— —
553	Other diseases of appendix	M. 1 F. —	— —	— —	1 1	— —	— 1	— —	— —	1 —	— 1

**Inter-
national
Detailed
List
Numbers**

185

International Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
530-587	IX. DISEASES OF THE DIGESTIVE SYSTEM—continued										
560-561	<i>Hernia of abdominal cavity</i>	M. 91 F. 87	96 88	80 104	69 88	75 87	78 99	79 105	84 105	76 82	66 80
560	Hernia of abdominal cavity without mention of obstruction	M. 24 F. 25	37 25	25 18	22 17	17 18	23 24	25 26	24 23	29 26	30 31
561	Hernia of abdominal cavity with obstruction	M. 67 F. 62	59 63	55 76	47 71	58 69	55 75	54 79	60 82	47 56	36 49
570-578	<i>Other diseases of intestines and peritoneum</i>	M. 371 F. 376	356 384	310 313	287 290	306 263	312 305	287 284	287 256	236 286	277 279
570	Intestinal obstruction without mention of hernia	M. 100 F. 92	107 103	127 113	119 121	137 109	119 103	121 98	135 99	96 99	99 94
571.0	Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years	M. 154 F. 110	119 79	87 56	74 52	57 35	79 41	61 39	35 25	29 31	55 37
571.1	Gastro-enteritis and colitis, except ulcerative, ages 2 years and over	M. 28 F. 60	41 66	20 36	22 32	17 21	24 44	18 30	21 17	27 27	29 37
572	Chronic enteritis and ulcerative colitis	M. 52 F. 73	47 86	39 72	40 63	62 72	55 93	57 89	75 86	56 104	60 78
573	Functional disorders of intestines	M. 2 F. 1	5 1	1 1	1 1	2 1	1 1	1 1	2 1	1 1	1 1
574	Anal fissure and fistula	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
575	Abscess of anal and rectal regions	M. 1 F. 3	1 1	1 3	1 3	2 3	2 3	1 1	1 1	2 2	2 2
576	Peritonitis	M. 19 F. 15	25 21	22 18	10 7	7 5	5 6	6 10	8 5	7 5	11 14
577	Peritoneal adhesion	M. 4 F. 1	3 3	— —	2 4	4 1	2 1	1 1	— —	2 1	1 1
578	Other diseases of intestines and peritoneum	M. 13 F. 19	14 20	12 15	19 18	19 13	24 17	22 17	12 20	16 18	16 19
580-587	<i>Diseases of liver, gallbladder, and pancreas</i>	M. 178 F. 291	206 318	193 280	196 276	204 307	183 270	237 304	215 344	221 335	235 303
580	Acute and subacute yellow atrophy of liver	M. 6 F. 11	15 17	7 17	7 17	6 14	6 11	7 12	8 10	7 15	7 12
581	Cirrhosis of liver	M. 98 F. 65	95 74	100 66	101 69	95 87	84 85	128 85	104 119	103 118	114 99
582	Suppurative hepatitis and liver abscess	M. 3 F. 4	4 2	3 3	1 1	1 3	5 4	3 4	4 1	— —	2 9
583	Other diseases of liver	M. 7 F. 15	6 11	6 5	6 9	8 8	3 6	4 11	4 7	8 8	9 8
584	Cholelithiasis	M. 16 F. 53	22 62	17 58	28 52	20 55	20 57	28 58	21 72	41 59	24 55
585	Cholecystitis and cholangitis without mention of calculi	M. 27 F. 109	32 97	33 93	27 86	32 85	38 72	21 81	22 78	24 92	30 71
586	Other diseases of gallbladder and biliary ducts	M. 11 F. 9	13 21	12 10	6 13	7 18	7 10	8 7	3 12	1 10	4 3
587	Diseases of pancreas	M. 10 F. 25	19 34	14 28	20 29	35 40	18 28	36 46	30 45	34 33	44 55
590-637	X. DISEASES OF THE GENITO-URINARY SYSTEM	M. 1017 F. 530	916 535	879 452	819 489	879 467	868 446	862 466	831 408	767 404	778 424
590-594	<i>Nephritis and nephrosis</i>	M. 325 F. 374	298 352	266 302	270 310	277 293	267 263	264 264	252 259	222 195	205 205
590	Acute nephritis	M. 23 F. 26	24 27	14 22	24 22	22 25	17 21	13 12	13 12	16 14	17 17
591	Nephritis with oedema, including nephrosis	M. 5 F. 10	4 10	14 8	19 25	20 18	18 24	27 22	21 16	21 11	14 13
592	Chronic nephritis	M. 264 F. 307	240 281	204 242	200 234	211 218	211 200	199 205	186 204	165 133	156 147
593	Nephritis not specified as acute or chronic	M. 30 F. 28	27 32	32 29	25 27	21 28	21 16	22 23	32 33	20 35	23 28
594	Other renal sclerosis	M. 3 F. 3	3 2	2 1	2 2	3 4	2 2	3 2	— —	— 2	— 1
600-609	<i>Other diseases of urinary system</i>	M. 145 F. 117	157 145	138 113	145 147	154 140	148 151	164 170	146 157	151 178	197 198
600	Infections of kidney	M. 52 F. 67	51 75	49 71	62 95	67 94	74 97	82 122	84 109	84 145	113 145
601	Hydronephrosis	M. 7 F. 6	8 8	17 5	10 8	13 7	6 6	10 7	14 15	9 12	8 10
602	Calculi of kidney and ureter	M. 14 F. 13	24 30	14 11	15 16	11 16	15 20	20 14	11 4	12 4	10 11
603	Other diseases of kidney and ureter	M. 8 F. 2	3 2	4 5	1 7	6 5	3 8	1 1	3 3	5 5	4 2
604	Calculi of other parts of urinary system	M. 5 F. 5	5 5	2 1	1 1	1 1	6 2	8 1	2 2	6 2	7 1
605	Cystitis	M. 31 F. 24	31 21	26 15	24 17	19 23	16 13	24 14	12 14	16 5	23 24
606	Other diseases of bladder	M. 14 F. 2	24 7	14 2	17 1	17 2	9 3	8 6	4 2	8 1	18 —
607	Urethritis (non-venereal)	M. 2 F. 1	— —	1 4	— 10	— 12	— 6	— 11	— 11	— 4	— 11
608	Stricture of urethra	M. 7 F. 1	10 1	4 2	10 7	12 5	6 8	11 8	11 7	4 7	11 3
609	Other diseases of urethra	M. 5 F. 3	1 1	1 1	2 2	1 1	5 2	6 6	3 3	6 6	3 5

Table 42—continued

1960 Ages																				85 and over	Inter- national Detailed List Numbers
2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-		530-587	
-	-	-	-	-	-	-	-	-	1	1	1	2	2	6	7	9	9	20	6	M.	560-561
-	-	-	-	-	-	-	-	-	2	1	1	1	1	9	12	20	9	13	12	F.	560
-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	3	2	1	6	2	M.	561
-	-	-	-	-	-	-	-	-	1	2	-	-	-	4	4	7	1	3	4	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	8	13	8	10	4	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	8	F.	
1	2	-	3	3	1	1	3	3	4	9	7	17	18	25	27	31	26	27	9	M.	570-578
1	1	-	1	2	-	1	2	5	6	4	12	10	22	15	32	42	37	38	25	F.	570
-	-	-	1	1	-	1	-	-	1	2	3	5	8	14	17	17	10	10	11	M.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		571.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	571.1
1	1	-	2	1	-	-	-	-	1	7	1	1	3	3	8	5	6	4	5	F.	572
-	-	-	-	-	-	-	-	-	3	2	-	-	-	6	7	23	20	7	2	M.	573
-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	1	-	1	-	-	F.	574
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	575
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	576
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	577
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	578
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	
1	1	-	3	2	-	2	3	2	5	9	15	28	29	29	35	24	23	19	4	M.	580-587
1	1	-	1	-	-	-	-	2	4	6	13	12	12	34	48	54	52	38	12	F.	580
-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	3	-	-	-	-	M.	581
-	-	-	-	-	-	-	-	-	-	8	7	21	20	17	16	12	8	3	2	F.	582
-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	15	16	14	6	2	M.	583
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	584
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	585
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	586
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	587
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
2	2	-	4	1	4	11	8	9	8	10	18	28	38	42	68	111	129	151	98	M.	590-637
1	1	-	2	3	4	9	7	4	6	6	13	20	19	16	21	16	15	14	8	F.	590-594
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	590
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	591
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	592
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	593
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	594
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
1	1	-	2	1	1	2	1	3	2	4	5	8	14	11	28	34	28	20	24	M.	600-609
-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	600
-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	601
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	602
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	603
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	604
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	605
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	606
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	607
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	608
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	609

Table 42—continued

Inter- national Detailed List Numbers	Causes of Death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
590-637	X. DISEASES OF THE GENITO-URINARY SYSTEM—continued											
610-617	<i>Diseases of male genital organs</i>	M.	547	461	475	404	448	461	434	403	394	376
610	Hyperplasia of prostate	M.	509	425	453	395	430	451	421	389	382	367
611	Prostatitis	M.	14	13	18	8	12	6	8	11	9	1
612	Other diseases of prostate	M.	20	20	2	1	4	3	3	3	1	1
613	Hydrocele	M.	1	—	—	—	—	—	1	—	—	—
614	Orchitis and epididymitis	M.	1	1	—	—	—	—	—	—	—	—
615	Redundant prepuce and phimosis	M.	—	—	—	—	1	—	—	—	—	—
616	Sterility, male	M.	—	—	—	—	—	—	—	—	—	—
617	Other diseases of male genital organs	M.	1	2	2	—	1	1	1	—	2	—
620-626	<i>Diseases of breast, ovary, Fallopian tube and parametrium</i>	F.	10	13	15	12	10	10	9	7	9	—
620	Chronic cystic disease of breast	F.	—	—	—	—	—	—	—	—	—	—
621	Other diseases of breast	F.	1	—	—	—	—	—	—	—	—	—
622	Acute salpingitis and oophoritis	F.	1	1	—	1	2	1	—	—	1	—
623	Chronic salpingitis and oophoritis	F.	—	1	1	—	—	—	—	1	—	—
624	Salpingitis and oophoritis, unqualified	F.	1	4	1	1	4	3	2	2	2	—
625	Other diseases of ovary and Fallopian tube	F.	2	2	—	2	1	—	2	—	1	—
626	Diseases of parametrium and pelvic peritoneum (female)	F.	5	5	13	8	3	6	5	4	5	—
630-637	<i>Diseases of uterus and other female genital organs</i>	F.	29	25	22	20	16	22	23	20	22	1
630	Infective disease of uterus, vagina and vulva	F.	1	—	—	—	—	2	3	3	—	—
631	Uterovaginal prolapse	F.	19	11	8	10	9	8	11	8	15	1
632	Malposition of uterus	F.	—	—	—	—	—	—	2	—	—	—
633	Other diseases of uterus	F.	8	7	8	4	1	2	3	4	2	—
634	Disorders of menstruation	F.	—	2	3	5	4	1	1	2	4	—
635	Menopausal symptoms	F.	—	—	—	—	—	—	1	1	—	—
636	Sterility, female	F.	—	—	—	—	—	—	—	—	—	—
637	Other diseases of female genital organs	F.	1	5	3	1	2	9	2	2	1	—
640-689	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD-BIRTH, AND THE PUERPERIUM	F.	106	99	92	86	70	43	51	46	53	3
640-649	<i>Complications of pregnancy</i>	F.	28	22	17	20	27	13	15	13	13	1
640	Pyelitis and pyelonephritis of pregnancy	F.	—	1	—	1	1	—	—	—	—	—
641	Other infections of genito-urinary tract during pregnancy	F.	—	—	1	—	—	—	—	—	—	1
642	Toxæmia of pregnancy	F.	22	11	7	13	19	10	7	8	10	—
642.2, 3	Eclampsia of pregnancy	F.	13	7	6	11	13	6	5	4	6	—
642.4	Hyperemesis gravidarum	F.	—	—	1	—	—	—	1	—	1	—
642.0, 1, 5	Other toxæmia of pregnancy	F.	9	4	—	2	6	4	1	4	3	—
643	Placenta prævia	F.	—	—	2	—	—	—	—	1	—	—
644	Other hæmorrhage of pregnancy	F.	1	5	3	1	1	1	2	3	1	—
645	Ectopic pregnancy	F.	2	2	2	3	3	2	2	—	—	—
646	Anæmia of pregnancy	F.	3	—	—	—	3	—	1	1	—	—
647	Pregnancy with malposition of fœtus in uterus	F.	—	—	—	—	—	—	—	—	—	—
648	Other complications arising from pregnancy	F.	—	3	2	2	—	—	2	—	1	—
650-652	<i>Abortion</i>	F.	15	19	13	14	3	5	3	6	10	—
650	Abortion without mention of sepsis or toxæmia	F.	5	6	7	9	2	3	2	2	6	—
651	Abortion with sepsis	F.	8	11	3	5	1	2	1	4	4	—
652	Abortion with toxæmia, without mention of sepsis	F.	2	2	3	—	—	—	—	—	—	—
660	<i>Delivery without mention of complication</i>	F.	—	—	—	—	—	—	—	—	—	—
670-678	<i>Delivery with specified complication</i>	F.	36	32	27	24	21	11	16	8	18	—
670	Delivery complicated by placenta prævia or antepartum hæmorrhage	F.	2	3	5	3	5	2	5	3	1	—
670a	Placenta prævia	F.	2	2	3	2	2	1	2	1	1	—
670b	Other hæmorrhage of pregnancy	F.	—	1	2	1	3	1	3	2	—	—
671	Delivery complicated by retained placenta	F.	2	7	1	2	1	1	2	—	1	—
672	Delivery complicated by other post-partum hæmorrhage	F.	8	5	11	12	5	5	4	—	4	—
673	Delivery complicated by abnormality of bony pelvis	F.	3	—	1	—	2	—	1	—	—	—
674	Delivery complicated by disproportion or malposition of fœtus	F.	5	4	1	—	—	2	1	1	—	—
675	Delivery complicated by prolonged labour of other origin	F.	4	1	1	3	2	—	—	2	4	—
676	Delivery with laceration of perineum, without mention of other laceration	F.	—	—	—	—	—	—	—	—	—	—
677	Delivery with other trauma	F.	5	3	3	2	3	—	1	1	2	—
678	Delivery with other complications of childbirth	F.	7	9	4	2	3	1	2	1	6	—

Table 42—continued

1960 Ages																				Inter- national Detailed List Numbers
2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	5 5	15 15	19 18	61 58 3	86 85 1	117 114 2	66 64 2	M. 610-617
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 610
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 611
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 612
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 613
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 614
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 615
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	M. 616
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 617
-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	1	-	-	F. 620-626
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 620
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 621
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 622
-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	F. 623
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 624
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F. 625
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F. 626
-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	1	2	3	-	F. 630-637
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	F. 630
-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	1	1	1	-	F. 631
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 632
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	F. 633
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 634
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 635
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	F. 636
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 637
-	-	-	-	-	2	8	6	10	5	4	-	-	-	-	-	-	-	-	-	F. 640-689
-	-	-	-	-	2	2	1	3	2	2	-	-	-	-	-	-	-	-	-	F. 640-649
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 640
-	-	-	-	-	-	2	-	3	2	1	-	-	-	-	-	-	-	-	-	F. 641
-	-	-	-	-	1	1	-	2	2	1	-	-	-	-	-	-	-	-	-	F. 642
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F. 642.2, 3
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	F. 642.4
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	F. 642.0,1,5
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 643
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 644
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 645
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 646
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 647
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 648
-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	F. 650-652
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 650
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F. 651
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 652
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 660
-	-	-	-	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-	F. 670-678
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	F. 670
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	F. 670a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 670b
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	F. 671
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F. 672
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F. 673
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F. 674
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F. 675
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 676
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 677
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 678

Table 42—continued

International Detailed List Numbers	Causes of Death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
640-689	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—continued											
680-689	<i>Complications of the puerperium</i>	F.	27	26	35	28	19	14	17	19	12	1
680	Puerperal urinary infection without other sepsis	F.	—	1	—	—	1	—	—	—	—	—
681	Sepsis of childbirth and the puerperium	F.	3	3	3	2	2	1	2	3	4	—
682	Puerperal phlebitis and thrombosis	F.	6	5	1	4	4	2	6	3	—	—
683	Pyrexia of unknown origin during the puerperium	F.	—	—	1	—	—	—	—	—	—	—
684	Puerperal pulmonary embolism	F.	6	8	14	8	7	6	5	6	6	—
685	Puerperal eclampsia	F.	2	3	8	9	1	2	1	3	—	—
686	Other forms of puerperal toxæmia	F.	—	1	4	1	—	—	2	—	1	—
687	Cerebral hæmorrhage in the puerperium	F.	4	2	4	3	1	1	—	3	1	—
688	Other and unspecified complications of the puerperium	F.	6	3	—	1	3	2	—	1	—	—
689	Mastitis and other disorders of lactation	F.	—	—	—	—	—	—	—	—	—	—
690-716	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	M.	40	34	33	25	31	28	29	20	22	3
		F.	39	36	30	35	30	25	31	28	24	2
690-698	<i>Infections of skin and subcutaneous tissue</i>	M.	19	14	9	8	10	10	15	12	11	7
		F.	12	9	10	13	13	9	12	7	7	—
690	Boil and carbuncle	M.	5	1	1	1	3	—	3	1	2	—
		F.	1	2	1	1	1	3	2	1	1	—
691	Cellulitis of finger and toe	M.	—	—	—	—	—	—	—	—	—	—
		F.	2	—	—	—	—	—	—	—	—	—
692	Other cellulitis and abscess without mention of lymphangitis	M.	11	12	7	7	6	9	11	10	7	—
		F.	7	7	—	12	11	5	9	5	6	—
693	Other cellulitis and abscess with lymphangitis	M.	1	—	—	—	—	1	1	—	—	—
		F.	2	—	1	—	1	—	—	—	—	—
694	Acute lymphadenitis	M.	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
695	Impetigo	M.	—	—	—	—	—	—	—	1	—	—
		F.	—	—	—	—	—	1	—	—	—	—
696	Infectious warts	M.	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
697	Molluscum contagiosum	M.	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
698	Other local infections of skin and subcutaneous tissue	M.	2	1	1	—	1	—	—	1	2	—
		F.	—	—	—	—	—	—	—	—	—	—
700-716	<i>Other diseases of skin and subcutaneous tissue</i>	M.	21	20	24	17	21	18	14	8	11	2
		F.	27	27	20	22	17	16	19	21	17	1
700	Seborrhæic dermatitis	M.	1	—	1	—	—	—	—	—	—	—
		F.	—	—	—	1	—	—	—	—	—	—
701	Eczema	M.	7	2	—	2	2	1	—	1	—	—
		F.	2	2	2	—	—	—	—	1	—	—
702	Occupational dermatitis	M.	—	—	—	—	1	2	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
703	Other dermatitis	M.	2	2	4	2	1	1	—	1	1	—
		F.	2	1	—	—	—	1	1	1	—	—
704	Pemphigus	M.	4	5	4	4	8	4	3	2	3	—
		F.	9	7	3	4	7	4	2	2	1	—
705	Erythematous conditions	M.	1	4	11	4	5	7	3	3	1	—
		F.	4	6	4	7	3	4	3	6	5	—
706	Psoriasis and similar disorders	M.	1	—	—	1	1	2	3	—	2	—
		F.	1	1	3	1	3	—	—	—	1	—
707	Lichen planus	M.	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
708	Pruritus and related conditions	M.	—	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	1	—
709	Corns and callosities	M.	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
710	Other hypertrophic and atrophic conditions of skin	M.	1	1	1	1	—	—	3	1	1	—
		F.	2	1	3	5	3	2	3	4	4	—
711	Other dermatoses	M.	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
712	Diseases of nail	M.	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
713	Diseases of hair and hair follicles	M.	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
714	Diseases of sweat and sebaceous glands	M.	—	1	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
715	Chronic ulcer of skin	M.	4	4	3	3	3	1	1	—	3	—
		F.	7	8	4	4	1	4	10	7	5	—
716	Other diseases of skin	M.	—	1	—	—	—	—	—	—	—	—
		F.	—	—	1	—	—	1	—	—	—	—
720-749	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	M.	53	55	61	70	81	74	67	79	73	8
		F.	108	121	109	130	190	180	193	197	188	18
720-727	<i>Arthritis and rheumatism, except rheumatic fever</i>	M.	25	19	33	38	54	41	44	43	49	6
		F.	87	94	90	101	170	159	169	169	168	10
720	Acute arthritis due to pyogenic organisms	M.	3	1	1	2	1	2	3	—	1	—
		F.	1	2	—	—	1	1	3	1	1	—
721	Acute non-pyogenic arthritis	M.	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—
722	Rheumatoid arthritis and allied conditions	M.	10	10	25	22	32	31	32	23	33	4
		F.	60	60	65	75	138	127	144	138	132	13
723	Osteo-arthritis (arthrosis) and allied conditions	M.	4	4	5	9	10	4	6	15	12	1
		F.	14	20	11	18	22	15	13	20	26	1

Table 42—continued

1960 Ages																				Inter- national Detailed List Numbers	
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-		85 and over
-	-	-	-	-	-	-	4	4	3	2	1	-	-	-	-	-	-	-	-	-	F. 680-689
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	F. 680
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	F. 681
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 682
-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	F. 683
-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	F. 684
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F. 685
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F. 686
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 687
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 688
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 689
-	1	-	-	-	-	-	1	-	-	-	1	2	2	3	-	3	2	-	1	1	M. 690-716
-	1	-	-	-	1	-	1	-	-	-	1	1	1	1	3	1	2	9	4	3	M. 690-698
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	6	1	3	M. 690
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. 691
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	1	2	M. 692
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	M. 693
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 694
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 695
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 696
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 697
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 698
-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	1	1	1	3	1	1	M. 700-716
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 700
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 701
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 702
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 703
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	M. 704
-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	M. 705
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 706
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 707
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 708
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 709
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	M. 710
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 711
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 712
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 713
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 714
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. 715
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	F. 716
-	-	-	-	2	1	1	1	-	2	2	3	5	6	8	18	24	35	9	6	4	M. 720-749
-	-	-	-	-	-	-	-	-	1	-	1	4	4	2	3	6	10	31	3	16	M. 720-727
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. 720
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 721
-	-	-	-	-	-	-	-	-	-	1	1	3	4	6	12	18	23	39	20	2	M. 722
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	3	7	5	M. 723

Table 42—continued

Inter- national Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
720-749	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT—continued										
724	Other specified forms of arthritis	M. F.	— 1	1 2	— —	2 1	2 3	1 —	1 —	— —	1 —
725	Arthritis, unspecified	M. F.	2 4	— 4	1 8	2 1	3 4	— 5	1 2	5 3	1 7
726	Muscular rheumatism	M. F.	— —	— —	— —	— 1	— 2	— 1	— 1	1 2	— 2
727	Rheumatism, unspecified	M. F.	6 7	3 6	1 4	1 6	5 2	1 9	1 6	1 4	2 5
730-738	<i>Osteomyelitis and other diseases of bone and joint</i>	M. F.	17 13	22 21	16 14	18 22	18 11	20 13	12 18	21 18	12 9
730	Osteomyelitis and periostitis	M. F.	11 3	5 7	4 5	10 5	9 2	5 3	5 6	4 5	5 1
731	Osteitis deformans	M. F.	4 9	15 8	9 5	5 5	10 3	9 6	3 9	5 8	1 3
732	Osteochondrosis	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
733	Other diseases of bone	M. F.	2 —	2 4	2 4	3 10	1 4	1 3	— 5	3 5	1 3
734	Internal derangement of knee joint	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
735	Displacement of intervertebral disc	M. F.	— —	— 1	— —	— 1	— 2	— 1	— 1	— —	— —
736	Affection of sacro-iliac joint	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
737	Ankylosis of joint	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
738	Other diseases of joint	M. F.	— 1	— 1	— —	— 1	— —	— —	— —	— —	— —
740-749	<i>Other diseases of musculoskeletal system</i>	M. F.	11 8	14 6	12 5	14 7	9 9	13 8	11 6	15 10	12 11
740	Bunion	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	M. F.	— —	— —	— —	2 —	— —	— —	— 1	— —	— —
742	Synovitis, bursitis, and tenosynovitis of occupational origin	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
743	Infective myositis and other inflam- matory diseases of tendon and fascia	M. F.	1 —	— —	— —	— —	— —	1 —	— —	— —	— —
744	Other diseases of muscle, tendon and fascia	M. F.	10 7	11 5	6 4	11 6	9 8	11 5	9 5	14 9	9 11
745	Curvature of spine	M. F.	— 1	3 1	6 1	— —	— 1	— 3	2 —	1 —	— —
746	Flat foot	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
747	Hallux valgus and varus	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —
748	Clubfoot	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— 2
749	Other deformities	M. F.	— —	— —	— —	1 1	— —	— —	— —	— —	— —
750-759	XIV. CONGENITAL MALFORMA- TIONS	M. F.	316 297	332 270	299 311	321 297	353 323	289 333	345 317	390 328	310 338
750	Monstrosity	M. F.	6 5	5 6	6 14	4 7	6 15	6 5	5 12	10 21	4 16
751	Spina bifida and meningocele	M. F.	41 81	52 60	56 96	51 76	61 49	65 103	71 78	60 73	55 74
752	Congenital hydrocephalus	M. F.	27 28	37 32	34 27	29 31	30 34	30 37	35 27	34 36	32 46
753	Other congenital malformations of nervous system and sense organs	M. F.	2 9	12 4	11 9	12 14	6 14	7 9	6 17	6 10	9 11
754	Congenital malformations of circula- tory system	M. F.	120 96	115 89	105 91	105 89	124 95	106 103	125 101	127 113	116 113
755	Cleft palate and harelip	M. F.	2 3	2 1	3 3	2 1	1 —	1 3	— —	2 —	— —
756	Congenital malformations of digestive system	M. F.	68 44	62 37	38 30	59 27	51 38	37 26	49 27	66 30	27 44
756.0	Congenital hypertrophic pyloric stenosis	M. F.	18 9	9 3	10 1	9 1	9 1	4 1	4 —	6 —	4 —
756.1, 2	Other congenital malformations of digestive system	M. F.	50 35	53 34	28 29	50 26	42 37	33 25	45 26	60 26	23 26
757	Congenital malformations of genito- urinary system	M. F.	22 15	29 21	23 25	27 23	43 16	29 18	26 23	46 19	33 23
758	Congenital malformations of bone and joint	M. F.	7 3	3 5	3 5	8 8	4 1	4 —	3 4	7 6	5 8
759	Other and unspecified congenital mal- formations, not elsewhere classified	M. F.	21 13	15 15	20 13	24 19	23 12	20 22	30 28	21 24	24 21

Table 42—continued

1960 Ages																					Inter- national Detailed List Numbers	
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
																					720-749	
																					M. F.	724
																					M. F.	725
																					M. F.	726
																					M. F.	727

Table 42—continued

International Detailed List Numbers	Causes of Death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
760-776	XV. CERTAIN DISEASES OF EARLY INFANCY { M. F.		1067 733	1007 714	976 670	889 570	933 616	898 605	893 579	929 599	942 567	921 581	851 531
760-769	<i>Birth injuries, asphyxia, and infections of newborn</i> { M. F.		549 347	533 352	520 348	491 314	549 340	540 331	551 344	571 349	600 358	627 369	531 313
760.0	Intracranial and spinal injury at birth, without mention of immaturity* { M. F.												
760.5	Intracranial and spinal injury at birth, with immaturity* { M. F.	M. 163 F. 82	139 85	115 93	133 69	134 69	134 65	131 75	134 78		86 45	83 52	
761.0	Other birth injury, without mention of immaturity* { M. F.	M. 36 F. 25	54 26	31 19	17 12	24 15	21 15	27 18	23 14		21 18	30 17	
761.5	Other birth injury, with immaturity* { M. F.	M. 86 F. 60	98 68	71 42	58 36	83 39	69 48	66 45	62 33		18 15	16 15	
762.0	Postnatal asphyxia and atelectasis, without mention of immaturity* { M. F.	M. 213 F. 128	184 140	252 160	253 171	275 193	285 177	288 188	316 197		140 205	132 223	171 201
762.5	Postnatal asphyxia and atelectasis, with immaturity* { M. F.	M. 86 F. 60	98 68	71 42	58 36	83 39	69 48	66 45	62 33		49 28	47 28	
763.0	Pneumonia of newborn, without mention of immaturity* { M. F.	M. 86 F. 60	98 68	71 42	58 36	83 39	69 48	66 45	62 33		12 10	11 11	
763.5	Pneumonia of newborn, with immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
764.0	Diarrhoea of newborn, without mention of immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
764.5	Diarrhoea of newborn, with immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
765.0	Ophthalmia neonatorum, without mention of immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
765.5	Ophthalmia neonatorum, with immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
766.0	Pemphigus neonatorum, without mention of immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
766.5	Pemphigus neonatorum, with immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
767.0	Umbilical sepsis, without mention of immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
767.5	Umbilical sepsis, with immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
768.0	Other sepsis of newborn, without mention of immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
768.5	Other sepsis of newborn, with immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
769.0-4	Neonatal disorders arising from certain diseases of the mother during pregnancy, without mention of immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
769.5-9	Neonatal disorders arising from certain diseases of the mother during pregnancy, with immaturity* { M. F.	M. 17 F. 18	22 12	14 10	8 8	4 2	8 3	11 4	8 10		4 2	2 4	
770-776	<i>Other diseases peculiar to early infancy</i> { M. F.		518 386	474 362	456 322	398 256	384 276	358 274	342 235	358 250	342 209	294 212	271 211
770.0, 1, 2	Hæmolytic disease of newborn (erythroblastosis), without mention of immaturity* { M. F.	M. 39 F. 34	46 28	39 28	48 27	35 31	36 19	41 25	35 29		26 15	15 19	31 11
770.5-7	Hæmolytic disease of newborn (erythroblastosis), with immaturity* { M. F.	M. 15 F. 14	25 14	29 11	25 17	20 11	17 13	30 14	28 17		30 15	23 12	21 17
771.0	Hæmorrhagic disease of newborn, without mention of immaturity* { M. F.	M. 15 F. 14	25 14	29 11	25 17	20 11	17 13	30 14	28 17		30 15	23 12	21 17
771.5	Hæmorrhagic disease of newborn, with immaturity* { M. F.	M. 15 F. 14	25 14	29 11	25 17	20 11	17 13	30 14	28 17		30 15	23 12	21 17
772.0	Nutritional maladjustment, without mention of immaturity* { M. F.	M. 5 F. 5	2 -	1 1	- 2	1 -	- 2	- -	1 -		7 -	5 -	2 -
772.5	Nutritional maladjustment, with immaturity* { M. F.	M. 5 F. 5	2 -	1 1	- 2	1 -	- 2	- -	1 -		7 -	5 -	2 -
773.0y	Congenital debility, without mention of immaturity { M. F.	M. 42 F. 24	34 26	27 20	21 10	18 12	17 10	6 8	4 9		5 1	3 6	2 5
773.5y	Congenital debility, with immaturity { M. F.	M. 42 F. 24	34 26	27 20	21 10	18 12	17 10	6 8	4 9		5 1	3 6	2 5
773.0x	Other ill-defined diseases peculiar to early infancy, without mention of immaturity* { M. F.	M. 11 F. 21	28 11	18 11	12 7	19 13	10 9	18 5	7 4		7 4	6 6	5 5
773.5x	Other ill-defined diseases peculiar to early infancy, with immaturity* { M. F.	M. 6 F. 2	5 6	10 6	14 8	10 8	7 10	4 8	9 7		14 7	9 3	10 12
774	Immaturity with mention of any other subsidiary condition { M. F.	M. 66 F. 321	21 313	16 316	4 274	8 273	7 264	3 240	3 271		1 230	1 220	6 171
776	Immaturity, unqualified { M. F.	M. 66 F. 321	21 313	16 316	4 274	8 273	7 264	3 240	3 271		1 230	1 220	6 171

*760-773, Fourth-digit subdivision of these rubrics was introduced in the Sixth Revision but was not adopted in Scotland until the Seventh Revision came into force in 1958.

Table 42—continued

1960 Ages																						Inter- national Detailed List Numbers	
1-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
69 93	- 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	760-776
95 75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	760-769
04 62 48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	760.0
23 22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	760.5
10 22 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	761.0
16 77 01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	761.5
35 35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	762.0
28 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	762.5
12 9 2 3 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	763.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	763.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	764.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	764.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	765.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	765.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	766.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	766.5
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	767.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	767.5
5 3 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	768.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	768.5
4 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	769.0-4
8 6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	769.5-9
74 18	- 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	770-776
38 18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	770.0,1,2
6 4 22 17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	770.5-7
7 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	771.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	771.5
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	772.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	772.5
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	773.0y
6 4	- 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	773.5y
10 6 12 6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	773.0x
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	773.5x
1 71 59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	774
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	776

Table 42—continued

Inter- national Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
780-795	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS { M. F.	1109 1171	1144 1219	901 1022	798 819	804 830	475 654	428 569	351 502	345 465	331 409	331 431
780-789	Symptoms referable to systems or organs { M. F.	443 283	471 312	310 237	214 151	162 126	69 54	66 53	70 56	59 41	58 37	8 3
780	Certain symptoms referable to nervous system and special senses { M. F.	47 40	53 43	39 31	33 23	35 20	23 25	34 23	21 16	19 15	12 9	1 1
780a	Convulsions under 5 { M. F.	44 35	52 41	37 27	32 22	34 18	22 24	32 21	21 16	18 15	11 9	1 1
780b	Other certain symptoms referable to nervous system and special senses { M. F.	3 5	1 2	2 4	1 1	1 2	1 2	2 —	— —	1 —	1 —	— —
781	Other symptoms referable to nervous system and special senses { M. F.	— 1	1 —	— —	1 —	1 —	— —	— —	— —	1 —	— —	— —
782	Symptoms referable to cardiovascular and lymphatic system { M. F.	367 222	360 244	235 187	145 114	107 91	34 23	28 24	41 29	35 17	36 20	5 3
782.4	Heart failure { M. F.	302 180	320 216	188 166	125 104	99 85	30 20	23 23	37 23	29 13	33 17	3 2
782.5	Syncope or collapse { M. F.	40 23	36 27	43 21	19 9	7 6	4 3	4 1	4 —	6 4	3 4	1 —
782.0-3, 6-9	Other symptoms referable to cardiovascular and lymphatic system { M. F.	25 19	4 1	4 —	1 5	1 —	— 2	1 —	— 2	— —	— —	— —
783	Symptoms referable to respiratory system { M. F.	3 13	5 —	6 1	5 3	5 —	2 2	— 1	2 1	— 2	1 2	— 2
784	Symptoms referable to upper gastrointestinal tract { M. F.	9 8	13 10	9 8	6 8	8 9	2 4	1 4	1 8	4 5	3 3	— —
785	Symptoms referable to abdomen and lower gastro-intestinal tract { M. F.	3 2	12 8	5 2	1 1	— 2	1 —	— —	— —	— 1	1 —	— —
786	Symptoms referable to genito-urinary system { M. F.	13 3	18 1	13 1	18 1	3 —	2 —	1 —	1 —	— —	1 —	— —
787	Symptoms referable to limbs and back { M. F.	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —
788	Other general symptoms { M. F.	— 2	4 1	1 5	5 1	2 1	— 1	2 1	1 2	— 1	4 2	— —
789	Abnormal urinary constituents of unspecified cause { M. F.	1 2	5 5	2 2	— —	1 3	— —	— —	— —	— —	— —	— —
790-795	Senility and ill-defined diseases { M. F.	666 888	673 907	591 785	584 668	642 704	406 600	362 516	281 446	286 424	273 372	25 37
790	Nervousness and debility { M. F.	2 1	— —	1 1	1 —	— —	2 —	— —	1 —	— —	— —	— —
791	Headache { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
792	Uræmia { M. F.	61 28	62 27	30 22	14 8	7 5	6 6	2 2	5 7	6 5	5 1	— —
793	Observation, without need for further medical care { M. F.	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —
794	Senility without mention of psychosis { M. F.	481 802	488 804	368 657	332 520	355 570	302 537	270 477	189 391	196 362	161 322	14 30
795	Ill-defined and unknown causes of mortality { M. F.	122 57	123 76	192 105	237 140	280 128	96 57	90 37	86 47	84 57	107 49	10 6
795.0, 1	Other ill-defined { M. F.	2 —	96 56	174 89	228 136	263 123	84 51	79 35	82 43	70 53	106 47	10 5
795.2-5	Unknown or unspecified { M. F.	120 57	27 20	18 16	9 4	17 5	12 6	11 2	4 4	14 4	1 2	— —

Table 42—continued

1960 Ages																				85 and over	Inter- national Detailed List Numbers	
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-			
-	1	-	1	2	1	1	1	-	3	3	1	12	13	32	27	23	19	41	56	73	M. F.	780-795
-	1	-	1	1	-	-	2	-	2	1	-	3	6	11	8	10	3	9	4	3	M. F.	780-789
-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	780
-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	780a
-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. F.	780b
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	781
-	-	-	-	-	-	-	1	-	-	1	-	3	6	11	8	9	2	8	3	2	M. F.	782
-	-	-	-	-	-	-	1	-	-	1	1	2	4	9	5	6	6	5	3	3	M. F.	782.4
-	-	-	-	-	-	-	1	-	-	-	-	2	3	1	2	4	3	3	4	2	M. F.	782.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	782.0-3, 6-9
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. F.	783
-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	1	1	M. F.	784
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. F.	785
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. F.	786
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	787
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	788
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	789
-	-	-	-	1	1	1	1	-	1	2	1	9	7	21	19	13	16	32	52	70	M. F.	790-795
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. F.	790
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	791
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	M. F.	792
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	793
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	25	44	66	M. F.	794
-	-	-	-	1	1	1	1	-	1	2	1	9	6	21	19	11	10	43	89	166	M. F.	795
-	-	-	-	1	1	1	-	-	1	1	3	9	2	21	18	10	9	6	10	2	M. F.	795.0,1
-	-	-	-	-	-	-	1	-	-	1	3	-	2	4	6	9	2	10	8	3	M. F.	795.2-5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	M. F.	

Table 42—continued

Inter- national Detailed List Numbers	Causes of Death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
E800-E899	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)	M. F.	1593 1005	1587 997	1554 981	1747 1019	1659 1013	1801 1119	1645 997	1763 1038	1725 1125	1774 1086
E800-E802	<i>Railway accidents</i>	M. F.	59 7	64 3	43 7	60 2	50 3	52 3	37 1	48 6	30 5	29 5
E800	Railroad employee	M. F.	27 —	21 —	18 —	29 —	26 —	22 —	18 —	30 —	19 —	18 —
E801	Passenger	M. F.	5 3	5 —	3 1	2 1	3 1	8 —	2 1	2 1	1 1	1 —
E802	Other and unspecified person	M. F.	27 4	38 3	22 6	29 1	21 2	22 —	17 —	16 5	10 5	11 4
E810-E835	MOTOR VEHICLE ACCIDENTS	M. F.	367 122	386 130	326 125	421 142	383 143	456 141	431 127	436 127	442 156	447 165
E810-E825	<i>Motor vehicle traffic accidents</i>	M. F.	353 118	379 128	315 124	414 138	373 141	437 139	410 127	425 126	426 155	432 161
E810	Collision with railway train	M. F.	— —	— —	2 —	5 —	3 —	1 —	2 —	1 —	1 —	2 —
E811	Collision with street car	M. F.	8 1	1 —	1 —	2 —	— —	— —	— —	3 —	2 —	1 —
E812	Pedestrian	M. F.	206 91	211 91	159 97	223 103	180 110	206 102	196 88	187 91	169 99	183 102
E813	Pedal cyclist	M. F.	22 1	26 8	23 4	25 3	36 —	27 1	23 2	20 2	25 3	30 3
E814	Rider or passenger of motorcycle in collision with non-motor vehicle or object	M. F.	10 —	9 —	11 —	17 —	5 —	10 2	6 —	6 —	7 —	2 —
E815	Rider or passenger of motorcycle in collision with other motor vehicle	M. F.	26 1	35 1	34 2	37 1	39 4	50 4	35 1	55 4	56 4	41 5
E816	Two or more motor vehicles	M. F.	14 6	27 12	24 14	33 12	36 11	30 15	51 22	44 15	72 24	51 26
E817	Occupant of motor vehicle in collision with pedestrian or pedal cycle	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E818	Collision with animal or animal-drawn vehicle	M. F.	1 1	— —	— —	1 —	— —	— —	— —	— —	1 —	— —
E819	Collision with fixed or unspecified object	M. F.	10 5	9 3	8 2	11 2	11 2	10 3	3 4	4 7	7 3	25 1
E820	While boarding and alighting	M. F.	4 3	2 2	3 3	3 2	2 1	2 —	— 1	7 2	2 1	— 2
E821	Rider of motorcycle without antecedent collision	M. F.	15 1	20 1	13 —	29 2	18 2	29 1	28 —	40 —	42 —	34 3
E822	Overtaking in roadway	M. F.	3 1	7 2	2 5	7 1	14 —	7 —	9 —	5 —	5 —	7 —
E823	Running off roadway	M. F.	8 —	5 —	11 1	11 5	16 4	27 4	29 2	28 8	12 13	21 6
E824	Other non-collision motor vehicle traffic accident	M. F.	5 2	12 4	17 1	6 6	6 4	24 11	9 8	11 3	14 3	18 4
E825	Unspecified nature	M. F.	21 5	15 4	7 1	4 —	7 2	14 3	17 3	16 2	14 2	20 4
E830-E835	<i>Motor vehicle non-traffic accidents</i>	M. F.	14 4	7 2	11 1	7 4	10 2	19 2	21 —	11 1	16 2	15 3
E830	Pedestrian	M. F.	3 —	2 —	6 —	4 3	4 —	4 —	2 —	2 —	1 —	3 —
E831	Pedal cyclist	M. F.	1 —	— —	— —	— —	— —	1 —	1 —	— —	1 —	— —
E832	Rider or passenger of motorcycle	M. F.	2 —	1 —	— —	1 —	— —	1 —	— —	— —	— —	— —
E833	Two or more motor vehicles	M. F.	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —
E834	While boarding and alighting	M. F.	2 2	2 —	2 —	1 —	— —	— —	1 —	— —	— —	1 —
E835	Other and unspecified nature	M. F.	7 —	4 —	3 —	2 —	6 1	13 2	17 —	9 1	12 —	11 3
E840-E845	<i>Other road vehicle accidents</i>	M. F.	30 11	38 11	24 8	26 11	21 14	22 16	20 10	17 5	21 13	13 8
E840	Street car accident to pedestrian	M. F.	7 3	8 7	6 5	7 6	11 7	10 8	4 6	4 6	3 3	3 1
E841	Other street car accident, except collision with motor vehicle	M. F.	1 —	1 —	1 —	2 —	2 —	1 —	2 —	2 —	2 —	3 —
E842	Accident to pedestrian caused by pedal cyclist	M. F.	7 1	— 1	— —	3 2	— 5	2 3	— 1	— 3	3 1	— 8
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M. F.	7 2	12 —	11 —	11 3	8 1	11 —	11 3	7 1	8 2	1 —
E844	Accident to pedestrian caused by other non-motor road vehicle	M. F.	— —	5 —	1 —	1 —	1 —	— —	— —	1 —	— —	— —
E845	Other non-motor road vehicle accidents	M. F.	2 —	11 —	3 1	3 —	1 —	— —	1 1	— —	2 —	1 —
E850-E858	<i>Water transport accidents</i>	M. F.	21 2	24 —	23 —	59 2	28 4	42 9	46 9	42 4	35 9	52 7
E850	Submersion of occupant of small boat	M. F.	— —	3 —	5 —	3 —	9 4	9 —	9 2	4 —	9 —	7 1
E851	Other water transport injury by submersion	M. F.	— 1	8 —	6 —	49 2	9 —	22 —	17 —	28 1	17 —	33 —
E852	Fall on stairs and ladders in water transport	M. F.	— 1	1 —	— —	1 —	— —	— —	— —	— —	1 —	1 —
E853	Other falls from one level to another in water transport	M. F.	12 —	9 —	6 —	1 —	6 —	2 —	6 —	5 —	— —	2 —

Table 42—continued

1960 Ages																					Inter- national Detailed List Numbers	
2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over			
14 0	14 13	9 14	16 7	50 35	53 11	85 23	108 21	100 16	98 24	103 30	94 27	115 43	135 58	154 48	117 57	74 87	92 96	81 136	76 143	57 163	M. F.	E800- E899
-	1	-	-	-	2	-	2	2	2	4	2	4	2	5	4	1	-	-	-	-	M. F.	E800- E802
-	-	-	-	-	-	-	1	-	1	1	1	2	2	1	1	2	-	-	-	-	M. F.	E800
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	E801
-	1	-	-	-	2	-	-	2	1	2	1	2	-	1	3	-	1	-	-	-	M. F.	E802
0	9	6	10	26	19	39	47	36	31	31	27	29	28	41	29	14	23	19	11	12	M.	E810-
2	6	10	4	23	7	14	10	4	1	2	3	7	15	8	12	13	19	12	6	3	F.	E835
6	5	10	4	26	18	37	47	35	29	30	25	28	28	40	28	14	23	19	11	12	M.	E810-
2	-	-	-	1	-	14	10	-	-	-	-	1	7	1	1	1	19	12	6	3	F.	E825
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E810
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E811
6	8	6	9	23	10	4	4	2	3	3	8	5	9	18	11	14	-	-	-	-	M.	E811
2	4	10	4	21	5	4	2	1	1	1	1	4	2	4	8	12	2	7	10	3	M.	E812
-	-	-	-	-	6	1	2	-	-	-	3	1	1	5	3	-	-	-	-	-	M.	E813
-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	M.	E814
-	-	-	-	-	11	12	8	-	-	-	-	-	4	-	-	1	-	-	-	-	M.	E815
-	1	-	1	1	7	13	10	7	7	9	7	9	5	11	6	3	1	3	1	1	M.	E816
-	1	-	-	2	5	5	1	1	1	1	1	2	8	3	1	2	4	-	-	-	M.	E817
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E818
-	-	-	-	-	1	2	-	3	2	2	2	1	-	1	2	1	1	1	-	-	M.	E819
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	M.	E820
-	-	-	-	-	9	7	5	4	1	5	4	1	-	-	1	-	-	-	-	-	M.	E821
-	-	-	-	-	4	1	2	-	-	-	1	1	1	1	-	-	-	1	-	-	M.	E822
-	-	-	-	-	2	3	2	2	2	2	1	1	1	-	1	1	1	-	-	-	M.	E823
-	-	-	-	1	-	2	2	2	3	1	1	2	2	1	1	1	2	2	-	-	M.	E824
-	-	-	-	-	3	1	-	-	3	1	-	-	1	-	1	1	1	-	-	-	M.	E825
-	1	-	-	1	2	-	1	2	1	2	1	1	-	1	1	-	-	-	-	-	M.	E830-
-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	F.	E835
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E830
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E831
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E832
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E833
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E834
-	-	-	-	1	2	-	1	1	1	2	-	-	-	1	1	-	-	-	-	-	M.	E835
-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	1	2	1	1	1	M.	E840-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	F.	E845
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M.	E840
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E841
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	M.	E842
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	M.	E843
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M.	E844
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E845
-	-	-	-	1	4	6	5	5	7	5	6	3	-	-	2	1	3	-	-	-	M.	E850-
-	-	-	-	1	3	1	1	4	1	1	2	-	-	-	1	-	1	-	-	-	F.	E858
-	-	-	-	-	-	5	-	-	5	5	2	6	-	-	-	-	-	-	-	-	M.	E850
-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	1	-	-	-	M.	E851
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.	E852
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	M.	E853

International Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
E800-E999	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) —continued										
E854	Falls on same level in water transport	M. F. —	—	—	—	1	—	—	2	1	—
E855	Unspecified falls in water transport	M. F. 1	—	1	—	2	—	1	—	—	—
E856	Machinery accident in water transport	M. F. 3	2	1	—	—	2	2	1	—	—
E857	Other specified accidents in water transport	M. F. 5	1	4	5	1	7	11	2	7	—
E858	Water transport accident of unspecified cause	M. F. —	—	—	—	—	—	—	—	—	—
E860-E866	<i>Aircraft accidents</i>	M. F. 17	31	19	29	32	16	21	12	7	—
E860	Accident to personnel in military aircraft	M. F. 11	30	17	27	16	13	18	7	6	—
E861	Injury to occupant by accident to commercial "transport" aircraft	M. F. 2	1	—	—	16	1	1	3	—	—
E862	Other injury in commercial "transport" aircraft	M. F. —	—	—	—	12	—	—	1	—	—
E863	Injury to occupant by accident to other specified aircraft	M. F. —	—	—	2	—	2	—	1	1	—
E864	Aircraft accident at airfield to person not in aircraft	M. F. 1	—	—	—	—	—	—	—	—	—
E865	Aircraft accident elsewhere to person not in aircraft	M. F. —	—	1	—	—	—	—	—	—	—
E866	Other and unspecified aircraft accidents	M. F. 3	—	—	—	—	—	1	1	—	—
E870-E895	ACCIDENTAL POISONING	M. F. 113	118	122	123	147	112	102	130	132	134
E870-E888	<i>Accidental poisoning by solid and liquid substances</i>	M. F. 121	108	126	156	142	134	122	129	166	147
E870	Morphine and other opium derivatives	M. F. 28	27	26	25	35	23	26	33	21	2
E871	Barbituric acid and derivatives	M. F. 18	28	27	31	41	25	24	25	35	3
E872	Aspirin and salicylates	M. F. —	1	—	1	2	—	—	1	2	—
E873	Bromides	M. F. —	—	1	—	—	—	—	—	—	—
E874	Other analgesic and soporific drugs	M. F. 11	8	13	11	22	8	13	23	8	—
E875	Sulfonamides	M. F. 9	14	17	24	27	20	18	18	26	1
E876	Strychnine	M. F. 5	2	1	2	3	2	2	1	3	—
E877	Belladonna, hyoscine, and atropine	M. F. 1	1	—	—	—	1	1	1	—	—
E878	Other and unspecified drugs	M. F. 1	4	1	1	1	2	2	1	3	—
E879	Noxious foodstuffs	M. F. 3	2	2	2	6	1	1	2	2	—
E880	Alcohol	M. F. —	—	—	—	—	—	—	—	—	—
E881	Petroleum products	M. F. 2	3	2	—	1	—	1	1	1	—
E882	Industrial solvents	M. F. —	—	—	—	—	—	—	—	—	—
E883	Corrosive aromatics, acids, and caustic alkalis	M. F. —	—	—	2	—	—	—	—	—	—
E884	Mercury and its compounds	M. F. 2	5	2	6	3	4	1	1	—	—
E885	Lead and its compounds	M. F. 1	8	—	1	2	—	3	1	2	—
E886	Arsenic and antimony, and their compounds	M. F. —	—	—	—	—	—	—	—	—	—
E887	Fluorides	M. F. —	—	—	—	—	—	—	—	—	—
E888	Other and unspecified solid and liquid substances	M. F. 1	2	1	1	1	3	2	1	1	—
E890-E895	<i>Accidental poisoning by gases and vapours</i>	M. F. 85	91	96	98	112	89	76	97	111	10
E890	Utility (illuminating) gas	M. F. 103	80	99	125	101	109	98	104	131	10
E890a	Utility (illuminating) gas, accidental	M. F. 79	86	91	95	109	86	74	92	106	10
E890b	Utility (illuminating) gas, unspecified as to whether accidental or suicidal	M. F. 102	80	98	125	101	109	97	103	131	10
E891	Motor vehicle exhaust gas	M. F. —	—	—	—	1	—	—	2	1	—
E892	Other carbon monoxide gas	M. F. 4	5	2	1	—	2	1	3	2	—
E893	Cyanide gas	M. F. 1	—	1	1	2	—	—	—	—	—
E894	Other specified gases and vapours	M. F. 2	—	2	1	—	1	1	—	2	—
E895	Unspecified gases and vapours	M. F. —	—	—	—	—	—	—	—	—	—

Prior to 1956 not classified according to whether "accidental" or "unspecified" and for year 1956 sex breakdown is not available.

Table 42—continued

1960 Ages																					Inter- national Detailed List Numbers
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	E800-E999
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E854
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E855
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. F. E856
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. F. E857
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E858
-	-	-	-	-	1	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E860-
-	-	-	-	-	1	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E866
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E860
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E861
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E862
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E863
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E864
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E865
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E866
3	2	-	-	1	1	2	3	1	3	5	10	10	20	17	18	7	8	7	4	7	M. F. E870-
3	2	-	-	-	-	1	5	1	4	6	5	9	12	9	9	18	13	27	17	7	M. F. E895
-	-	-	-	-	-	-	2	-	-	1	3	2	-	4	3	-	2	1	2	-	M. F. E870-
-	-	-	-	-	-	-	1	-	-	1	1	2	-	5	-	-	-	-	-	-	M. F. E888
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	2	-	M. F. E870
1	2	-	-	-	-	-	-	1	3	2	2	3	6	4	4	2	2	-	-	-	M. F. E871
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	M. F. E872
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E873
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E874
-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	1	-	-	M. F. E875
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E876
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E877
2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	M. F. E878
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E879
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E880
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E881
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E882
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. F. E883
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E884
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E885
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E886
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E887
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. F. E888
-	-	-	-	-	-	2	2	1	2	4	7	6	13	12	15	7	8	6	2	7	M. F. E890-
-	-	-	-	1	1	3	3	-	2	3	3	5	5	5	4	15	11	26	17	7	M. F. E895
-	-	-	-	-	-	2	2	-	2	4	5	5	12	12	15	5	7	6	2	7	M. F. E890
-	-	-	-	-	-	-	-	-	-	3	3	4	5	4	4	15	11	26	17	7	M. F. E890a
-	-	-	-	-	-	1	1	-	-	1	4	1	1	4	7	8	5	22	13	5	M. F. E890a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E890b
-	-	-	-	-	2	2	-	-	2	1	2	2	8	6	8	4	4	1	1	2	M. F. E891
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E892
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	M. F. E893
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. E894
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M. F. E895

Table 42—continued

Inter- national Detailed List Numbers	Causes of Death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
E800-E999	E.XVII. ACCIDENTS, POISONINGS, AND —continued VIOLENCE (EXTERNAL CAUSE)											
E900-E904	<i>Accidental falls</i>	M. 253 257 252 304 273 283 269 256 319 282 F. 388 410 396 392 370 414 363 399 402 410										
E900	Fall on stairs	M. 22 26 29 41 33 39 35 42 45 31 F. 21 22 13 13 21 22 15 16 20 20										
E901	Fall from ladders	M. 7 3 5 1 2 9 9 4 7 6 F. — 2 — 1 — — — 2 —										
E902	Other falls from one level to another	M. 83 77 78 96 96 98 76 83 100 79 F. 22 20 30 24 26 37 21 25 24 20										
E903	Fall on same level	M. 22 18 27 29 29 38 36 23 35 31 F. 51 21 45 31 24 53 37 29 36 35										
E904	Unspecified falls	M. 119 133 113 137 111 99 113 104 132 135 F. 294 345 308 323 299 302 289 327 320 335										
E910-E936	<i>Other accidents</i>	M. 530 455 538 500 479 544 437 512 414 517 F. 233 224 212 201 202 223 205 195 200 172										
E910	Blow from falling or projected object or missile	M. 43 52 87 67 64 57 50 71 44 52 F. — 2 — 6 5 2 — 1 5 3										
E911	Accident caused by vehicle	M. 9 11 11 13 8 19 12 7 9 5 F. — — — — — — — — —										
E912	Accident caused by machinery	M. 35 27 35 20 33 15 30 25 19 24 F. — — — 1 — — — — —										
E913	Accident caused by cutting and pierc- ing instruments	M. 5 4 3 5 4 — 2 3 3 2 F. 2 — 1 1 — 2 — — —										
E914	Accident caused by electric current	M. 19 8 14 6 13 14 11 14 15 17 F. 1 2 1 — 2 — 1 — 1 3										
E915	Accident caused by explosion of pressure vessel	M. 2 4 3 — 2 8 1 — — — F. — — — — — — — — —										
E916	Accident caused by fire and explosion of combustible material	M. 8 7 25 39 47 54 47 73 32 100 F. 15 11 24 45 48 69 69 52 68 58										
E917	Accident caused by hot substance, corrosive liquid, and steam	M. 28 36 28 18 13 11 9 6 6 9 F. 58 67 61 27 19 10 12 6 5 6										
E918	Accident caused by radiation	M. — — — — — — — — — F. — — — — — — — — —										
E919	Accident caused by firearm	M. 25 27 16 14 24 15 12 7 9 9 F. 6 3 1 — — 1 1 1 — —										
E920	Foreign body entering eye and adnexa	M. 1 — — — — — — — — — F. — — — — — — — — —										
E921	Inhalation and ingestion of food caus- ing obstruction or suffocation	M. 36 64 57 68 51 83 70 76 56 64 F. 33 35 34 42 53 41 39 48 45 34										
E922	Inhalation and ingestion of other object causing obstruction or suffoca- tion	M. 4 3 3 3 1 5 1 2 2 3 F. 6 2 1 — — 5 2 1 1 2										
E923	Foreign body entering other orifice	M. 1 — — — — — — — — — F. 1 — — — — — — — — —										
E924	Accidental mechanical suffocation in bed and cradle	M. 34 23 30 41 35 30 27 26 32 37 F. 31 26 28 25 19 21 17 21 17 17										
E925	Accidental mechanical suffocation in other and unspecified circumstances	M. 44 26 23 12 18 13 10 16 7 10 F. 6 7 9 9 3 8 8 8 7 7										
E926	Lack of care of infants under 1 year of age	M. 4 1 5 3 3 3 2 1 1 1 F. 4 1 5 3 3 3 2 1 1 1										
E927	Accidents caused by bites and stings of venomous animals and insects	M. 1 — — — — — — — — — F. 1 — — — — — — — — —										
E928	Other accidents caused by animals	M. 5 2 4 8 1 5 2 4 4 2 F. 1 — — 1 — — 1 — —										
E929	Accidental drowning and submersion	M. 174 138 162 156 129 174 126 161 164 152 F. 60 66 40 38 45 49 39 46 33 33										
E930	High and low air pressure	M. — — — — — — — — — F. — — — — — — — — —										
E931	Excessive heat and insolation	M. — — — — — — — — — F. — — — — — — — — —										
E932	Excessive cold	M. 1 — — 5 3 9 6 4 — 3 6 F. 1 — — 1 1 3 2 1 2 1										
E933	Hunger, thirst, and exposure	M. 2 3 3 3 — — 2 3 6 10 F. — — — — — — — — —										
E934	Cataclysm	M. — — — — — — — — — F. — — — — — — — — —										
E935	Lightning	M. 1 — — 1 — — — — — — F. 1 — — — — — — — — —										
E936	Other and unspecified accidents	M. 50 20 23 14 14 29 14 11 6 12 F. 6 3 4 — 2 7 6 9 3 4										
E940-E946	<i>Complications due to non-therapeutic medical and surgical procedures</i>	M. 2 1 — — — 2 1 1 1 1 F. — 1 — — — — — — — —										
E940	Generalized vaccinia following vac- cination	M. — 1 — — — — — — — — F. 1 — — — — — — — —										
E941	Postvaccinal encephalitis	M. — — — — — — — — — F. — — — — — — — — —										
E942	Other complications of smallpox vaccination	M. — — — — — — — — — F. — — — — — — — — —										
E943	Post-immunization jaundice and hepa- titis	M. — — — — — — — — — F. — — — — — — — — —										
E944	Other complications of prophylactic inoculation	M. — — — — — — — — — F. — — — — — — — — —										
E945	Complications of anaesthesia for non- therapeutic purpose	M. 1 — — — — — — — — — F. 1 — — — — — — — — —										
E946	Other complications due to non- therapeutic medical and surgical procedures	M. — — — — — — — — — F. — — — — — — — — —										

Table 42—continued

International Detailed List Numbers	Causes of Death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E800-E999	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) —continued											
E950-E959	<i>Therapeutic misadventure and late complications of therapeutic procedures</i>	M. 3 F. 2	2	1 2	2 1	6 6	1 10	1 1	7 1	1 4	—	—
E950	Therapeutic misadventure in surgical treatment	M. — F. —	—	—	1	—	—	—	—	—	—	—
E951	Therapeutic misadventure in infusion or transfusion	M. — F. —	—	—	—	2	3	—	3	1	—	—
E952	Therapeutic misadventure in local applications	M. — F. —	—	—	—	—	—	—	—	1	—	—
E953	Therapeutic misadventure in administration of drugs or biologicals	M. — F. —	—	—	—	1	4	1	—	2	—	—
E954	Therapeutic misadventure in anaesthesia	M. 2 F. 2	2	1 2	1 3	5	3	—	3	1	—	—
E955	Other and unspecified therapeutic misadventure	M. 1 F. —	—	—	—	—	—	—	—	—	—	—
E956	Late complication of surgical operation	M. — F. —	—	—	—	—	—	—	—	—	—	—
E957	Late complication of amputation stump	M. — F. —	—	—	—	—	—	—	—	—	—	—
E958	Late complication of irradiation	M. — F. —	—	—	—	—	—	—	1	—	—	—
E959	Late complications of other forms of treatment	M. — F. —	—	—	—	—	—	—	—	—	—	—
E960-E965	<i>Late effects of injury and poisoning</i>	M. 12 F. 3	22	9 2	15 3	19 7	21 9	16 3	24 3	8 4	6 3	16 2
E960	Motor vehicle accident	M. 1 F. 1	—	—	—	—	1	1	1	—	—	—
E961	Accidental poisoning	M. — F. —	—	—	—	—	—	—	—	—	—	—
E962	Other accidental injury	M. 2 F. 2	9	4 2	8 3	8 5	11 8	7 3	13 2	4 3	5 3	12 1
E963	Self-inflicted injury	M. — F. —	—	—	—	—	—	—	—	—	—	—
E964	Injury purposely inflicted by another person (not in war)	M. — F. —	—	—	—	—	—	—	—	—	—	—
E965	Injuries due to war operations	M. 9 F. —	12	4	5	10	10	8	10	4	—	—
E970-E979	<i>Suicide and self-inflicted injury</i>	M. 170 F. 99	177	189 92	188 93	202 100	235 159	255 148	262 158	286 153	278 164	263 143
E970	Poisoning by analgesic and soporific substances	M. 11 F. 14	9	14 6	10 11	8 14	14 31	14 19	18 35	25 35	19 28	13 28
E971	Poisoning by other solid and liquid substances	M. 6 F. 4	4	5 7	11 3	8 5	11 11	8 3	13 4	7 2	6 2	—
E972	Poisoning by gases in domestic use	M. 62 F. 47	65	76 51	80 51	88 54	107 75	111 90	127 91	125 73	142 84	122 78
E973	Poisoning by other gases	M. 4 F. —	6	—	1	1	1	6	2	5	3	—
E974	Injury by hanging and strangulation	M. 30 F. 10	35	37 10	27 7	43 10	34 7	37 8	24 4	35 4	43 8	45 10
E975	Injury by submersion (drowning)	M. 11 F. 13	13	14 15	19 11	25 12	17 20	25 19	26 30	26 23	21 18	24 16
E976	Injury by firearms and explosives	M. 14 F. 2	17	19	9	7	19	19	14	20	13	22
E977	Injury by cutting and piercing instruments	M. 18 F. 3	16	13 4	16 3	13 1	18 1	18 2	11 4	17 3	7 1	14 —
E978	Injury by jumping from high place	M. 9 F. 3	10	5 2	8 2	7 2	12 8	12 5	12 5	11 6	10 11	6 3
E979	Injury by other and unspecified means	M. 5 F. 3	2	6	7	2	2	5	15	15	14	12
E980-E985	<i>Homicide and injury purposely inflicted by other persons (not in war)</i>	M. 16 F. 15	12	8 11	20 16	18 8	15 10	8 15	16 13	29 21	10 14	21 13
E980	Non-accidental poisoning by another person	M. 2 F. —	—	—	—	—	—	—	—	—	—	—
E981	Assault by firearm and explosive	M. 1 F. 3	2	1	—	2	—	3	2	1	1	—
E982	Assault by cutting and piercing instruments	M. 3 F. 4	2	—	3	2	1	4	2	6	1	—
E983	Assault by other means	M. 11 F. 8	7	5 8	11 15	12 6	11 7	10 6	18 8	5 14	11 10	—
E984	Injury by intervention of police	M. — F. —	—	—	—	—	—	—	—	—	—	—
E985	Execution	M. — F. —	—	2	1	2	—	—	—	1	—	—
E990-E999	<i>Injury resulting from operations of war</i>	M. — F. —	—	—	—	—	—	1	—	—	—	—

Table 42—continued

1960 Ages																				85 and over	Inter- national Detailed List Numbers
1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	E800-E999	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E950-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. E959	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E950	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. E951	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E952	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. E953	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E954	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. E955	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E956	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. E957	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E958	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. E959	
-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	4	1	4	-	-	M. E960-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	F. E965	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E960	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F. E961	
-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	2	1	3	-	-	M. E962	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	F. E963	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E964	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	F. E965	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E970-	
-	-	-	-	-	1	10	13	17	14	24	15	23	38	41	24	13	17	8	3	2	F. E979
-	-	-	-	-	3	3	3	6	11	15	12	21	19	11	15	16	10	3	-	-	M. E970
-	-	-	-	-	-	-	-	2	2	5	4	1	2	2	3	1	1	-	-	-	F. E971
-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	M. E972
-	-	-	-	-	-	-	8	10	6	12	7	12	18	18	10	5	8	1	2	1	F. E973
-	-	-	-	-	-	-	3	1	-	-	5	5	10	5	1	-	-	-	-	-	M. E974
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. E975
-	-	-	-	-	-	5	2	2	1	2	3	2	7	8	4	4	2	3	-	-	M. E976
-	-	-	-	-	-	-	-	-	-	2	4	1	2	3	1	2	2	3	1	-	F. E977
-	-	-	-	-	-	-	-	-	2	1	2	1	4	3	1	5	1	1	-	-	M. E978
-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	-	3	-	-	1	F. E979
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E980-
-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	1	1	-	-	-	-	F. E985
5	-	-	-	1	2	3	2	2	-	3	1	1	-	2	-	-	-	-	-	-	M. E980
2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. E981
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E982
-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	F. E983
4	-	-	-	-	-	1	1	-	-	1	1	2	-	-	2	-	-	-	-	-	M. E984
2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	F. E985
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E990-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. E999

004. Primary tuberculosis complex with symptoms, 1951, 1; 1952, 1, 3; 1958, 2.
005. Tracheobronchial glandular tuberculosis with symptoms, 1950, 2; 1951, 2; 1958, 1; 1960, 1 (30).
006. Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere —.
007. Other respiratory tuberculosis, 1950, 1, 1; 1952, 2; 1955, 1; 1956, 1.
008. Tuberculosis, unspecified site, 1950, 1; 1955, 1; 1956, 1; 1959, 1.
030. Acute or unspecified gonorrhoea, —.
031. Chronic gonococcal infection of genito-urinary system, 1950, 1; 1954, 1; 1959, 1.
032. Gonococcal infection of joint, —.
033. Gonococcal infection of eye, —.
034. Gonococcal infection of other sites, 1958, 1.
035. Late effects of gonococcal infection, 1950, 1; 1957, 1; 1960, 1 (55).
036. Chancroid, 1950, 1.
037. Lymphogranuloma venereum, —.
038. Granuloma inguinale, venereal, —.
039. Other and unspecified venereal diseases, 1956, 1.
100. Louse-borne epidemic typhus, —.
101. Flea-borne endemic typhus (murine), —.
102. Brill's disease, not specified as louse- or flea-borne, 1956, 1.
103. Tabardillo (Mexican typhus), not specified as louse- or flea-borne, —.
104. Tick-borne typhus, —.
105. Mite-borne typhus, —.
106. Volhynian fever (trench fever), —.
107. Typhus, unspecified, —.
108. Other rickettsial diseases, 1950, 1; 1952, 1; 1960, 1 (45).
110. Vivax malaria (benign tertian), —.
111. Malariae malaria (quartan), —.
112. Falciparum malaria (malignant tertian), 1950, 1; 1951, 1; 1953, 1; 1959, 1.
113. Ovale malaria, —.
114. Mixed malarial infections, —.
115. Blackwater fever, —.
116. Other and unspecified forms of malaria, 1956, 1; 1958, 1.
117. Recurrent induced malaria, —.
120. Leishmaniasis, —.
121. Trypanosomiasis, —.
122. Other protozoal diseases, 1950, 1.
123. Schistosomiasis, —.
124. Other trematode infestation, —.
125. Hydatid disease, 1950, 1; 1952, 1; 1955, 1; 1957, 1; 1958, 1; 1959, 1; 1960, 1 (65).
126. Other cestode infestation, 1950, 1; 1952, 1; 1960, 1 (75).
127. Filariasis, —.
128. Trichiniasis, —.
129. Ankylostomiasis, 1952, 1.
130. Infestation with worms of other, mixed and unspecified type, —.
131. Dermatophytosis, 1959, 1, 1.
132. Actinomycosis, 1951, 1; 1954, 1; 1955, 1; 1956, 1.
133. Coccidioidomycosis, —.
134. Other fungus infections, 1951, 2; 1952, 3, 1; 1953, 3; 1954, 1, 1; 1955, 1; 1956, 1, 1; 1958, 2, 1959, 3, 1.
135. Scabies, —.
136. Pediculosis, —.
137. Other arthropod infestation, —.
138. Other infective and parasitic diseases, 1950, 1; 1951, 2, 2; 1952, 3; 1953, 2; 1954, 2, 1; 1960, 7 (50, 55, 55, 55, 55, 55, 65).
310. Anxiety reaction without mention of somatic symptoms, 1952, 1, 1; 1953, 1; 1954, 1; 1958, 2, 1.
311. Hysterical reaction without mention of anxiety reaction, 1950, 1 1951, 1, 2 1952, 1, 3 1953, 2; 1954, 1, 1; 1955, 1, 5; 1956, 3; 1957, 2; 1958, 1; 1959, 2, 2; 1960, 3 (55, 55, 70).
312. Phobic reaction, —.
313. Obsessive-compulsive reaction, 1957, 1.
314. Neurotic-depressive reaction, 1953, 1.
315. Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 1950, 1.
316. Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system, 1950, 1, 2; 1951, 1; 1955, 1, 1; 1956, 1, 1; 1957, 2, 1; 1959, 1.
317. Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems, 1950, 1, 1 1955, 1 1956, 1; 1958, 1; 1959, 1; 1960, 1 (85).
318. Psychoneurotic disorders, other, mixed and unspecified types, 1950, 1, 1; 1951, 2, 1; 1952, 1; 1955, 2; 1957, 5; 1960, 1 (35); 1 (80).
- E990. Injury due to war operations by gas and chemicals, —.
- E991. Injury due to war operations by gunshot, —.
- E992. Injury due to war operations by grenade and landmine, —.
- E993. Injury due to war operations by bomb, 1956, 1.
- E994. Injury due to war operations by marine mine, depth charge and torpedo, —.
- E995. Injury due to war operations by explosion of artillery shell, —.
- E996. Injury due to war operations by explosion of undetermined origin, —.
- E997. Injury due to war operations by aircraft destruction, —.
- E998. Injury due to war operations by other and unspecified means, —.
- E999. Injury due to war operations but occurring after cessation of hostilities, —.

Note—Numbers in brackets denote age-groups.

Table 43. Cause of Death by Month of Registration and Sex—Scotland 1960

International Classification		Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Intermediate List "A"															
		ALL CAUSES—Both Sexes		61764	5704	5951	5539	5167	5131	4470	4426	4711	4568	4877	5132	6088
		Males		31682	2924	2989	2826	2686	2619	2372	2289	2400	2340	2458	2631	3148
		Females		30082	2780	2962	2713	2481	2512	2098	2137	2311	2228	2419	2501	2940
		<i>All Tuberculosis</i> (Total 001-019)	M.	354	44	39	28	34	30	18	32	20	13	22	35	39
			F.	155	17	22	16	16	14	13	9	9	10	9	7	13
01-008	1	Respiratory system	F.	337	41	38	26	31	29	18	28	18	13	22	35	38
010	2	Meninges and central nervous system	F.	136	15	21	16	12	13	10	9	7	7	9	5	12
011	3	Intestines, peritoneum, and mesenteric glands	M.	3	—	—	—	1	—	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	—	—	—	—	—	—
02, 013	4	Bones and joints	M.	2	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	—	—	—	—	—	—
04-019	5	All other forms	M.	5	2	1	—	1	1	—	—	—	—	—	—	—
			F.	8	2	—	—	3	—	—	—	—	—	—	—	1
		<i>Syphilis</i> (Total 020-029)	M.	41	1	2	4	4	3	1	5	2	5	2	6	6
			F.	23	3	2	1	2	3	1	2	—	2	3	3	4
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	7	—	—	—	2	—	—	1	—	1	—	2	1
			F.	1	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	9	—	1	—	—	—	—	—	—	—	—	—	—
			F.	5	—	—	1	—	—	—	—	—	—	—	—	—
22, 023 26-029	10	All other syphilis	M.	25	1	1	4	2	1	3	2	3	3	1	2	3
			F.	17	3	2	—	2	1	1	1	—	—	—	—	—
30-035	11	Gonococcal infection	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	4	—	—	2	—	—	1	—	—	—	1	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	1	1	—	1	—	—
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	1	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	9	—	—	1	1	2	—	—	2	—	1	1	1
			F.	8	—	1	—	1	1	1	2	1	—	—	—	1
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	5	1	—	—	—	1	—	—	1	1	—	—	1
			F.	5	—	—	—	1	—	—	—	1	—	—	—	—
057	23	Meningococcal infections	M.	7	—	1	3	—	—	1	1	2	—	—	1	—
			F.	12	2	1	2	—	2	2	1	—	—	1	—	1
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	1	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	5	—	1	—	—	1	—	—	—	—	—	2	1
			F.	6	—	—	—	—	—	—	—	2	1	—	—	—
81, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	12	—	2	3	—	2	1	—	—	1	2	1	1
			F.	12	2	1	1	—	3	2	—	—	1	—	—	2
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	2	—	—	—	—	—	—	1	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	12	1	—	1	1	2	1	—	2	1	2	—	1
			F.	23	2	—	2	1	1	2	1	3	3	2	3	3
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
00-108	36	Typhus and other rickettsial diseases	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
10-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
36-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	10	1	2	1	1	—	—	—	2	1	1	1	1
			F.	10	4	2	—	—	—	—	1	—	—	—	2	—

NOTE. Sub-headings indicated by letters (a, b, c etc.) apply to the Scottish List only

Table 43—continued

International Classification		Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Inter-mediate List "A"															
		<i>Malignant neoplasms (Total 140-205)</i>	M.	5815	450	474	486	501	505	471	464	479	486	498	463	538
140-148	44	Buccal cavity and pharynx	F.	5218	396	464	430	417	453	394	433	454	425	476	424	452
150	45	Œsophagus	M.	131	9	7	8	13	9	7	8	9	23	9	13	16
151	46	Stomach	F.	68	8	7	5	9	7	7	5	4	6	6	6	11
152, 153	47	Intestine, except rectum	M.	164	8	12	19	11	12	15	12	16	15	15	11	18
154	48	Rectum	F.	124	10	18	4	7	7	15	10	7	10	9	13	14
161	49	Larynx	M.	826	60	75	90	72	75	51	53	75	66	65	68	76
162, 163	50	Trachea, bronchus, and lung, not specified as secondary	F.	753	53	60	61	56	78	53	77	65	62	64	55	69
170	51	Breast	M.	489	38	41	37	43	40	65	36	39	33	36	38	43
171	52	Cervix uteri	F.	702	64	61	53	51	68	53	62	68	57	67	50	48
172-174	53	Other and unspecified parts of uterus	M.	317	26	29	30	20	39	22	32	26	22	25	26	20
177	54	Prostate	F.	257	19	18	15	28	27	28	18	20	13	24	20	27
190, 191	55	Skin	M.	55	4	5	4	1	1	11	5	4	3	2	3	7
196, 197	56	Bone and connective tissue	F.	24	2	3	2	1	1	1	2	1	2	1	1	4
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	946	72	75	80	88	75	73	83	72	88	77	73	90
200-203, 205	58	Leukæmia and aleukæmia	F.	1136	84	107	88	113	88	96	94	108	97	103	67	91
210-239	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	128	8	13	17	6	11	11	6	14	14	6	14	15
250, 251	60	Benign neoplasms and neoplasms of unspecified nature	M.	174	19	9	10	14	10	15	15	15	11	27	17	12
252	61	Non-toxic goitre	F.	145	9	11	10	10	12	12	10	14	7	15	16	19
260	62	Thyrototoxicosis with or without goitre	M.	41	6	4	—	6	4	5	4	3	—	2	3	—
280-286	63	Diabetes mellitus	F.	70	7	11	6	7	2	2	5	8	6	5	7	4
290	64	Avitaminosis and other deficiency states	M.	2	—	—	—	—	—	—	1	—	—	—	—	—
291-293	65a	Pernicious and other hyperchromic anæmias	F.	1	—	—	—	—	—	—	1	—	—	1	—	—
240-245, 253, 254, 270-277, 287-289, 294-299	65b	Other anæmias	M.	15	2	1	3	—	2	2	1	1	1	1	1	3
300-309	66	Allergic disorders; all other endocrine, metabolic and blood diseases	F.	146	18	15	6	13	10	4	13	15	14	11	15	12
310-324, 326	67	Psychoses	M.	409	39	39	38	28	32	23	32	41	19	42	33	43
325	68	Psychoneuroses and disorders of personality	F.	15	1	2	1	—	—	1	1	—	3	3	2	4
330	69	Mental deficiency	M.	18	3	3	—	3	—	1	1	1	1	2	2	7
331	70a	Subarachnoid hæmorrhage	F.	33	2	4	1	1	2	3	3	3	2	2	1	7
332	70b	Cerebral hæmorrhage	M.	101	12	8	5	11	16	10	6	6	7	2	11	7
333, 334	70c	Cerebral embolism and thrombosis	F.	43	1	2	5	2	6	6	6	2	4	6	1	5
	70d	Other vascular lesions affecting central nervous system	M.	70	4	4	5	4	9	7	3	9	11	5	4	5
		Vascular lesions affecting central nervous system (Total 330-334)	F.	4206	399	405	372	329	348	312	326	325	318	324	341	407
			M.	5644	526	548	511	470	453	407	381	427	411	466	481	563
			F.	106	9	6	7	5	16	7	4	8	7	16	12	9
			M.	150	12	14	14	14	11	19	9	6	11	17	9	14
			F.	1627	147	158	150	123	118	129	151	116	110	130	167	167
			M.	2204	217	212	194	163	174	158	151	176	158	186	202	213
			F.	1998	191	189	180	151	166	157	153	132	166	158	170	185
			M.	2830	255	285	267	247	230	201	195	211	208	215	228	288
			F.	475	52	52	35	45	43	30	40	34	29	40	29	46
			M.	460	42	37	36	46	38	29	26	34	34	48	42	48

NOTE. Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only

Table 43—continued

International Classification		Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Intermediate List "A"														
340	71	Non-meningococcal meningitis	M. 27 F. 29	2 3 3 6	1 2 2 2	1 6 2 6	2 1 1 8	3 1 1 8	— 3 — 3	1 1 1 6	4 1 6 6	1 2 2 2	1 2 2 4	5 3 4 4	6 4 1 7
345	72	Multiple sclerosis	M. 57 F. 99	13 6 16 11	6 6 11 8	3 3 3 8	6 6 9 6	6 6 6 6	6 7 7 7	6 4 4 4	12 4 8 4	8 5 9 5	11 6 6 6	6 6 2 2	7 3 1 1
353	73	Epilepsy	M. 38 F. 9	5 1 1 1	3 1 1 1	3 1 1 1	6 2 2 1	6 2 2 1	3 2 2 2	4 2 1 1	4 4 1 1	3 3 1 1	6 4 1 1	6 2 1 1	3 1 1 1
01-393	77	Otitis media and mastoiditis	M. 2 F. 9	1 1 1 1	1 1 1 1	— 1 — 1	2 2 2 2	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1
350	78a	Paralysis agitans	M. 82 F. 105	4 9 12 14	12 10 11 11	5 7 6 6	4 4 7 6	11 11 14 14	6 5 5 5	6 9 9 9	3 8 8 8	5 7 7 7	5 5 5 5	10 5 10 5	10 5 10 5
41-344, 51, 352, 54-390, 94-398	78b	All other diseases of the nervous system and sense organs (A74, A75, A76)	M. 167 F. 128	14 11 15 12	15 12 11 11	12 14 11 11	14 11 11 10	11 10 15 15	15 13 10 7	13 9 7 11	9 17 11 16	17 19 16 16	19 13 9 9	13 15 9 9	15 9 15 9
00-402	79	Rheumatic fever	M. 6 F. 11	— 1 1 1	2 2 2 2	2 1 1 1	— 1 1 1	1 1 1 2	— 2 — 2	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1
		<i>Heart Disease (Total 410-443)</i>	M. 10983 F. 10390	1034 972 1013 1032	1030 978 1013 1032	917 838 874 874	913 874 709 709	788 766 749 749	766 824 746 746	824 804 748 748	832 832 789 789	832 832 898 898	957 957 898 898	1105 1105 1057 1057	1105 1105 1057 1057
10-416	80	Chronic rheumatic heart disease	M. 261 F. 480	21 39 22 58	33 20 33 45	33 20 36 39	27 14 39 40	19 18 39 46	19 18 39 46	18 24 31 29	17 24 31 29	22 22 39 39	22 22 39 39	22 22 39 39	22 22 39 39
420	81a	Arteriosclerotic heart disease, including coronary disease	M. 6976 F. 4350	648 407 630 413	636 388 576 353	576 388 587 372	498 308 487 308	487 327 507 327	487 307 507 331	507 331 536 623	536 623 623 623	623 623 623 623	623 623 623 623	623 623 623 623	623 623 623 623
421	81b	Chronic endocarditis not specified as rheumatic	M. 154 F. 177	11 16 9 15	21 18 15 18	13 13 12 17	13 15 12 17	15 9 21 8	9 11 8 11	11 6 11 16	11 13 16 13	13 13 21 21	13 13 21 21	13 13 21 21	13 13 21 21
422.0	81c	Fatty degeneration of heart	M. 3 F. 21	— 1 1 1	— 1 1 1	— 1 1 1	— 1 1 1	— 1 1 2	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 1713 F. 2572	161 233 164 262	158 216 137 209	137 216 131 209	131 209 157 174	120 157 120 174	149 120 149 120	120 134 120 134	148 148 148 148	171 171 225 225	171 171 225 225	171 171 225 225	171 171 225 225
422.2	81e	Other myocardial degeneration	M. 1058 F. 1556	122 155 125 162	95 145 107 124	78 132 76 132	76 132 76 132	76 132 76 132	76 132 76 132	76 132 76 132	76 132 76 132	76 132 76 132	76 132 76 132	76 132 76 132	76 132 76 132
30-432	82a	Acute non-rheumatic heart disease	M. 53 F. 39	3 2 2 6	5 4 3 4	5 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3
33, 434	82b	Other and unspecified diseases of heart	M. 343 F. 466	30 36 28 36	33 43 33 43	26 35 26 35	33 28 35 29	28 22 33 22	28 25 33 25	29 29 34 29	29 27 34 27	27 37 37 37	27 37 37 37	27 37 37 37	27 37 37 37
40-443	83	Hypertensive heart disease	M. 729 F. 234	83 20 74 20	73 42 73 42	69 59 53 53	53 38 44 38	53 38 44 38	53 38 44 38	53 38 44 38	53 38 44 38	53 38 44 38	53 38 44 38	53 38 44 38	53 38 44 38
44-447	84	Other hypertensive disease	M. 286 F. 558	30 61 31 61	28 46 28 46	16 62 16 62	16 44 16 44	20 42 20 42	20 25 20 25	26 36 26 36	26 38 26 38	26 38 26 38	26 38 26 38	26 38 26 38	26 38 26 38
450	85a	General arteriosclerosis	M. 739 F. 161	73 10 73 10	51 13 51 13	69 24 64 24	51 23 51 23	51 23 51 23	51 23 51 23	51 23 51 23	51 23 51 23	51 23 51 23	51 23 51 23	51 23 51 23	51 23 51 23
51-456	85b	Other diseases of arteries	M. 127 F. 94	12 12 12 12	16 15 12 10	15 11 10 9	11 11 9 7	19 9 7 11	19 6 7 11	6 5 8 8	5 11 8 8	5 11 8 8	5 11 8 8	5 11 8 8	5 11 8 8
50-468	86	Other diseases of circulatory system	M. 153 F. 7	12 19 12 19	13 5 12 5	12 10 12 10	12 10 12 10	12 10 12 10	12 10 12 10	12 10 12 10	12 10 12 10	12 10 12 10	12 10 12 10	12 10 12 10	12 10 12 10
70-475	87	Acute upper respiratory infections	M. 10 F. 56	3 6 4 6	1 1 1 6	1 1 1 6	1 1 1 6	1 1 1 6	1 1 1 6	1 1 1 6	1 1 1 6	1 1 1 6	1 1 1 6	1 1 1 6	1 1 1 6
30-483	88	Influenza	M. 48 F. 1037	6 7 6 10	7 10 7 10	2 10 2 10	4 15 4 15	15 15 15 15	15 15 15 15	15 15 15 15	15 15 15 15	15 15 15 15	15 15 15 15	15 15 15 15	15 15 15 15
		<i>Pneumonia (Total 490-493)</i>	M. 971 F. 180	111 19 116 19	87 19 87 19	82 17 88 17	88 17 49 17	63 43 55 43	63 59 63 59	63 85 63 85	63 85 63 85	63 85 63 85	63 85 63 85	63 85 63 85	63 85 63 85
490	89	Lobar pneumonia	M. 161 F. 754	16 24 16 24	19 11 19 11	16 8 16 8	16 8 16 8	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7
491	90	Bronchopneumonia	M. 704 F. 103	84 16 84 16	79 11 79 11	59 13 59 13	58 10 58 10	65 31 65 31	30 43 30 43	52 63 52 63	52 63 52 63	52 63 52 63	52 63 52 63	52 63 52 63	52 63 52 63
2, 493	91	Primary atypical, other and unspecified pneumonia	M. 106 F. 1589	11 20 11 23	13 14 13 14	13 13 13 13	7 11 7 11	10 6 10 6	6 9 6 9	5 8 5 8	5 8 5 8	5 8 5 8	5 8 5 8	5 8 5 8	5 8 5 8
		<i>Bronchitis (Total 500-502)</i>	M. 625 F. 114	88 22 88 22	79 19 79 19	64 8 64 8	61 7 61 7	27 5 27 5	29 32 29 32	43 43 43 43	31 31 31 31	31 31 31 31	31 31 31 31	31 31 31 31	31 31 31 31
500	92	Acute bronchitis	M. 114 F. 113	22 11 22 11	19 13 19 13	8 9 8 9	7 6 7 6	5 3 5 3	7 6 7 6	7 6 7 6	7 6 7 6	7 6 7 6	7 6 7 6	7 6 7 6	7 6 7 6
501b, 502b	93a	Chronic and unqualified bronchitis with heart disease secondary	M. 997 F. 335	113 50 113 50	155 44 155 44	78 29 78 29	74 36 74 36	42 20 42 20	46 14 46 14	49 18 49 18	55 22 55 22	55 27 55 27	55 27 55 27	55 27 55 27	55 27 55 27
501a, 502a	93b	Chronic and unqualified bronchitis otherwise defined	M. 478 F. 177	66 27 66 27	57 23 57 23	42 22 42 22	44 17 44 17	33 13 33 13	23 10 23 10	19 37 19 37	24 24 24 24	30 30 30 30	32 32 32 32	32 32 32 32	32 32 32 32
510	94	Hypertrophy of tonsils and adenoids	M. 1 F. 15	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1
8, 521	95	Empyema and abscess of lung	M. 15 F. 12	1 1 1 2	2 2 2 2	3 2 3 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2
519	96	Pleurisy	M. 2 F. 3	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1	— 1 — 1
3, 524, 1-517, 50, 522, 55-527	97a	Pneumoconiosis	M. 204 F. 194	19 27 19 27	24 21 24 21	25 17 25 17	18 12 17 12	13 7 12 7	16 11 16 11	16 11 16 11	16 11 16 11	16 11 16 11	16 11 16 11	16 11 16 11	16 11 16 11
	97b	All other respiratory diseases	M. 96 F. 96	9 9 9 9	8 8 8 8	10 10 10 10	8 8 8 8	7 7 7 7	8 8 8 8	10 10 10 10	14 14 14 14	6 6 6 6	7 7 7 7	8 8 8 8	9 9 9 9

NOTE. Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 43—continued

International Classification		Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November
Detailed List	Inter-mediate List "A"													
530-535	98	Diseases of teeth and supporting structures	M. 1 F. 147	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M. 86 F. 259	21	17	15	9	11	8	9	9	8	12	14
541	100	Ulcer of duodenum	M. 70 F. 8	6	4	7	2	11	5	3	5	5	8	27
543	101	Gastritis and duodenitis	M. 12 F. 54	1	—	1	1	2	1	1	1	3	1	2
550-553	102	Appendicitis	M. 33 F. 171	4	3	8	4	4	1	1	9	4	6	5
560, 561, 570	103	Intestinal obstruction and hernia	M. 173 F. 14	15	17	14	14	16	14	16	14	13	11	14
571.0	104a	Gastro-enteritis, ages between 4 weeks and 2 years	M. 48 F. 25	5	3	5	3	4	5	5	3	7	1	4
571.1	104b	Gastro-enteritis, ages 2 years and over	M. 15 F. 37	—	1	1	1	—	2	3	1	2	2	2
572	104c	Chronic enteritis and ulcerative colitis	M. 68 F. 106	4	6	6	3	5	4	4	4	3	2	—
581	105	Cirrhosis of liver	M. 120 F. 105	11	7	15	14	19	8	5	7	12	3	10
584, 585	106	Cholelithiasis and cholecystitis	M. 58 F. 143	12	1	5	3	4	4	5	4	4	10	8
580, 582, 583, 586	107a	Other diseases of liver	M. 30 F. 31	6	14	9	11	15	14	9	15	12	10	17
536-539, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system	M. 98 F. 90	11	10	8	8	10	7	8	11	4	5	6
590	108	Acute nephritis	M. 12 F. 6	—	2	1	—	2	—	1	1	1	1	2
591-594	109	Chronic, other and unspecified nephritis	M. 175 F. 160	9	20	13	12	15	20	10	19	8	11	13
600	110	Infections of kidney	M. 117 F. 192	10	18	12	14	13	6	15	17	13	13	17
602, 604	111	Calculi of urinary system	M. 13 F. 16	1	3	2	1	1	—	—	1	—	2	1
610	112	Hyperplasia of prostate	M. 359 F. 2	22	36	37	32	26	22	35	29	32	24	28
620, 621	113	Diseases of breast	M. 30 F. 22	3	3	1	1	3	3	5	2	2	—	3
605, 606	114a	Diseases of bladder	M. 30 F. 22	3	3	1	1	3	3	5	2	2	—	3
601, 603, 607-609, 611-617, 622-637, 640, 641, 681, 682, 684	114b	Other diseases of genito-urinary system	M. 42 F. 45	1	4	5	2	3	7	4	1	3	5	2
642, 652, 685, 686	115	Sepsis of pregnancy, childbirth and the puerperium	F. 7	—	1	—	1	1	—	—	—	3	1	—
643, 644, 670	116	Toxæmias of pregnancy and the puerperium	F. 14	3	1	3	4	—	—	1	1	—	—	—
671, 672	117a	Hæmorrhage of pregnancy and childbirth	F. 5	2	—	—	—	1	—	—	—	1	—	1
650	117b	Postpartum hæmorrhage	F. 1	—	—	1	—	—	—	—	—	—	—	—
651	118	Abortion without mention of sepsis or toxæmia	F. 2	—	1	—	—	—	—	—	—	—	—	1
645-648, 660, 673, 680, 683, 687-689	119	Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication	F. 5 M. 9	1	1	—	—	—	—	—	—	—	—	—
690-698	120	Infections of skin and subcutaneous tissue	M. 14 F. 38	5	6	3	1	4	3	1	4	1	2	2
720-725	121	Arthritis and spondylitis	M. 169 F. 2	15	23	23	18	12	11	6	12	14	16	9
726, 727	122	Muscular rheumatism and rheumatism unspecified	M. 6 F. 3	—	1	—	—	—	—	—	—	—	—	—
730	123	Osteomyelitis and periostitis	M. 3 F. 3	—	1	—	1	—	—	—	—	—	2	1
737, 740-749	124	Ankylosis and acquired musculoskeletal deformities	M. 36 F. 39	4	2	4	2	4	2	2	3	4	1	3
700-716, 731-736, 738-744	125	All other diseases of skin and musculoskeletal system	M. 36 F. 39	1	3	1	7	6	2	2	2	7	4	2

NOTE. Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only

Table 43—continued

International Classification	Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
		<i>Congenital malformations and certain diseases of early infancy (Total 750-776)</i>	M. 1194 F. 928	93 81	106 82	114 72	102 78	106 77	118 73	78 83	92 70	99 65	111 83	84 74	91 90
751	127	Spina bifida and meningocele	M. 45 F. 81	— 9	2 5	4 6	4 8	1 7	3 10	3 7	5 4	9 5	5 10	3 9	3 8
754	128	Congenital malformations of circulatory system	M. 118 F. 102	11 11	13 7	11 7	9 7	11 11	9 6	8 7	9 10	10 5	11 11	11 8	6 12
752, 753, 759	129	All other congenital malformations	M. 162 F. 151	13 11	19 20	17 10	14 9	20 14	11 10	8 10	11 8	14 14	16 14	9 15	10 16
761	130	Birth injuries	M. 196 F. 108	16 8	13 14	13 9	21 9	24 10	24 10	12 6	12 11	11 7	16 8	17 7	17 9
762	131	Postnatal asphyxia and atelectasis	M. 317 F. 212	31 17	28 14	34 18	24 21	23 13	21 18	23 17	33 27	37 26	33 20	16 16	19 24
763	132a	Pneumonia of newborn	M. 50 F. 40	5 8	5 5	7 2	3 3	4 —	1 —	2 —	5 —	2 —	7 4	5 2	4 2
764	132b	Diarrhoea of newborn	M. 12 F. 3	1 —	1 —	1 —	— 1	— —	— —	— —	3 —	1 —	— —	— —	4 1
768	132c	Other infections of newborn	M. 8 F. 4	1 1	— 1	3 —	1 —	1 —	— —	1 —	1 —	— —	— —	— —	— —
770	133	Hæmolytic disease of newborn	M. 44 F. 22	4 1	4 —	1 3	3 2	6 1	5 —	3 7	3 2	2 4	2 2	1 —	1 6
771, 772, 776	134	All other defined diseases of early infancy	M. 41 F. 28	2 5	4 4	3 2	5 3	5 1	5 4	5 1	— —	— —	— —	— —	— —
	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M. 201 F. 177	9 10	17 12	20 13	15 14	32 18	12 11	21 17	11 14	16 18	14 15	16 15	20 20
794	136	Senility without mention of psychosis	M. 141 F. 309	14 35	22 28	11 39	12 28	7 28	10 8	8 22	8 22	11 26	17 16	17 16	23 15
793, 795	137	Ill-defined and unknown causes	M. 193 F. 124	13 22	15 8	12 7	14 10	19 10	23 5	12 7	16 8	17 18	17 7	17 12	23 12
		<i>Accidents, Poisonings and Violence (External Cause) (Total E800-E999)</i>	M. 1754 F. 1113	153 95	150 117	147 100	165 87	123 80	169 77	137 84	156 88	119 88	140 81	145 95	150 122
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	138	Motor vehicle accidents	M. 493 F. 183	39 13	42 13	32 10	43 15	37 9	28 11	33 14	44 16	49 21	60 16	43 14	43 31
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	139a	Other road vehicle accidents	M. 11 F. 4	1 —	1 —	— —	1 1	2 —	— —	— —	— —	2 —	— —	— —	— —
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	139b	Other transport accidents	M. 92 F. 10	8 1	7 2	9 5	— —	2 —	17 2	8 1	9 1	2 1	8 1	9 8	8 1
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	140	Accidental poisoning	M. 126 F. 147	7 11	18 20	8 13	11 10	5 10	13 9	4 11	9 14	8 12	10 15	13 16	20 26
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	141	Accidental falls	M. 252 F. 432	20 38	19 42	22 43	21 33	22 46	28 29	21 24	23 26	15 31	15 33	20 35	26 52
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	142	Accident caused by machinery	M. 22 F. —	1 —	— —	2 —	— —	— —	2 —	3 —	3 —	4 —	2 —	2 —	1 —
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	143	Accident caused by fire and explosion of combustible material	M. 64 F. 54	4 5	2 10	5 6	24 7	1 5	9 —	6 4	2 —	2 4	3 3	3 2	— 8
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M. 5 F. 4	2 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	2 1
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	145	Accident caused by firearm	M. 9 F. 2	1 —	— —	1 —	1 —	1 —	— —	— —	2 —	— —	2 —	— —	1 —
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	146	Accidental drowning and submersion	M. 145 F. 44	14 5	13 8	12 6	14 5	15 3	19 16	5 11	3 9	2 8	1 6	1 8	3 8
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	147a	Accidental mechanical suffocation	M. 110 F. 51	13 5	12 3	13 7	8 2	4 2	7 2	10 3	7 3	4 5	7 6	15 8	10 5
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	147b	All other accidental causes	M. 138 F. 24	13 4	15 —	13 2	11 2	7 3	15 5	11 1	11 3	9 —	5 2	14 1	14 1
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	148	Suicide and self-inflicted injury	M. 263 F. 145	28 11	19 18	28 10	24 11	24 5	26 16	22 15	31 18	15 9	19 8	16 17	11 7
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	149	Homicide and injury purposely inflicted by other persons (not in war)	M. 21 F. 13	2 1	2 —	2 3	— 1	3 1	2 1	3 —	3 —	— 1	2 —	2 1	3 —
10-10, 10-13, 10-15, 10-20, 10-23, 10-26, 10-28, 10-30, 10-62, 10-63, 10-70, 10-79	150	Injury resulting from operations of war	M. 3 F. —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

NOTE. Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 44A. Deaths in Scotland by Sex and Age Groups—1960

International Classification		Causes of Death	All Ages	Ages										75- and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
		ALL CAUSES—Both Sexes	61,764	2,673	379	218	162	486	785	1,713	4,916	10,437	16,038	23,957	—
		Males	31,682	1,542	223	121	105	322	489	954	3,026	6,441	8,558	10,129	—
		Females	30,082	1,131	156	97	57	164	296	759	1,890	3,996	7,708	13,828	—
001-008	1	<i>All Tuberculosis</i> (Total 001-019)	354	1	1	1	—	3	23	41	62	106	80	36	—
010	2	Respiratory system	335	—	2	—	—	3	30	35	23	29	26	15	—
011	3	Meninges and central nervous system	137	—	1	—	—	3	22	33	60	102	77	36	—
012, 013	4	Intestines, peritoneum, and mesenteric glands	3	1	1	—	—	—	29	34	19	16	21	13	—
014-019	5	Bones and joints	3	—	—	—	—	—	1	2	—	—	—	—	—
		All other forms	3	—	—	—	—	—	—	—	—	—	—	—	—
		<i>Syphilis</i> (Total 020-029)	41	—	—	—	—	—	3	1	2	14	19	3	—
020	6	Congenital syphilis	23	—	—	—	—	—	1	2	4	6	7	5	—
021	7	Early syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	7	—	—	—	—	—	—	—	—	—	7	1	—
025	9	General paralysis of insane	9	—	—	—	—	—	—	—	—	—	—	—	—
022, 023, 026-029	10	All other syphilis	5	—	—	—	—	—	—	1	1	2	7	1	—
030-035	11	Gonococcal infection	25	—	—	—	—	—	1	2	3	6	5	3	—
040	12	Typhoid fever	1	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	4	—	—	—	—	—	—	—	1	—	2	1	—
044	15	Brucellosis (undulant fever)	1	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	3	—	—	—	—	—	—	—	—	—	—	—	—

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever
051	18	Streptococcal sore throat
052	19	Erysipelas
053	20	Septicemia and pyemia
055	21	Diphtheria
056	22	Whooping cough
057	23	Meningococcal infections
058	24	Plague
060	25	Leprosy
061	26	Tetanus
062	27	Anthrax
080	28	Acute poliomyelitis
082	29	Acute infectious encephalitis
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis
084	31	Smallpox
085	32	Measles
091	33	Yellow fever
092	34	Infectious hepatitis
094	35	Rabies
100-108	36	Typhus and other rickettsial diseases
110-117	37	Malaria
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only

Table 44A.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	
140-148	44	Malignant Neoplasms (Total 140-205)	5,815 5,218 131	4	22 12	15 9	17 9	33 17	68 76	190 274	759 761	1,679 1,178	1,727 1,478	1,301 1,401
150	45	Buccal cavity and pharynx	M. 168 F. 168	—	—	—	—	1	1	2	11	14	21	63
151	46	Esophagus	M. 124 F. 124	—	—	—	—	—	1	2	13	36	53	18
152, 153	47	Stomach	M. 826 F. 753	—	—	—	—	—	1	3	13	21	43	59
154	48	Intestine, except rectum	M. 489 F. 702	—	—	—	—	1	6	20	110	212	279	184
161	49	Rectum	M. 317 F. 257	—	—	—	—	1	7	10	56	130	267	181
162, 163	50	Larynx	M. 55 F. 24	—	—	—	—	—	2	8	32	65	146	260
170	51	Trachea, bronchus and lung, not specified as secondary	M. 2,078 F. 344	—	—	—	1	1	9	58	343	824	643	200
171	52	Breast	M. 954 F. 261	—	—	—	—	1	8	19	58	98	98	62
172-174	53	Cervix uteri	M. 5 F. 206	—	—	—	—	1	10	76	198	243	219	208
177	54	Other and unspecified parts of uterus	M. 371 F. 371	—	—	—	—	—	7	45	78	51	47	32
190, 191	55	Prostate	M. 66 F. 57	—	1	—	—	—	4	7	48	45	60	42
196, 197	56	Skin	M. 59 F. 59	—	—	—	—	—	—	—	2	36	132	199
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	56	Bone and connective tissue	M. 66 F. 57 F. 65	—	—	—	—	—	3	2	8	11	11	31
200-203, 205	57	All other and unspecified sites	M. 946 F. 1,136	1	10	4	4	9	19	41	143	272	249	194
204	58	Leukemia and aleukemia	M. 128 F. 173	2	11	3	16	3	16	51	167	264	340	289
210-239	59	Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system	M. 145 F. 41	1	8	5	8	7	5	10	13	20	26	19
250, 251	60	Benign neoplasms and neoplasms of unspecified nature	M. 70 F. 70	2	2	1	12	10	5	16	34	58	53	14
252	61	Non-toxic goitre	M. 2 F. 4	—	—	—	—	—	—	—	—	—	—	—
260	62	Thyrototoxicosis with or without goitre	M. 15 F. 146	—	—	—	—	—	—	—	—	—	—	—
260	63	Diabetes mellitus	M. 409 F. 409	1	2	—	2	4	2	3	18	21	42	55
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

[illegible]

Table 44A.—continued

International Classification		Causes of Death	All Ages	Ages									75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65		
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 1713	—	—	—	—	—	1	10	74	331	1,297	—
422.2	81e	Other myocardial degeneration	F. 2,552	—	—	—	—	—	10	25	66	380	2,119	—
430-432	82a	Acute non-rheumatic heart disease	M. 1,088	—	—	—	—	—	2	25	118	289	1,645	—
433, 434	82b	Other and unspecified diseases of heart	F. 1,586	—	—	—	—	—	5	5	192	340	1,092	—
440-443	83	Hypertensive heart disease	M. 343	—	—	—	—	—	7	19	10	11	15	—
444-447	84	Other hypertensive disease	F. 466	—	—	—	—	—	8	12	49	98	164	—
450	85a	General arteriosclerosis	M. 422	—	—	—	—	—	2	16	77	121	274	—
451-456	85b	Other diseases of arteries	F. 729	—	—	—	—	—	1	33	22	136	182	—
460-468	86	Other diseases of circulatory system	M. 234	—	—	—	—	—	13	20	33	233	384	—
470-475	87	Acute upper respiratory infections	F. 588	—	—	—	—	—	6	13	36	82	137	—
480-483	88	Influenza	M. 7	—	—	—	—	—	1	1	28	119	409	—
490	89	Pneumonia (Total 490-493)	M. 56	—	—	—	—	—	1	13	36	124	600	—
491	90	Lobar pneumonia	F. 48	—	—	—	—	—	3	4	6	15	16	—
492, 493	91	Bronchopneumonia	M. 1,037	—	—	—	—	—	13	37	107	240	824	—
500	92	Primary atypical, other and unspecified pneumonia	F. 971	—	—	—	—	—	18	41	177	421	528	—
501b, 502b	93a	Chronic and unqualified bronchitis with heart disease	M. 180	—	—	—	—	—	5	18	28	44	69	—
501a, 502a	93b	Chronic and unqualified bronchitis otherwise defined	F. 161	—	—	—	—	—	6	2	13	30	95	—
510	94	Hypertrophy of tonsils and adenoids	M. 754	—	—	—	—	—	11	24	73	169	315	—
			F. 103	—	—	—	—	—	5	21	55	135	378	—
			M. 106	—	—	—	—	—	3	8	6	27	37	—
			F. 1,589	—	—	—	—	—	14	124	455	567	397	—
			M. 625	—	—	—	—	—	10	32	78	181	285	—
			F. 114	—	—	—	—	—	2	4	13	26	40	—
			M. 113	—	—	—	—	—	1	4	8	18	50	—
			F. 997	—	—	—	—	—	11	76	305	381	223	—
			M. 335	—	—	—	—	—	4	18	49	119	142	—
			F. 478	—	—	—	—	—	2	44	137	160	134	—
			M. 177	—	—	—	—	—	4	10	121	44	93	—
			F. 1	—	—	—	—	—	—	—	—	—	—	—

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
518, 521	95	Empyema and abscess of lung	M. F.	15	—	—	—	—	—	—	5	3	4	3	—
519	96	Pleurisy	M. F.	12	2	—	—	—	—	—	1	—	4	4	—
523, 524	97a	Pneumoconiosis	M. F.	3 204	—	—	—	—	1	—	4	35	96	1	—
511-517, 520, 522, 525-527	97b	All other respiratory diseases	M. F.	194 96	2	3	1	1	3	11	23	49	60	40	—
530-535	98	Diseases of teeth and supporting structures	M. F.	—	—	—	—	—	2	11	10	12	23	36	—
540	99	Ulcer of stomach	M. F.	147 86	1	—	—	—	—	—	—	—	—	—	—
541	100	Ulcer of duodenum	M. F.	259 70	—	—	—	—	2	3	6	21	40	56	—
543	101	Gastritis and duodenitis	M. F.	8 12	2	—	—	—	6	2	26	49	92	77	—
550-553	102	Appendicitis	M. F.	33 171	1	—	—	—	1	—	—	1	3	2	—
560, 561, 570	103	Intestinal obstruction and hernia	M. F.	54 33	—	—	—	—	2	2	3	11	15	6	—
571.0	104a	Gastro-enteritis, ages between 4 weeks and 2 years	M. F.	173 40	8	1	1	—	—	5	15	28	46	64	—
571.1	104b	Gastro-enteritis, ages 2 years and over	M. F.	25 37	24	2	1	—	—	6	9	26	56	68	—
572	104c	Chronic enteritis and ulcerative colitis	M. F.	68 106	—	—	—	—	4	8	1	1	5	7	—
581	105	Cirrhosis of liver	M. F.	120 105	—	—	—	—	3	5	8	15	17	13	—
584, 585	106	Cholelithiasis and cholecystitis	M. F.	58 143	1	1	—	—	2	11	13	29	31	22	—
580, 582, 583, 586	107a	Other diseases of liver	M. F.	30 31	—	—	—	—	—	2	6	20	45	70	—
536-539, 542, 544, 545, 573- 578, 587	107b	Other diseases of digestive system	M. F.	98 90	7	3	—	—	1	5	13	18	23	24	—
590	108	Acute nephritis	M. F.	12 16	6	2	—	—	—	2	8	13	37	19	—
591-594	109	Chronic, other and unspecified nephritis	M. F.	175 160	2	2	—	—	9	1	—	—	3	2	—
600	110	Infections of kidney	M. F.	117 192	6	1	2	10	16	12	33	32	34	35	—
602, 604	111	Calculi of urinary system	M. F.	13 16	—	1	3	2	7	3	10	17	47	30	—
610	112	Hyperplasia of prostate	M. F.	359	—	—	—	—	3	9	23	41	53	56	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	2	2	1	2	4	2	—
605, 606	114a	Diseases of bladder	M. F.	30 22	—	—	—	—	—	1	—	—	76	263	—
										2	1	4	12	15	—
													6	10	—

Table 44A.—continued

International Classification		Causes of Death	All Ages	Ages										65- 75 and over	Not Stated
Detailed List	Inter-mediate List "A"			1-	5-	10-	15-	25-	35-	45-	55-				
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system . . . { M. F.	42 45	1	—	1	—	1	1	3	4	16	17	—	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium . . . F.	7	—	—	2	3	2	—	—	—	—	12	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium . . . F.	14	—	—	4	6	4	—	—	—	—	—	—	—
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth . . . F.	5	—	—	2	1	2	—	—	—	—	—	—	—
671, 672	117b	Postpartum hæmorrhage . . . F.	1	—	—	—	—	1	—	—	—	—	—	—	—
680	118	Abortion without mention of sepsis or toxæmia . . . F.	2	—	—	1	1	—	—	—	—	—	—	—	—
681	119	Abortion with sepsis . . . F.	1	—	—	—	1	—	—	—	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication . . . F.	5	—	—	1	4	—	—	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue . . . { M. F.	9 14	1	2	1	—	—	1	2	1	3	2	—	—
720-725	122	Arthritis and spondylitis . . . { M. F.	38 169	—	—	—	1	—	4	5	2	16	11	—	—
726, 727	123	Muscular rheumatism and rheumatism unspecified . . . { M. F.	2 6	—	—	—	—	—	8	22	—	48	89	—	—
730	124	Osteomyelitis and periostitis . . . { M. F.	3 3	1	1	—	—	1	1	—	2	1	2	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities . . . { M. F.	— —	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system . . . { M. F.	36 39	1	3	2	1	5	4	8	7	12	7	—	—
		<i>Congenital malformations and certain diseases of early infancy (Total 750-776)</i> . . . { M. F.	1,194 928	18 22	17 7	6 8	1 1	8 11	3 6	5 9	12 8	11 2	11	—	—
751	127	Spina bifida and meningocele . . . { M. F.	45 81	2 2	1 1	1 2	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system . . . { M. F.	118 102	78 70	9 7	12 5	5 3	—	—	—	—	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

750, 752, 753, 755-759	129	All other congenital malformations	M.	162	129	8	4	1	1	4	3	4	3	6	1	2	—
760, 761	130	Birth injuries	F.	151	151	12	1	—	—	4	—	—	—	6	6	—	—
762	131	Postnatal asphyxia and atelectasis	F.	196	196	—	—	—	—	—	—	—	—	—	—	—	—
763	132a	Pneumonia of newborn	M.	108	108	—	—	—	—	—	—	—	—	—	—	—	—
764	132b	Diarrhea of newborn	M.	317	317	—	—	—	—	—	—	—	—	—	—	—	—
765-768	132c	Other infections of newborn	M.	212	212	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hemolytic disease of newborn	M.	50	50	—	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	12	12	—	—	—	—	—	—	—	—	—	—	—	—
773-776	135	III-defined diseases peculiar to early infancy, and immaturity unqualified	M.	8	8	—	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	44	44	—	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	137	III-defined and unknown causes	M.	22	22	—	—	—	—	—	—	—	—	—	—	—	—
E810-E835	138	Accidents, Poisonings and Violence (External Cause) (Total E800-E999)	M.	41	41	—	—	—	—	—	—	—	—	—	—	—	—
E840-E845	139a	Motor vehicle accidents	M.	201	201	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E866, E870-E895	139b	Other road vehicle accidents	M.	177	177	—	—	—	—	—	—	—	—	—	—	—	—
E900-E904	140	Accidental poisoning	M.	309	309	—	—	—	—	—	—	—	—	—	—	—	—
E912	141	Accidental falls	M.	124	124	—	—	—	—	—	—	—	—	—	—	—	—
E916	142	Accident caused by machinery	M.	99	99	—	—	—	—	—	—	—	—	—	—	—	—
E917, E918	143	Accident caused by fire and explosion of combustible material	M.	1,113	1,113	—	—	—	—	—	—	—	—	—	—	—	—
E919	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	51	51	—	—	—	—	—	—	—	—	—	—	—	—
E919	145	Accident caused by firearm	M.	183	183	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	11	11	—	—	—	—	—	—	—	—	—	—	—	—
E924, E925, E910, E911, E913-E915, E920, E923, E926-E928, E930-E962	147a	Accidental mechanical suffocation	M.	42	42	—	—	—	—	—	—	—	—	—	—	—	—
E963	147b	All other accidental causes	M.	64	64	—	—	—	—	—	—	—	—	—	—	—	—
E90-E979	148	Suicide and self-inflicted injury	M.	54	54	—	—	—	—	—	—	—	—	—	—	—	—
E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	9	9	—	—	—	—	—	—	—	—	—	—	—	—
E985	150	Injury resulting from operations of war	M.	2	2	—	—	—	—	—	—	—	—	—	—	—	—
E990-E999			F.	138	138	—	—	—	—	—	—	—	—	—	—	—	—

Table 44B. Deaths in Aggregate of Counties of Cities in Scotland by Sex and Age Groups
(Glasgow, Edinburgh, Aberdeen and Dundee)—1960

International Classification		Causes of Death	All Ages	Ages								75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	
		ALL CAUSES—Both Sexes	23,197	1,067	151	76	54	154	332	637	1,977	4,178	8,438
		Males	11,801	595	93	44	31	87	200	346	1,212	2,622	5,175
		Females	11,396	472	58	32	23	67	132	291	765	1,556	3,263
													5,042
		<i>All Tuberculosis</i> (Total 001-019)	189	1	—	—	—	1	8	18	30	67	21
001-008	1	Respiratory system	75	—	—	—	—	2	18	14	10	11	7
			183	—	—	—	—	1	7	18	30	65	21
010	2	Meninges and central nervous system	67	1	—	—	—	2	16	14	10	10	5
011	3	Intestines, peritoneum, and mesenteric glands	3	1	—	—	—	—	—	—	—	—	—
			2	—	—	—	—	—	—	—	—	—	—
012, 013	4	Bones and joints	1	—	—	—	—	—	—	—	—	—	—
			1	—	—	—	—	—	—	—	—	—	—
014-019	5	All other forms	3	—	—	—	—	—	—	—	—	—	—
			2	—	—	—	—	—	—	—	—	—	—
			3	—	—	—	—	—	—	—	—	—	—
			3	—	—	—	—	—	—	—	—	—	—
			19	—	—	—	—	2	—	—	—	—	—
			16	—	—	—	—	—	—	—	—	—	—
		<i>Syphilis</i> (Total 020-029)											
020	6	Congenital syphilis											
021	7	Early syphilis											
024	8	Tabes dorsalis											
025	9	General paralysis of insane											
022, 023, 026-029	10	All other syphilis											
030-035	11	Gonococcal infection											
040	12	Typhoid fever											
041, 042	13	Paratyphoid fever and other salmonella infections											
043	14	Cholera											
044	15	Brucellosis (undulant fever)											
045-048	16	Dysentery, all forms											
	(b)		1	—	—	—	—	—	—	—	—	—	—

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
050	Scarlet fever
17	Streptococcal sore throat
051	Erysipelas
052	Septicæmia and pyæmia
053	Diphtheria
055	Whooping cough
056	Meningococcal infections
057	Plague
058	Leprosy
060	Tetanus
061	Anthrax
062	Acute poliomyelitis
080	Acute infectious encephalitis
082	Late effects of acute poliomyelitis and acute infectious encephalitis
081, 083	Smallpox
084	Measles
085	Yellow fever
091	Infectious hepatitis
092	Rabies
094	Typhus and other rickettsial diseases
100-108	Malaria
110-117	All other diseases classified as infective and parasitic (A38-A42)
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	
43	

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 44B.—continued

International Classification		Causes of Death	All Ages	Ages								75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-5	10-15	25-35	45-55	65-				
140-148	44	Malignant Neoplasms (Total 140-205)	2,447 2,041 M. F.	7 2	5 4	9 5	31 33	77 101	320 316	769 444	737 576	485 556	—
150	45	Buccal cavity and pharynx	25 M. 69 F.	—	—	—	1	2	2	8	17	20	—
151	46	Esophagus	46 M. 328 F.	—	—	—	1	—	4	5	6	28	—
152, 153	47	Stomach	301 M. 171 F.	—	—	—	1	11	6	88	114	14	—
154	48	Intestine, except rectum	282 M. 120 F.	—	—	1	4	7	20	36	41	122	—
161	49	Rectum	102 M. 28 F.	—	—	—	3	3	23	36	64	100	—
162, 163	50	Larynx	8 M. 1,036 F.	—	—	—	1	—	11	18	31	47	—
170	51	Trachea, bronchus and lung, not specified as secondary	184 M. 364 F.	—	—	—	6	28	156	420	323	103	—
171	52	Breast	4 M. 103 F.	—	—	—	5	12	30	47	56	34	—
172-174	53	Cervix uteri	63 M. 125 F.	—	—	—	5	23	90	1	2	1	—
177	54	Other and unspecified parts of uterus	63 M. 125 F.	—	—	—	2	14	30	23	17	18	—
190, 191	55	Prostate	17 M. 21 F.	—	—	—	—	—	15	18	11	14	—
196, 197	56	Skin	22 M. 24 F.	—	—	—	—	3	—	16	44	65	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	Bone and connective tissue	368 M. 412 F.	—	—	—	—	2	1	5	1	5	—
200-203, 205	58	All other and unspecified sites	50 M. 46 F.	—	—	—	—	2	3	2	6	5	—
210-239	59	Leukemia and aleukemia	59 M. 13 F.	—	—	—	—	2	3	2	10	9	—
250, 251	60	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	32 M. 1 F.	—	—	—	—	8	6	20	12	9	—
252	61	Benign neoplasms and neoplasms of unspecified nature	1 M. 4 F.	—	—	—	—	9	12	23	10	7	—
260	62	Non-toxic goitre	1 M. 4 F.	—	—	—	—	1	3	1	5	6	—
(a)	63	Thyrototoxicosis with or without goitre	51 M. 137 F.	—	—	—	—	—	6	10	—	—	—
(b)	(b)	Diabetes mellitus	137 M. 4 F.	—	—	—	—	—	—	—	—	—	—
(a)	(a)		137 M. 4 F.	—	—	—	—	—	—	—	—	—	—

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
280-286	64	Avitaminosis and other deficiency states	M. 8	—	—	—	—	—	—	—	—	—	—	—	—
290	65a	Pernicious and other hyperchromic anemias	F. 9	—	—	—	—	—	—	—	—	—	—	—	—
291-293	65b	Other anemias	M. 38	—	—	—	—	—	—	—	—	—	—	—	—
240-245, 253, 254, 270-277, 278-289, 294-299			F. 16	—	—	—	—	—	—	—	—	—	—	—	—
300-309			F. 27	—	—	—	—	—	—	—	—	—	—	—	—
310-324, 326				—	—	—	—	—	—	—	—	—	—	—	—
325	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M. 37	3	1	1	1	2	1	1	3	13	6	5	—
			F. 73	1	1	—	—	4	—	7	7	17	19	13	—
	67	Psychoses	M. 28	—	—	—	—	—	—	—	—	3	6	—	—
	68	Psychoneuroses and disorders of personality	F. 63	—	—	—	—	—	—	—	—	9	11	41	—
	69	Mental deficiency	M. 4	—	—	—	—	—	—	—	—	1	—	1	—
			F. 3	—	—	—	—	—	—	—	—	1	—	—	—
			M. 5	1	—	—	—	—	—	—	—	—	—	—	—
			F. 3	—	—	—	—	—	—	—	—	—	—	—	—
			M. 1,408	—	—	—	—	—	—	—	—	208	414	671	—
			F. 2,098	1	2	3	1	1	6	19	84	224	601	1,156	—
	70a	Subarachnoid hemorrhage	M. 47	—	1	2	1	—	5	20	12	11	8	7	—
	70b	Cerebral hemorrhage	F. 68	—	—	—	—	—	4	6	17	13	18	171	—
	70c	Cerebral embolism and thrombosis	M. 510	1	1	1	1	—	1	10	53	109	163	367	—
			F. 795	—	—	—	—	—	—	11	50	118	245	367	—
			M. 625	—	—	—	—	—	—	17	17	85	194	342	—
			F. 1,015	—	—	—	—	—	—	3	15	17	297	65	—
	70d	Other vascular lesions affecting central nervous system	M. 226	—	—	—	—	—	—	1	1	17	49	157	—
			F. 220	—	—	—	—	—	—	—	2	8	41	169	—
	71	Non-meningoencephalitis	M. 11	5	3	—	—	—	—	—	1	1	—	—	—
			F. 10	—	—	—	—	—	—	—	1	—	—	—	—
	72	Multiple sclerosis	M. 22	1	—	—	—	—	2	9	2	9	4	1	—
			F. 34	—	—	—	—	—	—	9	12	9	4	—	—
	73	Epilepsy	M. 27	1	5	—	—	—	3	2	4	1	2	2	—
			F. 18	—	—	—	—	—	—	2	4	2	1	—	—
	77	Otitis media and mastoiditis	M. 4	—	—	—	—	—	1	1	—	—	—	—	—
			F. 2	—	—	—	—	—	—	—	—	—	—	—	—
			M. 25	—	—	—	—	—	—	—	—	—	—	—	—
	78a	Paralysis agitans	F. 36	—	—	—	—	—	—	—	—	3	13	8	—
			M. 5	—	—	—	—	—	—	—	—	2	16	17	—
	78b	All other diseases of the nervous system and sense organs (A74, A75, A76)	M. 69	3	5	—	—	—	2	5	9	15	12	12	—
			F. 68	4	1	2	1	2	2	6	—	6	16	28	—
	79	Rheumatic fever	M. 2	—	—	—	—	—	—	—	—	—	—	—	—
			F. 5	—	—	—	—	—	—	—	—	—	—	—	—
			M. 3,855	—	—	—	—	—	—	—	—	897	1,147	1,249	—
			F. 3,707	—	—	—	—	—	—	—	—	504	1,055	1,915	—
			M. 112	—	—	—	—	—	—	—	—	30	15	12	—
			F. 203	—	—	—	—	—	—	—	—	47	48	20	—
	80	Chronic rheumatic heart disease	M. 2525	—	—	—	—	—	—	—	—	51	51	825	—
			F. 1,670	—	—	—	—	—	—	—	—	730	825	533	—
	81a	Arteriosclerotic heart disease, including coronary disease	M. 67	—	—	—	—	—	—	—	—	318	631	624	—
			F. 72	—	—	—	—	—	—	—	—	13	14	20	—
	81b	Chronic endocarditis not specified as rheumatic	M. 67	—	—	—	—	—	—	—	—	13	14	20	—
			F. 72	—	—	—	—	—	—	—	—	15	21	25	—

Table 44B.—continued

International Classification	Detailed List	Inter-mediate List "A"	Causes of Death	All Ages	Ages										75 and over	Not Stated
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
422.0	81c		Fatty degeneration of heart	2	—	—	—	—	—	—	—	—	—	—	—	—
422.1	81d		Mycardial degeneration with arteriosclerosis	11	—	—	—	—	—	—	—	—	—	—	—	—
422.2	81e		Other myocardial degeneration	529	—	—	—	—	—	—	—	—	—	—	—	—
430-432	82a		Acute non-rheumatic heart disease	820	—	—	—	—	—	—	—	—	—	—	—	—
433, 434	82b		Other and unspecified diseases of heart	350	—	—	—	—	—	—	—	—	—	—	—	—
440-443	83		Hypertensive heart disease	510	—	—	—	—	—	—	—	—	—	—	—	—
444-447	84		Other hypertensive disease	9	—	—	—	—	—	—	—	—	—	—	—	—
450	85a		General arteriosclerosis	12	—	—	—	—	—	—	—	—	—	—	—	—
451-456	85b		Other diseases of arteries	112	—	—	—	—	—	—	—	—	—	—	—	—
460-468	86		Other diseases of circulatory system	141	—	—	—	—	—	—	—	—	—	—	—	—
470-475	87		Acute upper respiratory infections	149	—	—	—	—	—	—	—	—	—	—	—	—
480-483	88		Influenza	268	—	—	—	—	—	—	—	—	—	—	—	—
490	89		Lobar pneumonia	77	—	—	—	—	—	—	—	—	—	—	—	—
491	90		Bronchopneumonia	90	—	—	—	—	—	—	—	—	—	—	—	—
492, 493	91		Primary atypical, other and unspecified pneumonia	152	—	—	—	—	—	—	—	—	—	—	—	—
500	92		Acute bronchitis	260	—	—	—	—	—	—	—	—	—	—	—	—
501b, 502b	93a		Chronic and unqualified bronchitis with heart disease	59	—	—	—	—	—	—	—	—	—	—	—	—
501a, 502a	93b		Chronic and unqualified bronchitis otherwise defined	52	—	—	—	—	—	—	—	—	—	—	—	—
(a)			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

Table 44B.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Intermediate List "A"			-1	1-5	10-	15-	25-	35-	45-	55-	65-			
605, 606	114a	Diseases of bladder	{ M. F.	—	—	—	—	—	—	—	—	—	—	—	—
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system	{ M. F.	—	—	1	—	1	1	2	5	7	2	—	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	—	—	—	—	—	—	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmia of pregnancy and the puerperium	F.	—	—	1	—	1	1	—	—	—	—	—	—
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth	F.	—	—	2	—	—	—	—	—	—	—	—	—
671, 672	117b	Postpartum hæmorrhage	F.	—	—	—	—	1	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	1	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	1	—	—	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	—	—	—	—	2	—	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	{ M. F.	1	—	—	—	—	—	1	1	1	—	—	—
720-725	122	Arthritis and spondylitis	{ M. F.	—	—	—	—	—	—	3	2	4	—	—	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	{ M. F.	—	—	—	—	—	2	3	8	19	—	—	—
730	124	Osteomyelitis and periostitis	{ M. F.	—	—	—	—	—	—	1	1	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	{ M. F.	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	{ M. F.	13	—	1	—	—	3	1	2	1	4	—	—
		<i>Congenital malformations and certain diseases of early infancy</i>	{ M. F.	20	3	4	3	1	1	2	3	7	4	—	—
		(Total 750-776)	{ M. F.	450	8	5	5	1	3	5	2	3	—	—	—
751	127	Spina bifida and meningocele	{ M. F.	372	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	{ M. F.	18	—	—	—	—	—	—	—	—	—	—	—
			{ M. F.	29	2	1	2	1	2	1	—	—	—	—	—
			{ M. F.	38	5	2	4	—	—	—	—	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	{ M. F.	56	3	1	1	—	1	1	2	1	2	—	—
			{ M. F.	59	3	—	—	—	—	—	—	—	—	—	—

	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
760, 761	130		Birth injuries																					
762	131		Postnatal asphyxia and atelectasis																					
763	132a		Pneumonia of newborn																					
764	132b		Diarrhœa of newborn																					
765-768	132c		Other infections of newborn																					
770	133		Hæmolytic disease of newborn																					
769, 771, 772	134		All other defined diseases of early infancy																					
773-776	135		Ill-defined diseases peculiar to early infancy, and immaturity unqualified																					
794	136		Serility without mention of psychosis																					
780-793, 795	137		Ill-defined and unknown causes																					
E810-E835	138		<i>Accidents, Poisonings and Violence (External Cause) (Total E800-E999)</i>																					
E840-E845	139a		Motor vehicle accidents																					
E800-E802, E850-E866, E870-E895	139b		Other road vehicle accidents																					
140	140		Other transport accidents																					
E900-E904	141		Accidental poisoning																					
E912	142		Accidental falls																					
E916	143		Accident caused by machinery																					
E917, E918	144		Accident caused by fire and explosion of combustible material																					
E919	145		Accident caused by hot substance, corrosive liquid, steam and radiation																					
E929	146		Accident caused by firearm																					
E921, E922, E924, E925, E910, E911, E913-E915, E920, E923, E926-E928, E930-E962, E963, E964, E965, E966, E967, E968, E969, E970, E971, E972, E973, E974, E975, E976, E977, E978, E979, E980, E981, E982, E983, E984, E985, E986, E987, E988, E989, E990-E999	147a		Accidental drowning and submersion																					
	147b		Accidental mechanical suffocation																					
			All other accidental causes																					
148	148		Suicide and self-inflicted injury																					
149	149		Homicide and injury purposely inflicted by other persons (not in war)																					
E900-E999	150		Injury resulting from operations of war																					

Table 44C. Deaths in Aggregate of Large Burghs in Scotland by Sex and Age Groups—1960

International Classification		Causes of Death	All Ages	Ages								65-	75 and over	Not Stated		
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-				55-	
001-008 010 011 012, 013 014-019 020 021 024 025 022, 023, 026-029 030-035 040 041, 042 043 044 045-048	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	ALL CAUSES—Both Sexes Males Females	9,889 5,158 4,731	503 308 195	50 23 27	33 21 12	26 16 10	68 47 21	122 70 52	291 162 129	801 504 297	1,751 1,094 657	2,568 1,316 1,252	3,676 1,597 2,079	— — —	
		All Tuberculosis (Total 001-019)	62	—	—	—	—	—	—	—	—	—	—	—	—	—
		Respiratory system	29 F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Meninges and central nervous system	58 F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Intestines, peritoneum, and mesenteric glands	26 F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Bones and joints	2 F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		All other forms	1 F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Syphilis (Total 020-029)	7 F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Congenital syphilis	1 F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Early syphilis	— F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Tabes dorsalis	— F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		General paralysis of insane	— F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		All other syphilis	6 F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Gonococcal infection	1 F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Typhoid fever	— F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Paratyphoid fever and other salmonella infections	— F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	— F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—		
Brucellosis (undulant fever)	— F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—		
Dysentery, all forms	— F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—		

Table 44C.—continued

International Classification		Causes of Death	All Ages	Ages								75 and over	
Detailed List	Intermediate List "A"			-1	1-5	10-	15-	25-	35-	45-	55-		65-
140-148	44	<i>Malignant Neoplasms (Total 140-205)</i>	935	2	3	4	4	9	35	130	267	271	208
150	45	Buccal cavity and pharynx	864	1	—	2	3	18	48	126	204	246	215
151	46	Esophagus	27	—	—	—	—	—	—	1	4	10	7
152, 153	47	Stomach	120	—	—	—	—	1	1	2	6	8	8
154	48	Intestine, except rectum	127	—	—	—	—	1	10	16	31	42	28
161	49	Rectum	117	—	—	—	—	2	2	10	28	48	30
162, 163	50	Larynx	45	—	—	—	—	2	2	12	26	31	31
170	51	Trachea, bronchus and lung, not specified as secondary	117	—	—	—	—	1	2	5	13	14	24
171	52	Breast	47	—	—	—	—	—	—	—	3	12	2
172-174	53	Cervix uteri	361	—	—	—	—	2	10	69	133	107	39
177	54	Other and unspecified parts of uterus	47	—	—	—	—	1	2	6	18	12	8
190, 191	55	Prostate	170	—	—	—	—	—	18	33	39	40	39
196, 197	56	Skin	48	—	—	—	—	3	8	16	13	8	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	Bone and connective tissue	42	—	—	—	—	—	—	10	6	18	8
200-203, 205	58	All other and unspecified sites	59	—	—	—	1	—	—	—	6	21	31
210-239	59	Leukemia and aleukemia	8	—	—	—	—	—	—	—	1	3	4
250, 251	60	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	10	—	—	—	—	—	—	—	1	3	3
252	61	Benign neoplasms and neoplasms of unspecified nature	11	—	—	—	2	—	2	1	3	2	1
260	62	Non-toxic goitre	134	2	1	2	1	1	8	22	39	32	26
260	63	Thyrototoxicosis with or without goitre	173	—	—	—	—	7	8	27	38	51	42
(a)	(b)	Diabetes mellitus	15	—	—	—	—	2	1	1	4	3	4
			21	1	2	2	2	2	1	3	10	9	2
			30	1	1	1	1	2	2	2	5	6	2
			22	1	—	—	—	1	1	2	6	1	1
			8	—	—	—	—	—	—	—	3	2	2
			9	—	—	—	—	2	—	1	—	—	—
			—	—	—	—	—	—	—	—	—	—	—
			1	—	—	—	—	—	—	—	1	—	1
			1	—	—	—	—	—	—	—	—	—	—
			3	—	—	—	—	—	1	—	4	1	1
			20	1	1	1	1	—	4	2	17	21	20
			64	(e)	(f)	(g)	(h)	(i)	(k)	(l)	(m)	(n)	(o)

Table 44C.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 297	—	—	—	—	—	—	—	3	19	55	220	—
422.2	81e	Other myocardial degeneration	F. 383	—	—	—	—	—	1	2	3	13	37	303	—
430-432	82a	Acute non-rheumatic heart disease	F. 176	—	—	—	—	—	—	—	—	27	67	106	—
433, 434	82b	Other and unspecified diseases of heart	F. 286	—	—	1	—	—	—	2	2	10	68	204	—
440-443	83	Hypertensive heart disease	F. 16	—	—	—	—	—	—	—	—	3	4	7	—
444-447	84	Other hypertensive disease	F. 13	—	—	—	—	—	—	—	—	7	20	22	—
450	85a	General arteriosclerosis	F. 50	—	—	—	—	1	—	2	1	8	25	40	—
451-456	85b	Other diseases of arteries	F. 77	—	—	—	—	—	—	2	3	16	27	30	—
460-468	86	Other diseases of circulatory system	F. 112	—	—	—	—	—	2	1	2	15	39	54	—
470-475	87	Acute upper respiratory infections	F. 44	—	—	—	—	—	—	—	3	2	20	18	—
480-483	88	Influenza	F. 50	—	—	—	—	—	—	—	1	6	19	64	—
490	89	Pneumonia (Total 490-493)	F. 90	—	—	—	—	—	—	—	2	4	20	76	—
491	90	Lobar pneumonia	F. 37	—	—	—	—	—	—	—	2	11	11	13	—
492, 493	91	Bronchopneumonia	F. 15	—	—	—	—	—	—	—	1	3	4	10	—
500	92	Primary atypical, other and unspecified pneumonia	F. 23	—	—	—	—	—	—	—	2	7	6	7	—
501a, 502a	93a	Bronchitis (Total 500-502)	F. 10	—	—	—	—	—	—	—	1	18	93	68	—
510	94	Acute bronchitis	F. 287	—	—	—	—	—	—	—	4	14	21	36	—
501b, 502b	93b	Chronic and unqualified bronchitis with heart disease secondary	F. 82	—	—	—	—	—	—	—	1	6	3	4	—
501a, 502a	93b	Chronic and unqualified bronchitis otherwise defined	F. 18	—	—	—	—	—	—	—	8	3	75	38	—
510	94	Hypertrophy of tonsils and adenoids	F. 185	—	—	—	—	—	—	—	9	30	15	18	—
			F. 84	—	—	—	—	—	—	—	1	3	21	24	—
			F. 24	—	—	—	—	—	—	—	—	—	5	14	—
			F. 1	—	—	—	—	—	—	—	—	—	—	—	—

Table 44C.—continued

International Classification		Causes of Death	All Ages	Ages									75 and over	Not Stated
Detailed List	Inter-mediate List "A"			1-	5-	10-	15-	25-	35-	45-	55-	65-		
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system { M. F. }	5 1	—	—	—	—	—	—	—	—	3	2 1	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium F.	1	—	—	—	1	—	—	—	—	—	—	—
642, 652, 685, 642, 686	116	Toxæmias of pregnancy and the puerperium F.	2	—	—	—	—	—	2	—	—	—	—	—
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth F.	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117b	Postpartum hæmorrhage F.	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia F.	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis F.	—	—	—	—	—	—	—	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication F.	1	—	—	—	—	1	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue { M. F. }	2	—	—	—	—	—	—	1	—	—	1	—
720-725	122	Arthritis and spondylitis { M. F. }	8	—	—	—	—	—	—	1	1	2	3	—
726, 727	123	Muscular rheumatism and rheumatism unspecified { M. F. }	29	—	—	—	—	—	—	2	4	9	14	—
730	124	Osteomyelitis and periostitis { M. F. }	1	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities { M. F. }	—	—	—	—	—	—	—	—	—	—	1	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system { M. F. }	4 3 238 136	—	—	—	—	—	—	—	—	1	3	—
751	127	<i>Congenital malformations and certain diseases of early infancy</i> (Total 750-776) { M. F. }	224 143	3 6	5 1	1 —	1 —	1 —	1 —	—	2 3	1 —	1 2	—
754	128	Spina bifida and meningocele { M. F. }	15 17	1 2	1 4	1 —	—	—	—	—	—	—	—	—
750, 752, 753, 755-759	129	Congenital malformations of circulatory system { M. F. }	17 37	2 3	—	—	—	—	—	—	1 2	1 —	—	—
		All other congenital malformations { M. F. }	33 16	— 3	1 —	—	1 —	—	1 —	—	—	—	2 (a)	—

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
760-761	130	Birth injuries
762	131	Postnatal asphyxia and atelectasis
763	132a	Pneumonia of newborn
764	132b	Diarrhea of newborn
765-768	132c	Other infections of newborn
770	133	Hemolytic disease of newborn
769, 771, 772	134	All other defined diseases of early infancy
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified
794	136	Senility without mention of psychosis
780-793, 795	137	Ill-defined and unknown causes
		<i>Accidents, Poisonings and Violence (External Cause)</i> (Total E800-E999)
E810-E835	138	Motor vehicle accidents
E840-E845	139a	Other road vehicle accidents
E800-E802, E850-E866	139b	Other transport accidents
E870-E895	140	Accidental poisoning
E900-E904	141	Accidental falls
E912	142	Accident caused by machinery
E916	143	Accident caused by fire and explosion of combustible material
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation
E919	145	Accident caused by firearm
E929	146	Accidental drowning and submersion
E921, E922, E924, E925	147a	Accidental mechanical suffocation
E910, E911, E913-E915, E920, E923, E926-E928, E930-E962	147b	All other accidental causes
E963	148	Suicide and self-inflicted injury
E970-E979	149	Homicide and injury purposely inflicted by other persons (not in war)
E980-E983	150	Injury resulting from operations of war
E965, E990-E999		

Table 44D.—continued

International Classification		Causes of Death	All Ages	Ages								65-	75 and over	Not Stated
Detailed List	Intermediate List "A,"			-1	1-	5-	10-	15-	25-	35-	45-			
140-148	44	Malignant Neoplasms (Total 140-205)	997 1,001	1	3	2	1	9	8	27	118	274	301	253
150	45	Buccal cavity and pharynx	26 14	—	—	1	—	2	11	55	138	212	281	293
151	46	Esophagus	33 30	—	—	—	—	—	—	2	1	3	5	15
152, 153	47	Stomach	144 157	—	—	—	—	—	—	1	5	8	6	4
154	48	Intestine, except rectum	98 142	—	—	—	—	—	—	1	3	7	12	10
161	49	Rectum	50 42	—	—	—	—	—	—	4	9	24	38	53
162, 163	50	Larynx	10 5	—	—	—	—	—	—	1	3	6	21	65
170	51	Trachea, bronchus and lung, not specified as secondary	317 44	—	—	—	—	—	—	—	2	2	13	20
171	52	Breast	170 45	—	—	—	—	—	—	—	48	122	108	32
172-174	53	Cervix uteri	—	—	—	—	—	—	—	—	10	15	11	5
177	54	Other and unspecified parts of uterus	39	—	—	—	—	—	—	—	35	41	39	41
190, 191	55	Prostate	75	—	1	—	—	—	—	—	7	10	11	8
196, 197	56	Skin	14 11	—	—	—	—	—	—	—	3	7	10	8
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	Bone and connective tissue	8	—	—	—	—	—	—	—	3	7	10	8
200-203, 205	58	All other and unspecified sites	167 244	—	1	1	—	2	2	6	21	42	52	41
210-239	59	Leukemia and aleukemia	20 25	1	1	2	—	1	1	14	33	55	69	66
250, 251	60	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	32 25	—	—	—	—	5	2	2	6	16	22	2
252	61	Benign neoplasms and neoplasms of unspecified nature	8 14	—	—	—	—	—	—	4	3	1	5	3
260	62	Non-toxic goitre	—	—	—	—	—	—	—	1	3	4	4	—
	63	Thyrototoxicosis with or without goitre	—	—	—	—	—	—	—	—	—	—	—	—
		Diabetes mellitus	28 71	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

239

Table 44D.—continued

International Classification		Causes of Death	All Ages	Ages									75 and over	Not Stated
Detailed List	Inter-mediate List A			-1	1-4	5-9	10-14	15-19	25-29	35-39	45-49	55-59	65-69	
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 378 F. 612	—	—	—	—	—	—	1	—	13	75	289
422.2	81e	Other myocardial degeneration	M. 201 F. 314	—	—	—	—	—	—	1	2	16	84	511
430-432	82a	Acute non-rheumatic heart disease	M. 9 F. 5	1	—	—	—	—	—	—	—	14	52	134
433, 434	82b	Other and unspecified diseases of heart	M. 84 F. 85	—	—	—	—	—	—	2	4	12	23	43
440-443	83	Hypertensive heart disease	M. 68 F. 150	—	—	—	—	—	—	—	2	7	25	55
444-447	84	Other hypertensive disease	M. 33 F. 57	—	—	—	—	—	—	2	7	15	48	34
450	85a	General arteriosclerosis	M. 113 F. 149	—	—	—	—	—	—	—	4	8	9	83
451-456	85b	Other diseases of arteries	M. 29 F. 22	—	—	—	—	—	—	1	—	2	21	26
460-468	86	Other diseases of circulatory system	M. 20 F. 29	—	—	—	—	—	—	1	3	9	30	90
470-475	87	Acute upper respiratory infections	M. 20 F. 29	—	—	—	—	—	—	1	2	7	12	116
480-483	88	Influenza	M. 7 F. 10	—	—	—	—	—	—	—	5	5	11	10
		Pneumonia (Total 490-493)	M. 139 F. 151	1	6	—	1	1	1	1	—	—	—	8
490	89	Lobar pneumonia	M. 18 F. 24	—	—	—	—	—	—	—	—	—	—	—
491	90	Bronchopneumonia	M. 110 F. 109	—	—	—	—	—	—	—	—	—	—	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M. 11 F. 18	—	—	—	—	—	—	—	—	—	—	—
		Bronchitis (Total 500-502)	M. 225 F. 91	2	2	—	—	—	—	2	16	57	83	11
500	92	Acute bronchitis	M. 20 F. 137	2	1	—	—	—	—	2	8	9	23	63
501b, 502b	93a	Chronic and unqualified bronchitis with heart disease	M. 5 F. 38	—	—	—	—	—	—	—	—	—	—	—
501a, 502a	93b	Chronic and unqualified bronchitis otherwise defined	M. 25 F. 25	—	—	—	—	—	—	—	—	—	—	—
510	94	Hypertrophy of tonsils and adenoids	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—

Table 44D.—continued

International Classification		Causes of Death	All Ages	Ages									65-	75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-			
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system . . . { M. F.	14 4	1	—	—	—	—	—	1	2 1	5 3	5	—	
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium . . . F.	—	—	—	—	—	—	—	—	—	—	—	—	
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium . . . F.	4	—	—	—	4	—	—	—	—	—	—	—	
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth . . . F.	1	—	—	—	—	1	—	—	—	—	—	—	
671, 672	117b	Postpartum hæmorrhage . . . F.	—	—	—	—	—	—	—	—	—	—	—	—	
650	118	Abortion without mention of sepsis or toxæmia . . . F.	—	—	—	—	—	—	—	—	—	—	—	—	
651	119	Abortion with sepsis . . . F.	—	—	—	—	—	—	—	—	—	—	—	—	
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication . . . F.	1	—	—	—	1	—	—	—	—	—	—	—	
690-698	121	Infections of skin and subcutaneous tissue . . . { M. F.	3 6	—	—	—	—	—	—	—	—	—	—	—	
720-725	122	Arthritis and spondylitis . . . { M. F.	8 29	—	—	—	—	—	—	—	1 5	5 8	3 16	—	
726, 727	123	Muscular rheumatism and rheumatism unspecified . . . { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	
730	124	Osteomyelitis and peritostitis . . . { M. F.	1 —	—	—	—	—	—	—	—	—	—	—	—	
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities . . . { M. F.	— 8	—	—	—	—	—	—	—	—	—	—	—	
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system . . . { M. F.	8 6 168	—	1 1	2 —	—	—	1	—	3 2	2 1	2 1	—	
		<i>Congenital malformations and certain diseases of early infancy</i> (Total 750-776) . . . { M. F.	141 131	4	—	3	—	2	—	—	—	—	—	—	
751	127	Spina bifida and meningocele . . . { M. F.	12 13	1	—	—	—	—	—	—	—	—	—	—	
754	128	Congenital malformations of circulatory system . . . { M. F.	15 13	—	1	—	—	—	2	—	—	—	—	—	
750, 752, 753, 755-759	129	All other congenital malformations . . . { M. F.	22 19	2 3	1 —	—	—	—	—	—	1 —	1 —	1 —	—	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
760, 761	130	Birth injuries	M.	27	18	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	F.	41	18	—	—	—	—	—	—	—	—	—	—
763	132a	Pneumonia of newborn	F.	31	31	—	—	—	—	—	—	—	—	—	—
764	132b	Diarrhea of newborn	F.	10	6	—	—	—	—	—	—	—	—	—	—
765-768	132c	Other infections of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—
770	133	Hamolytic disease of newborn	F.	2	2	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	F.	3	3	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	38	38	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	F.	36	31	—	—	—	—	—	—	—	—	—	—
780-793, 795	137	Ill-defined and unknown causes	M.	30	2	—	—	—	—	—	—	—	—	—	—
E810-E835	138	Accidents, Poisonings and Violence (External Cause) (Total E800-E999)	M.	280	15	8	4	13	37	30	29	41	23	37	16
E840-E845	139a	Motor vehicle accidents	F.	176	6	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E866	139b	Other road vehicle accidents	M.	69	—	—	—	—	—	—	—	—	—	—	—
E870-E895	140	Other transport accidents	F.	22	—	—	—	—	—	—	—	—	—	—	—
E900-E904	141	Accidental poisoning	M.	2	—	—	—	—	—	—	—	—	—	—	—
E912	142	Accidental falls	F.	40	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by machinery	M.	84	—	—	—	—	—	—	—	—	—	—	—
E917, E918	144	Accident caused by fire and explosion of combustible material	F.	4	—	—	—	—	—	—	—	—	—	—	—
E919	145	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	6	—	—	—	—	—	—	—	—	—	—	—
E921, E922, E924, E925	146	Accident caused by firearm	F.	1	—	—	—	—	—	—	—	—	—	—	—
E910, E911, E913-E915, E920, E923, E926-E928	147a	Accidental drowning and submersion	M.	3	—	—	—	—	—	—	—	—	—	—	—
E930-E962	147b	Accidental mechanical suffocation	F.	32	—	—	—	—	—	—	—	—	—	—	—
E963, E970-E979	148	All other accidental causes	M.	18	—	—	—	—	—	—	—	—	—	—	—
E964, E980-E985	149	Suicide and self-inflicted injury	F.	5	—	—	—	—	—	—	—	—	—	—	—
E965, E990-E999	150	Homicide and injury purposely inflicted by other persons (not in war)	M.	44	—	—	—	—	—	—	—	—	—	—	—
		Injury resulting from operations of war	F.	24	—	—	—	—	—	—	—	—	—	—	—

Table 44E. Deaths in Aggregate of Landward Areas in Scotland by Sex and Age Groups—1960

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
		ALL CAUSES—Both Sexes		720	121	87	55	178	227	504	1,274	2,740	4,334	6,912	—
		Males		423	76	45	37	126	155	287	783	1,685	2,293	3,112	—
		Females		297	45	42	18	52	72	217	491	1,055	2,041	3,800	—
		<i>All Tuberculosis (Total 001-019)</i>		—	—	—	—	—	—	—	—	—	—	—	—
		Respiratory system	{	—	—	—	—	—	—	—	—	—	—	—	—
		Meninges and central nervous system	{	—	—	—	—	—	—	—	—	—	—	—	—
		Intestines, peritoneum, and mesenteric glands	{	—	—	—	—	—	—	—	—	—	—	—	—
		Bones and joints	{	—	—	—	—	—	—	—	—	—	—	—	—
		All other forms	{	—	—	—	—	—	—	—	—	—	—	—	—
		<i>Syphilis (Total 020-029)</i>	{	—	—	—	—	—	—	—	—	—	—	—	—
		Congenital syphilis	{	—	—	—	—	—	—	—	—	—	—	—	—
		Early syphilis	{	—	—	—	—	—	—	—	—	—	—	—	—
		Tabes dorsalis	{	—	—	—	—	—	—	—	—	—	—	—	—
		General paralysis of insane	{	—	—	—	—	—	—	—	—	—	—	—	—
		All other syphilis	{	—	—	—	—	—	—	—	—	—	—	—	—
		Gonococcal infection	{	—	—	—	—	—	—	—	—	—	—	—	—
		Typhoid fever	{	—	—	—	—	—	—	—	—	—	—	—	—
		Paratyphoid fever and other salmonella infections	{	—	—	—	—	—	—	—	—	—	—	—	—
		Cholera	{	—	—	—	—	—	—	—	—	—	—	—	—
		Brucellosis (undulant fever)	{	—	—	—	—	—	—	—	—	—	—	—	—
		Dysentery, all forms	{	—	—	—	—	—	—	—	—	—	—	—	—
			(c)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
001-008	1			46	—	—	—	—	—	—	—	—	—	—	—
010	2			31	—	—	—	—	—	—	—	—	—	—	—
011	3			25	—	—	—	—	—	—	—	—	—	—	—
012, 013	4			26	—	—	—	—	—	—	—	—	—	—	—
014-019	5			1	—	—	—	—	—	—	—	—	—	—	—
020	6			2	—	—	—	—	—	—	—	—	—	—	—
021	7			1	—	—	—	—	—	—	—	—	—	—	—
024	8			2	—	—	—	—	—	—	—	—	—	—	—
025	9			7	—	—	—	—	—	—	—	—	—	—	—
022, 023, 026-029, 030-035	10			4	—	—	—	—	—	—	—	—	—	—	—
040	12			—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13			—	—	—	—	—	—	—	—	—	—	—	—
043	14			—	—	—	—	—	—	—	—	—	—	—	—
044	15			—	—	—	—	—	—	—	—	—	—	—	—
045-048	16			—	—	—	—	—	—	—	—	—	—	—	—
	(a)			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(p)

(a)	(b)	(c)		(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
050	Scarlet fever
051	Streptococcal sore throat
052	Erysipelas
053	Septicæmia and pyæmia
055	Diphtheria
056	Whooping cough
057	Meningococcal infections
058	Plague
060	Leprosy
061	Tetanus
062	Anthrax
080	Acute poliomyelitis
082	Acute infectious encephalitis
081, 083	Late effects of acute poliomyelitis and acute infectious encephalitis
084	Smallpox
085	Measles
091	Yellow fever
092	Infectious hepatitis
094	Rabies
100-108	Typhus and other rickettsial diseases
110-117	Malaria
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	All other diseases classified as infective and parasitic (A38-A42)

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 44E.—continued

International Classification		Causes of Death	All Ages	Ages								65—	75 and over	Not Stated
Detailed List	Intermediate List			1—	5—	10—	15—	25—	35—	45—	55—			
		Malignant Neoplasms (Total 140-205)	M. 1,436 F. 1,312	10	5	5	11	20	51	191	369	418	355	—
140-148	44	Buccal cavity and pharynx	M. 35 F. 17	5	4	1	4	14	70	181	318	375	339	—
150	45	Esophagus	M. 28 F. 35	—	—	—	1	—	—	4	5	9	21	—
151	46	Stomach	M. 229 F. 168	—	—	—	2	—	1	2	3	16	13	—
152, 153	47	Intestine, except rectum	M. 139 F. 161	—	—	—	7	2	7	31	51	81	57	—
154	48	Rectum	M. 89 F. 68	—	—	—	5	2	7	13	33	56	49	—
161	49	Larynx	M. 10 F. 8	—	—	—	1	1	3	10	29	44	32	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M. 364 F. 69	—	—	—	—	—	1	13	38	53	51	—
170	51	Breast	M. 1 F. 250	—	—	—	—	3	22	40	73	53	59	—
171	52	Cervix uteri	M. 1 F. 65	—	—	—	—	3	16	14	8	17	7	—
172-174	53	Other and unspecified parts of uterus	F. 62	—	—	—	—	2	1	16	11	20	12	—
177	54	Prostate	M. 112	—	—	—	—	—	—	1	9	42	60	—
190, 191	55	Skin	M. 27 F. 19	—	—	—	—	—	—	4	4	4	15	—
196, 197	56	Bone and connective tissue	M. 22 F. 16	—	—	—	1	3	—	2	3	3	6	—
155-160, 164, 165, 175, 176, 178-181, 192- 195, 198, 199		All other and unspecified sites	M. 277 F. 307	3	1	1	4	7	14	40	79	65	63	—
200-203, 205		Leukemia and aleukemia	M. 43 F. 36	7	4	1	1	2	10	40	83	94	76	—
210-239		Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	M. 38 F. 12	3	2	—	2	1	2	4	5	12	7	—
250, 251		Benign neoplasms and neoplasms of unspecified nature	M. 15 F. 1	1	1	—	4	3	5	13	17	13	4	—
252		Non-toxic goitre	M. 1 F. 2	1	1	—	2	—	2	8	6	11	5	—
260		Thyrototoxicosis with or without goitre	M. 6 F. 47	—	—	—	—	—	3	2	1	3	3	—
		Diabetes mellitus	M. 137 F. 1	—	—	—	—	2	—	1	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(k)	(l)	(m)	(n)	(o)	(p)

Table 44E.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated				
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-						
422.1	81d	Myocardial degeneration with arteriosclerosis	509	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
422.2	81e	Other myocardial degeneration	757	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-432	82a	Acute non-rheumatic heart disease	331	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
433, 434	82b	Other and unspecified diseases of heart	446	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443	83	Hypertensive heart disease	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
444-447	84	Other hypertensive disease	97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
450	85a	General arteriosclerosis	163	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
451-456	85b	Other diseases of arteries	126	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
460-468	86	Other diseases of circulatory system	199	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
470-475	87	Acute upper respiratory infections	89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	203	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Pneumonia (Total 490-493)	230	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
490	89	Lobar pneumonia	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
491	90	Bronchopneumonia	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
492, 493	91	Primary atypical, other and unspecified pneumonia	48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Bronchitis (Total 500-502)	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
500	92	Acute bronchitis	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
501b, 502b	93a	Chronic and unqualified bronchitis with heart disease secondary	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
501a, 502a	93b	Chronic and unqualified bronchitis otherwise defined	289	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
510	94	Hypertrophy of tonsils and adenoids	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)		40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
518, 521	95	Empyema and abscess of lung									3	—
519	96	Pleurisy									2	1
523, 524	97a	Pneumoconiosis						1	2	27	57	50
511-517, 520, 522, 525-527	97b	All other respiratory diseases			1	1	1	1	9	18	11	15
530-535	98	Diseases of teeth and supporting structures							2	4	7	10
540	99	Ulcer of stomach					1	1	4	4	9	23
541	100	Ulcer of duodenum					2	3	10	2	10	8
543	101	Gastritis and duodenitis					1	1	3	7	27	22
550-553	102	Appendicitis				1	4	4	—	1	5	5
560, 561, 570	103	Intestinal obstruction and hernia				1	1	1	—	1	1	1
571.0	104a	Gastro-enteritis, ages between 4 weeks and 2 years				3	2	3	5	1	2	2
571.1	104b	Gastro-enteritis, ages 2 years and over				12	3	2	5	12	14	14
572	104c	Chronic enteritis and ulcerative colitis				15	3	2	3	7	15	20
581	105	Cirrhosis of liver				7	7	—	—	—	—	—
584, 585	106	Cholelithiasis and cholecystitis				12	14	—	1	3	2	2
580, 582, 583, 586	107a	Other diseases of liver				3	3	—	1	2	1	1
536-539, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system				32	28	1	3	6	10	5
590	108	Acute nephritis				3	3	—	2	2	14	7
591-594	109	Chronic, other and unspecified nephritis				47	40	2	—	—	—	1
600	110	Infections of kidney				38	38	3	5	5	10	12
602, 604	111	Calculi of urinary system				46	46	2	9	5	17	1
610	112	Hyperplasia of prostate				4	4	1	8	13	10	15
620, 621	113	Diseases of breast				118	118	—	2	4	29	85
605, 606	114a	Diseases of bladder				11	4	—	—	—	3	7
						4	4	—	—	—	2	2

Table 44E.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system . . . { M. F. }	5 22	—	—	—	—	—	—	2	1	4	1	4	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium . . . F.	5	—	—	—	—	2	1	2	—	—	8	6	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium . . . F.	5	—	—	—	—	3	1	1	—	—	—	—	—
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth . . . F.	1	—	—	—	—	—	—	1	—	—	—	—	—
671, 672	117b	Postpartum hæmorrhage . . . F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia . . . F.	1	—	—	—	—	1	—	—	—	—	—	—	—
651	119	Abortion with sepsis . . . F.	—	—	—	—	—	—	—	—	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication . . . { M. F. }	1	—	—	—	—	1	—	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue . . . { M. F. }	4 6	—	—	—	—	1	—	—	—	—	2	1	—
720-725	122	Arthritis and spondylitis . . . { M. F. }	11 45	—	—	—	—	—	—	—	3	5	12	25	—
726, 727	123	Muscular rheumatism and rheumatism unspecified . . . { M. F. }	—	—	—	—	—	—	—	—	—	—	1	—	—
730	124	Osteomyelitis and periostitis . . . { M. F. }	3 2	1	—	1	—	—	—	—	—	—	—	1	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities . . . { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system . . . { M. F. }	11 10	—	—	—	—	—	1	1	3	3	3	4	—
		<i>Congenital malformations and certain diseases of early infancy</i> (Total 750-776) . . . { M. F. }	338 259	307 228	5 7	7 5	2 1	2 4	6 6	3 1	4 1	2 4	3	—	—
751	127	Spina bifida and meningocele . . . { M. F. }	16 24	22	—	1	6	1	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system . . . { M. F. }	44 34	28 21	2 3	3 1	2 1	2 2	3 3	1 2	2 4	2 2	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations . . . { M. F. }	47 50	32 35	3 3	3 3	3 1	1 1	3 3	2 4	2 1	2 2	3	—	—
	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
760, 761	130	Birth injuries
762	131	Postnatal asphyxia and atelectasis
763	132a	Pneumonia of newborn
764	132b	Diarrhoea of newborn
765-768	132c	Other infections of newborn
770	133	Hemolytic disease of newborn
769, 771, 772	134	All other defined diseases of early infancy
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified
794	136	Senility without mention of psychosis
780-793, 795	137	Ill-defined and unknown causes
E810-E835	138	Accidents, Poisonings and Violence (External Cause) (Total E800-E999)
E840-E845	139a	Motor vehicle accidents
E800-E802, E850-E866	139b	Other road vehicle accidents
E870-E895	140	Other transport accidents
E900-E904	141	Accidental poisoning
E912	142	Accidental falls
E916	143	Accident caused by machinery
E917, E918	144	Accident caused by fire and explosion of combustible material
E919	145	Accident caused by hot substance, corrosive liquid, steam and radiation
E929	146	Accident caused by firearm
E921, E922, E924, E925	147a	Accidental drowning and submersion
E910, E911, E913-E915, E920, E923, E926-E928, E930-E962	147b	Accidental mechanical suffocation
E963, E970-E979	148	All other accidental causes
E964, E980-E985	149	Suicide and self-inflicted injury
E965, E990-E999	150	Homicide and injury purposely inflicted by other persons (not in war)
		Injury resulting from operations of war

Table 44F. Deaths in Central Clydeside Conurbation Area in Scotland by Sex and Age Groups—1960

International Classification		Ages										All Ages	Causes of Death		75 and over	Not Stated
Detailed List	Inter-mediate List "A"	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-					
		1,198	155	78	51	134	314	710	1,804	3,854	5,516	20,969	ALL CAUSES—Both Sexes			
		673	87	52	30	77	184	402	1,124	2,446	2,903	11,062	Males			
		525	68	26	21	57	130	308	680	1,408	2,613	9,907	Females			
001-008	1	1	—	1	—	1	9	23	39	73	44	213	<i>All Tuberculosis (Total 001-019)</i>			M.
		—	2	—	—	2	19	22	10	12	73	86	Respiratory system		F.	
010	2	—	1	—	—	1	9	23	39	71	42	207	Meninges and central nervous system		M.	
011	3	1	1	1	—	2	16	21	10	11	8	75	Intestines, peritoneum, and mesenteric glands		F.	
012, 013	4	—	—	—	—	—	—	—	—	—	—	3	Bones and joints		M.	
014-019	5	—	—	—	—	—	—	1	—	—	—	2	All other forms		F.	
		—	—	—	—	—	—	—	—	—	—	1			M.	
020	6	—	—	—	—	—	3	1	—	7	10	19	<i>Syphilis (Total 020-029)</i>			F.
021	7	—	—	—	—	—	—	—	—	—	—	6	Congenital syphilis		M.	
024	8	—	—	—	—	—	—	—	—	—	—	2	Early syphilis		F.	
025	9	—	—	—	—	—	—	—	—	—	—	5	Tabes dorsalis		M.	
022, 023, 026-029, 030-035	10	—	—	—	—	—	—	—	—	—	—	3	General paralysis of insane		F.	
		—	—	—	—	—	—	—	—	—	—	2	All other syphilis		M.	
040	11	—	—	—	—	—	—	1	1	7	3	12	Gonococcal infection		F.	
		—	—	—	—	—	—	—	—	—	—	2	Typhoid fever		M.	
041, 042	12	—	—	—	—	—	—	—	—	—	—	5	Paratyphoid fever and other salmonella infections		F.	
043	13	—	—	—	—	—	—	—	—	—	—	3	Cholera		M.	
044	14	—	—	—	—	—	—	—	—	—	—	1	Brucellosis (undulant fever)		F.	
045-048	15	—	—	—	—	—	—	—	—	—	—	—	Dysentery, all forms		M.	
(a)	(b)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(d)	(c)		F.	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M. F.	3	—	—	—	—	—	—	—	—	—	—	—
055	21	Diphtheria	M. F.	3	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M. F.	3	3	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M. F.	6	—	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M. F.	3	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M. F.	1	—	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M. F.	4	—	—	—	—	—	—	—	—	—	—	—
084	31	Smallpox	M. F.	6	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
094	35	Rabies	M. F.	5	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M. F.	7	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	M. F.	4	1	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 44F.—continued

International Classification	Detailed List	Intermediate List "A"	Causes of Death	All Ages	Ages										75 and over	Not Stated
					-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75		
			<i>Malignant Neoplasms (Total 140-205)</i>	2,136 1,708	3	5	4	4	8	29	89	281	668	628	417	
	140-148	44	Buccal cavity and pharynx	M. 1,708 F. 21	1	2	2	4	2	32	90	268	388	481	438	
	150	45	Gesophagus	M. 23 F. 45	—	—	—	—	—	1	1	2	5	17	14	
	151	46	Stomach	M. 304 F. 257	—	—	—	—	—	1	1	3	13	16	26	
	152, 153	47	Intestine, except rectum	M. 157 F. 243	—	—	—	—	—	3	9	22	86	99	48	
	154	48	Rectum	M. 116 F. 79	—	—	—	—	—	1	2	4	35	87	90	
	161	49	Larynx	M. 17 F. 13	—	—	—	—	—	1	1	1	6	7	3	
	162, 163	50	Trachea, bronchus and lung, not specified as secondary	M. 882 F. 153	—	—	—	—	—	3	34	144	361	260	80	
	170	51	Breast	M. 293 F. 87	—	—	—	—	—	5	8	28	34	47	31	
	171	52	Cervix uteri	M. 293 F. 87	—	—	—	—	—	5	26	66	81	69	46	
	172-174	53	Other and unspecified parts of uterus	F. 65	—	—	—	—	—	2	14	29	21	12	9	
	177	54	Prostate	M. 126	—	—	—	—	—	1	3	19	15	16	11	
	190, 191	55	Skin	M. 22 F. 16	—	—	—	—	—	—	—	1	17	48	60	
	196, 197	56	Bone and connective tissue	M. 23 F. 25	—	—	—	—	—	—	—	1	6	3	10	
	155-160, 164, 165, 175, 176, 178-181, 192- 195, 198, 199	57	All other and unspecified sites	M. 300 F. 328	—	4	2	2	3	9	14	41	92	79	54	
	204	58	Leukæmia and aleukæmia	M. 37 F. 38	1	1	1	1	1	2	4	48	72	99	88	
	200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	M. 50 F. 46	1	2	2	2	3	6	4	5	7	5	7	
	210-239	60	Benign neoplasms and neoplasms of unspecified nature	M. 12 F. 21	2	1	—	—	1	3	2	12	13	12	10	
	250, 251	61	Non-toxic goitre	M. 1 F. 1	—	—	—	—	—	1	1	1	20	8	7	
	252	62	Thyrototoxicosis with or without goitre	M. 1 F. 4	—	—	—	—	—	—	—	—	9	1	3	
	260	63	Diabetes mellitus	M. 126 F. 41	—	—	—	—	—	—	—	—	—	—	—	
(a)	(c)	(b)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(d)	(b)	(c)	(w)	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	
280-286	64		Avitaminosis and other deficiency states
290	65a		Pernicious and other hyperchronic anemias
291-293	65b		Other anemias
240-245, 253, 254, 270-277, 287-289, 294-299																							
310-324, 326																							
325	66		Allergic disorders; all other endocrine, metabolic and blood diseases
300-309	67		Psychoses
	68		Psychoneuroses and disorders of personality
	69		Mental deficiency
			<i>Vascular lesions affecting central nervous system (Total 330-334)</i>																				
330	70a		Subarachnoid hemorrhage
331	70b		Cerebral hemorrhage
332	70c		Cerebral embolism and thrombosis
333, 334	70d		Other vascular lesions affecting central nervous system
340	71		Non-meningococcal meningitis
345	72		Multiple sclerosis
353	73		Epilepsy
391-393	77		Otitis media and mastoiditis
350	78a		Paralysis agitans
341-344, 351, 352, 354-390, 394-398																							
400-402	78b		All other diseases of the nervous system and sense organs (A74, A75, A76)
	79		Rheumatic fever
			<i>Heart Disease (Total 410-443)</i>																				
410-416	80		Chronic rheumatic heart disease
420	81a		Arteriosclerotic heart disease, including coronary disease
421	81b		Chronic endocarditis not specified as rheumatic
422.0	81c		Fatty degeneration of heart

Table 44F.—continued

International Classification		Causes of Death	All Ages	Ages									75 and over	Not Stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 543	—	—	—	—	—	—	1	6	31	115	390
422.2	81e	Other myocardial degeneration	F. 736	—	—	—	—	—	—	—	2	27	115	592
430-432	82a	Acute non-rheumatic heart disease	M. 373	—	—	—	—	—	—	6	16	63	86	201
433, 434	82b	Other and unspecified diseases of heart	F. 515	—	—	—	—	—	—	3	15	44	126	328
440-443	83	Hypertensive heart disease	M. 13	—	2	—	—	—	—	—	2	1	4	2
444-447	84	Other hypertensive disease	F. 11	—	1	—	—	—	—	—	2	—	2	4
450	85a	General arteriosclerosis	M. 103	—	—	—	—	—	—	—	—	14	32	47
451-456	85b	Other diseases of arteries	F. 147	—	—	—	—	—	—	3	6	21	37	79
460-468	86	Other diseases of circulatory system	M. 148	—	—	—	—	—	—	2	7	34	53	50
470-475	87	Acute upper respiratory infections	F. 229	—	—	—	—	—	—	—	8	29	51	108
480-483	88	Influenza	M. 77	—	—	—	—	—	—	5	8	14	32	128
490	89	Pneumonia (Total 490-493)	F. 192	—	—	—	—	—	—	3	8	12	52	176
491	90	Lobar pneumonia	M. 229	—	—	—	—	—	—	—	—	9	40	176
492, 493	91	Bronchopneumonia	F. 46	—	—	—	—	—	—	—	—	7	17	14
500	92	Primary atypical, other and unspecified pneumonia	M. 34	—	—	—	—	—	—	1	6	5	4	9
501b, 502b	93a	Acute bronchitis	F. 35	—	—	—	—	—	—	2	4	8	11	—
501a, 502a	93b	Chronic and unqualified bronchitis with heart disease	M. 20	—	—	—	—	—	—	—	—	—	—	—
510	94	Chronic and unqualified bronchitis otherwise defined	F. 413	—	—	—	—	—	—	—	—	—	—	—
		Hypertrophy of tonsils and adenoids	M. 358	—	—	—	—	—	—	—	—	—	—	—
			F. 49	—	—	—	—	—	—	—	—	—	—	—
			M. 70	—	—	—	—	—	—	—	—	—	—	—
			F. 52	—	—	—	—	—	—	—	—	—	—	—
			M. 64	—	—	—	—	—	—	—	—	—	—	—
			F. 267	—	—	—	—	—	—	—	—	—	—	—
			M. 35	—	—	—	—	—	—	—	—	—	—	—
			F. 39	—	—	—	—	—	—	—	—	—	—	—
			M. 735	—	—	—	—	—	—	—	—	—	—	—
			F. 285	—	—	—	—	—	—	—	—	—	—	—
			M. 48	—	—	—	—	—	—	—	—	—	—	—
			F. 44	—	—	—	—	—	—	—	—	—	—	—
			M. 466	—	—	—	—	—	—	—	—	—	—	—
			F. 162	—	—	—	—	—	—	—	—	—	—	—
			M. 221	—	—	—	—	—	—	—	—	—	—	—
			F. 79	—	—	—	—	—	—	—	—	—	—	—
			F. —	—	—	—	—	—	—	—	—	—	—	—
			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

Table 44F.—continued

International Classification		Causes of Death	All Ages	Ages										75 and over	Not Stated
Detailed List	Intermediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system . . . { M. F.	14 10	—	—	—	1	—	1	—	—	2	5	5	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium . . . F	1	—	—	—	—	—	—	1	—	—	1	3	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium . . . F.	6	—	—	—	—	1	1	4	—	—	—	—	—
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth . . . F.	4	—	—	—	—	2	1	1	—	—	—	—	—
671, 672	117b	Postpartum hæmorrhage F.	1	—	—	—	—	—	—	1	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia . . . F.	1	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis F.	1	—	—	—	—	—	—	—	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication . . . F.	—	—	—	—	—	—	—	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue . . . { M. F.	4 4	—	1	—	—	—	—	—	1	1	1	—	—
720-725	122	Arthritis and spondylitis { M. F.	12 60	—	—	—	—	—	—	—	3	2	4	4	—
726, 727	123	Muscular rheumatism and rheumatism unspecified . . . { M. F.	1 2	—	—	—	—	—	—	—	—	8	19	31	—
730	124	Osteomyelitis and periostitis { M. F.	1 *	—	—	—	—	—	—	1	—	—	1	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities . . . { M. F.	— —	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system . . . { M. F.	10 490	1	—	—	1	—	—	1	1	1	1	2	4
751	127	<i>Congenital malformations and certain diseases of early infancy</i> (Total 750-716) . . . { M. F.	468 405	7 13	8 3	—	3	1	5	1	4	2	3	2	—
754	128	Spina bifida and meningocele { M. F.	23 47	1 29	1 6	—	3	—	—	4	—	—	—	—	—
750, 752, 753, 755-759	129	Congenital malformations of circulatory system . . . { M. F.	63 67	3 7	1 —	—	—	1	1	1	2	2	1	—	—
		All other congenital malformations { M. F.	51 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

Table 45. Causes of Death in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	Glasgow Co. of C.																												
Detailed List	Inter-mediate List "A"		Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.	
ALL CAUSES		.	13034	326	526	465	840	307	3619	5940	1095	528	120	278	202	474	1202	949	1126	201	1642	803	631	303	430	323	1424	215	957	384	289
001-008	1	All Tuberculosis (Total 001-019)	221	4	6	2	6	3	20	24	5	3	1	1	1	2	2	14	16	2	20	7	2	4	8	2	7	1	1	4	2
010	2	Respiratory system	208	4	6	2	5	3	19	24	5	3	1	1	1	2	2	14	16	2	19	6	2	3	7	2	7	1	1	4	2
011	3	Meninges and central nervous system	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
012, 013	4	Intestines, peritoneum and mesenteric glands	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
014-019	5	Bones and joints	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		All other forms	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
020	6	Syphilis (Total 020-029)	21	1	1	1	1	1	4	8	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
021	7	Congenital syphilis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
022	8	Early syphilis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
024	9	Tabs dorsalis	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
025		General paralysis of insane	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
026-029	10	All other syphilis.	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
030-035	11	Gonococcal infection	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
040	12	Typhoid fever	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
041, 042	13	Paratyphoid fever & other Salmonella infections	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
043	14	Cholera	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
044	15	Brucellosis (undulant fever).	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
045-048	16	Dysentery, all forms	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
050	17	Scarlet fever	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
051	18	Streptococcal sore throat	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
052	19	Erysipelas	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
053	20	Septicæmia and pyæmia	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
054	21	Diphtheria	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
055	22	Whooping cough	4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
056	23	Meningococcal infections	10	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
057	24	Plague	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
058	25	Leprosy	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
060	26	Tetanus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
062	27	Anthrax	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
080	28	Acute poliomyelitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
082	29	Acute infectious encephalitis	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	9	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
084	31	Smallpox	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
085	32	Measles	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
091	33	Yellow fever	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
092	34	Infectious hepatitis	6	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
094	35	Rabies	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
100-108	36	Typhus and other rickettsial diseases	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
110-117	37	Malaria	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

NOTE—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 45. Causes of Death in the Public Health Districts of Scotland, 1960—continued

International Classification	Detailed List	Causes of Death	Glasgow	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rom. Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	
			Co. of C.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.	B.
43	036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	All other diseases classified as infective and parasitic (A38-A42)	6	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	
	140-148	Malignant Neoplasms (Total 140-205)	2468	50	80	86	161	45	587	1182	185	86	21	38	35	84	231	177	197	38	290	128	96	44	78	60	235	34	176	57	38	
	150	Buccal cavity and pharynx	43	1	1	3	2	1	9	16	3	1	—	4	1	3	9	5	3	1	7	4	1	1	2	1	4	1	1	5	1	
	151	Esophagus	66	1	1	3	3	2	13	29	6	1	—	4	1	2	8	1	3	1	8	7	5	2	1	2	2	1	4	1	1	
	152, 153	Stomach	339	5	15	19	29	6	79	145	30	10	6	4	3	12	25	23	32	7	47	14	16	5	9	5	42	7	31	8	5	
	154	Intestine, except rectum	256	12	6	8	18	3	53	111	10	8	—	7	1	7	32	24	22	7	26	20	12	4	4	6	27	9	20	7	2	
	155	Rectum	121	3	5	5	9	3	36	62	8	3	1	7	1	8	14	16	7	1	16	4	4	4	4	12	2	1	2	—	—	
	156	Larynx	19	—	—	—	2	—	5	11	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	
	162, 163	Trachea, bronchus and lung, not specified as secondary	734	12	18	13	31	11	113	295	43	16	4	3	10	20	31	40	44	10	57	19	15	6	20	9	45	2	31	8	3	
	170	Breast	175	1	4	8	17	5	47	108	16	7	5	3	6	14	25	16	18	—	26	9	9	5	7	12	3	19	2	3	3	
	171	Cervix uteri	50	2	2	3	7	3	15	30	7	—	—	1	—	1	8	3	6	2	7	2	1	1	3	4	3	1	1	1	1	
	172-174	Other and unspecified parts of uterus	40	2	2	2	8	—	10	14	4	1	—	2	2	7	3	4	1	6	6	6	5	3	2	7	3	—	4	1	1	
	175	Prostate	45	2	1	4	2	—	21	28	12	5	1	1	2	1	17	5	6	1	9	6	7	1	1	7	—	4	1	1	1	
	190, 191	Skin	21	1	1	1	1	2	14	8	1	2	—	2	—	—	3	3	1	4	2	2	2	1	1	1	4	—	3	2	—	
	192-195	Bone and connective tissue	28	—	2	3	2	1	5	13	2	—	—	—	—	—	—	—	—	—	3	2	3	—	—	—	—	—	2	—	—	—
57	200-203, 205, 210-239	All other and unspecified sites	373	10	17	14	25	8	136	243	34	21	4	8	6	10	41	32	29	7	59	28	14	9	18	13	45	6	37	13	10	
	230, 251	Leukemia and leukaemia	51	1	—	1	3	—	12	32	2	3	—	1	2	2	5	1	5	—	5	7	4	—	5	2	5	—	5	2	1	
	240-245	Lymphatic and other neoplasms of lymphatic and hematopoietic system	57	—	6	2	2	2	19	37	7	3	—	3	1	2	4	4	11	1	9	4	2	3	1	2	14	1	6	4	1	
	250, 251	Benign neoplasms and neoplasms of unspecified nature	25	2	4	—	1	—	3	9	2	4	—	—	2	1	2	1	—	2	—	—	1	1	—	1	7	—	2	2	—	—
	252	Neurotoxic goitre	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	262	Thyroidosis with or without goitre	1	—	—	—	—	—	3	47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	280-286	Diabetes mellitus	91	—	9	7	7	3	38	47	10	4	1	3	2	2	9	7	13	1	20	8	5	—	—	4	1	14	2	10	3	—
	291-293	Avitaminosis and other deficiency states	32	1	1	1	1	1	1	10	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	240-245, 253, 254, 270-277, 287-289, 294-299	Pernicious and other hyperchronic anemias	91	1	1	1	1	1	1	8	1	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	65a	Other anemias	25	1	1	1	1	1	4	13	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	65b	Allergic disorders; all other endocrine, metabolic and blood diseases	61	4	1	2	2	2	11	25	7	9	—	3	—	3	7	3	2	2	3	6	1	1	1	1	7	1	5	6	2	2

Table 45. Causes of Death in the Public Health Districts of Scotland, 1960—continued.

International Classification		Causes of Death	Districts																															
Detailed List	Inter-mediate List "A"		Glasgow	Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edin-burgh Co.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.		
300-309	67	Psychoses		48	1	1	1	1	1	1	15	2	—	—	—	—	1	2	—	—	—	—	4	—	1	1	1	—	1	—	2	1	—	
310-324, 326	68	Psychoneuroses and disorders of personality		3	—	—	—	—	—	—	2	1	3	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
325	69	Mental deficiency		6	—	—	—	—	—	—	2	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
330	70a	Vascular lesions affecting central nervous system (Total 330-334)		1940	40	67	63	119	46	541	916	167	74	27	51	33	95	213	146	192	40	273	140	112	57	58	60	230	27	167	64	37	1	
331	70b		Subarachnoid hemorrhage		58	5	5	5	12	42	12	42	2	2	2	2	3	3	8	5	1	6	5	2	1	—	—	5	—	—	—	—	—	
332	70c		Cerebral hemorrhage		752	23	33	25	57	24	218	341	63	27	8	24	12	27	79	77	49	103	47	44	17	21	25	103	10	73	25	14	1	
333, 334	70d		Cerebral embolism and thrombosis		865	12	29	36	57	19	285	400	87	40	15	20	16	59	111	60	109	22	140	75	49	35	35	103	13	83	36	16	—	
340	71	Other vascular lesions affecting central nervous system		265	5	—	—	2	4	3	26	133	15	5	2	6	2	6	20	1	29	—	24	13	17	4	2	5	19	4	7	3	6	
345	72	Non-meningococcal meningitis		12	—	—	—	2	1	4	8	16	2	3	1	—	—	—	2	1	1	3	4	—	—	—	—	—	—	—	—	—	—	
353	73	Multiple sclerosis		29	1	2	1	2	1	8	16	2	3	1	—	—	—	3	4	2	1	5	3	4	—	—	1	1	4	1	1	2	—	
391-393	77	Epilepsy		30	—	—	—	3	—	6	7	2	—	—	—	—	—	2	1	2	1	1	3	1	—	—	2	2	5	—	—	—	—	
350	77	Otitis media and mastoiditis		3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	5	2	2	—	—	—	—	—	—	—	—	—	
341-344, 351, 352, 354-390, 394-398	78a	Paralysis agitans		38	4	3	1	1	1	17	10	3	3	—	—	—	—	—	2	2	4	5	2	2	—	—	—	—	—	—	—	—	—	
400-402	78b	All other diseases of the nervous system and sense organs (A74, A75, A76)		94	2	1	1	4	1	16	27	3	3	—	1	1	4	3	2	4	1	9	4	8	1	2	2	5	—	—	—	3	—	
410-416	79	Rheumatic fever		2	—	—	—	1	2	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
420	80	Heart Disease (Total 410-443)		4071	135	197	170	291	120	1240	2078	407	182	45	115	86	153	421	313	376	59	594	313	251	129	144	91	514	77	301	139	120		
421	81a	Chronic rheumatic heart disease		189	4	6	8	13	5	49	68	10	3	1	4	3	5	7	6	22	1	22	5	5	3	6	2	26	2	9	2	2	2	
422.0	81b	Arteriosclerotic heart disease, including coronary disease		2151	60	84	93	162	55	653	1184	222	95	27	50	49	79	209	130	203	32	287	136	118	59	82	45	260	24	201	78	60	—	
422.1	81c	Chronic endocarditis not specified as rheumatic		79	2	2	—	4	7	12	25	7	3	—	1	1	2	4	2	3	—	2	6	5	4	—	—	—	—	—	—	—	—	
422.2	81d	Fatty degeneration of heart		6	—	—	—	—	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
422.3	81e	Myocardial degeneration with arteriosclerosis		686	34	60	32	52	24	233	447	99	38	6	37	16	34	121	82	77	5	169	76	70	31	28	11	118	8	33	28	39	—	
430-432	82a	Other myocardial degeneration		580	23	22	24	25	15	166	149	29	28	5	15	8	22	43	58	39	13	53	50	32	26	20	19	55	29	27	13	11	—	
433-434	82b	Acute non-rheumatic heart disease		11	3	1	—	2	—	14	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
440-443	83	Other and unspecified diseases of heart		148	—	8	6	16	4	53	76	19	6	1	4	3	5	3	19	20	14	8	39	29	7	1	5	10	26	4	14	7	3	—
444-447	84	Hypertensive heart disease		221	9	14	7	16	10	58	118	21	9	5	2	3	5	3	19	12	16	16	21	11	14	5	3	2	23	7	9	8	4	—
450	85a	Other hypertensive disease		101	4	7	3	8	2	39	37	8	5	2	2	4	8	3	8	4	11	10	2	10	12	6	1	8	3	12	1	6	1	1
451-456	85b	General arteriosclerosis		236	3	9	9	14	10	89	132	20	9	4	8	3	8	26	14	28	2	56	17	13	7	12	3	31	10	25	7	18	—	
460-468	86	Other diseases of arteries		46	2	2	3	1	1	13	27	6	4	3	1	—	2	5	9	6	1	5	2	7	4	2	1	1	1	7	2	6	—	—
470-475	87	Acute upper respiratory system		33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
480-483	88	Influenza		23	1	—	—	1	—	6	10	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 45. Causes of Death in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	Districts																													
Detailed List	Inter-mediate "A"		Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edin-burgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.	
		<i>Pneumonia (Total 490-493)</i>	513	11	20	11	29	10	114	204	27	16	3	8	2	20	29	24	32	6	48	14	12	13	12	14	47	4	48	16	11	
	490	Lobar pneumonia	80	3	3	3	5	2	19	36	1	1	2	3	3	3	4	14	3	2	8	3	3	7	12	14	8	4	10	2	2	3
	491	Bronchopneumonia	377	10	16	7	20	8	88	151	20	11	1	7	2	16	22	5	24	3	36	7	10	7	9	12	32	3	32	13	7	3
	492, 493	Primary atypical, other and unspecified pneumonia	56	1	1	1	4	8	17	17	6	4	—	1	—	1	3	5	1	1	4	4	—	3	1	1	7	1	1	6	1	1
		<i>Bronchitis (Total 500-502)</i>	708	13	21	18	38	17	131	232	32	14	—	5	8	11	17	35	56	5	45	14	13	7	21	6	48	6	24	5	3	3
	500	Acute bronchitis	69	2	—	2	3	1	14	26	8	3	—	1	—	—	4	5	1	—	4	2	4	—	5	—	3	1	4	2	1	1
	501a, 502b	Chronic and unqualified bronchitis with heart disease secondary	442	7	11	11	17	7	73	140	15	7	—	2	4	5	8	26	46	4	23	9	3	4	9	3	39	2	15	3	2	2
	501a, 502a	Chronic and unqualified bronchitis otherwise defined	197	4	10	5	18	9	44	66	9	4	—	2	4	6	5	4	9	1	18	3	6	3	7	3	6	3	5	—	—	—
	510	Hypertrophy of tonsils and adenoids	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	518, 521	Empyema and abscess of lung	6	3	—	—	1	—	3	7	—	—	—	—	—	—	1	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	519	Pleurisy	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	523, 524	Pneumoconiosis	6	4	4	4	9	1	80	1	3	—	—	—	—	—	—	—	2	—	—	1	—	—	—	2	18	—	8	—	—	—
	511-517	All other respiratory diseases	58	—	—	2	3	1	17	22	6	4	1	1	1	5	7	4	4	—	5	5	3	2	4	4	14	—	2	2	1	1
	520, 522	Diseases of teeth and supporting structures	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	525-527	Ulcer of stomach	42	1	3	2	4	2	18	18	9	3	—	—	—	1	1	7	3	4	4	1	4	2	6	1	1	1	6	1	4	—
	530-535	Ulcer of duodenum	68	2	—	—	2	—	12	27	2	2	—	3	1	3	11	7	12	9	3	4	2	6	1	7	3	4	—	—	—	—
	540	Gastritis and duodenitis	5	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	541	Appendicitis	10	—	4	—	3	—	8	6	1	2	1	—	—	—	1	1	3	—	1	4	1	3	—	—	—	—	—	—	—	—
	543	Intestinal obstruction and hernia	82	—	2	2	4	—	14	29	7	4	2	1	1	5	8	7	6	—	7	2	5	—	2	2	6	2	3	1	1	1
	550-553	Gastro-enteritis, ages between 4 weeks and 2 years	25	—	1	—	2	1	5	6	—	1	—	—	—	1	3	2	2	—	2	—	—	—	—	—	3	—	1	—	—	—
	560, 561, 570	Gastro-enteritis, ages 2 years and over	11	—	1	—	3	3	2	23	7	1	—	—	—	2	3	2	3	—	2	4	3	1	—	—	2	4	1	4	2	1
	571.0	Chronic enteritis and ulcerative colitis	33	—	2	3	3	2	7	16	3	2	—	—	—	2	6	2	7	—	13	3	3	—	1	—	6	1	1	1	1	—
	571.1	Cirrhosis of liver	57	1	2	3	5	—	16	19	3	2	—	—	—	3	1	8	1	—	5	2	3	—	—	—	6	1	1	1	1	—
	581	Cholelithiasis and cholecystitis	36	—	—	—	—	—	3	9	1	2	—	—	—	—	—	—	1	—	2	1	2	—	—	—	—	—	—	—	—	—
	584, 585	Other diseases of liver	14	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	580, 582	Other diseases of digestive system	39	2	1	1	2	—	16	21	2	1	—	—	—	1	11	1	2	—	5	2	2	—	—	—	7	—	2	—	2	—
	583, 586	Acute nephritis	56	—	1	1	3	3	23	33	6	2	—	—	—	2	6	7	3	—	8	2	2	—	—	—	5	4	6	4	3	2
	536-539	Chronic, other and unspecified nephritis	68	2	1	4	3	2	18	43	6	1	—	—	—	5	7	3	6	—	1	—	—	—	—	—	8	2	3	4	4	—
	542, 544	Infections of kidney	59	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	545, 573	Calculi of urinary system	55	2	2	1	3	2	17	38	9	6	—	—	—	4	12	8	1	—	8	2	3	—	—	—	6	2	7	4	—	6
	578, 587	Hyperplasia of prostate	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 45. Causes of Death in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Burgh	Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	
Detailed List	Inter-mediate List "A"																																
113	620, 621	Diseases of breast	14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
114a	605, 606 601, 603, 607-609, 611-617, 622-637 640, 641, 681, 682, 684 642, 652, 685, 686 643, 644, 670 671, 672 650	Diseases of bladder	18	—	—	—	—	—	2	9	—	—	—	—	—	—	—	2	1	1	—	5	1	—	—	—	—	—	2	1	2	2	1
114b		Other diseases of genito-urinary system																															
115		Sepsis of pregnancy, childbirth, and the puerperium	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
116		Toxæmias of pregnancy and the puerperium	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
117a		Hamorrhage of pregnancy and childbirth	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
117b		Postpartum hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
118		Abortion without mention of sepsis or toxæmia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
119	651 645-648, 660, 673-680, 683, 687-689	Abortion with sepsis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
120		Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
121	690-698	Infections of skin and subcutaneous tissue	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
122	720-725	Arthritis and spondylitis	45	—	—	3	4	4	7	21	5	3	2	1	1	2	7	1	1	8	—	3	3	5	2	2	4	1	5	2	4	1	3
123	726, 727	Muscular rheumatism and rheumatism unspecified	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
124	730	Osteomyelitis and periostitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
125	737, 745-749 700-716, 731-736, 738-744	Ankylosis and acquired musculoskeletal deformities	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
126		All other diseases of skin and musculoskeletal system	12	1	1	—	—	—	1	12	2	—	—	—	—	—	—	1	1	—	—	2	—	—	—	2	—	—	2	1	4	—	—
127	751	<i>Congenital malformations and certain diseases of early infancy (Total 750-776)</i>	545	20	38	24	39	8	160	157	46	13	2	6	2	17	40	47	37	14	48	23	18	3	19	11	52	1	35	16	6	—	
128	754	Spina bifida and meningocele	35	2	2	—	1	—	8	6	5	2	—	—	—	—	—	1	4	4	2	6	2	1	1	1	2	—	4	1	—	—	
		Congenital malformations of circulatory system	48	1	3	1	8	—	23	19	7	—	—	—	—	—	1	3	3	3	6	1	—	1	1	1	7	1	4	—	—	—	
129	750, 752, 753, 755-759	All other congenital malformations	68	4	6	4	6	1	34	32	6	6	—	—	—	2	5	4	3	2	7	2	7	—	—	—	6	3	6	—	6	—	
130	760, 761	Birth injuries	89	6	3	5	4	2	21	14	5	—	1	2	—	7	9	19	3	2	9	3	2	—	—	—	3	3	8	—	3	5	—
131	762	Postnatal asphyxia and atelectasis	156	6	14	9	11	4	38	39	7	3	—	—	2	11	12	13	4	11	12	3	—	—	—	—	1	1	10	—	6	4	—
132a	763	Pneumonia of newborn	19	1	3	1	—	1	12	3	—	—	—	—	—	3	1	1	1	—	3	3	—	—	—	—	—	—	3	—	—	1	—

Table 45. Causes of Death in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Burgh	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
Detailed List	Inter-mediate List "A"																														
764	132b	Diarrhoea of newborn	6	—	1	—	—	—	2	1	1	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
765-768	132c	Other infections of newborn	1	—	—	—	—	—	2	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Haemolytic disease of newborn	19	—	2	—	2	—	6	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	22	—	—	1	2	—	5	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Unl-defined diseases peculiar to early infancy, and immaturity unqualified	82	—	4	3	5	—	11	32	14	2	1	3	—	8	6	9	4	2	2	7	4	—	6	3	14	—	7	4	1
794	136	Senility without mention of psychosis	51	1	3	2	11	1	33	14	3	3	—	—	—	3	17	5	2	1	10	23	9	5	1	1	7	9	1	4	4
780-793, 795	137	Unl-defined and unknown causes	106	2	5	—	—	—	21	10	3	1	—	—	2	—	3	14	3	—	5	—	—	3	1	2	7	3	—	—	—
E810-E835	138	Accidents, Poisonings and Violence (External Cause) (Total E800-E999)	604	7	22	21	37	7	171	298	66	39	2	9	9	21	47	52	48	7	68	28	23	9	18	65	10	50	14	9	2
E840-E845	139a	Motor vehicle accidents	148	1	5	8	12	1	62	51	13	9	—	—	3	2	4	15	4	6	1	19	4	5	2	6	20	2	8	1	—
E800-E802, E850-E866	139b	Other road vehicle accidents	4	—	—	—	—	—	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E895	140	Other transport accidents	11	—	3	2	1	—	5	3	2	13	—	—	—	—	4	3	2	—	1	6	—	—	—	2	1	—	4	—	1
E900-E904	141	Accidental poisoning	56	1	2	1	1	—	9	50	5	3	2	2	—	6	1	6	4	2	4	6	—	—	2	2	9	5	9	4	3
E912	142	Accidental falls	139	3	4	3	8	3	29	80	17	6	—	—	1	2	11	14	17	2	17	6	7	2	6	9	17	5	7	—	—
E916	143	Accident caused by machinery	2	1	—	1	1	—	2	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—
E917, E918	144	Accident caused by fire and explosion of combustible material	47	—	—	1	3	—	5	11	—	1	—	—	—	—	—	4	1	—	1	—	—	1	2	2	3	2	1	—	—
E919	145	Accident caused by hot substance, corrosive liquid, steam and radiation	3	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—
E920	146	Accident caused by firearm	23	—	—	—	1	—	10	5	6	2	—	—	—	—	4	7	2	2	6	5	1	—	—	—	3	—	—	—	—
E921, E922, E924, E925	147a	Accidental drowning and submersion	—	—	1	2	2	—	14	8	5	2	—	1	2	—	2	2	1	—	5	2	1	—	2	2	6	—	5	1	—
E910, E911, E913-E915, E920-E923, E926-E928, E930-E962, E963	147b	Accidental mechanical suffocation	36	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E970-E979	148	All other accidental causes	32	—	3	—	3	1	10	11	9	1	—	—	—	1	2	3	1	—	3	3	2	—	—	—	4	—	2	2	2
E964, E980-E985	149	Suicide and self-inflicted injury	91	—	2	3	3	1	21	71	9	2	—	1	1	3	6	7	6	—	12	2	3	4	1	2	8	—	9	1	—
E965, E990-E999	150	Homicide and injury purposely inflicted by other persons (not in war)	12	—	—	1	—	—	2	4	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—
		Injury resulting from operations of war	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960

International Classification		Causes of Death		ABERDEEN Co. of C. (inc. part in Kincardine Co.)													ABERDEEN COUNTY (excluding County of City)															
				All Ages	under 4 weeks w'ks--	1--	5--	10--	15--	25--	35--	45--	55--	65--	75--	85 and over	All Ages	under 4 weeks w'ks--	1--	5--	10--	15--	25--	35--	45--	55--	65--	75--	85 and over			
Detailed List	Abbreviated List "B"	ALL CAUSES	Both Sexes	2189	46	17	9	4	9	5	26	49	174	387	601	631	231	1584	32	6	7	17	20	38	100	224	370	523	228			
			Males	1060	32	10	4	3	5	4	16	22	101	239	286	263	65	792	24	8	4	3	11	13	23	55	131	198	335	91		
			Females	1129	14	7	5	1	1	10	27	73	148	305	368	166	785	8	4	2	4	6	7	15	45	93	172	188	137	137		
	001-008	Tuberculosis of respiratory system	M.	5	-	-	-	-	-	-	-	1	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	010-019	Tuberculosis, other forms	F.	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	020-029	Syphilis and its sequelæ	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	045-048	Dysentery, all forms	F.	5	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	056	Whooping cough	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	057	Meningococcal infections	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	080	Acute poliomyelitis	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	085	Measles	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
030-044, 049-055, 058-074, 081-084, 086-138	18	Malignant neoplasms . Total	M.	197	-	1	1	3	4	20	64	67	32	5	138	-	-	3	1	2	1	4	16	29	38	34	9	-	-	-	-	
	140-205	Malignant neoplasms of respiratory system	F.	205	-	-	-	-	12	30	39	66	42	14	136	-	-	-	-	-	-	4	6	18	34	39	12	-	-	-	-	-
	160-165	Malignant neoplasms of lymphatic and hematopoietic tissues	F.	12	-	-	-	-	1	1	1	3	26	8	1	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	200-205	Other malignant neoplasms	F.	18	-	1	1	2	3	7	30	39	24	4	107	-	-	-	1	1	1	3	11	18	29	31	2	-	-	-	-	-
	140-159, 170-199	Benign and unspecified neoplasms	F.	103	-	-	-	-	1	8	26	32	58	39	14	119	-	-	3	-	2	3	6	15	31	34	18	12	-	-	-	-
	210-239	Diabetes mellitus	F.	5	-	-	-	-	-	-	2	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	260	Anæmias	F.	8	-	-	-	-	-	-	1	4	9	-	2	11	6	-	-	-	-	-	1	1	1	2	4	1	-	-	-	-
	290-293	Other general diseases	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	240-254, 270-289, 294-299	Vascular lesions affecting central nervous system	F.	14	-	1	1	1	2	4	5	26	45	48	15	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	330-334	Non-meningococcal meningitis	F.	215	-	-	-	-	-	2	4	19	66	85	39	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Other diseases of nervous system	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
300-326, 341-398	Rheumatic fever	F.	21	-	2	1	-	3	1	3	3	3	6	14	3	11	-	-	1	-	1	1	2	3	2	2	1	-	-	-	-	-
400-402	Chronic rheumatic heart disease	F.	33	-	-	-	-	-	2	1	5	6	14	3	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-416	Arteriosclerotic and degenerative heart disease	F.	9	-	-	-	-	-	1	2	6	3	-	2	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-422	Other diseases of heart.	F.	21	-	1	3	39	78	103	94	23	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Hypertensive heart disease	F.	342	-	1	4	11	37	99	121	64	247	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Other hypertensive disease	F.	333	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Other hypertensive disease	F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)																																

430-468	469-500	501-532	533-564	565-596	597-628	629-660	661-692	693-724	725-756	757-788	789-820	821-852	853-884	885-916	917-948	949-980	981-1012	1013-1044	1045-1076	1077-1108	1109-1140	1141-1172	1173-1204	1205-1236	1237-1268	1269-1300	1301-1332	1333-1364	1365-1396	1397-1428	1429-1460	1461-1492	1493-1524	1525-1556	1557-1588	1589-1620	1621-1652	1653-1684	1685-1716	1717-1748	1749-1780	1781-1812	1813-1844	1845-1876	1877-1908	1909-1940	1941-1972	1973-2004	2005-2036	2037-2068	2069-2100	2101-2132	2133-2164	2165-2196	2197-2228	2229-2260	2261-2292	2293-2324	2325-2356	2357-2388	2389-2420	2421-2452	2453-2484	2485-2516	2517-2548	2549-2580	2581-2612	2613-2644	2645-2676	2677-2708	2709-2740	2741-2772	2773-2804	2805-2836	2837-2868	2869-2900	2901-2932	2933-2964	2965-2996	2997-3028	3029-3060	3061-3092	3093-3124	3125-3156	3157-3188	3189-3220	3221-3252	3253-3284	3285-3316	3317-3348	3349-3380	3381-3412	3413-3444	3445-3476	3477-3508	3509-3540	3541-3572	3573-3604	3605-3636	3637-3668	3669-3700	3701-3732	3733-3764	3765-3796	3797-3828	3829-3860	3861-3892	3893-3924	3925-3956	3957-3988	3989-4020	4021-4052	4053-4084	4085-4116	4117-4148	4149-4180	4181-4212	4213-4244	4245-4276	4277-4308	4309-4340	4341-4372	4373-4404	4405-4436	4437-4468	4469-4500	4501-4532	4533-4564	4565-4596	4597-4628	4629-4660	4661-4692	4693-4724	4725-4756	4757-4788	4789-4820	4821-4852	4853-4884	4885-4916	4917-4948	4949-4980	4981-5012	5013-5044	5045-5076	5077-5108	5109-5140	5141-5172	5173-5204	5205-5236	5237-5268	5269-5300	5301-5332	5333-5364	5365-5396	5397-5428	5429-5460	5461-5492	5493-5524	5525-5556	5557-5588	5589-5620	5621-5652	5653-5684	5685-5716	5717-5748	5749-5780	5781-5812	5813-5844	5845-5876	5877-5908	5909-5940	5941-5972	5973-6004	6005-6036	6037-6068	6069-6100	6101-6132	6133-6164	6165-6196	6197-6228	6229-6260	6261-6292	6293-6324	6325-6356	6357-6388	6389-6420	6421-6452	6453-6484	6485-6516	6517-6548	6549-6580	6581-6612	6613-6644	6645-6676	6677-6708	6709-6740	6741-6772	6773-6804	6805-6836	6837-6868	6869-6900	6901-6932	6933-6964	6965-6996	6997-7028	7029-7060	7061-7092	7093-7124	7125-7156	7157-7188	7189-7220	7221-7252	7253-7284	7285-7316	7317-7348	7349-7380	7381-7412	7413-7444	7445-7476	7477-7508	7509-7540	7541-7572	7573-7604	7605-7636	7637-7668	7669-7700	7701-7732	7733-7764	7765-7796	7797-7828	7829-7860	7861-7892	7893-7924	7925-7956	7957-7988	7989-8020	8021-8052	8053-8084	8085-8116	8117-8148	8149-8180	8181-8212	8213-8244	8245-8276	8277-8308	8309-8340	8341-8372	8373-8404	8405-8436	8437-8468	8469-8500	8501-8532	8533-8564	8565-8596	8597-8628	8629-8660	8661-8692	8693-8724	8725-8756	8757-8788	8789-8820	8821-8852	8853-8884	8885-8916	8917-8948	8949-8980	8981-9012	9013-9044	9045-9076	9077-9108	9109-9140	9141-9172	9173-9204	9205-9236	9237-9268	9269-9300	9301-9332	9333-9364	9365-9396	9397-9428	9429-9460	9461-9492	9493-9524	9525-9556	9557-9588	9589-9620	9621-9652	9653-9684	9685-9716	9717-9748	9749-9780	9781-9812	9813-9844	9845-9876	9877-9908	9909-9940	9941-9972	9973-10004	10005-10036	10037-10068	10069-10100	10101-10132	10133-10164	10165-10196	10197-10228	10229-10260	10261-10292	10293-10324	10325-10356	10357-10388	10389-10420	10421-10452	10453-10484	10485-10516	10517-10548	10549-10580	10581-10612	10613-10644	10645-10676	10677-10708	10709-10740	10741-10772	10773-10804	10805-10836	10837-10868	10869-10900	10901-10932	10933-10964	10965-10996	10997-11028	11029-11060	11061-11092	11093-11124	11125-11156	11157-11188	11189-11220	11221-11252	11253-11284	11285-11316	11317-11348	11349-11380	11381-11412	11413-11444	11445-11476	11477-11508	11509-11540	11541-11572	11573-11604	11605-11636	11637-11668	11669-11700	11701-11732	11733-11764	11765-11796	11797-11828	11829-11860	11861-11892	11893-11924	11925-11956	11957-11988	11989-12020	12021-12052	12053-12084	12085-12116	12117-12148	12149-12180	12181-12212	12213-12244	12245-12276	12277-12308	12309-12340	12341-12372	12373-12404	12405-12436	12437-12468	12469-12500	12501-12532	12533-12564	12565-12596	12597-12628	12629-12660	12661-12692	12693-12724	12725-12756	12757-12788	12789-12820	12821-12852	12853-12884	12885-12916	12917-12948	12949-12980	12981-13012	13013-13044	13045-13076	13077-13108	13109-13140	13141-13172	13173-13204	13205-13236	13237-13268	13269-13300	13301-13332	13333-13364	13365-13396	13397-13428	13429-13460	13461-13492	13493-13524	13525-13556	13557-13588	13589-13620	13621-13652	13653-13684	13685-13716	13717-13748	13749-13780	13781-13812	13813-13844	13845-13876	13877-13908	13909-13940	13941-13972	13973-14004	14005-14036	14037-14068	14069-14100	14101-14132	14133-14164	14165-14196	14197-14228	14229-14260	14261-14292	14293-14324	14325-14356	14357-14388	14389-14420	14421-14452	14453-14484	14485-14516	14517-14548	14549-14580	14581-14612	14613-14644	14645-14676	14677-14708	14709-14740	14741-14772	14773-14804	14805-14836	14837-14868	14869-14900	14901-14932	14933-14964	14965-14996	14997-15028	15029-15060	15061-15092	15093-15124	15125-15156	15157-15188	15189-15220	15221-15252	15253-15284	15285-15316	15317-15348	15349-15380	15381-15412	15413-15444	15445-15476	15477-15508	15509-15540	15541-15572	15573-15604	15605-15636	15637-15668	15669-15700	15701-15732	15733-15764	15765-15796	15797-15828	15829-15860	15861-15892	15893-15924	15925-15956	15957-15988	15989-16020	16021-16052	16053-16084	16085-16116	16117-16148	16149-16180	16181-16212	16213-16244	16245-16276	16277-16308	16309-16340	16341-16372	16373-16404	16405-16436	16437-16468	16469-16500	16501-16532	16533-16564	16565-16596	16597-16628	16629-16660	16661-16692	16693-16724	16725-16756	16757-16788	16789-16820	16821-16852	16853-16884	16885-16916	16917-16948	16949-16980	16981-17012	17013-17044	17045-17076	17077-17108	17109-17140	17141-17172	17173-17204	17205-17236	17237-17268	17269-17300	17301-17332	17333-17364	17365-17396	17397-17428	17429-17460	17461-17492	17493-17524	17525-17556	17557-17588	17589-17620	17621-17652	17653-17684	17685-17716	17717-17748	17749-17780	17781-17812	17813-17844	17845-17876	17877-17908	17909-17940	17941-17972	17973-18004	18005-18036	18037-18068	18069-18100	18101-18132	18133-18164	18165-18196	18197-18228	18229-18260	18261-18292	18293-18324	18325-18356	18357-18388	18389-18420	18421-18452	18453-18484	18485-18516	18517-18548	18549-18580	18581-18612	18613-18644	18645-18676	18677-18708	18709-18740	18741-18772	18773-18804	18805-18836	18837-18868	18869-18900	18901-18932	18933-18964	18965-18996	18997-19028	19029-19060	19061-19092	19093-19124	19125-19156	19157-19188	19189-19220	19221-19252	19253-19284	19285-19316	19317-19348	19349-19380	19381-19412	19413-19444	19445-19476	19477-19508	19509-19540	19541-19572	19573-19604	19605-19636	19637-19668	19669-19700	19701-19732	19733-19764	19765-19796	19797-19828	19829-19860	19861-19892	19893-19924	19925-19956	19957-19988	19989-20020	20021-20052	20053-20084	20085-20116	20117-20148	20149-20180	20181-20212	20213-20244	20245-20276	20277-20308	20309-20340	20341-20372	20373-20404	20405-20436	20437-20468	20469-20500	20501-20532	20533-20564	20565-20596	20597-20628	20629-20660	20661-20692	20693-20724	20725-20756	20757-20788	20789-20820	20821-20852	20853-20884	20885-20916	20917-20948	20949-20980	20981-21012	21013-21044	21045-21076	21077-21108	21109-21140	21141-21172	21173-21204	21205-21236	21237-21268	21269-21300	21301-21332	21333-21364	21365-21396	21397-21428	21429-21460	21461-21492	21493-21524	21525-21556	21557-21588	21589-21620	21621-21652	21653-21684	21685-21716	21717-21748	21749-21780	21781-21812	21813-21844	21845-21876	21877-21908	21909-21940	21941-21972	21973-22004	22005-22036	22037-22068	22069-22100	22101-22132	22133-22164	22165-22196	22197-22228	22229-22260	22261-22292	22293-22324	22325-22356	22357-22388	22389-22420	22421-22452	22453-22484	22485-22516	22517-22548	22549-22580	22581-22612	22613-22644	22645-22676	22677-22708	22709-22740	22741-22772	22773-22804	22805-22836	22837-22868	22869-22900	22901-22932	22933-22964	22965-22996	22997-23028	23029-23060	23061-23092	23093-23124	23125-23156	23157-23188	23189-23220	23221-23252	23253-23284	23285-23316	23317-23348	23349-23380	23381-23412	23413-23444	23445-23476	23477-23508	23509-23540	23541-23572	23573-23604	23605-23636	23637-23668	23669-23700	23701-23732	23733-23764	23765-23796	23797-23828	23829-23860	23861-23892	23893-23924	23925-23956	23957-23988	23989-24020	24021-24052	24053-24084	24085-24116	24117-24148	24149-24180	24181-24212	24213-24244	24245-24276	24277-24308	24309-24340	24341-24372	24373-24404	24405-24436	24437-24468	24469-24500	24501-24532	24533-24564	24565-24596	24597-24628	24629-24660	24661-24692	24693-24724	24725-24756	24757-24788	24789-24820	24821-24852	24853-24884	24885-24916	24917-24948	24949-24980	24981-25012	25013-25044	25045-25076	25077-25108	25109-25140	25141-25172	25173-25204	25205-25236	25237-25268	25269-25300	25301-25332	25333-25364	25365-25396	25397-25428	25429-25460	25461-25492	25493-25524	25525-25556	25557-25588	25589-25620	25621-25652	25653-25684	25685-25716	25717-25748	25749-25780	25781-25812	25813-25844	25845-25876	25877-25908	25909-25940	25941-25972	25973-26004	26005-26036	26037-26068	26069-26100	26101-26132	26133-26164	26165-26196	26197-26228	26229-26260	26261-26292	26293-26324	26325-26356	26357-26388	26389-264
---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-----------

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960

[illegible]

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	ANGUS COUNTY (ex. Co. of City and Large Burgh)													ARGYLL COUNTY														
			All Ages	under 4 weeks	4 wks-1 yr	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over	85 and over	All Ages	under 4 weeks	4 wks-1 yr	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	983	16	5	5	4	6	15	12	24	68	138	257	308	125	874	27	10	1	3	—	7	8	19	53	115	236	272	123
		Males	498	11	2	2	1	5	14	7	13	37	81	132	142	51	438	11	5	1	—	—	4	6	10	34	75	119	118	55
		Females	485	5	3	4	—	—	—	—	—	—	—	—	—	—	—	16	5	—	3	—	3	2	9	19	40	117	154	68
001-008	1	Tuberculosis of respiratory system	M.	4	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
		F.	3	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms . Total	M.	98	—	—	—	2	1	5	10	25	27	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	87	—	—	—	—	1	1	5	9	14	29	23	6	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165	—	Malignant neoplasms of respiratory system	M.	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199	—	Other malignant neoplasms	M.	71	—	—	—	1	4	5	18	17	24	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	75	—	—	—	—	5	7	11	27	19	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239	19	Benign and unspecified neoplasms	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	M.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293	21	Anæmias	M.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299, 330-334	46.0	Other general diseases	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	64	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	22	Vascular lesions affecting central nervous system	M.	97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340	23	Non-meningococcal meningitis	M.	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	24	Rheumatic fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	M.	170	—	—	—	2	3	9	28	49	55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	149	—	—	—	—	5	5	9	40	63	31	143	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434	27	Other diseases of heart.	M.	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443	28	Hypertensive heart disease	M.	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification	Detailed List	Causes of Death	AYR BURGH													KILMARNOCK BURGH													
			under 4 weeks		1—	5—	10—	15—	25—	35—	45—	55—	65—	75— and over	85 and over	under 4 weeks		1—	5—	10—	15—	25—	35—	45—	55—	65—	75— and over	85 and over	
			All Ages																										
	Abbreviated List 'B'	ALL CAUSES—Both Sexes	582	9	2	3	2	8	3	12	40	93	155	171	67	527	21	7	1	3	2	5	9	14	37	98	132	153	45
		Males	291	4	4	3	2	7	2	4	30	60	83	70	14	265	12	5	1	1	4	3	8	20	64	73	59	15	45
		Females	291	5	2	1	1	1	1	8	10	33	72	101	53	262	9	2	1	2	1	1	6	17	34	59	94	30	30
	001-008	Tuberculosis of respiratory system	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	010-019	Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	020-029	Syphilis and its sequelae	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	045-048	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	056	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	057	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	080	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	085	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	030-044, 049-055, 058-074, 081-084, 086-138	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-205	Malignant neoplasms Total	55	—	1	1	—	—	—	—	5	17	16	12	3	48	—	—	—	—	—	—	—	—	—	—	—	—	—
	160-165	Malignant neoplasms of respiratory system	47	—	—	—	—	—	—	—	3	5	8	16	12	3	45	—	1	—	—	—	—	—	—	—	—	—	—
	200-205	Malignant neoplasms of lymphatic and hematopoietic tissues	4	—	—	—	—	—	—	—	2	2	2	2	—	19	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-159, 170-199	Other malignant neoplasms	29	—	—	1	—	—	—	—	—	1	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	210-239	Benign and unspecified neoplasms	43	—	—	—	—	—	—	—	3	8	6	8	3	27	—	—	—	—	—	—	—	—	—	—	—	—	—
	260	Diabetes mellitus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	290-293	Anemias	3	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—
	240-254, 270-289, 294-299	Other general diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	330-334	Vascular lesions affecting central nervous system	36	—	—	—	—	—	—	—	2	5	14	14	1	39	—	—	—	—	—	—	—	—	—	—	—	—	—
	340	Non-meningococcal meningitis	60	—	—	—	1	—	—	2	2	5	11	27	12	54	—	—	—	—	—	—	—	—	—	—	—	—	—
	300-326, 341-398	Other diseases of nervous system	1	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—
	400-402	Rheumatic fever	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	410-416	Chronic rheumatic heart disease	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	420-422	Arteriosclerotic and degenerative heart disease	97	—	—	—	—	—	—	—	2	13	27	26	24	5	70	—	—	—	—	—	—	—	—	—	—	—	—
	430-434	Other diseases of heart	108	—	—	—	—	—	—	—	—	—	—	—	—	27	—	—	—	—	—	—	—	—	—	—	—	—	—
	440-443	Hypertensive heart disease	7	—	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—
	444-447	Other hypertensive disease	3	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification	Detailed List	Causes of Death	AYR COUNTY (excluding Large Burghs)										BANFF COUNTY												
			All Ages	under 4 weeks	4 wks-1 yr	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over										
			2964 1540 1424	86 48 38	21 11 11	11 8 3	9 7 2	28 18 10	29 19 10	31 26 35	248 156 92	312 204 196	316 371 386	238 113 185	85 and over										
Abbreviated List "B"	001-008	ALL CAUSES—Both Sexes Males Females	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	010-019		5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	020-029		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	045-048		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	056		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	057		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	080		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	085		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	030-044, 049-055, 058-074, 081-084, 086-138		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-205		6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199	18	Malignant neoplasms . . . Total Malignant neoplasms of respiratory system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affecting central nervous system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease	238	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—		252	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—		74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—		10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—		16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—		14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—		148	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—		228	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	19		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	210-239		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299, 330-334	20	Malignant neoplasms . . . Total Malignant neoplasms of respiratory system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affecting central nervous system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	21		22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	46.0		8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	22		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	23		266	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	340		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	300-326, 341-398		16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	400-402		18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	410-416		12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	420-422		28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434 440-443 444-447	26	Malignant neoplasms . . . Total Malignant neoplasms of respiratory system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affecting central nervous system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease	525	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	27		436	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	28		31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	29		44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

[illegible]

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued.

International Classification		Causes of Death	BERWICK COUNTY													BUTE COUNTY												
			All Ages	under 4 weeks	1-4 wks	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 weeks	1-4 wks	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over		
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	326	3	2	2	3	3	6	18	45	77	120	289	2	2	2	—	1	3	4	10	39	94	103	31		
		Males	161	—	—	—	3	3	12	26	42	49	20	125	1	—	—	—	1	1	2	7	19	46	38	8		
		Females	165	3	2	2	—	—	3	6	19	35	71	164	1	—	—	—	—	—	2	3	20	48	65	23		
001-008	1	Tuberculosis of respiratory system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—		
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—		
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
030-044, 049-055 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	18	Malignant neoplasms Total	25	—	1	—	2	1	2	1	5	9	7	1	17	—	—	—	—	1	1	2	5	6	4	2		
140-205	—	Malignant neoplasms of respiratory system	25	—	1	—	1	3	4	5	10	10	1	29	—	—	—	—	—	1	1	1	8	11	6	2		
160-165	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	6	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
200-205	—	Other malignant neoplasms	2	—	1	—	1	1	2	8	4	4	1	11	—	—	—	—	1	1	1	2	7	10	4	2		
140-159, 170-199	—	Benign and unspecified neoplasms	17	—	—	—	1	1	3	4	5	10	1	26	—	—	—	—	—	—	—	1	4	7	10	2		
210-239	19	Diabetes mellitus	24	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
260	20	Anæmias	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
290-293	21	Other general diseases	3	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—		
240-254, 270-289, 294-299 330-334	46.0	Vascular lesions affecting central nervous system	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
	22	Non-meningococcal meningitis	28	—	—	—	—	—	—	—	—	—	—	40	—	—	—	—	—	—	—	—	—	—	—	—		
340	23	Other diseases of nervous system	40	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
300-326, 341-398	46.1	Rheumatic fever	3	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—		
400-402	24	Chronic rheumatic heart disease	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
410-416	25	Arteriosclerotic and degenerative heart disease	53	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—		
420-422	26	Other diseases of heart	51	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—		
430-434	27	Hypertensive heart disease	3	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—		
440-443	28	Other hæmatopoietic diseases	5	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
444-447	29	Other hæmatopoietic diseases	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
 *Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	CAITHNESS COUNTY													BLACKMANNAN COUNTY												
			All Ages	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All Ages	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	287	2	3	6	—	2	2	4	10	17	55	52	99	35	438	3	1	2	8	6	13	39	82	103	124	36
		Males	148	2	2	4	—	2	2	4	9	34	29	42	17	216	7	2	1	2	6	5	19	52	48	52	12	
		Females	139	—	1	2	—	1	—	2	6	8	21	23	57	18	222	2	1	—	—	8	20	30	55	72	24	
001-008	1	Tuberculosis of respiratory system	M.	2	—	—	—	—	—	—	1	1	—	—	—	—	3	—	—	—	1	—	—	—	—	2	—	—
010-019	2	Tuberculosis, other forms	F. M.	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms . Total	M. 23	—	—	—	—	—	—	—	4	10	4	3	9	2	35	—	—	—	1	—	—	—	—	—	—	—
160-165	—	Malignant neoplasms of respiratory system	F. M. 8	—	—	—	—	—	—	2	2	3	1	1	—	12	33	—	—	—	—	2	6	8	6	9	2	—
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	F. M. 1	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	1	1	—	—	—
140-159, 170-199	—	Other malignant neoplasms	F. M. 14	—	—	—	—	—	—	—	2	7	3	9	—	21	—	—	—	—	—	—	3	6	8	4	—	—
210-239	19	Benign and unspecified neoplasms	F. M. 23	—	—	—	—	—	—	—	—	—	—	—	—	29	—	—	—	—	—	—	2	5	7	5	9	1
260	20	Diabetes mellitus	F. M. 1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
290-293	21	Anæmias	F. M. 1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.0	Other general diseases	F. M. 1	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	F. M. 18	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
340	23	Non-meningococcal meningitis	F. M. 17	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	F. M. 3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
400-402	24	Rheumatic fever	F. M. 3	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	F. M. 1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	F. M. 53	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—
430-434	27	Other diseases of heart	F. M. 50	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
440-443	28	Hypertensive heart disease	F. M. 5	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
444-447	29	Other hypertensive disease	F. M. 1	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	DUMFRIES BURGH										DUMFRIES COUNTY (excluding Large Burghs)															
Detailed List	Abbreviated List "B"		All Ages	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	All Ages	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over		
		ALL CAUSES—Both Sexes	356	13	2	1	1	1	1	1	1	1	1	1	709	16	13	1	2	2	5	13	24	52	108	192	205	76
		Males	167	6	1	1	1	1	1	1	1	1	1	1	348	6	7	1	2	4	9	15	30	64	92	92	26	26
		Females	189	7	1	1	1	1	1	1	1	1	1	1	361	10	6	1	1	1	4	9	22	44	100	113	50	50
		Tuberculosis of respiratory system	M.	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	001-008	Tuberculosis, other forms	M.	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	010-019	Syphilis and its sequelæ	M.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	020-029	Dysentery, all forms	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	045-048	Whooping cough	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	056	Meningococcal infections	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	057	Acute poliomyelitis	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	080	Measles	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	085	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	030-044, 049-055, 058-074, 081-084, 086-138	Malignant neoplasms . Total	31	31	1	1	1	1	1	1	1	1	1	1	49	1	2	1	1	1	3	2	7	13	13	9	2	1
	140-205	Malignant neoplasms of respiratory system	M.	31	1	1	1	1	1	1	1	1	1	1	32	1	1	1	1	1	1	1	4	7	6	1	1	1
	160-165	Malignant neoplasms of lymphatic and hematopoietic tissues	M.	18	1	1	1	1	1	1	1	1	1	1	16	1	1	1	1	1	1	1	1	1	1	1	1	1
	200-205	Other malignant neoplasms	M.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	140-159, 170-199	Benign and unspecified neoplasms	M.	13	1	1	1	1	1	1	1	1	1	1	28	1	1	1	1	1	1	1	1	1	1	1	1	1
	210-239	Diabetes mellitus	M.	31	1	1	1	1	1	1	1	1	1	1	50	1	1	1	1	1	1	1	1	1	1	1	1	1
	260	Anæmias	M.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	290-293	Other general diseases	M.	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	240-254, 270-289, 294-299	Vascular lesions affecting central nervous system	M.	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	330-334	Non-meningococcal meningitis	M.	21	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
	340	Other diseases of nervous system	M.	35	1	1	1	1	1	1	1	1	1	1	72	3	1	1	1	1	1	1	1	1	1	1	1	1
	300-326, 341-398	Rheumatic fever	M.	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	400-402	Chronic rheumatic heart disease	M.	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	410-416	Arteriosclerotic and degenerative heart disease	M.	58	2	2	2	2	2	2	2	2	2	2	6	1	1	1	1	1	1	1	1	1	1	1	1	1
	420-422	Other diseases of heart.	M.	60	1	1	1	1	1	1	1	1	1	1	11	1	1	1	1	1	1	1	1	1	1	1	1	1
	430-434	Hypertensive heart disease	M.	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	440-443	Other hypertensive diseases	M.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	444-447		M.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

40.2	Outer circulatory disease	F.	M.	5	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
480-483	Influenza	F.	M.	5	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
490-493	Pneumonia (except of newborn)	F.	M.	14	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
500-502	Bronchitis	F.	M.	4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
510-527	Other respiratory diseases	F.	M.	2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
540, 541	Ulcer of stomach and duodenum	F.	M.	6	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
550-553	Appendicitis	F.	M.	2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
560, 561, 570	Intestinal obstruction and hernia	F.	M.	3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
543	Gastritis and duodenitis	F.	M.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
571, 572	Diarrhea (except of newborn)	F.	M.	2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
581	Cirrhosis of liver	F.	M.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
580, 582-586	Other diseases of liver	F.	M.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
530-539, 542, 544, 545, 573-578, 587	Other digestive diseases	F.	M.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
590-594	Nephritis and nephrosis	F.	M.	2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
610	Hyperplasia of prostate	F.	M.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
600-609, 611-637	Other diseases of genito-urinary system	F.	M.	2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
640, 641, 651, 681, 682, 684	Puerperal sepsis including abortion with sepsis	F.	M.	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69																															

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification	Detailed List	Causes of Death	CLYDEBANK BURGH										DUMBARTON BURGH																	
			All Ages	under 4 weeks	4 wks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	All Ages	under 4 weeks	4 wks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over
Abbreviated List "B"	ALL CAUSES—Both Sexes	Males	507	19	12	2	2	2	2	7	28	48	93	143	114	36	285	9	3	2	1	—	—	—	—	—	—	—	—	—
	Females	Females	274	13	7	1	1	1	1	4	11	19	32	68	65	20	158	7	5	2	1	—	—	—	—	—	—	—	—	—
	001-008	Tuberculosis of respiratory system	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	010-019	Tuberculosis, other forms	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	020-029	Syphilis and its sequelæ	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	045-048	Dysentery, all forms	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	056	Whooping cough	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	057	Meningococcal infections	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	080	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	085	Measles	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	030-044, 049-055, 058-074, 081-084, 086-138	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-205	Malignant neoplasms . Total	M.	60	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	160-165	Malignant neoplasms of respiratory system	F.	43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	200-205	Malignant neoplasms of lymphatic system and hematopoietic tissues	M.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-159, 170-199	Other malignant neoplasms	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	210-239	Benign and unspecified neoplasms	M.	36	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	260	Diabetes mellitus	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	290-293	Anæmias	M.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	240-254, 270-289, 294-299, 330-334	Other general diseases .	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	340	Vascular lesions affecting central nervous system .	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	300-326, 341-398	Non-meningococcal meningitis	F.	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	400-402	Other diseases of nervous system	M.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	410-416	Rheumatic fever	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	420-422	Chronic rheumatic heart disease	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	430-434	Arteriosclerotic and degenerative heart disease	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	440-443	Other diseases of heart.	M.	85	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Hypertensive heart disease	F.	69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification			Causes of Death			DUNBARTON COUNTY (excluding Large Burghs)										EAST LOTHIAN COUNTY																	
						All Ages	under 4 weeks w'ks-	4	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 weeks w'ks-	4	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
Detailed List	Abbreviated List "B"	001-008	ALL CAUSES—Both Sexes	1217	35	8	10	2	4	11	35	92	204	299	385	421	677	17	4	2	2	4	5	21	48	103	184	211	76				
		010-019	Males	540	22	6	10	2	3	6	19	61	114	173	182	204	241	6	2	2	1	3	5	11	31	53	87	101	31				
		020-029	Females	577	13	3	4	1	1	5	5	16	51	90	126	253	79	356	11	2	1	1	—	4	10	17	50	87	110	45			
		045-048	Tuberculosis of respiratory system								1	—	—	2	3	—	—	3				1	—	—	—	—	—	—	—	1			
		056	Tuberculosis, other forms								2	—	1	—	—	—	—	1				—	—	—	—	—	—	—	1				
		057	Syphilis and its sequelæ								—	—	—	—	—	—	—	2				—	—	—	—	1	—	—	—	—			
		06	Syphilis and its sequelæ								—	—	—	—	—	—	—	1				—	—	—	—	—	—	—	—	—			
		9	Dysentery, all forms								—	—	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—			
		10	Whooping cough								—	—	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—	—		
		12	Meningococcal infections								—	—	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—	—		
14	Acute poliomyelitis								—	—	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—	—				
17	Measles								—	—	—	—	—	—	—	—	2			—	—	—	—	—	—	—	—	—	—				
030-044, 049-055, 058-074, 081-084, 086-138	18	140-205	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*			1	—	—	—	—	—	—	—	—	—	—	—	2			1	—	—	—	—	—	—	—	—	—			
		160-165	Malignant neoplasms . Total	129	1	1	1	1	2	4	15	26	45	31	—	—	—	59			—	—	—	—	—	—	—	—	—	—			
		200-205	Malignant neoplasms of respiratory system	96					5	13	25	25	19	9	—	—	—	53			—	—	—	—	—	—	—	—	—	—	—		
		140-159, 170-199	Malignant neoplasms of lymphatic and hamatopoietic tissues	41					2	8	11	13	4	—	—	—	—	17			—	—	—	—	—	—	—	—	—	—	—		
		210-239	Other malignant neoplasms	8				1	—	—	—	—	—	—	—	—	—	5			—	—	—	—	—	—	—	—	—	—	—		
		260	Benign and unspecified neoplasms	5				—	—	—	2	7	11	31	26	—	—	22			—	—	—	—	—	—	—	—	—	—	—		
		290-293	Diabetes mellitus	83				—	—	—	2	2	8	24	20	19	9	46			—	—	—	—	—	—	—	—	—	—	—	—	
		240-254, 270-289, 294-299	Anemias	82				—	—	—	—	—	—	—	—	—	—	2			—	—	—	—	—	—	—	—	—	—	—	—	
		330-334	Other general diseases	1				—	—	—	—	—	—	—	—	—	—	1			—	—	—	—	—	—	—	—	—	—	—	—	
		340	Vascular lesions affecting central nervous system	2				—	—	—	—	—	—	—	—	—	—	3			—	—	—	—	—	—	—	—	—	—	—	—	
300-326, 341-398	46.0	400-402	Non-meningococcal meningitis	86				—	—	—	—	—	—	—	—	—	8			—	—	—	—	—	—	—	—	—	—	—	—		
		410-416	Other diseases of nervous system	91				1	1	1	1	3	—	—	—	—	12			—	—	—	—	—	—	—	—	—	—	—	—		
		420-422	Rheumatic fever	5				—	—	—	—	—	—	—	—	—	—	4			—	—	—	—	—	—	—	—	—	—	—	—	
		430-434	Chronic rheumatic heart disease	14				—	—	—	—	—	—	—	—	—	—	1			—	—	—	—	—	—	—	—	—	—	—	—	
		440-443	Arteriosclerotic and degenerative heart disease	224				1	5	27	48	65	60	18	90	—	—	2			—	—	—	—	—	—	—	—	—	—	—	—	
		450-454	Other diseases of heart	182				—	—	—	—	—	—	—	—	—	—	93			—	—	—	—	—	—	—	—	—	—	—	—	
		460-464	Hypertensive heart disease	8				—	—	—	—	—	—	—	—	—	—	5			—	—	—	—	—	—	—	—	—	—	—	—	
		470-474	Other diseases of heart	12				—	—	—	—	—	—	—	—	—	—	7			—	—	—	—	—	—	—	—	—	—	—	—	
		480-484	Hypertensive heart disease	10				—	—	—	—	—	—	—	—	—	—	4			—	—	—	—	—	—	—	—	—	—	—	—	—
		490-494	Other diseases of heart	19				—	—	—	—	—	—	—	—	—	—	13			—	—	—	—	—	—	—	—	—	—	—	—	—

450-463	46.2	Other circulatory disease	F.	M.	23	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
480-483	30	Influenza	F.	M.	23	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
490-493	31	Pneumonia (except of newborn)	F.	M.	27	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
500-502	32	Bronchitis	F.	M.	22	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
470-475, 510-527	46.3	Other respiratory diseases	F.	M.	14	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
540, 541	33	Ulcer of stomach and duodenum	F.	M.	7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
550-553	34	Appendicitis	F.	M.	4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
560, 561, 570	35	Intestinal obstruction and hernia	F.	M.	3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
550-553	36	Intestinal obstruction and hernia	F.	M.	3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
543	36.0	Gastritis and duodenitis	F.	M.	3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
571, 572	36.1	Diarrhoea (except of newborn)	F.	M.	4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
581	37	Cirrhosis of liver	F.	M.	4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
580, 582-586	46.4	Other diseases of liver	F.	M.	4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	F.	M.	3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
590-594	38	Nephritis and nephrosis	F.	M.	3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
610	39	Hyperplasia of prostate	F.	M.	6	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
600-609, 611-637	46.6	Other diseases of genito-urinary system	F.	M.	5	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52																																																

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification	Detailed List	Causes of Death	DUNFERMLINE BURGH													KIRKCALDY BURGH												
			All Ages	under 4 weeks	4 w'ks	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 weeks	4 w'ks	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over
Abbreviated List "B"		ALL CAUSES—Both Sexes	540	14	7	1	2	—	9	3	3	9	41	105	152	143	54	—	—	—	—	—	—	—	—	—	—	—
		Males	276	9	3	1	1	—	6	2	3	6	23	69	88	55	14	—	—	—	—	—	—	—	—	—	—	—
		Females	264	5	4	1	1	—	3	2	3	18	36	64	88	40	—	—	—	—	—	—	—	—	—	—	—	—
1	001-008	Tuberculosis of respiratory system	M.	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	010-019	Tuberculosis, other forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	020-029	Syphilis and its sequelæ	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	045-048	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	056	Whooping cough	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	057	Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	080	Acute poliomyelitis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	085	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	030-044, 049-055, 058-074, 081-084, 086-138	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	140-205	Malignant neoplasms . Total	M.	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165		Malignant neoplasms of respiratory system	F.	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205		Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199		Other malignant neoplasms	F.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239		Benign and unspecified neoplasms	M.	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260		Diabetes mellitus	F.	38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293		Anæmias	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299, 330-334		Other general diseases .	F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340		Vascular lesions affecting central nervous system .	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398		Non-meningococcal meningitis	F.	48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402		Other diseases of nervous system	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416		Rheumatic fever	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422		Chronic rheumatic heart disease	M.	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434		Arteriosclerotic and degenerative heart disease	F.	90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443		Other diseases of heart.	M.	78	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
444-447		Hypertensive heart disease	F.	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification	Detailed List	Causes of Death	FIFE COUNTY (excluding large burghs)										INVERNESS BURGH									
			FIFE COUNTY (excluding large burghs)										INVERNESS BURGH									
			All Ages	under 4	4-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	All Ages	under 4	4-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
	Abbreviated List "B"		2527	84	34	10	8	5	23	24	71	182	392	670	743	276	346	3	2	1	1	1
		ALL CAUSES—Both Sexes	1316	44	18	5	4	3	13	18	36	101	243	357	367	197	165	2	1	1	1	1
		Males	1211	40	16	5	4	2	10	6	35	81	149	313	381	169	181	1	1	1	1	1
		Females																				
001-008	1	Tuberculosis of respiratory system	4									1	1	1	1	1	1	1	1	1	1	1
		M.																				
		F.																				
010-019	2	Tuberculosis, other forms	2									1	1	1	1	1	1	1	1	1	1	1
		M.																				
		F.																				
020-029	3	Syphilis and its sequelae	1									1	1	1	1	1	1	1	1	1	1	1
		M.																				
		F.																				
045-048	6	Dysentery, all forms																				
		M.																				
		F.																				
056	9	Whooping cough																				
		M.																				
		F.																				
057	10	Meningococcal infections																				
		M.																				
		F.																				
080	12	Acute poliomyelitis																				
		M.																				
		F.																				
085	14	Measles																				
		M.																				
		F.																				
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	3									2	2	2	2	2	2	2	2	2	2	2
		M.																				
		F.																				
140-205	18	Malignant neoplasms . Total	189			1	1	1	4	19	59	65	35	4	36	42	10	3	9	8	8	6
		M.	198			1	1	1	4	13	26	49	51	44	7	42	10	4	6	9	8	14
160-165	—	Malignant neoplasms of respiratory system	61																			
		M.	13																			
		F.	15																			
200-205	—	Malignant neoplasms of lymphatic and hamatopoietic tissues	113			1	1	1	2	1	1	6	4	1	1	4	1	1	1	1	1	1
		M.	113			1	1	1	2	1	1	6	4	1	1	4	1	1	1	1	1	1
		F.	172			1	1	1	2	1	1	24	42	44	2	3	22	1	5	6	6	13
140-159, 170-199	—	Other malignant neoplasms	2																			
		M.	2																			
		F.	2																			
210-239	19	Benign and unspecified neoplasms	20																			
		M.	20																			
		F.	4																			
260	20	Diabetes mellitus	7																			
		M.	7																			
		F.	6																			
290-293	21	Anaemias	11																			
		M.	11																			
		F.	11																			
240-254, 270-289, 294-299	46.0	Other general diseases	207																			
		M.	207																			
		F.	292																			
330-334	22	Vascular lesions affecting central nervous system	1																			
		M.	1																			
		F.	1																			
340	23	Non-meningococcal meningitis	23																			
		M.	23																			
		F.	21																			
300-326, 341-398	46.1	Other diseases of nervous system	21																			
		M.	21																			
		F.	21																			
400-402	24	Rheumatic fever	9																			
		M.	9																			
		F.	9																			
410-416	25	Chronic rheumatic heart disease	19																			
		M.	19																			
		F.	19																			
420-422	26	Arteriosclerotic and degenerative heart disease	354																			
		M.	354																			
		F.	354																			
430-434	27	Other diseases of heart	19																			
		M.	19																			
		F.	25																			
440-443	28	Hypertensive heart disease	35																			
		M.	35																			
		F.	35																			

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	INNERNESS COUNTY (excluding Large Burghs)													INSULAR PORTION OF INNERNESS COUNTY												
			All Ages	under 4 weeks	4 wks-4	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over	All Ages	under 4 weeks	4 wks-4	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	678	12	4	3	2	2	14	16	50	78	155	212	116	272	3	1	1	1	2	6	5	15	21	70	95	50
		Males	340	5	1	1	1	1	12	39	46	85	85	87	49	136	2	1	1	1	2	5	4	13	14	38	39	18
		Females	338	7	3	2	1	3	4	11	32	70	125	76	136	1	—	—	—	—	1	1	1	2	10	32	56	32
001-008	1	Tuberculosis of respiratory system	M.	7	—	—	—	—	—	2	1	2	1	1	—	—	2	—	—	—	—	—	1	1	—	—	—	—
010-019	2	Tuberculosis, other forms	F.	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
020-029	3	Syphilis and its sequelæ	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
045-048	6	Dysentery, all forms	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
056	9	Whooping cough	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
057	10	Meningococcal infections	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
080	12	Acute poliomyelitis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
085	14	Measles	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
140-205	18	Malignant neoplasms . Total	M.	59	—	1	1	3	8	13	17	13	3	19	3	19	2	1	1	1	1	2	1	5	5	4	1	
160-165	—	Malignant neoplasms of respiratory system	F.	47	—	—	—	2	6	12	14	14	3	22	3	22	1	1	1	1	1	1	2	2	6	10	1	
200-205	—	Malignant neoplasms of lymphatic and hematopoietic tissues	M.	16	—	—	—	1	3	6	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
140-159, 170-199	—	Other malignant neoplasms	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
210-239	19	Benign and unspecified neoplasms	M.	39	—	—	—	1	5	11	12	3	13	3	13	3	1	1	1	1	1	1	1	2	4	10	1	
260	20	Diabetes mellitus	F.	43	—	—	—	1	6	8	10	14	3	19	3	19	—	—	—	—	—	—	—	—	—	—	—	
290-293	21	Anæmias	F.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
330-334	22	Vascular lesions affecting central nervous system	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
340	23	Non-meningococcal meningitis	M.	54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
300-326, 341-398	46.1	Other diseases of nervous system	F.	77	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
400-402	24	Rheumatic fever	M.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
410-416	25	Chronic rheumatic heart disease	F.	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
420-422	26	Arteriosclerotic and degenerative heart disease	M.	90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
430-434	27	Other diseases of heart.	F.	89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
440-443	28	Hypertensive heart disease	M.	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
444-447	29	Other hypertensive disease	F.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

296

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	KINCARDINE COUNTY												KINROSS COUNTY												
			All Ages	under 4 weeks	1-4 wks	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over	All Ages	under 4 weeks	1-4 wks	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over	
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes Males Females	320 155 165	8 4 4	2 1 1	1 1 1	1 1 1	5 5 3	4 1 1	6 5 3	17 9 8	56 30 26	62 31 31	118 54 64	40 46 27	85 46 39	1 1 1	1 1 1	1 1 1	1 1 1	2 2 2	5 1 1	6 14 16	10 22 27	27 11 6	85 11 5	
001-008	1	Tuberculosis of respiratory system	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelae	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms . . . Total	M.	26	—	—	1	2	2	1	3	2	9	8	1	7	—	—	—	—	—	—	—	—	—	—	—
160-165	—	Malignant neoplasms of respiratory system	F. M.	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	F. M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199	—	Other malignant neoplasms	F. M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239	19	Benign and unspecified neoplasms	F. M.	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	F. M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293	21	Anæmias	F. M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299, 330-334	46,0	Other general diseases	F. M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340	22	Vascular lesions affecting central nervous system	F. M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	23	Non-meningococcal meningitis	F. M.	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	46,1	Other diseases of nervous system	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	24	Rheumatic fever	F. M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422	25	Chronic rheumatic heart disease	F. M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434	26	Arteriosclerotic and degenerative heart disease	F. M.	49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443	27	Other diseases of heart.	F. M.	69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
450-459	28	Hypertensive heart disease	F. M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	KIRKCUDBRIGHT COUNTY										GLASGOW COUNTY OF CITY																		
			All Ages	under 4 weeks w. ke-	1-4	5-10	15-25	35-45	55-65	75-85 and over	All Ages	under 4 weeks w. ke-	1-4	5-10	15-25	35-45	55-65	75-85 and over													
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	403	8	3	5	2	2	1	4	13	35	53	93	136	48	13034	494	250	102	45	32	90	207	424	1145	2468	3403	3357	1017	
		Males	211	5	3	5	2	2	1	2	9	25	37	46	64	14	6866	266	141	63	30	18	51	118	240	719	1578	1809	1500	333	
		Females	192	3	2	2	2	2	2	2	4	10	16	47	72	34	6168	228	109	39	15	14	39	89	181	426	890	1594	1857	684	
	001-008	Tuberculosis of respiratory system	1	—	—	—	—	—	—	—	—	—	—	—	—	—	153	—	—	—	—	—	—	—	—	—	—	—	—	—	
	010-019	Tuberculosis, other forms	2	—	—	—	—	—	—	—	—	—	—	—	—	—	55	—	—	—	—	—	—	—	—	—	—	—	—	—	
	020-029	Syphilis and its sequelæ	3	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	
	045-048	Dysentery, all forms	6	—	—	—	—	—	—	—	—	—	—	—	—	—	15	—	—	—	—	—	—	—	—	—	—	—	—	—	
	056	Whooping cough	9	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	
	057	Meningococcal infections	10	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	080	Acute poliomyelitis	12	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	085	Measles	14	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	—	—	—	—	—	—	—	—	—	—	—	—	—
		18	Malignant neoplasms . Total	43	—	1	—	—	—	—	—	3	5	9	10	13	—	1411	—	—	3	2	3	5	16	50	192	459	412	234	35
		140-205	Malignant neoplasms of respiratory system	24	—	—	—	—	—	—	—	1	3	3	7	10	—	1057	—	—	1	2	3	1	22	51	167	239	288	223	607
		160-165	Malignant neoplasms of lymphatic and hematopoietic tissues	5	—	—	—	—	—	—	—	—	—	—	—	—	—	639	—	—	—	—	—	—	—	—	—	—	—	—	—
		200-205	Other malignant neoplasms	26	—	—	—	—	—	—	—	—	—	—	—	—	—	126	—	—	—	—	—	—	—	—	—	—	—	—	—
		140-159, 170-199	Benign and unspecified neoplasms	22	—	—	—	—	—	—	—	—	—	—	—	—	—	55	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239		Diabetes mellitus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
260		Anæmias	2	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	
290-293		Other general diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	—	17	—	—	—	—	—	—	—	—	—	—	—	—	—	
240-254, 270-289, 294-299		Vascular lesions affecting central nervous system	4	—	—	—	—	—	—	—	—	—	—	—	—	—	19	—	—	—	—	—	—	—	—	—	—	—	—	—	
330-334		Non-meningococcal meningitis	28	—	—	—	—	—	—	—	—	—	—	—	—	—	719	—	—	—	—	—	—	—	—	—	—	—	—	—	
340	Other diseases of nervous system	32	—	—	—	—	—	—	—	—	—	—	—	—	—	876	—	—	—	—	—	—	—	—	—	—	—	—	—		
300-326, 341-398	Rheumatic fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—		
400-402	Chronic rheumatic heart disease	2	—	—	—	—	—	—	—	—	—	—	—	—	—	114	—	—	—	—	—	—	—	—	—	—	—	—	—		
410-416	Arteriosclerotic and degenerative heart disease	3	—	—	—	—	—	—	—	—	—	—	—	—	—	137	—	—	—	—	—	—	—	—	—	—	—	—	—		
420-422	Other diseases of heart	56	—	—	—	—	—	—	—	—	—	—	—	—	—	64	—	—	—	—	—	—	—	—	—	—	—	—	—		
430-434	Hypertensive heart disease	2	—	—	—	—	—	—	—	—	—	—	—	—	—	125	—	—	—	—	—	—	—	—	—	—	—	—	—		
440-443		5	—	—	—	—	—	—	—	—	—	—	—	—	—	1907	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	AIRDRIE BURGH										COATBRIDGE BURGH														
			All Ages	under 4 weeks w'ks—	1-4	5-10	15-25	35-45	55-65	75-85 and over	All Ages	under 4 weeks w'ks—	1-4	5-10	15-25	35-45	55-65	75-85 and over									
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	326	16	8	1	1	4	12	21	57	98	82	25	576	32	12	4	3	8	9	19	50	92	124	142	31
		Males	179	9	4	1	1	7	14	41	46	40	16	315	18	9	2	2	5	6	13	34	59	68	82	17	4
		Females	147	7	4	1	1	4	5	7	16	52	42	9	211	14	3	2	1	3	3	6	16	33	56	60	14
001-008	1	Tuberculosis of respiratory system	M.	2	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	2
010-019	2	Tuberculosis, other forms	F.	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
020-029	3	Syphilis and its sequelæ	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms Total	M.	24	—	—	—	—	—	—	—	—	—	—	50	—	—	—	—	—	—	—	—	—	—	—	10
160-165	—	Malignant neoplasms of respiratory system	F.	26	—	—	—	—	—	—	—	—	—	—	30	—	—	—	—	—	—	—	—	—	—	—	3
200-205	—	Malignant neoplasms of lymphatic and hematopoietic tissues	F.	11	—	—	—	—	—	—	—	—	—	—	19	—	—	—	—	—	—	—	—	—	—	—	5
140-159, 170-199	—	Other malignant neoplasms	M.	13	—	—	—	—	—	—	—	—	—	—	26	—	—	—	—	—	—	—	—	—	—	—	2
210-239	19	Benign and unspecified neoplasms	F.	24	—	—	—	—	—	—	—	—	—	—	29	—	—	—	—	—	—	—	—	—	—	—	1
260	20	Diabetes mellitus	M.	2	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	1
290-293	21	Anemias	F.	1	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	2
240-254, 270-289, 294-299, 330-334	46.0	Other general diseases	M.	3	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1
340	22	Vascular lesions affecting central nervous system	F.	19	—	—	—	—	—	—	—	—	—	—	34	—	—	—	—	—	—	—	—	—	—	—	4
300-326, 341-398	23	Non-meningococcal meningitis	M.	21	—	—	—	—	—	—	—	—	—	—	33	—	—	—	—	—	—	—	—	—	—	—	10
400-402	46.1	Other diseases of nervous system	F.	4	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	1
410-416	24	Rheumatic fever	M.	4	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	1
420-422	25	Chronic rheumatic heart disease	F.	4	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	1
430-434	26	Arteriosclerotic and degenerative heart disease	M.	69	—	—	—	—	—	—	—	—	—	—	100	—	—	—	—	—	—	—	—	—	—	—	8
440-443	27	Other diseases of heart	F.	50	—	—	—	—	—	—	—	—	—	—	69	—	—	—	—	—	—	—	—	—	—	—	9
	28	Hypertensive heart disease	M.	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	3
			F.	4	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	—	—	—	—	—	—	—	7

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—continued

International Classification		Causes of Death	HAMILTON BURGH										MOTHERWELL AND WISHAW BURGH																	
			All Ages	under 4 weeks	4 wks-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over	All Ages	under 4 weeks	4 wks-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over								
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	465	23	10	5	3	1	1	3	19	48	72	114	124	42	840	31	16	6	2	4	2	14	32	64	161	211	238	59
		Males	250	15	2	3	2	1	1	9	31	45	56	67	19	447	17	11	6	2	4	1	3	11	19	35	102	98	126	23
		Females	215	8	8	2	1	1	1	2	10	17	27	58	57	23	393	14	5	6	1	1	1	3	13	29	59	113	112	36
001-008	1	Tuberculosis of respiratory system	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms . Total	M.	39	1	—	—	—	—	—	—	—	—	—	—	—	88	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165	—	Malignant neoplasms of respiratory system	F.	47	—	—	—	—	—	—	—	—	—	—	—	—	73	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	12	—	—	—	—	—	—	—	—	—	—	—	—	33	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199	—	Other malignant neoplasms	M.	27	—	—	—	—	—	—	—	—	—	—	—	—	53	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239	19	Benign and unspecified neoplasms	F.	43	—	—	—	—	—	—	—	—	—	—	—	—	70	—	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293	21	Anæmias	M.	4	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	M.	25	—	—	—	—	—	—	—	—	—	—	—	—	58	—	—	—	—	—	—	—	—	—	—	—	—	—
340	23	Non-meningococcal meningitis	M.	38	—	—	—	—	—	—	—	—	—	—	—	—	61	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	24	Rheumatic fever	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	M.	7	—	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434	27	Other diseases of heart.	M.	91	—	—	—	—	—	—	—	—	—	—	—	—	128	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443	28	Hypertensive heart disease	M.	58	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification	Causes of Death	RUTHERGLEN BURGH												LANARK CO. (ex County of City and Large Burghs)												85 and over				
		All Ages	under 4 weeks	4 wks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	All Ages	under 4 weeks	4 wks—	1—	5—	10—	15—	25—	35—	45—	55—		65—	75—	85 and over	
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	307	7	3	2	—	—	2	2	8	25	61	80	90	3619	131	66	32	28	9	30	49	137	309	627	987	927	287	
		Males	148	5	3	1	—	—	1	1	3	14	35	33	38	14	1951	83	42	19	16	6	21	31	68	187	396	526	443	113
		Females	159	2	—	—	—	—	1	1	5	11	26	47	52	12	1668	48	24	13	12	3	9	18	69	122	231	461	484	174
			3	—	—	—	—	—	—	—	2	—	—	—	—	15	—	—	—	—	—	—	—	1	2	3	4	3	—	—
	001-008	Tuberculosis of respiratory system	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	010-019	Tuberculosis, other forms	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	020-029	Syphilis and its sequelæ	M. F.	1	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	045-048	Dysentery, all forms	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	056	Whooping cough	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	057	Meningococcal infections	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	080	Acute poliomyelitis	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	085	Measles	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	030-044, 049-055, 058-074, 081-084, 086-138	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-205	Malignant neoplasms . Total	M. F.	22	—	—	—	—	—	—	1	5	7	6	3	321	—	—	—	—	—	2	5	13	50	81	95	61	13	13
	160-165	Malignant neoplasms of respiratory system	M. F.	10	—	—	—	—	—	—	1	5	7	6	3	126	—	—	—	—	—	4	4	23	44	61	72	49	12	12
	200-205	Malignant neoplasms of lymphatic and hematopoietic tissues	M. F.	2	—	—	—	—	—	—	—	—	—	—	—	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-159, 170-199	Other malignant neoplasms	M. F.	10	—	—	—	—	—	—	1	2	2	3	2	205	—	—	—	—	—	2	4	26	49	57	50	13	13	13
	210-239	Benign and unspecified neoplasms	M. F.	22	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	3	19	37	51	68	42	12	12	12
	260	Diabetes mellitus	M. F.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	290-293	Anemias	M. F.	1	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	240-254, 270-289, 294-299, 330-334	Other general diseases . Vascular lesions affecting central nervous system .	M. F.	2	—	—	—	—	—	—	—	—	—	—	—	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	340	Non-meningococcal meningitis	M. F.	1	—	—	—	—	—	—	—	—	—	—	—	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	300-326, 341-398	Other diseases of nervous system	M. F.	4	—	—	—	—	—	—	—	—	—	—	—	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	400-402	Rheumatic fever	M. F.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	410-416	Chronic rheumatic heart disease	M. F.	3	—	—	—	—	—	—	—	—	—	—	—	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	420-422	Arteriosclerotic and degenerative heart disease	M. F.	46	—	—	—	—	—	—	—	—	—	—	—	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	430-434	Other diseases of heart.	M. F.	55	—	—	—	—	—	—	—	—	—	—	—	603	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	440-443	Hypertensive heart disease	M. F.	5	—	—	—	—	—	—	—	—	—	—	—	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification	Causes of Death	EDINBURGH COUNTY OF CITY														MIDLOTHIAN COUNTY (excluding County of City)														
		All Ages		under 4 weeks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages		under 4 weeks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
		Male	Female	wks-												Male	Female	wks-												
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	5940	138	40	26	23	13	44	66	121	483	1002	1595	1711	673	1095	38	13	9	3	7	8	12	42	81	168	297	314	103
		Males	2913	81	24	18	9	8	26	45	62	299	614	805	721	201	588	24	8	7	2	4	5	10	21	53	108	154	155	37
		Females	3027	57	16	14	5	18	21	59	189	388	790	990	990	472	507	14	5	2	1	3	3	2	21	28	60	143	159	66
	001-008	Tuberculosis of respiratory system	19						2	1	6	7	1	2	1	3														
	010-019	Tuberculosis, other forms	5																											
	020-029	Syphilis and its sequelæ	3																											
	045-048	Dysentery, all forms	5																											
	056	Whooping cough																												
	057	Meningococcal infections																												
	080	Acute poliomyelitis																												
030-044, 049-055, 058-074, 081-084, 086-138	085	Measles	2																											
	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	2																											
	18	Malignant neoplasms . Total	622		3	2	3	4	10	18	88	186	187	106	15	110			1	1	1	1	1	4	13	28	36	24	1	
	140-205	Malignant neoplasms of respiratory system	560		1	2	1	3	5	25	81	124	157	124	37	75														
	160-165	Malignant neoplasms of lymphatic and hematopoietic tissues	266												31	41														
	200-205	Other malignant neoplasms	47												2	2														
	140-159, 170-199	Benign and unspecified neoplasms	28												9	1														
	210-239	Diabetes mellitus	485												117	35														
	260	Anemias	4												2	2														
	290-293	Other general diseases	19												4	10														
240-254, 270-289, 294-299, 330-334	46.0	Vascular lesions affecting central nervous system .	13												6	3														
	22	Non-meningococcal meningitis	37												11	93														
	23	Other diseases of nervous system	43												12															
	46.1	Rheumatic fever	1												5	1														
	24	Chronic rheumatic heart disease	2												4	3														
	410-416	Arteriosclerotic and degenerative heart disease	942												5	197														
	420-422	Other diseases of heart.	867												253	160														
	430-434	Hypertensive heart disease	37												16	10														
	440-443		34												31	11														
	444-447		15												5	4														

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	MORAY COUNTY												NAIRN COUNTY																
			All Ages	under 4 weeks	4 wks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	All Ages	under 4 weeks	4 wks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	528	11	7	4	—	3	12	7	8	47	85	101	175	64	120	2	—	1	—	—	—	—	4	6	17	28	41	21	
		Males	267	6	4	—	—	5	10	5	4	31	49	58	69	23	58	1	—	—	—	—	—	—	3	5	10	14	16	9	
		Females	261	5	3	—	—	2	2	2	4	16	36	43	106	41	62	1	—	—	—	—	—	—	1	1	7	14	25	12	
001-008	1	Tuberculosis of respiratory system	3	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		M. F. M.																													
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
140-205	18	Malignant neoplasms . Total	41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
160-165	—	Malignant neoplasms of respiratory system	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
200-205	—	Malignant neoplasms of lymphatic and hematopoietic tissues	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
140-159, 170-199	—	Other malignant neoplasms	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
210-239	19	Benign and unspecified neoplasms	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
260	20	Diabetes mellitus	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
290-293	21	Anemias	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
240-254, 270-289, 294-299, 330-334	46.0	Other general diseases	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
22	22	Vascular lesions affecting central nervous system	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
340	23	Non-meningococcal meningitis	50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													
300-326, 341-398	46.1	Other diseases of nervous system	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M. F. M.																													

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	ORKNEY COUNTY													PEEBLES COUNTY												
			All Ages	under 4 weeks w'ks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 weeks w'ks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes Males Females	278 137 141	6 3 3	2 2 2	2 2 2	2 2 2	3 3 3	15 10 20	39 32 20	60 53 32	101 80 20	45 30 10	45 30 10	202 102 100	2 1 1	— — —	— — —	— — —	— — —	1 1 1	1 1 1	2 1 1	15 10 5	29 18 11	71 40 31	61 23 38	19 7 12
	001-008 010-019 020-029 045-048 056 057 080 085 030-044, 049-055, 058-074, 081-084, 086-138 140-205 160-165 200-205 140-159, 170-199 210-239 260 290-293 240-254, 270-289, 294-299 330-334 340 300-326, 341-398 400-402 410-416 420-422 430-434 440-443 444-447	Tuberculosis of respiratory system Tuberculosis, other forms Syphilis and its sequelæ Dysentery, all forms Whooping cough Meningococcal infections Acute poliomyelitis Measles Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)* Malignant neoplasms . Total Malignant neoplasms of respiratory system Malignant neoplasms of lymphatic and hematopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases . Vascular lesions affecting central nervous system . Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative heart disease Other diseases of heart. Hypertensive heart disease Other hypertensive disease	M. F. M. F. M. M. M. M. M. M. F																									

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification	Detailed List	Causes of Death	PERTH BURGH												PERTH COUNTY											
			All Ages	under 4 weeks	4 wks-1	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over	All Ages	under 4 weeks	4 wks-1	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over
			Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
	Abbreviated List "B"		474	213	7	1	—	—	3	12	31	70	114	164	58	1202	39	6	7	9	25	70	188	264	392	189
		ALL CAUSES—Both Sexes	213	111	5	1	—	—	2	4	14	44	54	60	19	568	17	4	6	6	14	37	112	136	634	66
		Males	261	3	2	—	—	—	1	8	17	26	60	104	39	634	22	2	3	1	3	11	33	76	128	231
		Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Tuberculosis of respiratory system	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Tuberculosis, other forms	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Syphilis and its sequelae	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Dysentery, all forms	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Whooping cough	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Meningococcal infections	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Acute poliomyelitis	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Measles	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Malignant neoplasms . Total	34	50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Malignant neoplasms of respiratory system	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Malignant neoplasms of lymphatic and haematopoietic tissues	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other malignant neoplasms	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Benign and unspecified neoplasms	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Diabetes mellitus	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Anemias	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other general diseases	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Vascular lesions affecting central nervous system	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Non-meningococcal meningitis	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other diseases of nervous system	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Rheumatic fever	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Chronic rheumatic heart disease	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Arteriosclerotic and degenerative heart disease	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other diseases of heart.	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Hypertensive heart disease	M.	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Detailed List	Causes of Death	GREENOCK BURGH													PAISLEY BURGH														
				All Ages	under 4 weeks	1-4 wks	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 weeks	1-4 wks	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over				
	Abbreviated List "B"			949 Males 502 Females 447	7 4 20	5 2 3	6 4 2	17 11 6	20 17 6	74 53 21	154 133 21	254 128 21	288 37 160	73	1126 551 55	30 16 14	17 9 8	9 4 5	7 4 5	2 2 1	5 4 3	15 12 11	25 14 37	35 19 72	45 159 148	55 139 197	85				
	001-008		Tuberculosis of respiratory system	8 M. 6 F.	-	-	-	-	-	5	1	1	1	-	11 5	-	-	-	-	-	-	1	1	3	4	2	-	-			
	010-019		Tuberculosis, other forms	1 M. 1 F.	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	020-029		Syphilis and its sequelae	1 M. 1 F.	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
	045-048		Dysentery, all forms	1 M. 1 F.	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	056		Whooping cough	1 M. 1 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	057		Meningococcal infections	1 M. 1 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	080		Acute poliomyelitis	1 M. 1 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	085		Measles	1 M. 1 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	030-044, 049-055, 058-074, 081-084, 086-138		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1 F.	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	18		Malignant neoplasms . Total	97 M. 80 F. 38	-	-	-	-	-	1	16	24	31	18	5	99	-	2	2	1	1	-	3	14	23	35	18	-	3		
	140-205		Malignant neoplasms of respiratory system	38 F.	-	-	-	-	-	2	9	6	14	30	1	98	-	-	-	-	-	-	1	3	18	21	27	25	3		
	160-165		Malignant neoplasms of lymphatic and hematopoietic tissues	2 F.	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
	200-205		Other malignant neoplasms	57 M. 73 F.	-	-	-	-	-	1	1	7	8	19	7	55	-	2	1	1	1	-	2	4	1	3	3	2	-	2	
	140-159, 170-199		Benign and unspecified neoplasms	1 M. 1 F.	-	-	-	-	-	1	8	5	11	30	1	80	-	-	-	-	-	-	1	3	13	17	21	22	3		
	210-239		Diabetes mellitus	6 M. 6 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	260		Anemias	4 M. 4 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	290-293		Other general diseases	13 M. 70 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	240-254, 270-289, 294-299, 330-334		Vascular lesions affecting central nervous system	76 M. 2 F.	-	-	-	-	-	5	16	26	15	7	77	-	-	-	-	-	-	-	6	10	22	36	2	-	2		
	340		Non-meningococcal meningitis	3 M. 3 F.	-	-	-	-	-	1	3	8	17	42	5	115	-	1	1	1	1	-	2	6	13	25	49	20	-	20	
	300-326, 341-398		Other diseases of nervous system	4 M. 3 F.	-	-	-	-	-	2	2	1	1	1	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	400-402		Rheumatic fever	1 M. 1 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	410-416		Chronic rheumatic heart disease	5 M.	-	-	-	-	-	2	29	34	57	10	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	420-422		Arteriosclerotic and degenerative heart disease	143 M. 129 F.	-	-	-	-	-	1	12	29	34	57	19	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	430-434		Other diseases of heart.	8 M. 7 F.	-	-	-	-	-	-	5	13	37	55	150	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	440-443		Hypertensive heart disease	10 M. 5 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	PORT GLASGOW BURGH										RENFREW COUNTY (excluding Large Burghs)																	
			All Ages	under 4 weeks	4 wks—	1—5	5—10	10—15	15—25	25—35	35—45	45—55	55—65	65—75	75—85	under 4 weeks	4 wks—	1—5	5—10	10—15	15—25	25—35	35—45	45—55	55—65	65—75	75—85	85 and over		
Detailed List	Abbreviated List "B"		201	118	83	12	9	3	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		ALL CAUSES—Both Sexes	1642	807	835	43	24	19	23	11	4	2	1	3	8	18	53	129	263	431	433	201	433	201	433	201	433	201	433	201
		Tuberculosis of respiratory system	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	5	4	2	1	1	1	1	1	1	1	1	1
		Tuberculosis, other forms	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Syphilis and its sequelae	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Dysentery, all forms	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Whooping cough	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Meningococcal infections	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Acute poliomyelitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Measles	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Malignant neoplasms . . . Total	26	12	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Malignant neoplasms of respiratory system	9	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Malignant neoplasms of lymphatic system and hematopoietic tissues	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Other malignant neoplasms	16	7	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Benign and unspecified neoplasms	11	5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Diabetes mellitus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Anaemias	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Other general diseases	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Vascular lesions affecting central nervous system	24	16	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Non-meningococcal meningitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Other diseases of nervous system	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Rheumatic fever	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Chronic rheumatic heart disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Arteriosclerotic and degenerative heart disease	30	20	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Other diseases of heart	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Hypertensive heart disease	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Other hypertensive diseases	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification		Causes of Death	ROSS & CROMARTY COUNTY													INSULAR PORTION OF ROSS AND CROMARTY												
			All Ages	under 4 weeks	4 wks--	1--5	5--10	10--15	15--25	25--35	35--45	45--55	55--65	65--75	75 and over	All Ages	under 4 weeks	4 wks--	1--5	5--10	10--15	15--25	25--35	35--45	45--55	55--65	65--75	75 and over
Detailed List	Abbreviated List "B"	ALL CAUSES--Both Sexes Males Females	803 402 401	21 13 8	3 2 1	3 2 1	2 1 1	5 4 1	12 9 3	51 38 13	109 65 44	198 101 97	237 147 135	277 147 135	277 147 135	6 3 3	1 1 1	1 1 1	4 3 1	4 3 1	4 3 1	4 3 1	20 17 6	31 38 14	73 38 6	88 46 12	85 and over	
001-008	1	Tuberculosis of respiratory system	M.	4	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
010-019	2	Tuberculosis, other forms	M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	3	Syphilis and its sequelæ	F.	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	6	Dysentery, all forms	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	9	Whooping cough	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	10	Meningococcal infections	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	12	Acute poliomyelitis	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	14	Measles	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	18	Malignant neoplasms . Total	M.	64	-	-	-	1	2	10	16	17	18	17	17	-	-	-	-	-	-	1	1	3	3	6	3	2
160-165	-	Malignant neoplasms of respiratory system	F.	18	-	-	-	-	1	7	13	25	10	7	22	-	-	-	-	-	-	-	1	3	6	8	3	2
200-205	-	Malignant neoplasms of lymphatic and hematopoietic tissues	M.	4	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	-	-	1	1	2	-	-
140-159, 170-199	-	Other malignant neoplasms	F.	7	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	1	1	2	3	5
210-239	19	Benign and unspecified neoplasms	M.	42	-	-	-	1	1	6	14	15	11	11	20	-	-	-	-	-	-	1	1	3	6	6	2	2
260	20	Diabetes mellitus	F.	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	21	Anemias	M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
240-254, 270-289, 294-299 330-334	46.0	Other general diseases .	F.	4	-	-	-	-	-	1	1	2	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
340	22	Vascular lesions affecting central nervous system .	M.	2	-	-	-	1	6	11	21	21	6	23	25	-	-	-	-	-	-	1	2	4	9	7	2	2
300-326, 341-398	46.1	Non-meningococcal meningitis	F.	74	-	-	-	-	1	3	5	13	31	21	25	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	24	Other diseases of nervous system	M.	8	-	-	-	1	1	1	1	1	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	25	Rheumatic fever	F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-422	26	Chronic rheumatic heart disease	M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	27	Arteriosclerotic and degenerative heart disease	F.	137	-	-	-	1	1	10	25	38	36	26	45	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	28	Other diseases of heart.	M.	131	-	-	-	-	-	1	11	30	51	38	43	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	29	Hypertensive heart disease	F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Other hypertensive disease	M.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F.	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—continued

International Classification			Causes of Death	ROXBURGH COUNTY													SELKIRK COUNTY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				All Ages	under 4 weeks	1-4	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 weeks	1-4	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Detailed List	Abbreviated List "B"		ALL CAUSES—Both Sexes Males Females	631 330 301	14 10 4	3 2 2	2 1 1	7 5 2	2 10 8	39 26 13	80 52 28	165 188 77	238 103 135	69 33 30	303 135 168	2 1 1	2 2 1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— —

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification			Causes of Death			FALKIRK BURGH												STIRLING BURGH												
						All Ages	under 4 weeks	4 wks—	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	All Ages	under 4 weeks	4 wks—	1—	5—	10—	15—	25—	35—	45—	55—
Detailed List			430	14	11	7	2	1	2	3	3	3	17	32	93	91	116	43	323	—	—	—	3	5	5	28	64	73	92	36
Abbreviated List "B"			232	11	7	—	1	2	2	2	2	2	10	17	55	47	58	20	166	—	—	—	2	2	3	15	37	39	45	11
			198	3	4	—	2	1	1	1	1	1	7	15	38	44	58	23	157	—	—	—	1	3	2	13	27	34	47	25
001-008			6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
010-019			1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029			1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205			42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165			36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205			19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199			3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239			20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260			32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293			1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299			4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334			2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340			1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398			5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402			1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416			2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422			73	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434			57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443			3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification			Causes of Death	STIRLING COUNTY (excluding Large Burghs)															SUTHERLAND COUNTY														
				All Ages	under 4 weeks	1-4	5-9	10-12	13-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All Ages	under 4 weeks	1-4	5-9	10-12	13-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	1424	43	18	13	5	4	20	23	41	130	261	375	124	215	215	3	2	2	2	2	3	1	12	36	46	80	33	33			
		Males	789	22	13	9	3	12	13	29	81	165	198	180	61	103	103	2	2	2	2	2	1	7	24	19	34	14	14	14			
		Females	635	21	5	4	2	1	8	10	12	49	96	177	187	63	112	1	1	1	1	1	2	5	12	27	46	19	19	19			
001-008	1	Tuberculosis of respiratory system	6	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
010-019	2	Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
020-029	3	Syphilis and its sequelæ	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	140-205	Malignant neoplasms . Total	129	—	1	1	—	—	2	2	6	21	36	38	18	5	15	—	—	—	—	—	—	—	1	7	4	2	1	1			
160-165	—	Malignant neoplasms of respiratory system	106	—	—	—	—	—	1	1	2	11	15	13	—	5	19	2	—	—	—	—	—	—	3	5	6	4	—	—			
200-205	—	Malignant neoplasms of lymphatic and hematopoietic tissues	41	—	—	—	—	—	—	—	—	1	1	1	—	2	2	—	—	—	—	—	—	—	1	—	—	—	—	—			
140-159, 170-199	—	Other malignant neoplasms	12	—	—	—	—	—	2	1	1	1	1	1	1	5	12	—	—	—	—	—	—	—	—	—	—	—	—	—			
	210-239	Benign and unspecified neoplasms	76	—	—	—	—	—	—	—	—	1	1	2	17	5	18	—	—	—	—	—	—	—	2	5	6	4	1	1			
260	19	Diabetes mellitus	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
290-293	20	Anæmias	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
240-254, 270-289, 294-299	21	Other general diseases .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	330-334	Vascular lesions affecting central nervous system .	116	—	—	—	—	—	2	2	2	4	17	30	45	11	16	—	—	—	—	—	—	—	4	5	4	3	2	2			
340	22	Non-meningococcal meningitis	114	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
300-326, 341-398	23	Other diseases of nervous system	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
400-402	46.1	Rheumatic fever	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
410-416	24	Chronic rheumatic heart disease	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
420-422	25	Arteriosclerotic and degenerative heart disease	16	—	—	—	—	—	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—			
430-434	26	Other diseases of heart.	242	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
440-443	27	Hypertensive heart disease	196	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	28		8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

International Classification	Causes of Death	WEST LOTHIAN COUNTY													WIGTOWN COUNTY													
		All Ages	under 4 weeks w'ks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 weeks w'ks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
		Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	957	521	17	9	5	1	2	6	8	18	56	126	123	125	25	188	384	16	8	4	2	1	5	2	1	38
		ALL CAUSES—Males	436	221	10	7	2	2	2	5	15	36	60	116	126	53	196	8	1	1	1	2	4	5	14	26	53	62
		ALL CAUSES—Females	521	299	7	2	2	2	2	5	15	36	60	116	126	53	196	8	1	1	1	2	4	5	14	26	53	62
001-008		Tuberculosis of respiratory system	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019		Tuberculosis, other forms	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029		Syphilis and its sequelæ	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048		Dysentery, all forms	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056		Whooping cough	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057		Meningococcal infections	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080		Acute poliomyelitis	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085		Measles	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138		Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205		Malignant neoplasms . Total	92	84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165		Malignant neoplasms of respiratory system	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205		Malignant neoplasms of lymphatic and hematopoietic tissues	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199		Other malignant neoplasms	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239		Benign and unspecified neoplasms	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260		Diabetes mellitus	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293		Anæmias	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299		Other general diseases .	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334		Vascular lesions affecting central nervous system .	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340		Non-meningococcal meningitis	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398		Other diseases of nervous system	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402		Rheumatic fever	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416		Chronic rheumatic heart disease	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422		Arteriosclerotic and degenerative heart disease	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434		Other diseases of heart .	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443		Hypertensive heart disease	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other non-infective diseases	M.	F.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1960—continued

[illegible]

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1960

International Classification	Detailed List	Abbreviated List "B"	Scotland						ABERDEEN COUNTY			
			Population (Estimated), 30th June, 1960	Counties of Cities and Large Burghs	Large Burghs	Counties, except Large Burghs	Small Burghs	Landward	Aberdeen County	Aberdeen County	County of City	
			5,208,000	1,910,189	880,831	2,416,980	881,194	1,535,786	325,637	187,348	Aberdeen County	
			101,292	42,305	22,862	36,125	13,808	22,317	6,056	4,325	Aberdeen County	
			101,292	38,557	18,189	44,546	16,186	28,360	5,673	3,280	Aberdeen County	
			51,938	19,671	9,388	22,879	8,371	14,508	2,919	1,682	Aberdeen County	
			49,354	18,886	8,801	21,667	7,815	13,852	2,754	1,598	Aberdeen County	
			4,409	2,065	658	1,686	557	1,129	285	166	Aberdeen County	
			2,252	1,072	435	745	214	531	128	111	Aberdeen County	
			2,252	878	409	965	322	643	113	69	Aberdeen County	
			40,101	16,793	7,447	15,861	7,399	8,462	2,668	1,690	Aberdeen County	
			61,764	25,250	10,574	25,940	8,887	17,053	4,007	2,859	Aberdeen County	
			31,682	11,801	5,158	14,723	5,731	8,992	1,859	1,060	Aberdeen County	
			30,082	11,396	4,731	13,955	5,795	8,160	1,914	1,129	Aberdeen County	
			473	250	84	139	68	71	11	9	Aberdeen County	
			36	14	7	15	10	6	8	6	Aberdeen County	
			64	35	8	21	10	11	—	—	Aberdeen County	
			4	1	3	—	1	—	—	—	Aberdeen County	
			10	5	3	2	1	1	2	2	Aberdeen County	
			19	13	2	4	—	4	—	—	Aberdeen County	
			—	—	—	—	—	—	—	—	Aberdeen County	
			2	1	—	1	—	1	1	1	Aberdeen County	
			117	41	14	62	20	42	8	4	Aberdeen County	
			11,033	4,488	1,799	4,746	1,998	2,748	676	402	Aberdeen County	
			2,549	1,280	423	846	382	464	127	96	Aberdeen County	
			575	215	88	272	102	170	40	23	Aberdeen County	
			7,909	2,993	1,288	3,628	1,514	2,114	509	283	Aberdeen County	
			111	45	17	49	22	27	7	5	Aberdeen County	
			555	188	84	283	99	184	46	28	Aberdeen County	
			247	87	44	116	47	69	14	19	Aberdeen County	
			353	133	52	168	67	101	30	16	Aberdeen County	
			9,850	3,506	1,560	4,784	1,966	2,818	641	355	Aberdeen County	
			56	21	11	24	12	12	4	1	Aberdeen County	
			938	411	116	411	152	259	77	54	Aberdeen County	
			17	7	6	4	3	3	2	1	Aberdeen County	
			741	315	116	310	124	186	42	30	Aberdeen County	
			18,580	6,556	2,981	9,043	3,799	5,244	1,172	675	Aberdeen County	
			901	274	156	471	183	288	72	12	Aberdeen County	
			1,151	417	191	543	218	325	33	46	Aberdeen County	
001-008			001-008								Aberdeen County	
010-019			010-019								Aberdeen County	
020-029			020-029								Aberdeen County	
045-048			045-048								Aberdeen County	
056			056								Aberdeen County	
057			057								Aberdeen County	
080			080								Aberdeen County	
085			085								Aberdeen County	
030-044, 049-055, 058-074, 081-084, 086-138			030-044, 049-055, 058-074, 081-084, 086-138								Aberdeen County	
140-205			140-205								Aberdeen County	
160-165			160-165								Aberdeen County	
200-205			200-205								Aberdeen County	
140-159, 170-199			140-159, 170-199								Aberdeen County	
210-239			210-239								Aberdeen County	
260			260								Aberdeen County	
290-293			290-293								Aberdeen County	
240-254, 270-289, 294-299			240-254, 270-289, 294-299								Aberdeen County	
330-334			330-334								Aberdeen County	
340			340								Aberdeen County	
300-326, 341-398			300-326, 341-398								Aberdeen County	
400-402			400-402								Aberdeen County	
410-416			410-416								Aberdeen County	
420-422			420-422								Aberdeen County	
430-434			430-434								Aberdeen County	
440-443			440-443								Aberdeen County	

444-447	29	Other pyrexial disease	1,832	609	287	936	362	574	109	57
450-468	46.2	Other circulatory disease	1,832	37	16	51	17	34	17	62
480-483	30	Influenza	2,008	879	301	828	290	538	116	62
490-493	31	Pneumonia (except of newborn)	2,214	1,078	369	767	316	451	102	68
500-502	32	Bronchitis	2,214	1,078	369	767	316	451	102	68
510-517	32.3	Other respiratory diseases	562	202	88	317	104	233	20	13
520-527	33	Ulcer of stomach and duodenum	87	25	18	44	16	158	29	7
530-537	35	Appendicitis	344	136	51	157	63	94	21	13
540-547	36	Intestinal obstruction and hernia	20	6	5	9	3	6	1	8
550-557	36.1	Gastritis and duodenitis	299	122	54	123	51	72	13	8
560, 561, 570	37	Diarrhea (except of newborn)	225	94	31	95	31	64	13	12
580, 582-586	37	Cirrhosis of liver	262	95	35	132	56	76	17	9
590-594	46.4	Other diseases of liver	189	76	27	86	26	60	10	6
595-597	46.5	Other digestive diseases	353	120	59	174	82	92	29	15
600-609	38	Nephritis and nephrosis	353	120	59	174	82	92	29	15
610-613	39	Hyperplasia of prostate	477	207	69	201	71	118	41	19
614-617	40.0	Other diseases of genito-urinary system	8	2	1	5	5	130	19	19
618-620	40.1	Puerperal sepsis including abortion with sepsis	27	3	3	14	6	3	3	1
621-627	46.7	Other puerperal causes	316	121	48	147	55	25	25	13
628-633	41	Diseases of skin and organs of locomotion	659	242	118	299	84	92	25	11
634-637	42	Birth injuries, postnatal asphyxia and atelectasis	833	348	164	321	117	204	48	28
638-643	43.0	Pneumonia of newborn	90	27	12	51	16	35	3	3
644-647	43.1	Diarrhea of newborn	15	8	4	3	1	2	2	2
648-653	43.2	Other infections of the newborn	12	4	2	6	3	3	2	2
654-657	44	Other diseases peculiar to early infancy and immaturity unqualified	513	193	94	226	88	138	13	6
658-663	45.0	Senility without mention of psychosis	450	72	68	310	105	198	10	2
664-667	45.1	Ill-defined and unknown causes	317	119	46	152	56	92	6	3
668-673	E49	Suicide and self-inflicted injury	408	205	43	160	58	92	30	17
674-677	E47	Motor vehicle accidents	676	232	81	363	91	272	33	18
678-683	E48.0	Other road vehicle accidents	15	8	3	4	1	4	1	1
684-687	E48.1	Accidents in the home	1,050	457	174	419	173	246	75	43
688-693	E48.2	Other violence (BE50)	718	229	117	372	124	248	45	28
694-697		ALL CAUSES	61,764	23,197	9,889	28,678	11,526	17,152	3,773	2,189
700-703		AGES AT DEATH	2,673	1,067	503	1,103	383	720	107	63
704-707	Under 1		579	151	50	178	57	121	9	9
708-713	1-4		218	76	33	109	22	87	15	4
714-717	5-14		162	54	26	82	27	55	11	4
718-723	15-24		482	154	68	264	86	178	16	5
724-727	25-34		785	332	122	331	104	227	22	26
728-733	35-44		1,713	637	291	785	281	504	87	49
734-737	45-54		4,916	1,977	801	2,138	864	1,274	274	174
738-743	55-64		10,437	4,178	1,751	4,508	1,768	2,740	611	387
744-747	65-74		16,038	6,133	2,568	7,337	3,003	4,334	971	601
748-753	75-84		17,670	6,303	2,805	8,562	3,389	4,973	1,154	631
754-757	85 and over		6,287	2,135	871	3,281	1,342	1,939	459	231
758-763	Not stated		—	—	—	—	—	—	—	—
764-767	ALL AGES		61,764	23,197	9,889	28,678	11,526	17,152	3,773	2,189

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

[illegible]

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
444-447	29	Other hypertensive disease	.	77	46	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
450-468	46.2	Other circulatory disease	.	76	46	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
480-483	30	Influenza	.	138	100	8	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
490-493	31	Pneumonia (except of newborn)	.	19	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
500-502	32	Bronchitis	.	31	18	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
470-475, 510-527	46.3	Other respiratory diseases	.	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
540, 541	33	Ulcer of stomach and duodenum	.	23	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
550-553	34	Appendicitis	.	16	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
560, 543	35	Intestinal obstruction and hernia	.	11	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
571, 572	36.0	Gastritis and duodenitis	.	11	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
580, 582-586	37	Diarrhea (except of newborn)	.	15	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other diseases of liver	.	24	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
590-594	38	Other diseases of liver	.	13	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
600-609, 611-637	39	Other digestive diseases	.	44	27	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
640, 641, 651, 681, 682, 684	40.0	Nephritis and nephrosis	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
642-650, 652-680, 683, 685-689	40.1	Hyperplasia of prostate	.	12	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
690-749	41	Other diseases of genito-urinary system	.	33	23	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
750-759	42	Puerperal sepsis including abortion with sepsis	.	27	23	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
760-762	43.0	Other puerperal causes	.	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
763	43.1	Diseases of skin and organs of locomotion	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
764	43.2	Congenital malformations	.	29	23	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
765-768	44	Birth injuries, postnatal asphyxia and atelectasis	.	25	23	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
769-776	45.0	Pneumonia of newborn	.	32	26	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
794	45.1	Diarrhea of newborn	.	43	15	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
780-793, 795	E47	Other infections of the newborn	.	93	66	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E963, E970-E979	E48.0	Other diseases peculiar to early infancy and immaturity unqualified	.	22	15	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E810-E835	E48.1	Senility without mention of psychosis	.	3,276	2,034	259	109	78	160	73	52	163	348	874	84	164	37	10	2	2	2	2	2	2	2
E840-E845	E48.2	Ill-defined and unknown causes	.	112	82	9	2	1	3	2	1	2	10	37	3	6	3	2	1	1	1	1	1	1	1
E870-E936 (part)		Suicide and self-inflicted injury	.	21	14	2	1	1	1	1	1	2	2	3	1	1	1	1	1	1	1	1	1	1	1
E961(part), E962 (part)		Motor vehicle accidents	.	8	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Remainder of E800-E999		Other road vehicle accidents	.	35	15	5	2	1	1	1	1	2	3	7	1	1	1	1	1	1	1	1	1	1	1
		Accidents in the home	.	47	33	2	1	1	1	1	1	6	10	8	3	2	2	2	2	2	2	2	2	2	2
		Other violence (BE50)	.	68	43	1	1	1	1	1	1	12	23	19	10	7	7	7	7	7	7	7	7	7	7
		ALL CAUSES	.	251	170	53	13	8	29	8	2	23	55	135	10	10	10	10	10	10	10	10	10	10	10
		AGES AT DEATH	.	551	370	133	33	18	29	8	2	23	55	135	10	10	10	10	10	10	10	10	10	10	10
		Under 1	.	853	554	72	28	43	43	18	12	46	89	236	33	50	50	50	50	50	50	50	50	50	50
		1-4	.	983	604	72	43	27	49	23	15	50	99	272	15	22	22	22	22	22	22	22	22	22	22
		5-9	.	374	214	35	16	14	16	11	13	19	36	113	9	22	22	22	22	22	22	22	22	22	22
		10-14	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15-24	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		25-34	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		35-44	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		45-54	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		55-64	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		65-74	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		75-84	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		85 and over	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Not stated	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	.	3,276	2,034	259	109	78	160	73	52	163	348	874	84	164	37	10	2	2	2	2	2	2	2

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

46.2	Other circulatory disease	1	2	2	4	12	29	1	3	5	2	1	1	1	6	1	2	4	22
480-483	Influenza	1	1	1	2	2	143	3	17	15	3	1	1	1	2	4	10	20	20
490-493	Pneumonia (except of newborn)	1	1	1	1	5	6	1	15	22	4	1	1	1	3	2	2	4	5
500-502	Bronchitis	1	1	1	1	3	133	7	7	6	1	1	1	1	1	1	1	1	3
470-475, 510-527	Other respiratory diseases	1	1	1	1	3	54	1	1	3	1	1	1	1	1	1	1	1	1
540, 541	Ulcer of stomach and duodenum	1	1	1	1	3	25	1	1	1	1	1	1	1	1	1	1	1	1
550-553	Appendicitis	1	1	1	1	3	4	1	1	1	1	1	1	1	1	1	1	1	1
560, 561, 570	Intestinal obstruction and hernia	1	1	1	1	3	27	1	1	1	1	1	1	1	1	1	1	1	1
571, 572	Gastritis and duodenitis	1	1	1	1	3	26	1	3	1	1	1	1	1	1	1	1	1	1
581	Diarrhoea (except of newborn)	1	1	1	1	3	16	1	2	4	1	1	1	1	1	1	1	1	1
580, 582-586	Cirrhosis of liver	1	1	1	1	4	20	1	2	1	1	1	1	1	1	1	1	1	1
530-539, 542, 544, 545, 573-578, 587	Other diseases of liver	1	1	1	1	4	20	1	2	1	1	1	1	1	1	1	1	1	1
590-594	Other digestive diseases	1	1	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1
610	Nephritis and nephrosis	1	1	1	1	1	15	1	4	4	1	1	1	1	1	1	1	1	1
600-609, 611-637	Hyperplasia of prostate	1	1	1	1	2	16	1	1	4	1	1	1	1	1	1	1	1	1
640, 641, 651, 681, 682, 684	Other diseases of genito-urinary system	1	1	1	1	2	27	1	1	2	1	1	1	1	1	1	1	1	1
642-650, 652-680, 683, 685-689	Puerperal sepsis including abortion with sepsis	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1
690-749	Other puerperal causes	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
750-759	Diseases of skin and organs of locomotion	1	1	1	1	1	14	1	2	5	3	1	1	1	1	1	1	1	1
760-762	Congenital malformations	1	1	1	1	2	46	1	2	8	1	1	1	1	1	1	1	1	1
763	Birth injuries, postnatal asphyxia and atelectasis	1	1	1	1	8	44	1	1	1	1	1	1	1	1	1	1	1	1
764	Pneumonia of newborn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
765-768	Diarrhoea of newborn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
769-776	Other infections of the newborn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
794	Other diseases peculiar to early infancy and immaturity unqualified	1	1	1	1	5	45	3	5	1	1	1	1	1	1	1	1	1	1
780-793, 795	Senility without mention of psychosis	1	1	1	1	8	24	1	3	3	1	1	1	1	1	1	1	1	1
E963, E970-E979	Ill-defined and unknown causes	1	1	1	1	1	22	1	2	1	1	1	1	1	1	1	1	1	1
E810-E835	Suicide and self-inflicted injury	1	1	1	1	1	24	2	2	6	1	1	1	1	1	1	1	1	1
E48.0-E845	Motor vehicle accidents	1	1	1	1	5	55	2	2	2	1	1	1	1	1	1	1	1	1
E870-E936 (part)	Other road vehicle accidents	1	1	1	1	7	64	2	2	10	1	1	1	1	1	1	1	1	1
E961 (part), E962 (part)	Accidents in the home	1	1	1	1	6	48	1	1	7	1	1	1	1	1	1	1	1	1
Remainder of E800-E999	Other violence (BE50)	1	1	1	1	6	48	1	1	7	1	1	1	1	1	1	1	1	1
	ALL CAUSES	5	18	98	15	490	4,073	113	582	70	50	70	82	173	527				
	AGES AT DEATH																		
	Under 1	1	7	7	1	20	185	8	26	4	2	1	1	1	1	12	28		
	1-4	1	1	1	1	1	24	2	2	1	1	1	1	1	1	1	1		
	5-9	1	1	1	1	1	17	1	3	1	1	1	1	1	1	1	1		
	10-14	1	1	1	1	7	13	1	2	2	1	1	1	1	1	1	1		
	15-24	1	1	1	1	6	41	1	8	2	1	1	1	1	1	1	1		
	25-34	1	1	1	1	9	107	5	12	3	1	1	1	1	1	1	1		
	35-44	1	1	1	1	27	325	12	40	8	1	1	1	1	1	1	1		
	45-54	1	1	1	1	66	671	20	93	13	1	1	1	1	1	1	1		
	55-64	1	1	1	1	116	1,099	20	155	21	16	13	10	25	98	14	14		
	65-74	1	4	26	6	166	1,140	33	171	15	20	18	22	57	132	37	37		
	75-84	3	8	28	2	72	410	15	67	4	5	9	28	45	153	45	45		
	85 and over	1	2	11	4														
	Not stated	1	2	11	4														
	ALL AGES	5	18	98	15	490	4,073	113	582	70	50	70	82	173	527				

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

[illegible]

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

[illegible]

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

29/	444-447	Other hypertensive disease	1	9	—	5	4	6	1	1	1	4	22	7	2	1	8	3
450-468	46.2	Other circulatory disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
480-483	30	Influenza	—	5	—	2	1	6	1	3	1	2	17	10	4	1	2	6
490-493	31	Pneumonia (except of newborn)	—	12	—	9	3	3	2	2	2	5	15	6	4	—	—	—
500-502	32	Bronchitis	—	4	—	1	1	3	—	—	—	—	5	1	1	1	—	—
470-475, 510-527	46.3	Other respiratory diseases	—	2	—	1	1	1	—	—	—	—	6	4	1	1	—	—
540, 541	33	Ulcer of stomach and duodenum	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.0	Gasritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
580, 582-586	36.1	Diarrhea (except of newborn)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	37	Cirrhosis of liver	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	46.4	Other diseases of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	46.5	Other digestive diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	38	Nephritis and nephrosis	—	4	—	3	1	1	—	—	—	—	2	1	1	1	—	—
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	—	2	—	1	—	—	—	—	—	—	3	1	1	1	—	—
642-650, 652-680, 683, 685-689	40.0	Other diseases of genito-urinary system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	40.1	Fuerpal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	46.7	Other puerpal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-699	41	Diseases of skin and organs of locomotion	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
700-709	42	Congenital malformations	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
710-719	43.0	Burn injuries, postnatal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
720-729	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
730-739	43.2	Diarrhea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
740-749	44	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
750-759	45.0	Other diseases peculiar to infancy and immaturity unqualified	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
760-769	45.1	Senility without mention of psychosis	—	16	—	3	2	6	5	—	—	—	8	4	1	—	—	—
770-779	45.2	Ill-defined and unknown causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	E49	Suicide and self-inflicted injury	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
794	E47	Motor vehicle accidents	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
795-798	E48.0	Other road vehicle accidents	—	4	—	3	1	10	2	7	1	13	8	7	2	1	—	—
765-768	E48.1	Accidents in the home	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	E48.2	Other violence (BE50)	—	4	—	1	2	4	1	3	—	—	7	2	4	—	—	—
794	45.0	Other violence (BE50)	—	4	—	1	2	4	1	3	—	—	7	2	4	—	—	—
780-793, 795	45.1	Other violence (BE50)	—	4	—	1	2	4	1	3	—	—	7	2	4	—	—	—
E963, E970-E979	45.2	Other violence (BE50)	—	4	—	1	2	4	1	3	—	—	7	2	4	—	—	—
E810-E835	E47	Motor vehicle accidents	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
E840-E845	E48.0	Other road vehicle accidents	—	4	—	3	1	10	2	7	1	13	8	7	2	1	—	—
E870-E936 (part)	E961 (part), E962 (part), E963 (part), E964 (part), E965 (part), E966 (part), E967 (part), E968 (part), E969 (part), E970 (part), E971 (part), E972 (part), E973 (part), E974 (part), E975 (part), E976 (part), E977 (part), E978 (part), E979 (part), E980 (part), E981 (part), E982 (part), E983 (part), E984 (part), E985 (part), E986 (part), E987 (part), E988 (part), E989 (part), E990 (part), E991 (part), E992 (part), E993 (part), E994 (part), E995 (part), E996 (part), E997 (part), E998 (part), E999 (part)	Other violence (BE50)	—	4	—	1	2	4	1	3	—	—	7	2	4	—	—	—
Remainder of E800-E999	45.2	Other violence (BE50)	—	4	—	1	2	4	1	3	—	—	7	2	4	—	—	—
444-447	29/	Other hypertensive disease	1	9	—	5	4	6	1	1	1	4	22	7	2	1	8	3
450-468	46.2	Other circulatory disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
480-483	30	Influenza	—	5	—	2	1	6	1	3	1	2	17	10	4	1	2	6
490-493	31	Pneumonia (except of newborn)	—	12	—	9	3	3	2	2	2	5	15	6	4	—	—	—
500-502	32	Bronchitis	—	4	—	1	1	1	—	—	—	—	5	1	1	1	—	—
470-475, 510-527	46.3	Other respiratory diseases	—	2	—	1	1	1	—	—	—	—	6	4	1	1	—	—
540, 541	33	Ulcer of stomach and duodenum	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.0	Gasritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
580, 582-586	36.1	Diarrhea (except of newborn)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	37	Cirrhosis of liver	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	46.4	Other diseases of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	46.5	Other digestive diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	38	Nephritis and nephrosis	—	4	—	3	1	1	—	—	—	—	2	1	1	1	—	—
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	—	2	—	1	—	—	—	—	—	—	3	1	1	1	—	—
642-650, 652-680, 683, 685-689	40.0	Other diseases of genito-urinary system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	40.1	Fuerpal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	46.7	Other puerpal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-699	41	Diseases of skin and organs of locomotion	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
700-709	42	Congenital malformations	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
710-719	43.0	Burn injuries, postnatal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
720-729	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
730-739	43.2	Diarrhea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
740-749	44	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
750-759	45.0	Other diseases peculiar to infancy and immaturity unqualified	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
760-769	45.1	Senility without mention of psychosis	—	16	—	3	2	6	5	—	—	—	8	4	1	—	—	—
770-776	45.2	Ill-defined and unknown causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	E49	Suicide and self-inflicted injury	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E963, E970-E979	E47	Motor vehicle accidents	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
E810-E835	E48.0	Other road vehicle accidents	—	4	—	3	1	10	2	7	1	13	8	7	2	1	—	—
E840-E845	E48.1	Accidents in the home	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part)	E961 (part), E962 (part), E963 (part), E964 (part), E965 (part), E966 (part), E967 (part), E968 (part), E969 (part), E970 (part), E971 (part), E972 (part), E973 (part), E974 (part), E975 (part), E976 (part), E977 (part), E978 (part), E979 (part), E980 (part), E981 (part), E982 (part), E983 (part), E984 (part), E985 (part), E986 (part), E987 (part), E988 (part), E989 (part), E990 (part), E991 (part), E992 (part), E993 (part), E994 (part), E995 (part), E996 (part), E997 (part), E998 (part), E999 (part)	Other violence (BE50)	—	4	—	1	2	4	1	3	—	—	7	2	4	—	—	—
Remainder of E800-E999	E48.2	Other violence (BE50)	—	4	—	1	2	4	1	3	—	—	7	2	4	—	—	—

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

[illegible]

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

444-447	29	Other hypertensive disease	2	3	4	8	6	1	1	4	3	2	1	3	3	10	4
450-468	46.2	Other circulatory disease	4	5	3	4	24	2	1	—	—	—	—	—	—	—	—
480-483	30	Influenza	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
490-493	31	Pneumonia (except of newborn)	4	5	3	27	23	1	1	1	1	4	1	1	3	14	14
500-502	32	Bronchitis	1	5	5	19	19	1	1	1	1	2	1	1	2	6	6
470-475, 510-527	46.3	Other respiratory diseases	2	2	1	5	11	1	1	1	1	2	1	1	1	1	1
540, 541	33	Ulcer of stomach and duodenum	2	2	1	5	2	1	1	1	1	2	1	1	1	1	1
550-553	34	Appendicitis	1	3	—	1	3	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
580, 582-586	36.1	Diarrhea (except of newborn)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
590-593, 592, 594, 595, 597, 598, 599	37	Diarrhea of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	46.4	Other diseases of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
640, 641, 651, 681, 682, 684	46.5	Other digestive diseases	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
683, 685-689	38	Nephritis and nephrosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	39	Hyperplasia of prostate	1	2	1	5	3	—	—	—	—	—	—	—	—	—	—
750-759	46.6	Other diseases of genito-urinary system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
760-762	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
763	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	46.7	Diseases of skin and organs of locomotion	2	1	2	4	2	—	—	—	—	—	—	—	—	—	—
765-768	41	Conjunctival malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	42	Birth injuries, perinatal asphyxia and atelectasis	2	6	3	4	6	—	—	—	—	—	—	—	—	—	—
794	43.0	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
795	43.1	Diarrhea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
796	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
797	44	Other diseases peculiar to early infancy and immaturity unqualified	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
798	45.0	Senility without mention of psychosis	1	5	1	4	5	—	—	—	—	—	—	—	—	—	—
799	45.1	Ill-defined and unknown causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
800-809, 811-837	E49	Suicide and self-inflicted injury	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
810-835	E47	Motor vehicle accidents	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
840-845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
850-855	E48.1	Accidents in the home	1	2	1	8	7	—	—	—	—	—	—	—	—	—	—
860-865	E48.2	Other violence (BE50)	1	2	—	9	6	—	—	—	—	—	—	—	—	—	—
870-899			129	174	98	638	677	33	53	22	81	75	39	71	303		
900-999			4	9	5	19	21	—	1	1	3	1	1	4	10		
1000-1099			—	—	—	2	2	—	—	—	—	—	—	2	1		
1100-1199			2	—	—	3	4	—	—	—	2	—	—	—	1		
1200-1299			1	3	1	17	5	—	1	—	1	1	—	1	1		
1300-1399			3	13	2	55	21	1	1	—	1	—	2	3	13		
1400-1499			9	18	19	117	48	2	6	2	2	4	2	7	21		
1500-1599			19	21	21	103	103	7	6	5	13	12	7	7	46		
1600-1699			21	51	17	167	184	5	19	6	19	20	11	18	86		
1700-1799			51	47	42	180	211	9	12	4	27	27	14	26	92		
1800-1899			19	12	12	55	76	9	7	4	12	10	1	3	30		
1900-1999			—	—	—	—	—	—	—	—	—	—	—	—	—		
2000-2099			129	174	98	638	677	33	53	22	81	75	39	71	303		
2100-2199			—	—	—	—	—	—	—	—	—	—	—	—	—		
2200-2299			—	—	—	—	—	—	—	—	—	—	—	—	—		
2300-2399			—	—	—	—	—	—	—	—	—	—	—	—	—		
2400-2499			—	—	—	—	—	—	—	—	—	—	—	—	—		
2500-2599			—	—	—	—	—	—	—	—	—	—	—	—	—		
2600-2699			—	—	—	—	—	—	—	—	—	—	—	—	—		
2700-2799			—	—	—	—	—	—	—	—	—	—	—	—	—		
2800-2899			—	—	—	—	—	—	—	—	—	—	—	—	—		
2900-2999			—	—	—	—	—	—	—	—	—	—	—	—	—		
3000-3099			—	—	—	—	—	—	—	—	—	—	—	—	—		
3100-3199			—	—	—	—	—	—	—	—	—	—	—	—	—		
3200-3299			—	—	—	—	—	—	—	—	—	—	—	—	—		
3300-3399			—	—	—	—	—	—	—	—	—	—	—	—	—		
3400-3499			—	—	—	—	—	—	—	—	—	—	—	—	—		
3500-3599			—	—	—	—	—	—	—	—	—	—	—	—	—		
3600-3699			—	—	—	—	—	—	—	—	—	—	—	—	—		
3700-3799			—	—	—	—	—	—	—	—	—	—	—	—	—		
3800-3899			—	—	—	—	—	—	—	—	—	—	—	—	—		
3900-3999			—	—	—	—	—	—	—	—	—	—	—	—	—		
4000-4099			—	—	—	—	—	—	—	—	—	—	—	—	—		
4100-4199			—	—	—	—	—	—	—	—	—	—	—	—	—		
4200-4299			—	—	—	—	—	—	—	—	—	—	—	—	—		
4300-4399			—	—	—	—	—	—	—	—	—	—	—	—	—		
4400-4499			—	—	—	—	—	—	—	—	—	—	—	—	—		
4500-4599			—	—	—	—	—	—	—	—	—	—	—	—	—		
4600-4699			—	—	—	—	—	—	—	—	—	—	—	—	—		
4700-4799			—	—	—	—	—	—	—	—	—	—	—	—	—		
4800-4899			—	—	—	—	—	—	—	—	—	—	—	—	—		
4900-4999			—	—	—	—	—	—	—	—	—	—	—	—	—		
5000-5099			—	—	—	—	—	—	—	—	—	—	—	—	—		
5100-5199			—	—	—	—	—	—	—	—	—	—	—	—	—		
5200-5299			—	—	—	—	—	—	—	—	—	—	—	—	—		
5300-5399			—	—	—	—	—	—	—	—	—	—	—	—	—		
5400-5499			—	—	—	—	—	—	—	—	—	—	—	—	—		
5500-5599			—	—	—	—	—	—	—	—	—	—	—	—	—		
5600-5699			—	—	—	—	—	—	—	—	—	—	—	—	—		
5700-5799			—	—	—	—	—	—	—	—	—	—	—	—	—		
5800-5899			—	—	—	—	—	—	—	—	—	—	—	—	—		
5900-5999			—	—	—	—	—	—	—	—	—	—	—	—	—		
6000-6099			—	—	—	—	—	—	—	—	—	—	—	—	—		
6100-6199			—	—	—	—	—	—	—	—	—	—	—	—	—		
6200-6299			—	—	—	—	—	—	—	—	—	—	—	—	—		
6300-6399			—	—	—	—	—	—	—	—	—	—	—	—	—		
6400-6499			—	—	—	—	—	—	—	—	—	—	—	—	—		
6500-6599			—	—	—	—	—	—	—	—	—	—	—	—	—		
6600-6699			—	—	—	—	—	—	—	—	—	—	—	—	—		
6700-6799			—	—	—	—	—	—	—	—	—	—	—	—	—		
6800-6899			—	—	—	—	—	—	—	—	—	—	—	—	—		
6900-6999			—	—	—	—	—	—	—	—	—	—	—	—	—		
7000-7099			—	—	—	—	—	—	—	—	—	—	—	—	—		
7100-7199			—	—	—	—	—	—	—	—	—	—	—	—	—		
7200-7299			—	—	—	—	—	—	—	—	—	—	—	—	—		
7300-7399			—	—	—	—	—	—	—	—	—	—	—	—	—		
7400-7499			—	—	—	—	—	—	—	—	—	—	—	—	—		
7500-7599			—	—	—	—	—	—	—	—	—	—	—	—	—		
7600-7699			—	—	—	—	—	—	—	—	—	—	—	—	—		
7700-7799			—	—	—	—	—	—	—	—	—	—	—	—	—		
7800-7899																	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
444-447	26.2	Other hypertensive disease
448-483	31	Other circulatory disease
484-493	32	Influenza
494-502	32	Pneumonia (except of newborn)
503-527	33	Bronchitis
470-475	33	Other respiratory diseases
528-541	34	Ulcer of stomach and duodenum
542-553	34	Appendicitis
554-570	35	Intestinal obstruction and hernia
571-572	36.0	Gasstritis and duodenitis
580-582-586	36.1	Diarrhoea (except of newborn)
530-539, 542, 544, 545, 573-578, 587	37	Cirrhosis of liver
590-594	46.5	Other diseases of liver
600-609, 611-637	38	Other digestive diseases
640, 641, 651, 681, 682, 684, 642-650, 652-680, 683, 685-689	39	Nephritis and nephrosis
690-749	46.6	Hyperplasia of prostate
750-759	40.0	Other diseases of genito-urinary system
760-762	40.1	Puerperal sepsis including abortion with sepsis
763	46.7	Other puerperal causes
764	41	Diseases of skin and organs of locomotion
765-768	42	Congenital malformations
769-776	43.0	Birth injuries, postnatal asphyxia and atelectasis
794	43.1	Pneumonia of newborn
780-793, 795	43.2	Diarrhoea of newborn
E963, E970-E979	44	Other infections of the newborn
E810-E835	45.0	Other diseases peculiar to early infancy and immaturity unqualified
E840-E845	45.1	Senility without mention of psychosis
E870-E936 (part)	45.1	Ill-defined and unknown causes
E961 (part), E962 (part)	45.1	Suicide and self-inflicted injury
Remainder of E800-E999	45.1	Motor vehicle accidents
	45.1	Other road vehicle accidents
	45.1	Accidents in the home
	45.1	Other violence (BE50)
	45.2	Other violence (BE50)
		ALL CAUSES
		AGES AT DEATH
		Under 1
		1-4
		5-9
		10-14
		15-24
		25-34
		35-44
		45-54
		55-64
		65-74
		75-84
		85 and over
		Not stated

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

444-447	29	Other hypertensive disease
---------	----	----------------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
444-447	29	Other hypertensive disease	29	1	2	1	5	2	1	2	1	7	3	10	1	1	1	1	1	1	1	1	1	1	1
450-468	46.2	Other circulatory disease	46.2	2	1	1	4	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1
480-483	30	Influenza	30	1	10	1	18	1	1	1	1	1	6	4	1	1	1	1	1	1	1	1	1	1	1
490-493	31	Pneumonia (except of newborn)	31	1	8	1	6	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
500-502	32	Bronchitis	32	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
470-475, 510-527	46.3	Other respiratory diseases	46.3	1	2	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
530-533	33	Ulcer of stomach and duodenum	33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
540, 541	34	Appendicitis	34	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
550-553	35	Intestinal obstruction and hernia	35	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
560, 561, 570	36.0	Gastritis and duodenitis	36.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
571, 572	36.1	Diarrhea (except of newborn)	36.1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
580, 582-586	36.4	Enteritis of liver	36.4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
530-537, 542, 544, 545, 573-578, 587	46.5	Other diseases of liver	46.5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
590-594	38	Other digestive diseases	38	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
600-609, 611-637	39	Nephritis and nephrosis	39	2	2	2	7	2	2	2	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1
640, 641, 651, 681-682, 684	46.6	Hypertrophy of prostate	46.6	1	1	1	3	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1
642-650, 652-680, 683, 685-689	40.1	Other diseases of genito-urinary system	40.1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
690-749	41	Puerperal sepsis including abortion with sepsis	41	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
750-759	42	Other puerperal causes	42	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
760-762	43.0	Diseases of skin and organs of locomotion	43.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
763	43.1	Congenital malformations	43.1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
764	43.2	Birth injuries, postnatal asphyxia and atelectasis	764	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
765-768	44	Pneumonia of newborn	765-768	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
769-776	45.0	Diarrhea of newborn	769-776	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
780-793, 795	45.1	Other infections of the newborn	780-793, 795	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E963, E970-E979	E49	Other diseases peculiar to early immaturity unqualified	E963, E970-E979	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E810-E835	E47	Senility without mention of psychosis	E810-E835	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E840-E845	E48.0	Ill-defined and unknown causes	E840-E845	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E870-E936 (part)	E48.1	Suicide and self-inflicted injury	E870-E936 (part)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E961 (part), E962 (part)	E48.2	Motor vehicle accidents	E961 (part), E962 (part)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Remainder of E800-E999		Other road vehicle accidents	Remainder of E800-E999	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Accidents in the home		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Other violence (BE50)		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		ALL CAUSES		1,024	46	346	22	610	320	33	25	21	69	172	85	34	51	1	1	1	1	1	1	1	1
		AGES AT DEATH		21	1	5	1	14	10	1	1	1	1	8	2	1	1	1	1	1	1	1	1	1	1
		Under 1		4	—	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		1-4		3	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		5-9		13	1	1	—	11	5	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		10-14		32	1	1	—	13	4	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
		15-24		32	1	1	—	15	6	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
		25-34		139	6	16	—	41	17	2	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—
		35-44		235	4	31	—	32	29	6	—	—	—	32	—	—	—	—	—	—	—	—	—	—	—
		45-54		164	8	61	—	80	56	8	—	—	—	27	—	—	—	—	—	—	—	—	—	—	—
		55-64		164	10	80	—	140	62	13	—	—	—	32	—	—	—	—	—	—	—	—	—	—	—
		65-74		164	8	101	—	192	118	20	—	—	—	57	—	—	—	—	—	—	—	—	—	—	—
		75-84		164	8	48	—	103	40	1	—	—	—	24	—	—	—	—	—	—	—	—	—	—	—
		85 and over		164	8	48	—	103	40	1	—	—	—	24	—	—	—	—	—	—	—	—	—	—	—
		Not stated		1,024	46	346	22	610	320	33	25	21	69	172	85	34	51	1	1	1	1	1	1	1	1
		ALL AGES		1,024	46	346	22	610	320	33	25	21	69	172	85	34	51	1	1	1	1	1	1	1	1

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

	ALL AGES	15-44	45-64	65-84	85 and over	ALL AGES	15-44	45-64	65-84	85 and over	ALL AGES	15-44	45-64	65-84	85 and over	
Other circulatory disease	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
Influenza	18	1	2	1	1	1	1	1	1	1	1	1	1	1	1	
Pneumonia (except of newborn)	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Bronchitis	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other respiratory diseases	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Ulcer of stomach and duodenum	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Appendicitis	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Intestinal obstruction and hernia	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diarrhoea and duodenitis	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diarrhoea (except of newborn)	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Cirrhosis of liver	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other diseases of liver	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other digestive diseases	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Nephritis and nephrosis	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Hyperplasia of prostate	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other diseases of genito-urinary system	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Puerperal sepsis including abortion with sepsis	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other puerperal causes	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diseases of skin and organs of locomotion	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Congenital malformations	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Birth injuries, postnatal asphyxia and atelectasis	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Pneumonia of newborn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diarrhoea of newborn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other infections of the newborn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other diseases peculiar to early infancy and immaturity unqualified	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Senility without mention of psychosis	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Ill-defined and unknown causes	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Suicide and self-inflicted injury	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Motor vehicle accidents	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other road vehicle accidents	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Accidents in the home	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other violence (BE50)	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
ALL CAUSES	403	44	46	16	37	11	249	19,117	13,034	326	18	526	465	33	1	1
Under 1	11	—	1	—	1	—	9	1,099	744	24	—	44	33	—	—	—
1-4	5	—	—	—	—	—	5	152	102	—	—	4	4	—	—	—
5-9	2	—	—	—	—	—	2	81	45	—	—	3	3	—	—	—
10-14	2	—	—	—	—	—	2	47	32	—	—	1	1	—	—	—
15-24	1	—	—	—	—	—	1	135	90	—	—	8	8	—	—	—
25-34	4	—	—	—	—	—	4	288	207	—	—	9	9	—	—	—
35-44	13	1	1	—	—	—	10	651	424	12	1	19	19	—	—	—
45-54	25	8	5	—	—	—	18	1,662	1,145	21	1	50	48	—	—	—
55-64	53	11	10	4	2	1	25	3,538	2,468	57	6	92	72	—	—	—
65-74	65	13	8	6	10	2	56	5,017	3,403	98	6	124	114	—	—	—
75-84	136	13	20	4	9	3	85	4,960	3,357	82	4	142	124	—	—	—
85 and over	48	3	1	1	7	5	33	1,487	1,017	25	—	31	31	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ALL AGES	403	44	46	16	37	11	249	19,117	13,034	326	18	526	465	33	1	1

444-447	29	2	8	37	45	191	3	1	3	5	108	55	190	58	617
450-468	46.2	4	4	11	219	10	3	1	3	5	108	55	190	58	617
480-483	30	4	4	12	10	12	2	4	1	3	5	2	6	2	39
490-493	31	4	4	110	231	204	3	2	4	5	1	2	1	2	39
500-502	32	3	38	17	128	264	3	2	4	3	1	—	2	—	3
470-475, 510-527	46.3	2	6	2	98	43	2	32	4	—	—	—	2	—	3
540, 541	33	2	6	2	28	56	4	45	—	—	—	—	2	—	3
550-553	34	3	4	8	36	6	1	29	—	—	—	—	1	1	4
560, 561, 570	35	1	4	13	29	6	—	—	—	—	—	—	1	—	—
571, 572	36.0	1	—	2	—	—	—	—	—	—	—	—	—	—	—
580, 582-586	36.1	3	6	14	37	33	—	—	—	—	—	—	1	—	—
530-539, 542, 544, 545, 573-578, 587	37	3	3	9	23	6	—	—	—	—	—	—	2	1	2
590-594	46.5	2	2	16	32	28	—	—	—	—	—	—	1	—	—
600-609, 611-637	38	3	3	25	39	33	—	—	—	—	—	—	2	1	1
641, 651, 681, 682, 684	39	3	4	17	47	56	—	—	—	—	—	—	1	1	6
642-650, 652-680, 683, 685-689	40.0	—	—	26	62	5	—	—	—	—	—	—	—	—	6
690-749	46.7	—	—	2	1	—	—	—	—	—	—	—	—	—	—
750-759	41	4	4	9	42	35	—	—	—	—	—	—	2	1	2
760-762	42	15	15	64	75	57	—	—	—	—	—	—	4	1	10
763	43.0	6	6	59	68	53	—	—	—	—	—	—	1	—	—
764	43.1	1	—	12	3	2	—	—	—	—	—	—	—	—	—
765-768	43.2	—	—	2	2	—	—	—	—	—	—	—	1	—	—
769-776	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—
794	45.0	2	9	20	56	41	—	—	—	—	—	—	1	—	13
780-793, 795	45.1	11	11	33	17	14	—	—	—	—	—	—	—	—	3
E963, E970-E979	E49	—	—	33	13	10	—	—	—	—	—	—	—	1	2
E810-E835	E47	3	3	21	80	71	—	—	—	—	2	—	1	1	10
E840-E845	E48.0	1	12	21	64	51	—	—	—	—	—	—	2	—	—
E870-E936 (part)	E48.1	1	12	3	3	3	—	—	—	—	—	—	1	5	10
E961 (part), E962 (part)	E48.2	—	12	52	145	124	—	—	—	—	2	—	2	1	—
Remainder of E800-E999		—	1	34	72	49	—	—	—	—	2	—	1	3	16
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	67	55	190	58	617			
		102	840	307	3,499	7,035	108	6							

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1960—continued

International Classification	Detailed List	Abbreviated List "B"	PEEBLES COUNTY				PERTH COUNTY										Dunblane Burgh
			Peables County	Inverleithen Burgh	Peebles Burgh	Landward	Perth County	Aberfeldy Burgh	Abernethy Burgh	Alyth Burgh	Auchterarder Burgh	Blairgowrie and Rattray Burgh	Callander Burgh	Coupar Angus Burgh	Crief Burgh	Doune Burgh	
			13,948	2,315	5,495	6,138	126,200	1,459	631	1,963	2,392	5,362	1,587	2,118	5,366	832	2,898
			169	2	156	11	1,820	94	94	4	28	8	7	5	32	14	12
			210	43	71	96	2,126	29	12	23	26	95	23	31	95	46	46
			102	17	42	43	1,144	17	5	7	13	56	14	18	48	6	27
			108	26	29	53	982	12	5	8	15	39	9	13	47	8	19
			8	—	6	2	113	1	—	—	—	6	1	2	2	1	2
			—	—	—	—	30	1	—	—	—	—	—	—	—	—	—
			—	—	—	—	35	—	—	—	—	—	—	—	—	—	—
			75	14	39	22	862	8	—	—	—	—	—	—	—	—	—
			143	19	77	47	1,687	22	9	5	15	71	14	6	32	13	21
			202	39	85	78	1,676	22	16	23	47	96	27	17	90	4	31
			102	22	36	44	781	15	5	5	28	41	21	13	37	2	30
			100	17	49	34	895	7	11	16	19	55	10	23	59	4	28
			—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
			2	—	2	—	2	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			35	7	13	15	315	6	—	3	9	22	6	10	20	—	9
			10	4	5	1	52	—	—	—	—	2	2	2	2	—	—
			3	1	8	2	13	6	—	3	9	1	4	8	17	—	9
			22	2	—	—	250	—	—	—	—	19	—	—	—	—	1
			3	—	—	—	3	—	—	—	—	—	—	—	—	—	2
			2	—	—	—	11	—	—	—	—	—	—	—	—	—	1
			1	—	—	—	10	—	—	—	—	—	—	—	—	—	1
			33	3	15	15	308	4	5	2	11	11	7	7	20	3	10
			—	—	—	—	24	—	—	—	—	—	—	—	—	—	—
			1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
			3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
			3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			74	16	35	2	514	5	—	—	—	32	9	—	31	1	23
			4	1	1	1	26	—	—	—	—	—	—	—	—	—	3
			5	1	3	1	22	—	—	—	—	2	—	—	2	—	1
001-008			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
087			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
088			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
089			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
090-095, 058-074, } 081-084, 086-138			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
160-165			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-205			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-159, 170-199			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

[illegible]

Year	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated	All ages
441-447	29	4	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
448-454	46.2	30	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
455-461	31	11	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
462-468	32	6	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
469-475	46.3	33	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
476-482	34	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
483-489	35	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
490-493	36.0	36	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
500-502	36.1	37	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
503-509	46.4	38	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
510-517	46.5	39	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
518-524	38	21	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
525-531	39	11	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
532-538	40.0	23	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
539-545	40.1	25	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
546-552	46.7	7	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
553-559	41	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
560-566	42	6	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
567-573	43.0	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
574-580	43.1	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
581-587	43.2	14	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
588-594	44	29	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
595-601	45.0	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
602-608	45.1	18	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
609-615	45.4	22	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
616-622	45.9	25	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
623-629	46.7	30	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
630-636	41	8	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
637-643	42	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
644-650	43.0	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
651-657	43.1	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
658-664	43.2	14	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
665-671	44	29	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
672-678	45.0	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
679-685	45.1	18	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
686-692	45.4	22	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
693-699	45.9	25	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
700-706	46.7	30	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
707-713	41	8	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
714-720	42	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
721-727	43.0	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
728-734	43.1	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
735-741	43.2	14	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
742-748	44	29	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
749-755	45.0	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
756-762	45.1	18	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
763-769	45.4	22	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
770-776	45.9	25	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
777-783	46.7	30	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
784-790	41	8	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
791-797	42	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
798-804	43.0	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
805-811	43.1	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
812-818	43.2	14	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
819-825	44	29	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
826-832	45.0	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
833-839	45.1	18	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
840-846	45.4	22	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
847-853	45.9	25	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
854-860	46.7	30	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
861-867	41	8	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
868-874	42	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
875-881	43.0	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
882-888	43.1	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
889-895	43.2	14	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
896-902	44	29	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
903-909	45.0	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
910-916	45.1	18	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
917-923	45.4	22	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
924-930	45.9	25	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
931-937	46.7	30	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
938-944	41	8	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
945-951	42	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
952-958	43.0	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
959-965	43.1	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
966-972	43.2	14	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
973-979	44	29	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
980-986	45.0	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
987-993	45.1	18	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
994-1000	45.4	22	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

450-468	46.2	Other circulatory disease	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
---------	------	---------------------------	----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

450-468	480-483	490-493	500-502	470-475, 510-527	540, 541	550-553	560, 561, 570	571, 572	581	580, 582-586	530-539, 542, 544, 545, 573-578, 587	600-609, 611-637	641, 651, 681, 682, 684	642-650, 652-680, 683, 685-689	690-749	750-759	760-762	763	764	765-768	769-776	794	780-793, 795	E963, E970-E979	E810-E835	E840-E845	E870-E936 (part)	E961 (part), E962 (part)	Remainder of E800-E999	
Other circulatory disease	30	31	32	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Influenza	31	31	32	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Pneumonia (except of newborn)	32	32	32	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Other respiratory diseases	32	32	32	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Ulcer of stomach and duodenum	33	33	33	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Appendicitis	34	34	34	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Intestinal obstruction and hernia	35	35	35	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Gastritis and duodenitis	36.0	36.0	36.0	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Diarrhoea (except of newborn)	36.1	36.1	36.1	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Cirrhosis of liver	37	37	37	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Other diseases of liver	46.4	46.4	46.4	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Other digestive diseases	46.5	46.5	46.5	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Nephritis and nephrosis	38	38	38	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Hyperplasia of prostate	39	39	39	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Other diseases of genito-urinary system	46.6	46.6	46.6	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Puerperal sepsis including abortion with sepsis	40.0	40.0	40.0	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Other puerperal causes	40.1	40.1	40.1	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Diseases of skin and organs of locomotion	46.7	46.7	46.7	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Congenital malformations	41	41	41	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Birth injuries, postnatal asphyxia and atelectasis	42	42	42	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Pneumonia of newborn	43.0	43.0	43.0	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Diarrhoea of newborn	43.1	43.1	43.1	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Other infections of the newborn	43.1	43.1	43.1	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Other diseases peculiar to early infancy and immaturity unqualified	43.2	43.2	43.2	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Senility without mention of psychosis	44	44	44	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Ill-defined and unknown causes	45.0	45.1	45.1	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Suicide and self-inflicted injury	E47	E47	E47	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Motor vehicle accidents	E49	E49	E49	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Other road vehicle accidents	E48.0	E48.0	E48.0	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Accidents in the home	E48.1	E48.1	E48.1	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
Other violence (BE50)	E48.2	E48.2	E48.2	46.3	33	34	35	36.0	36.1	37	46.4	46.5	38	39	40.0	40.1	46.7	41	42	43.0	43.1	43.2	44	45.0	E47	E49	E48.0	E48.1	E48.2	
ALL CAUSES	215	17	198	957	55	111	121	52	38	47	533	26	5	2	2	4	5	5	19	13	103	127	148	41	533	26	5	2	4	5
AGES AT DEATH	Under 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	1-4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	5-9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	10-14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	15-24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	25-34	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	35-44	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	45-54	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	55-64	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	65-74	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	75-84	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	85 and over	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Not stated	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

•Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

[illegible]

Table 48. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age
England and Wales, Scotland

International Detailed List Numbers	Cause of Death	Country	S.M.R.		Death Rates per Million Population							
			All Ages		All Ages		1-4		5-14		15-24	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
001-008	All causes . . .	England and Wales	99	97	12,196	10,855	946.5	782.6	452.4	299.1	1,034	401.1
		Scotland	111	116	12,643	11,133	1,178	861.7	510.1	363.9	915.6	448.8
		Northern Ireland .	103	115	11,406	10,172	1,210	1,134	538.0	287.1	966.5	348.7
		Irish Republic .	95	113	12,244	10,794	1,501	1,161	471.2	376.5	732.5	517.7
010-019	Tuberculosis of res- piratory system .	England and Wales	93	83	106.1	32.2	1.39	2.20	—	0.59	1.68	—
		Scotland	128	139	134.5	50.3	—	5.52	—	—	8.53	—
		Northern Ireland .	91	156	88.2	52.2	—	—	—	—	—	—
		Irish Republic .	174	319	187.7	105.3	17.1	—	3.41	—	9.21	26.6
020-029	Syphilis and its sequelae . . .	England and Wales	91	91	7.25	7.18	4.17	2.93	0.85	1.77	2.35	2.2
		Scotland	89	94	6.78	7.03	5.28	5.52	2.26	—	—	2.2
		Northern Ireland .	139	154	10.1	11.0	17.0	18.0	—	—	—	18.0
		Irish Republic .	239	258	18.2	18.5	42.7	35.2	3.41	14.2	13.8	—
057	Meningococcal infections . . .	England and Wales	108	106	28.2	13.6	—	—	0.28	—	—	0.34
		Scotland	69	76	16.4	8.51	—	—	—	—	—	—
		Northern Ireland .	135	109	30.4	11.0	—	—	—	—	—	—
		Irish Republic .	11	14	2.80	1.42	—	—	—	—	—	—
080	Acute poliomyelitis .	England and Wales	93	88	2.08	2.07	10.4	11.7	0.28	1.77	0.34	—
		Scotland	109	170	2.79	4.44	26.4	22.1	—	2.36	—	—
		Northern Ireland .	51	142	1.45	4.12	—	—	—	—	—	—
		Irish Republic .	202	115	5.60	3.56	42.7	17.6	6.83	3.55	—	—
Rem. 001-138	Other infective and parasitic diseases	England and Wales	82	38	0.86	0.17	0.69	1.46	0.28	0.30	1.68	—
		Scotland	—	—	—	—	—	—	—	—	—	—
		Northern Ireland .	133	—	1.45	—	—	7.37	—	—	—	—
		Irish Republic .	541	1,125	5.60	6.40	8.53	17.6	6.83	10.7	9.21	—
140-148	Malignant neoplasm of buccal cavity and pharynx .	England and Wales	94	95	25.9	23.7	32.7	32.9	12.7	9.75	8.41	7.1
		Scotland	92	107	25.1	25.9	15.9	11.0	6.77	14.2	2.84	10.0
		Northern Ireland .	187	122	50.6	28.9	51.1	72.0	7.37	7.76	—	—
		Irish Republic .	160	163	45.5	39.8	102.4	61.6	41.0	24.9	4.61	10.0
150	oesophagus . . .	England and Wales	95	100	50.7	28.1	1.39	—	0.28	—	2.02	—
		Scotland	107	101	52.3	25.2	—	—	—	—	2.84	—
		Northern Ireland .	131	104	62.1	23.4	—	—	—	—	—	—
		Irish Republic .	153	86	86.1	19.9	—	—	3.41	—	—	—
151	stomach . . .	England and Wales	98	96	58.9	42.5	—	—	—	—	0.34	—
		Scotland	120	119	65.4	45.9	—	—	—	—	—	—
		Northern Ireland .	71	95	37.6	33.0	—	—	—	—	—	—
		Irish Republic .	109	135	67.9	49.1	—	—	—	—	—	—
153	large intestine . .	England and Wales	100	96	355.5	257.8	—	—	0.28	—	2.02	—
		Scotland	102	119	329.6	278.7	—	—	—	—	—	—
		Northern Ireland .	117	132	359.9	278.9	—	—	—	—	—	—
		Irish Republic .	90	125	322.1	276.7	—	8.79	—	3.55	—	—
154	rectum . . .	England and Wales	97	97	163.7	230.0	—	—	—	0.30	2.02	—
		Scotland	123	123	188.8	253.9	—	—	—	—	—	—
		Northern Ireland .	111	113	163.3	210.2	—	—	—	—	—	—
		Irish Republic .	100	100	173.7	194.9	—	—	—	—	—	—
161	larynx . . .	England and Wales	102	101	137.2	103.2	—	—	—	—	0.67	—
		Scotland	103	106	126.5	95.1	—	—	—	—	—	—
		Northern Ireland .	89	75	105.5	60.4	—	—	—	—	—	—
		Irish Republic .	71	87	98.7	73.3	—	—	—	—	—	—
162, 163	trachea, bronchus, and lung . . .	England and Wales	102	89	31.2	6.63	—	—	—	—	—	—
		Scotland	79	133	21.9	8.88	—	—	—	2.36	—	—
		Northern Ireland .	65	137	17.3	8.24	—	—	—	—	—	—
		Irish Republic .	119	233	37.1	14.2	—	—	—	—	—	—
170	breast . . .	England and Wales	104	101	855.6	131.6	—	—	—	0.30	2.02	—
		Scotland	110	108	829.2	127.3	—	—	—	—	2.84	—
		Northern Ireland .	57	77	398.9	81.1	—	—	—	—	—	—
		Irish Republic .	41	72	322.1	76.1	—	—	—	3.55	4.61	—
171	cervix uteri . . .	England and Wales	105	101	2.85	382.5	—	—	—	—	—	—
		Scotland	80	103	2.00	353.1	—	—	—	—	—	—
		Northern Ireland .	133	82	2.89	252.8	—	—	—	—	—	—
		Irish Republic .	50	81	1.40	253.9	—	—	—	—	—	—
172	corpus uteri . . .	England and Wales	—	104	—	109.7	—	—	—	—	—	—
		Scotland	—	100	—	96.6	—	—	—	—	—	—
		Northern Ireland .	—	75	—	65.9	—	—	—	—	—	—
		Irish Republic .	—	35	—	30.6	—	—	—	—	—	—
177	prostate . . .	England and Wales	—	112	—	52.6	—	—	—	—	—	—
		Scotland	—	34	—	14.1	—	—	—	—	—	—
		Northern Ireland .	—	37	—	13.7	—	—	—	—	—	—
		Irish Republic .	—	19	—	7.11	—	—	—	—	—	—

NOTE. Rates based upon less than

Infant death rates and infant mortality rates from selected causes and estimated mid-year populations, 1960, in Northern Ireland and Irish Republic

Death Rates per Million Population														Deaths under 1 Year per thousand live births		I.C.D. No.
5-34		35-44		45-54		55-64		65-74		75-84		85 and over		M.	F.	
	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
1	734.5	2,413	1,731	7,169	4,347	21,410	10,555	52,461	29,465	119,648	84,355	232,053	210,448	24.5	18.9	
5	853.2	2,925	2,212	9,031	5,266	25,162	12,984	58,255	36,493	126,618	97,030	232,449	236,461	29.7	22.9	
10	842.6	2,532	2,041	7,684	5,453	21,870	12,810	51,096	35,939	115,524	92,325	323,493	266,867	30.0	24.2	
15	1,084	2,690	2,202	6,907	5,602	18,255	12,567	45,793	35,785	112,602	95,370	278,019	213,988	33.3	25.0	
20	26.1	55.4	39.9	120.5	42.4	297.0	44.2	491.9	77.3	464.8	96.3	255.3	64.0	—	0.01	
25	74.9	113.4	99.1	179.1	52.9	398.5	61.7	538.5	99.4	529.3	119.1	312.0	58.4	—	—	
30	65.7	61.7	34.0	172.9	102.3	317.2	109.8	290.6	160.7	329.6	116.8	410.0	—	—	—	
35	161.3	236.3	171.6	303.1	206.4	590.5	177.3	620.3	239.4	384.5	130.3	135.7	—	0.03	—	
40	4.47	7.46	5.66	9.44	5.76	10.2	10.8	27.6	17.3	16.8	25.2	21.3	24.6	0.01	0.01	
45	11.5	12.3	2.91	5.97	2.79	15.6	13.0	21.0	23.7	—	19.9	—	—	0.02	—	
50	10.9	12.3	22.7	—	—	31.7	27.5	—	—	54.9	—	—	—	0.06	—	
55	12.9	30.3	22.9	11.7	36.4	36.0	14.8	21.4	20.8	—	—	—	90.6	0.03	0.03	
60	0.69	7.13	3.46	20.1	5.45	67.7	23.0	162.8	55.2	194.6	77.6	180.9	118.2	—	—	
65	—	6.13	2.91	5.97	11.1	54.7	19.5	132.9	33.1	32.1	49.6	104.0	—	—	—	
70	—	—	—	12.4	22.7	142.7	—	211.4	40.2	164.8	116.8	—	250.8	—	—	
75	—	—	—	—	6.07	14.4	—	10.7	—	21.4	—	—	—	—	0.03	
80	0.34	—	—	0.31	0.30	—	—	0.71	0.48	—	0.93	—	9.85	0.07	0.05	
85	—	—	—	—	2.79	—	—	—	—	—	—	—	—	0.04	0.12	
90	12.9	—	—	—	—	7.20	—	—	—	—	—	—	—	0.06	0.20	
95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
100	—	0.32	—	0.63	—	0.82	—	0.71	—	—	—	—	—	—	—	
105	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
110	12.9	6.06	—	—	—	—	—	—	—	—	—	—	—	—	0.07	
115	8.59	16.2	11.6	27.7	22.4	35.5	31.3	54.5	37.9	92.3	69.2	148.9	142.9	0.14	0.14	
120	2.88	21.5	11.7	41.8	27.9	39.1	55.2	55.9	42.6	64.2	79.4	—	58.4	0.17	0.16	
125	10.9	37.0	11.3	37.1	34.1	95.2	41.2	264.2	60.3	54.9	38.9	410.0	501.6	0.30	0.13	
130	12.9	24.2	28.6	40.8	36.4	21.6	51.7	85.6	52.0	85.5	93.1	—	181.2	0.42	0.27	
135	2.40	3.57	9.12	33.0	27.6	88.5	49.5	242.7	86.0	587.2	151.4	808.5	270.9	—	—	
140	—	12.3	5.83	20.9	30.6	54.7	52.0	286.7	99.4	866.1	148.9	936.0	175.1	—	—	
145	10.9	—	11.3	49.4	34.1	158.6	54.9	158.5	120.5	824.0	77.9	2.870	—	—	—	
150	—	6.06	11.4	64.1	12.1	144.0	66.5	395.7	62.5	854.5	93.1	1,764	362.4	—	—	
155	0.69	6.16	6.61	35.9	27.9	113.0	59.9	298.7	144.1	652.7	305.6	776.6	453.2	—	—	
160	2.88	6.13	8.74	38.8	36.2	140.6	68.2	370.7	203.6	753.9	347.4	124.8	466.9	—	—	
165	10.9	12.3	—	49.4	22.7	47.6	82.4	184.9	100.4	494.4	311.5	820.0	501.6	—	—	
170	—	6.06	11.4	46.6	66.8	122.4	88.7	459.9	291.4	555.4	260.6	271.4	181.2	—	—	
175	10.6	63.2	36.8	282.9	124.5	872.7	346.6	1,845	948.6	2,898	1,890	2,543	2,729	—	—	
180	17.3	110.4	58.3	328.3	156.0	828.2	422.4	1,951	1,264	2,502	2,064	2,912	3,793	—	—	
185	—	37.0	34.0	457.1	238.6	1,031	494.3	1,823	1,205	3,241	2,414	5,330	5,267	—	—	
190	6.45	72.7	40.0	332.3	200.3	770.5	568.9	1,572	1,384	2,478	2,253	2,578	1,359	—	—	
195	10.6	32.7	39.6	108.2	143.0	315.8	334.0	780.6	760.3	1,758	1,613	2,181	2,695	—	—	
200	11.5	30.7	43.7	116.4	156.0	390.6	493.9	979.1	951.6	2,422	1,965	2,808	3,443	—	—	
205	—	24.7	90.7	98.8	272.7	317.2	384.4	1,057	984.4	1,813	1,519	3,690	1,003	—	—	
210	—	12.1	57.2	151.6	121.4	345.7	399.0	812.8	895.1	1,709	1,489	1,900	2,174	—	—	
215	3.09	21.4	16.7	85.9	67.9	253.4	147.0	717.6	375.1	1,448	696.3	1,872	1,030	—	—	
220	5.77	21.5	23.3	95.5	75.2	253.9	178.7	622.4	359.8	1,572	724.6	2,392	933.7	—	—	
225	—	—	11.3	74.1	68.2	269.6	151.0	554.8	261.2	1,209	272.6	2,050	1,505	—	—	
230	—	12.1	22.9	87.4	66.8	158.4	177.3	524.0	270.6	982.7	521.3	814.1	906.0	—	—	
235	—	3.24	2.52	21.7	6.97	70.6	13.6	166.3	22.1	285.2	32.7	297.9	29.6	—	—	
240	—	—	2.91	14.9	13.9	66.4	13.0	139.9	23.7	192.5	59.6	104.0	116.7	—	—	
245	—	—	—	12.4	11.4	63.4	13.7	52.8	60.3	219.7	38.9	410.0	—	—	—	
250	—	12.1	—	11.7	54.6	79.2	14.8	181.8	520	341.8	74.5	542.7	—	—	—	
255	7.90	157.9	52.2	898.4	145.7	2,879	299.9	4,316	455.8	3,564	516.8	1,862	399.0	—	—	
260	23.1	177.8	55.4	1,024	161.6	3,219	318.4	4,497	464.0	3,048	545.9	1,040	408.5	—	—	
265	—	160.5	22.7	518.8	79.5	1,760	233.4	2,351	421.9	933.9	389.4	820.0	501.6	—	—	
270	—	90.9	11.4	419.7	115.3	1,440	295.5	1,433	374.7	683.6	148.9	407.1	90.6	—	—	
275	33.0	0.32	193.8	1.57	568.9	5.30	773.9	16.3	1,051	25.2	1,498	53.2	2,217	—	—	
280	28.8	—	221.5	2.98	551.6	3.91	789.5	14.0	1,037	16.0	1,558	—	2,976	—	—	
285	32.8	—	136.1	12.4	477.2	—	645.3	—	783.5	54.9	1,090	—	3,261	—	—	
290	45.2	—	183.0	5.83	485.6	7.20	709.3	—	843.1	—	893.6	—	1,178	—	—	
295	20.6	—	108.8	—	183.3	—	191.6	—	279.1	—	354.2	—	379.3	—	—	
300	20.2	—	131.1	—	217.3	—	165.7	—	222.5	—	277.9	—	233.4	—	—	
305	21.9	—	79.4	—	170.4	—	164.8	—	140.6	—	194.7	—	—	—	—	
310	6.45	—	45.8	—	54.6	—	96.0	—	104.1	—	37.2	—	—	—	—	
315	2.06	—	6.61	—	39.4	—	133.4	—	187.3	—	237.4	—	300.5	—	—	
320	—	—	2.91	—	16.7	—	35.7	—	66.3	—	49.6	—	58.4	—	—	
325	—	—	—	—	22.7	—	68.7	—	20.1	—	77.9	—	—	—	—	
330	—	—	—	—	30.3	—	22.2	—	20.8	—	—	—	—	—	—	
335	—	0.97	—	15.4	—	159.9	—	911.5	—	2,589	—	4,011	—	—	—	
340	—	—	—	5.97	—	140.6	—	923.1	—	2,727	—	3,016	—	—	—	
345	—	—	—	49.4	—	142.7	—	871.9	—	2,637	—	6,970	—	—	—	
350	—	—	—	11.7	—	180.0	—	823.5	—	1,666	—	2,714	—	—	—	

Deaths shown in italic figures

I.C.D. No.	Cause of Death	Country	S.M.R.		Death Rates per Million Population							
			All Ages		All Ages		1-4		5-14		15-24	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
181	bladder and other urinary organs	England and Wales Scotland Northern Ireland Irish Republic	104 105 74 46	101 110 85 73	97.0 89.0 60.7 44.8	39.4 37.4 26.1 23.5	2.08 — — 8.53	0.73 — — —	0.28 — — —	— — — —	0.34 — — —	—
204	Leukaemia and aleukaemia	England and Wales Scotland Northern Ireland Irish Republic	102 81 105 101	100 98 129 90	66.9 51.1 65.0 67.2	51.4 47.4 59.1 42.0	48.6 58.1 85.2 102.4	46.1 44.2 18.0 87.9	36.1 36.1 22.1 30.7	23.9 21.3 15.5 21.3	24.9 14.2 59.9 23.0	—
Rem. 140-205	Other malignant neoplasms	England and Wales Scotland Northern Ireland Irish Republic	99 109 107 104	97 117 107 118	406.3 416.6 384.4 420.2	507.0 547.7 457.5 514.2	49.3 52.8 85.2 76.8	53.4 22.1 90.0 87.9	42.9 36.1 51.6 13.7	34.3 18.9 31.0 21.3	63.9 71.1 59.9 50.7	—
140-205	All malignant neo- plasms and neo- plasms of the lym- phatic and hema- topoietic tissues	England and Wales Scotland Northern Ireland Irish Republic	101 107 89 76	99 110 99 97	2,391 2,320 1,818 1,783	1,943 1,931 1,570 1,575	101.5 116.2 170.4 187.7	100.3 66.3 108.0 184.7	80.4 72.2 73.7 47.8	58.8 42.5 46.6 49.7	98.5 93.8 119.7 78.3	—
260	Diabetes mellitus	England and Wales Scotland Northern Ireland Irish Republic	98 115 101 104	94 163 88 108	54.1 58.3 49.1 59.5	99.9 151.4 74.2 94.6	1.39 10.6 — 8.53	5.12 — — —	1.69 — — —	2.07 7.09 — 3.55	3.70 — 9.21 —	—
290-293	Anæmias	England and Wales Scotland Northern Ireland Irish Republic	97 119 92 125	91 150 157 160	26.9 30.3 23.1 37.8	45.0 63.3 60.4 66.9	4.17 15.9 — —	2.20 5.52 — —	1.69 2.26 — —	1.77 7.09 — —	2.69 — — 4.61	—
330-334	Vascular lesions affecting central nervous system	England and Wales Scotland Northern Ireland Irish Republic	98 129 106 78	98 126 115 91	1,405 1,678 1,351 1,209	1,909 2,089 1,724 1,487	6.95 15.9 — —	5.12 16.6 — —	6.49 15.8 22.1 6.83	4.43 9.45 17.1 7.10	13.4 17.1 17.1 32.2	—
345	Multiple sclerosis	England and Wales Scotland Northern Ireland Irish Republic	92 144 70 167	90 156 185 138	15.7 22.7 10.1 25.2	22.5 36.6 39.8 29.2	0.69 — — —	— — — —	0.28 — — —	0.59 — — —	1.68 — — 4.61	—
400-402, 410-416	Rheumatic fever and chronic rheumatic heart disease	England and Wales Scotland Northern Ireland Irish Republic	100 100 124 96	100 100 128 82	114.6 106.5 122.9 103.3	199.1 181.7 210.2 135.1	— — — 8.53	2.93 — — 8.79	3.39 4.51 7.37 —	3.25 9.45 7.76 —	18.5 17.1 51.3 13.8	—
420	Arteriosclerotic heart disease, including coronary disease	England and Wales Scotland Northern Ireland Irish Republic	99 119 119 71	98 123 129 78	2,561 2,784 2,645 1,852	1,497 1,610 1,524 980.1	— — — —	0.73 — — —	0.28 — — —	— — — —	2.69 5.69 8.55 9.21	—
421, 422 430-434	Other heart diseases	England and Wales Scotland Northern Ireland Irish Republic	93 117 123 158	94 128 127 151	1,159 1,326 1,374 2,217	1,614 1,788 1,611 2,215	4.17 5.28 17.0 —	5.86 11.0 — —	6.21 6.77 7.37 3.41	2.96 — 7.76 3.55	14.1 8.53 13.8 —	—
440-447	Hypertensive disease	England and Wales Scotland Northern Ireland Irish Republic	103 84 92 84	99 103 122 111	353.5 261.8 277.5 301.1	423.2 375.6 402.5 397.6	— — — —	— — — —	0.56 — — —	0.30 2.36 — 3.55	2.69 2.84 8.55 18.4	—
450-468	Other circulatory diseases	England and Wales Scotland Northern Ireland Irish Republic	101 102 81 86	100 109 104 80	354.8 324.4 252.9 334.0	418.3 377.1 325.6 284.5	1.39 — 17.0 —	0.73 — — —	1.41 — — —	2.36 — 7.76 7.10	3.36 2.84 — —	—
480-483	Influenza	England and Wales Scotland Northern Ireland Irish Republic	91 87 110 247	91 81 149 288	25.1 22.3 27.5 70.7	23.0 17.8 30.2 63.3	7.64 — 17.0 17.1	5.86 16.6 — 17.6	1.13 2.26 — 6.83	1.77 2.36 — —	4.71 2.84 — —	—
490-493	Pneumonia	England and Wales Scotland Northern Ireland Irish Republic	105 86 81 65	103 82 85 78	535.5 413.8 390.2 370.4	528.8 359.4 347.6 355.6	145.9 184.9 68.2 170.6	123.0 149.1 234.1 228.6	26.2 11.3 7.37 27.3	16.6 16.5 — 10.7	23.9 19.9 17.1 —	—
500-502	Bronchitis	England and Wales Scotland Northern Ireland Irish Republic	105 85 76 55	101 86 115 98	860.8 634.1 544.9 471.3	316.1 231.3 280.3 261.7	43.8 37.0 51.1 59.7	27.8 44.2 — 26.4	5.64 4.51 — 3.41	3.25 4.73 15.5 —	4.71 5.69 8.55 —	—
470-475, 510-527	Other respiratory diseases	England and Wales Scotland Northern Ireland Irish Republic	100 116 74 89	98 77 157 160	151.0 168.4 102.6 143.6	66.0 45.2 85.2 93.9	29.2 21.1 — 68.2	13.9 5.52 18.0 17.6	7.06 4.51 — —	3.84 7.09 15.5 7.10	9.08 2.84 17.1 4.61	—
540, 541	Ulcer of stomach and duodenum	England and Wales Scotland Northern Ireland Irish Republic	100 123 99 72	101 104 90 78	143.4 162.0 124.3 105.7	65.0 57.7 45.3 42.0	0.69 — — —	0.73 — — —	— — — —	0.30 — — —	2.02 2.84 — —	—

NOTE. Rates based upon le

Death Rates per Million Population														Deaths under 1 Year per thousand live births		I.C.D. No.
34		35-44		45-54		55-64		65-74		75-84		85 and over		M.	F.	
F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
0-34	8-43	4-09	46-9	18-2	195-4	53-3	552-6	137-4	993-3	322-4	1,149	364-5	0-00	-	181	
2-88	15-3	2-91	50-7	33-4	183-6	45-5	545-5	165-7	1,075	337-5	936-0	233-4	-	-		
-	12-3	-	37-1	45-4	158-6	54-9	317-0	100-4	714-1	155-8	1,230	501-6	-	-		
-	-	5-72	58-3	18-2	122-4	29-6	235-3	93-7	256-4	260-6	271-4	181-2	-	-		
18-2	43-8	21-4	54-8	41-2	104-0	80-8	229-3	137-8	349-0	189-7	340-4	202-0	0-03	0-02	204	
14-4	30-7	11-7	32-8	36-2	78-1	78-0	181-8	203-6	256-6	129-0	312-0	58-4	0-04	0-02		
65-7	61-7	102-1	61-8	22-7	95-2	41-2	211-4	221-0	109-9	233-6	410-0	250-8	0-06	-		
6-45	30-3	17-2	64-1	54-6	172-8	44-3	160-4	135-3	106-8	93-1	135-7	271-8	0-06	-		
81-4	189-6	190-3	423-5	484-7	980-8	962-0	1,587	1,618	2,329	2,366	2,649	2,833	0-04	0-05	Rem.	
92-2	177-8	230-2	534-2	635-2	1,207	1,166	1,567	1,936	2,566	2,849	2,912	3,852	0-04	0-04	140-205	
54-7	98-8	90-7	457-1	613-5	904-0	988-6	1,876	1,808	2,857	2,726	4,920	5,267	0-12	-		
64-5	224-2	194-5	460-5	613-0	806-5	1,234	1,818	2,113	2,969	2,792	3,392	3,171	0-03	0-03		
191-0	531-3	688-6	2,008	1,879	6,038	3,445	11,663	6,203	17,478	10,174	18,543	13,901	0-07	0-07	140-205	
219-1	582-6	798-6	2,265	2,120	6,559	3,827	12,078	6,998	17,997	11,057	18,617	16,748	0-08	0-06		
197-0	407-5	578-4	1,878	2,079	4,948	3,378	9,458	6,228	15,107	9,501	29,520	18,059	0-18	-		
129-1	466-6	600-5	1,714	1,894	4,349	3,746	8,416	6,641	12,604	8,917	14,790	9,875	0-10	0-03		
7-21	15-2	12-6	25-2	23-0	88-9	125-0	265-4	391-9	595-6	800-0	723-4	837-4	0-01	0-00	260	
11-5	15-3	8-74	53-7	55-7	82-0	279-4	293-7	738-6	705-8	1,221	1,144	583-6	0-02	-		
21-9	12-3	22-7	12-4	22-7	47-6	82-4	317-0	321-4	714-1	856-7	1,640	1,003	-	-		
12-9	42-4	11-4	58-3	30-3	129-6	103-4	213-9	582-9	512-7	875-0	1,357	362-4	-	-		
3-09	1-62	4-40	9-75	9-39	29-4	30-7	122-4	132-1	382-6	441-1	595-7	763-5	0-01	0-02	290-293	
2-88	-	5-83	20-9	5-57	27-3	52-0	125-9	198-8	529-3	754-3	520-0	1,576	0-02	-		
-	-	11-3	-	34-1	31-7	82-4	132-1	301-3	384-5	506-2	820-0	1,254	-	-		
19-4	12-1	5-72	29-1	36-4	64-8	96-0	181-8	229-0	320-4	688-8	407-1	1,087	0-03	-		
34-4	124-8	126-8	488-4	448-7	1,878	1,552	6,712	5,587	19,084	17,839	36,489	39,330	0-04	0-03	330-334	
40-4	144-1	160-3	629-7	626-9	2,418	1,985	8,945	7,428	25,551	22,292	43,786	53,105	0-10	0-04		
10-9	148-2	158-8	432-4	556-7	1,903	2,114	7,556	6,830	19,117	19,548	51,251	48,157	0-06	0-07		
45-2	103-0	131-5	483-8	637-3	1,750	1,899	5,358	6,328	14,292	15,042	26,323	24,733	0-03	0-10		
10-6	21-4	28-6	34-3	47-3	37-1	54-0	29-7	33-6	21-8	16-8	31-9	24-6	-	-	345	
5-77	39-9	61-2	29-8	66-9	82-0	97-5	55-9	80-5	-	29-8	104-0	-	-	-		
-	-	45-4	49-4	90-9	15-9	164-8	52-8	80-4	-	38-9	-	-	-	-		
12-9	48-5	80-1	35-0	66-8	64-8	44-3	64-2	62-5	64-1	37-2	-	-	-	-		
53-6	97-6	139-7	170-2	267-2	261-9	387-0	376-5	526-9	491-6	737-4	595-7	906-4	0-00	-	400-402	
57-7	110-4	183-6	161-2	292-5	261-7	363-9	293-7	487-7	497-2	575-7	624-0	1,050	-	-	410-416	
76-6	160-5	249-5	296-5	363-6	317-2	480-6	290-6	582-6	109-9	778-8	1,230	1,254	-	-		
71-0	121-2	137-3	157-4	248-9	194-4	266-0	288-7	333-1	555-4	632-9	678-4	634-2	-	-		
5-84	482-3	60-7	1,976	321-1	5,872	1,616	13,069	5,784	22,067	12,695	27,021	19,246	-	-	420	
23-1	643-9	128-2	2,898	551-6	7,825	2,619	15,197	7,613	21,574	13,270	25,065	20,366	-	-		
32-8	568-1	147-4	2,557	681-7	7,628	2,348	15,482	7,553	23,072	14,914	34,440	25,834	-	-		
19-4	515-0	131-5	1,551	546-3	4,263	1,633	9,721	5,183	13,522	8,191	19,810	9,241	-	-		
14-4	59-3	39-9	191-6	110-3	843-7	517-2	4,100	2,969	18,940	16,449	58,309	60,941	0-03	0-03	421, 422	
25-9	113-4	46-6	265-6	192-2	1,090	796-0	5,140	4,323	23,755	22,531	71,451	76,039	-	0-02	430-434	
32-8	37-0	34-0	271-8	215-9	933-7	5,178	4,761	23,951	19,586	92,251	84,776	-	-	0-07		
77-4	84-8	114-4	501-3	443-1	1,807	1,382	7,925	6,818	30,570	26,658	85,889	66,135	-	0-03		
7-90	54-8	27-7	191-6	104-2	592-4	349-4	1,696	1,327	4,159	4,030	6,649	7,325	-	-	440-447	
5-77	46-0	20-4	164-2	100-3	468-8	415-9	1,392	1,491	3,288	4,099	5,200	6,303	-	-		
10-9	24-7	45-4	160-6	102-3	412-3	549-2	1,162	1,808	4,614	4,167	8,200	9,782	-	-		
19-4	60-6	40-0	134-1	170-0	417-7	495-0	1,476	1,447	3,012	4,691	7,463	5,526	-	-		
15-8	27-9	30-2	99-1	75-1	361-5	232-0	1,428	942-8	5,279	3,920	14,106	13,153	0-01	0-01	450-468	
11-5	21-5	29-1	71-6	58-5	347-7	201-4	1,413	970-6	5,309	4,536	16,017	14,998	-	-		
10-9	37-0	45-4	61-8	68-2	380-6	247-1	819-0	964-3	4,175	3,816	13,940	14,547	-	-		
6-45	24-2	45-8	46-6	30-3	244-8	140-4	1,048	728-6	5,362	3,574	10,991	9,331	-	-		
2-40	9-08	5-35	16-7	6-97	44-9	23-7	93-4	61-0	211-4	165-4	457-4	463-1	0-03	0-03	480-483	
2-88	9-20	11-7	17-9	11-1	23-4	3-25	104-9	37-9	192-5	158-8	416-0	466-9	0-06	0-02		
-	24-7	-	37-1	-	31-7	54-9	79-3	160-7	219-7	155-8	1,640	1,505	-	-		
12-9	12-1	17-2	17-5	12-1	72-0	44-3	192-5	166-5	940-0	670-2	1,764	1,631	0-16	0-07		
19-6	59-0	42-2	151-7	91-2	534-1	302-0	1,913	1,090	6,775	4,543	18,064	14,980	2-35	1-91	490-493	
14-4	39-9	52-5	140-3	86-4	418-0	250-2	1,678	866-4	5,165	3,315	10,296	11,321	2-93	1-82		
21-9	98-8	22-7	123-5	102-3	491-6	219-7	1,083	924-1	3,955	3,466	20,500	12,039	2-95	1-82		
38-7	66-7	74-4	122-4	115-3	424-9	221-6	1,102	1,030	2,927	2,960	8,141	6,704	3-37	2-16		
7-21	57-7	22-6	346-4	84-5	1,823	288-4	4,662	916-4	8,619	2,679	12,596	6,433	0-52	0-40	500-502	
20-2	42-9	29-1	370-1	89-2	1,777	253-4	3,965	856-9	5,277	2,074	7,072	4,435	0-40	0-41		
-	61-7	22-7	345-9	79-5	1,475	480-6	3,329	964-3	4,779	2,998	11,890	8,026	0-30	0-07		
-	30-3	22-9	268-1	97-1	986-5	332-5	2,299	978-4	4,251	2,550	7,463	5,889	0-22	0-07		
9-28	29-8	15-7	105-1	37-6	346-4	69-7	779-9	150-3	1,216	419-6	1,830	1,571	0-14	0-08	470-475	
5-77	33-7	35-0	95-5	36-2	343-8	39-0	1,126	137-3	1,620	327-5	1,144	525-2	0-12	0-16	510-527	
21-9	12-3	45-4	111-2	56-8	253-7	82-4	502-0	281-2	604-3	467-3	2,870	3,010	0-24	0-26		
25-8	18-2	57-2	122-4	72-8	295-2	118-2	534-7	249-8	875-9	744-6	3,528	1,540	0-35	0-14		
2-06	32-4	9-12	88-1	25-4	285-2	61-7	714-1	193-6	1,396	586-9	2,085	1,015	0-00	0-01	540, 541	
5-77	39-9	14-6	146-2	33-4	273-5	100-7	923-1	189-4	1,893	526-0	1,560	758-6	-	-		
10-9	37-0	-	123-5	45-4	253-7	27-5	739-8	100-4	1,209	662-0	2,050	1,003	-	-		
6-45	48-5	11-4	134-1	42-5	259-2	103-4	395-7	156-1	833-1	316-5	9,493	271-8	0-03	-		

Deaths shown in italic figures.

I.C.D. No.	Cause of Death	Country	S.M.R.		Death Rates per Million Population							
			All Ages		All Ages		1-4		5-14		15-24	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
550-553	Appendicitis	England and Wales Scotland Northern Ireland Irish Republic	96 130 124 106	99 115 109 94	16.6 21.5 20.2 18.9	11.4 12.2 11.0 9.96	7.64 31.7 51.1 51.2	8.05 16.6 18.0 8.79	9.03 2.26 14.7 3.41	4.73 18.9 7.10 7.10	5.72 19.9 8.55 4.61	3.7 5.4 — —
560, 561, 570	Intestinal obstruction and hernia	England and Wales Scotland Northern Ireland Irish Republic	100 112 93 80	99 108 88 103	65.8 68.2 56.4 56.0	67.5 64.0 48.1 59.7	9.73 5.28 — 8.53	2.93 — — —	1.98 6.77 — 6.83	1.48 2.36 — —	2.35 — 4.61 —	1.0 2.7 — —
543, 571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of new- born)	England and Wales Scotland Northern Ireland Irish Republic	98 120 105 102	98 116 99 100	46.0 55.5 49.1 51.8	62.5 66.6 53.6 57.6	40.3 47.6 85.2 59.7	25.6 16.6 18.0 35.2	3.10 6.77 7.37 —	3.25 4.73 10.7 —	7.40 2.84 — —	4.0 2.7 — —
581	Cirrhosis of liver	England and Wales Scotland Northern Ireland Irish Republic	95 159 88 86	95 164 121 59	31.0 47.9 24.6 26.6	24.8 38.9 26.1 12.8	1.39 5.28 — —	1.46 5.52 18.0 —	1.69 — 7.37 6.83	0.59 2.36 — —	0.67 — — —	3.0 — — —
584, 585	Cholelithiasis, cholecystitis	England and Wales Scotland Northern Ireland Irish Republic	100 142 73 41	94 151 161 96	17.9 23.1 11.6 7.70	38.5 52.9 50.8 32.7	— — — —	— — — 8.79	— — — —	— — — —	0.34 2.84 — —	0.3 9.1 — —
Rem. 530-587	Other digestive diseases	England and Wales Scotland Northern Ireland Irish Republic	96 124 96 122	96 111 148 127	41.8 51.1 39.0 55.3	43.3 45.2 56.3 50.5	8.34 21.1 — 25.6	18.3 16.6 36.0 8.79	5.64 6.77 14.7 3.41	6.50 9.45 7.76 7.10	4.37 5.69 — 23.0	2.7 — — —
590-594	Nephritis and nephrosis	England and Wales Scotland Northern Ireland Irish Republic	96 85 112 178	95 90 122 215	90.8 74.6 93.9 167.4	72.2 61.4 76.9 140.1	7.64 10.6 17.0 —	7.32 5.52 — —	11.6 4.51 7.37 13.7	7.98 11.8 — 14.2	29.3 37.0 51.3 27.6	17.9 27.4 9.1 36.6
610	Hyperplasia of prostate	England and Wales Scotland Northern Ireland Irish Republic	100 107 111 87	— 143.3 148.9 —	147.7 — — 147.8	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —
600-609, 611-637	Other diseases of the genito-urinary system	England and Wales Scotland Northern Ireland Irish Republic	100 123 91 75	99 134 110 54	70.5 80.6 57.8 56.7	85.1 101.8 75.6 39.1	4.86 10.6 17.0 —	4.39 5.52 — —	3.39 6.77 — —	3.25 9.45 — —	4.03 5.69 13.8 15.7	4.7 5.4 — —
640-689	Complications of pregnancy, child- birth, and the puerperium	England and Wales Scotland Northern Ireland Irish Republic	— — — —	95 92 137 191	— — 19.2 24.9	13.1 13.0 19.2 24.9	— — — —	— — — —	— — — —	— — — —	— — — —	21.0 27.4 9.1 10.5
750-759	Congenital malformations	England and Wales Scotland Northern Ireland Irish Republic	98 94 116 122	95 103 152 128	122.2 129.7 176.3 180.7	102.4 123.6 203.3 179.9	128.6 95.1 153.3 204.7	123.0 116.0 216.1 167.1	36.4 49.7 22.1 51.2	37.8 30.7 31.0 46.2	32.3 17.1 25.7 27.6	23.0 21.8 18.3 26.1
760-776	Certain diseases of early infancy	England and Wales Scotland Northern Ireland Irish Republic	96 112 121 122	97 114 115 112	258.2 346.8 426.4 411.8	161.4 219.8 252.8 259.6	0.69 — — —	— 5.52 — —	0.56 — — —	0.30 — — —	— — — —	— — — —
Rem. 210-795	All other diseases	England and Wales Scotland Northern Ireland Irish Republic	86 106 119 284	90 104 130 281	348.7 401.0 440.8 1,250	518.5 510.7 583.9 1,420	107.7 163.8 102.2 136.5	105.4 71.8 90.0 105.5	38.7 60.9 51.6 54.6	37.8 40.2 46.6 60.4	59.9 82.5 42.8 69.1	44.4 66.1 45.4 94.4
E963, E970- E979	Suicide	England and Wales Scotland Northern Ireland Irish Republic	107 86 51 35	108 71 44 26	138.6 105.0 57.8 41.3	86.7 53.7 30.2 17.8	— — — —	— — — —	1.13 2.26 7.37 3.41	0.89 — — —	57.2 65.4 17.1 13.8	26.4 16.4 — —
E810- E845	Motor vehicle and other road trans- port accidents	England and Wales Scotland Northern Ireland Irish Republic	102 95 93 73	104 93 72 59	220.6 201.1 203.8 158.3	81.7 69.2 52.2 43.4	77.8 163.8 136.3 59.7	52.0 121.5 144.1 26.4	86.1 101.6 125.3 64.9	42.9 70.9 46.6 46.2	448.6 247.4 316.5 156.6	71.1 65.1 27.7 57.1
E870 E936 (part)	Accidents in the home and residential institutions	England and Wales Scotland Northern Ireland Irish Republic	99 156 73 46	100 154 51 30	112.3 170.8 80.9 58.1	192.2 254.2 103.2 51.2	83.4 84.5 102.2 128.0	61.5 105.0 54.0 20.5	16.1 22.6 66.3 80.5	17.7 7.09 23.3 17.8	23.5 25.6 8.55 4.61	12.2 27.7 27.7 10.1
Rem. E800- E999	Other violence	England and Wales Scotland Northern Ireland Irish Republic	91 148 150 134	88 75 262 289	140.4 223.1 222.6 204.5	45.5 34.8 115.4 137.3	71.6 84.5 136.3 93.8	107.1 16.6 90.0 79.1	20.2 106.1 81.1 85.4	17.4 30.7 23.3 21.3	137.9 210.4 248.0 161.2	13.1 10.1 — —
Estimated mid-year population (in thousands)		England and Wales Scotland Northern Ireland Irish Republic			22,070 2,506 692 1,428	23,685 2,702 728 1,406	1,439 189 59 117	1,366 423 136 114	3,543 443 136 293	3,383 423 129 282	2,974 352 117 217	2,954 36 10 19

NOTE. Rates based upon less than

Death Rates per Million Population														Deaths under 1 Year per thousand live births		I.C.D. No.
5-34	35-44		45-54		55-64		65-74		75-84		85 and over		M.	F.		
	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
77 37 77	2-75 5-77 —	6-16 6-13 —	4-09 — 11-3	15-4 8-95 12-4	4-85 2-79 11-4	30-2 43-0 47-6	13-9 13-0 13-7	48-1 104-9 26-4	27-9 37-9 60-3	112-4 80-2 164-8	66-4 49-6 —	138-3 208-0 —	133-0 — 250-8	0-01 — —	— — —	550-553
—	—	—	6-06	5-72	23-3	6-07	36-0	7-39	32-1	20-8	85-5	55-8	135-7	181-2	—	0-03
09 — —	1-72 — —	9-72 18-4 12-3	9-75 14-6 11-3	25-5 44-8 24-7	27-6 25-1 45-4	92-6 109-4 95-2	67-9 84-5 27-5	300-8 321-7 369-9	208-0 265-1 241-1	734-9 866-1 714-1	527-1 446-6 389-4	1,053 1,040 820-0	1,005 1,342 1,003	0-28 0-15 0-06	0-17 0-14 0-13	560, 561, 570
—	—	12-1	11-4	69-9	42-5	72-0	81-3	267-4	187-4	405-9	577-1	407-1	906-0	0-16	0-14	—
17 5 —	10-3 23-1 —	12-6 24-5 —	11-3 17-5 —	28-6 26-9 24-7	25-1 33-4 45-4	52-6 66-4 95-2	57-5 58-5 —	157-8 153-9 105-7	177-7 194-1 160-7	327-2 288-7 219-7	428-0 526-0 467-3	521-3 416-0 —	788-2 641-9 501-6	0-45 0-81 0-72	0-32 0-51 0-72	543, 571, 572
—	19-4	—	22-9	29-1	48-6	72-0	22-2	85-6	135-3	192-3	372-3	407-1	453-0	0-96	0-61	—
40 37 5	2-40 2-88 —	15-9 33-7 2-47	5-98 17-5 11-3	47-5 83-6 12-4	24-8 36-2 11-4	81-6 144-5 79-3	59-9 94-2 96-1	126-0 195-8 132-1	87-9 146-8 100-4	132-6 176-4 54-9	89-7 198-5 155-8	106-4 208-0 410-0	59-1 116-7 —	0-00 — 0-06	0-01 0-02 —	581
—	—	12-1	5-72	52-5	30-3	72-0	36-9	85-6	41-6	106-8	37-2	—	—	—	0-03	—
59 — —	0-69 — —	1-94 3-07 —	4-40 5-83 —	8-81 17-9 —	10-0 16-7 22-7	24-9 31-3 47-6	39-0 65-0 96-1	81-4 132-9 79-3	121-0 213-1 241-1	238-3 352-9 109-9	319-6 605-4 467-3	414-9 104-0 —	763-5 525-2 752-4	0-00 — —	—	584 585
—	6-45	—	11-4	11-7	12-1	14-4	44-3	42-8	156-1	64-1	297-9	—	271-8	—	—	—
12 81 8	5-15 2-88 —	10-7 18-4 —	9-44 8-74 —	25-5 53-7 37-1	27-6 30-6 34-1	78-3 93-8 95-2	56-8 71-5 137-3	159-2 195-8 184-9	123-4 213-1 221-0	325-5 449-1 219-7	240-2 168-7 389-4	489-4 416-0 —	472-9 583-6 —	0-24 0-15 0-12	0-16 0-12 0-13	Rem. 530-587
—	25-8	12-1	28-6	87-4	48-6	108-0	103-4	224-6	135-3	192-3	204-8	271-4	634-2	0-13	0-20	—
1 0 2	21-3 20-2 54-7	59-3 36-8 71-7	30-2 35-0 56-7	90-0 98-5 61-8	53-3 64-1 68-2	159-9 136-7 206-2	113-5 81-2 137-3	283-8 258-8 237-8	189-7 222-5 281-2	620-8 465-2 824-0	383-2 268-0 389-4	1,149 832-0 1,640	714-3 291-8 1,234	0-02 0-02 0-05	0-02 0-08 —	590-594
2	32-3	78-8	45-8	128-2	115-3	266-4	206-9	588-2	562-1	1,431	968-0	3,528	1,812	0-03	—	—
—	—	0-32	—	4-72	—	71-0	—	572-5	—	2,688	—	7,000	—	—	—	610
—	—	—	—	—	—	78-1	—	531-5	—	3,192	—	6,656	—	—	—	—
—	—	—	—	24-7	—	47-6	—	554-8	—	2,802	—	10,660	—	—	—	—
—	—	—	—	11-7	—	57-6	—	491-9	—	2,329	—	6,242	—	—	—	—
92 94 4	13-7 8-65 —	14-9 18-4 61-7	23-3 43-7 56-7	37-1 38-8 49-4	55-4 91-9 56-8	86-5 97-7 96-8	104-1 185-2 111-0	294-4 461-6 237-8	254-6 374-0 381-7	844-0 834-1 604-3	577-6 615-4 584-1	1,883 2,704 1,003	1,138 1,050 4,100	0-07 0-12 0-12	0-03 0-02 —	600-609 611-637
—	12-9	18-2	22-9	11-7	48-6	79-2	110-8	192-5	31-2	593-2	204-8	949-8	543-6	0-22	0-10	—
—	52-2	—	29-3	—	0-91	—	—	—	—	—	—	—	—	—	—	640-689
—	41-6	—	26-2	—	—	—	—	—	—	—	—	—	—	—	—	—
—	87-5	—	56-7	—	—	—	—	—	—	—	—	—	—	—	—	—
—	109-7	—	85-8	—	6-07	—	—	—	—	—	—	—	—	—	—	—
5 3 4	13-4 2-88 21-9	24-6 15-3 37-0	18-6 32-1 34-0	31-5 20-9 24-7	37-3 16-7 34-1	41-2 31-3 13-7	21-9 29-2 31-7	41-0 6-99 52-8	26-9 37-9 80-4	62-1 — —	16-8 19-9 —	85-1 — —	34-5 — —	4-58 4-81 5-84	4-46 5-17 7-61	750-759
—	12-9	30-3	5-72	35-0	36-4	28-8	7-39	21-4	—	21-4	—	—	—	6-04	6-96	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	14-1	10-0	760-776
—	—	—	—	—	—	—	—	—	—	—	—	—	—	16-7	12-0	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	17-8	12-0	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	18-9	12-3	—
3 2 4	63-9 83-6 65-7	108-3 110-4 123-5	100-0 142-8 147-4	180-3 328-3 296-5	190-5 242-4 306-8	423-5 765-7 491-6	428-4 526-4 521-7	966-7 1,252 1,268	975-5 1,307 1,426	3,430 3,416 5,054	3,569 4,327 5,607	14,862 10,504 26,240	17,261 14,006 24,831	0-66 1-06 0-78	0-41 0-99 0-72	Rem. 210-795
1	96-8	224-2	148-7	361-4	333-8	871-3	908-8	2,716	2,644	14,313	14,297	72,727	61,515	1-32	1-01	—
0 0 8	55-7 139-1 99-8	139-1 119-6 98-8	85-9 78-7 45-4	200-4 182-1 86-5	146-9 111-4 22-7	307-6 253-9 158-6	179-2 209-8 54-9	329-1 123-1 160-7	185-9 123-1 160-7	390-9 176-4 219-7	129-0 29-8 28-9	340-4 208-0 —	64-0 — —	— — —	— — —	E963, E970- E979
—	32-8	98-8	66-7	22-9	69-9	36-4	115-2	36-9	106-9	52-0	21-4	37-2	135-7	—	—	—
3 7 2	36-8 14-4 10-9	153-6 177-8 148-2	38-7 14-6 45-4	179-4 176-1 172-9	61-8 64-1 34-1	227-3 281-3 269-6	103-8 68-2 54-9	312-1 279-7 343-5	177-2 151-5 80-4	661-1 529-3 384-5	322-4 188-6 194-7	936-2 1,248 410-0	280-8 233-4 —	0-01 — —	0-01 0-04 —	E810- E845
—	6-45	133-3	11-4	163-2	60-7	201-6	36-9	449-2	114-5	384-5	74-5	407-1	90-6	—	—	—
6 4 3	13-7 34-6 10-9	36-6 64-4 12-3	24-5 43-7 34-0	59-2 110-4 37-1	51-8 78-0 45-4	100-4 218-8 111-0	112-2 136-5 96-1	234-3 342-7 132-1	331-4 492-4 221-0	1,215 1,444 494-4	1,659 2,491 584-1	3,585 4,264 3,280	5,591 9,162 752-4	0-56 1-71 0-30	0-42 0-93 0-26	E870- E936 pt.
—	12-9	24-2	22-9	23-3	18-2	43-2	29-6	149-7	114-5	256-4	316-5	135-7	—	0-55	0-41	—
—	16-1	128-4	21-1	153-6	21-2	184-8	33-1	191-1	81-7	380-9	262-6	787-2	891-6	0-10	0-08	Rem.
—	2-12	242-2	29-1	277-6	27-9	304-7	52-0	328-7	99-4	368-9	59-6	208-0	116-7	0-19	0-06	E800- E999
—	21-9	209-9	11-3	135-9	56-8	206-2	41-2	290-6	160-7	1,044	1,324	6,560	5,513	—	0-07	—
—	19-4	121-2	45-8	99-1	30-3	223-2	66-5	385-0	343-5	1,068	1,154	4,206	4,349	0-26	0-14	—
16 41 81 48	2,911 347 91 155	3,085 326 81 165	3,179 343 88 175	3,178 335 88 172	3,301 359 88 165	2,451 256 63 139	2,871 308 73 135	1,413 143 38 94	2,082 211 50 96	596 62 18 47	1,070 101 26 54	94 10 2 7	203 17 4 11	— — — —	— — — —	—

0 deaths shown in italic figures.

Table 49. Method of Celebration, etc. of Marriages in Scotland, 1855-1959

Year	Total Marriages		Marriage according to Forms of the							Civil Marriage†	Irregular Marriages
	Number	Proportion per 1,000 of Population	Church of Scotland	Free Church	United Presbyterian Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms	Form not stated		
DECENNIAL AVERAGES											
1855-1860	20,645	6·840	9,586	4,747	2,872	1,846	383	1,058	135	—	19
1861-1870	22,422	7·004	9,929	5,278	3,214	2,071	464	1,324	101	—	41
1871-1880	25,355	7·172	11,549	5,649	3,305	2,286	646	1,633	25	—	263
1881-1890	25,939	6·700	11,971	5,277	3,011	2,558	732	1,728	12	—	650
1891-1900	29,866	7·054	13,497	5,638	3,292	2,934	899	2,179	0	—	1,428
Un. Free Ch.*											
1901-1910	31,825	6·907	14,414	8,477		3,331	936	2,634	0	—	2,034
1911-1920	35,647	7·451	14,231	8,340		3,964	1,131	2,669	0	—	5,312
1921-1930	33,663	6·923	14,993	6,910		3,911	971	2,591	0	—	4,287
1931-1940	38,963	7·869	24,459			5,051	1,076	3,427	0	4,950	
1941-1950	43,489	8·472	26,364			5,685	1,383	3,487	0	6,558	12
ANNUAL NUMBERS											
1941	47,620	9·284	30,017			6,282	1,705	4,214	0	5,394	8
1942	47,402	9·215	29,827			6,103	1,671	4,073	0	5,712	16
1943	38,177	7·402	23,377			4,891	1,489	3,230	0	5,176	14
1944	37,017	7·134	22,554			4,831	1,334	3,163	0	5,117	18
1945	48,642	9·432	30,107			6,025	1,745	3,913	0	6,840	12
1946	45,785	8·917	27,599			5,770	1,390	3,490	0	7,522	14
1947	44,360	8·725	26,189			5,714	1,176	3,337	0	7,930	14
1948	43,718	8·577	25,798			5,879	1,243	3,313	0	7,474	11
1949	41,708	8·161	24,590			5,694	1,065	3,177	0	7,176	6
1950	40,459	7·892	23,579			5,660	1,009	2,960	0	7,243	8
1951	41,361	8·087	24,259			6,062	1,122	2,986	0	6,928	4
1952	41,154	8·046	23,671			6,033	1,022	2,961	0	7,459	8
1953	40,902	7·992	23,597			6,284	935	2,899	0	7,180	7
1954	41,974	8·193	23,802			6,425	988	2,912	0	7,842	5
1955	43,199	8·415	24,213			6,734	1,017	2,919	0	8,302	14
1956	43,963	8·546	24,915			7,235	950	2,986	0	7,870	7
1957	42,661	8·284	24,325			7,093	939	2,874	0	7,424	6
1958	41,186	7·968	23,118			6,904	868	2,794	0	7,498	4
1959	40,442	7·790	22,773			6,785	910	2,722	0	7,250	2
RATE PER HUNDRED MARRIAGES—DECENNIAL											
1855-1860	100·00	—	46·42	23·01	13·92	8·94	1·85	5·12	0·65	—	0·09
1861-1870	100·00	—	44·30	23·54	14·33	9·22	2·07	5·89	0·47	—	0·18
1871-1880	100·00	—	45·56	22·28	13·02	9·02	2·55	6·42	0·11	—	1·04
1881-1890	100·00	—	46·17	20·34	11·61	9·85	2·82	6·66	0·05	—	2·51
1891-1900	100·00	—	45·20	18·91	11·04	9·81	3·00	7·29	—	—	4·78
Un. Free Ch.*											
1901-1910	100·00	—	45·29	26·63		10·46	2·94	8·28	—	—	6·39
1911-1920	100·00	—	39·92	23·40		11·12	3·17	7·49	—	—	14·90
1921-1930	100·00	—	44·54	20·53		11·62	2·88	7·70	—	—	12·74
1931-1940	100·00	—	62·77			12·96	2·76	8·80	—	—	12·70
1941-1950	100·00	—	60·56			13·09	3·18	8·01	—	15·13	0·03
RATE PER HUNDRED MARRIAGES—ANNUAL											
1941	100·00	—	63·03			13·19	3·58	8·85	—	11·33	0·02
1942	100·00	—	62·92			12·88	3·53	8·59	—	12·05	0·03
1943	100·00	—	61·23			12·81	3·90	8·46	—	13·56	0·04
1944	100·00	—	60·93			13·05	3·60	8·54	—	13·82	0·05
1945	100·00	—	61·90			12·39	3·59	8·04	—	14·06	0·02
1946	100·00	—	60·28			12·60	3·04	7·62	—	16·43	0·03
1947	100·00	—	59·04			12·88	2·65	7·52	—	17·88	0·03
1948	100·00	—	59·01			13·45	2·84	7·58	—	17·10	0·03
1949	100·00	—	58·96			13·65	2·55	7·62	—	17·21	0·01
1950	100·00	—	58·28			13·99	2·49	7·32	—	17·90	0·02
1951	100·00	—	58·65			14·66	2·71	7·22	—	16·75	0·01
1952	100·00	—	57·52			14·66	2·48	7·19	—	18·12	0·02
1953	100·00	—	57·69			15·36	2·29	7·09	—	17·55	0·02
1954	100·00	—	56·71			15·31	2·35	6·94	—	18·68	0·01
1955	100·00	—	56·05			15·59	2·35	6·76	—	19·22	0·03
1956	100·00	—	56·67			16·46	2·16	6·79	—	17·90	0·02
1957	100·00	—	57·02			16·63	2·20	6·74	—	17·40	0·01
1958	100·00	—	56·13			16·76	2·11	6·78	—	18·21	0·01
1959	100·00	—	56·31			16·78	2·25	6·73	—	17·95	0·01

*The Free Church and the United Presbyterian Church were united on 31st October, 1900, under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October, 1929, under the designation of "The Church of Scotland".

†By the Marriage (Scotland) Act, 1939, which came into operation on 1st July, 1940, Irregular Marriages by declaration were abolished and Civil Marriages were substituted. The Irregular Marriages shown in the last column for 1941 onwards were registered by Decree of Declarator of the Court of Session.

Table 50. Ecclesiastical, Civil and Irregular Marriages in Scotland—1959.

	Total Marriages	Numbers						*Irregular Marriages	Percentage of Total Marriages						Irregular Marriages
		Ecclesiastical Marriages				Civil Marriages			Ecclesiastical Marriages				Civil Marriages		
		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence	
SCOTLAND	40,442	23,729	8,223	1,120	118	6,989	261	2	58.7	20.3	2.8	0.3	17.3	0.6	0.0
Counties of Cities	17,033	8,071	4,163	424	54	4,151	170	—	47.4	24.4	2.5	0.3	24.4	1.0	—
Large Burghs	7,749	4,306	1,766	209	26	1,388	54	—	55.6	22.8	2.7	0.3	17.9	0.7	—
Counties (ex Counties of Cities and Large Burghs)	15,660	11,352	2,294	487	38	1,450	37	2	72.5	14.6	3.1	0.2	9.3	0.2	0.0
Counties (ex Counties of Cities and Large Burghs)															
Aberdeen	910	766	45	16	—	80	3	—	84.2	4.9	1.8	—	8.8	0.3	—
Angus	478	385	13	17	—	62	1	—	80.5	2.7	3.6	—	13.0	0.2	—
Argyll	320	249	30	15	1	25	—	—	77.8	9.4	4.7	0.3	7.8	—	—
Ayr	1,775	1,364	229	52	2	126	2	—	76.8	12.9	2.9	0.1	7.1	0.1	—
Banff	334	283	14	13	1	23	—	—	84.7	4.2	3.9	0.3	6.9	—	—
Berwick	136	115	5	7	—	9	—	—	84.6	3.7	5.1	—	6.6	—	—
Bute	87	67	9	3	—	8	—	—	77.0	10.3	3.4	—	9.2	—	—
Caithness	178	152	2	8	1	15	—	—	85.4	1.1	4.5	0.6	8.4	—	—
Clackmannan	262	195	36	2	—	29	—	—	74.4	13.7	0.8	—	11.1	—	—
Dumfries	596	341	10	10	1	225	7	2	57.2	1.7	1.7	0.2	37.8	1.2	0.3
Dunbarton	673	417	194	24	6	31	1	—	62.0	28.8	3.6	0.9	4.6	0.1	—
East Lothian	346	261	38	16	1	29	1	—	75.4	11.0	4.6	0.3	8.4	0.3	—
Fife	1,441	1,052	165	56	2	166	—	—	73.0	11.5	3.9	0.1	11.5	—	—
Inverness	195	141	39	5	—	10	—	—	72.3	20.0	2.6	—	5.1	—	—
Kincardine	158	138	9	2	1	7	1	—	87.3	5.7	1.3	0.6	4.4	0.6	—
Kinross	39	31	5	—	—	3	—	—	79.5	12.8	—	—	7.7	—	—
Kirkcudbright	184	152	11	5	—	15	1	—	82.6	6.0	2.7	—	8.2	0.5	—
Lanark	2,188	1,338	627	52	6	161	4	—	61.2	28.7	2.4	0.3	7.4	0.2	—
Midlothian	747	493	117	37	—	98	2	—	66.0	15.7	5.0	—	13.1	0.3	—
Moray	319	235	13	15	—	50	6	—	73.7	4.1	4.7	—	15.7	1.9	—
Nairn	65	57	4	1	—	3	—	—	87.7	6.2	1.5	—	4.6	—	—
Orkney	134	121	3	2	1	6	1	—	90.3	2.2	1.5	0.7	4.5	0.7	—
Peebles	89	65	6	8	1	9	—	—	73.0	6.7	9.0	1.1	10.1	—	—
Perth	496	414	35	14	1	30	2	—	83.5	7.1	2.8	0.2	6.0	0.4	—
Renfrew	906	575	258	26	3	43	1	—	63.5	28.5	2.9	0.3	4.7	0.1	—
Ross & Cromarty	247	165	49	13	1	19	—	—	66.8	19.8	5.3	0.4	7.7	—	—
Roxburgh	276	225	23	12	—	16	—	—	81.5	8.3	4.3	—	5.8	—	—
Selkirk	148	118	14	3	—	13	—	—	79.7	9.5	2.0	—	8.8	—	—
Stirling	894	661	168	28	1	36	—	—	73.9	18.8	3.1	0.1	4.0	—	—
Sutherland	57	51	—	3	—	3	—	—	89.5	—	5.3	—	5.3	—	—
West Lothian	628	432	112	20	5	55	4	—	68.8	17.8	3.2	0.8	8.8	0.6	—
Wigtown	253	197	11	2	2	41	—	—	77.9	4.3	0.8	0.8	16.2	—	—
Zetland	101	96	—	—	1	4	—	—	95.0	—	—	1.0	4.0	—	—
Counties of Cities															
Glasgow	9,547	4,280	2,982	220	33	1,938	94	—	44.8	31.2	2.3	0.3	20.3	1.0	—
Edinburgh	4,211	1,998	657	142	12	1,347	55	—	47.4	15.6	3.4	0.3	32.0	1.3	—
Aberdeen	1,782	1,092	153	35	2	495	5	—	61.3	8.6	2.0	0.1	27.8	0.3	—
Dundee	1,493	701	371	27	7	371	16	—	47.0	24.8	1.8	0.5	24.8	1.1	—
Large Burghs															
Paisley	766	458	184	18	2	103	1	—	59.8	24.0	2.3	0.3	13.4	0.1	—
Greenock	597	337	171	10	3	72	4	—	56.4	28.6	1.7	0.5	12.1	0.7	—
Motherwell and Wishaw	595	321	176	12	4	82	—	—	54.0	29.6	2.0	0.7	13.8	—	—
Kirkcaldy	459	268	47	3	1	132	8	—	58.4	10.2	0.7	0.2	28.8	1.7	—
Coatbridge	356	162	160	6	3	25	—	—	45.5	44.9	1.7	0.8	7.0	—	—
Dunfermline	458	206	69	22	4	151	6	—	45.0	15.1	4.8	0.9	33.0	1.3	—
Clydebank	312	140	121	3	—	48	—	—	44.9	38.8	1.0	—	15.4	—	—
Ayr	438	279	48	12	1	95	3	—	63.7	11.0	2.7	0.2	21.7	0.7	—
Kilmarnock	380	232	58	12	2	71	5	—	61.1	15.3	3.2	0.3	18.7	1.3	—
Perth	429	234	61	21	—	106	7	—	54.5	14.2	4.9	—	24.7	1.6	—
Hamilton	419	216	121	8	2	70	2	—	51.6	28.9	1.9	0.5	16.7	0.5	—
Falkirk	379	235	61	6	—	75	2	—	62.0	16.1	1.6	—	19.8	0.5	—
Airdrie	319	175	117	10	—	16	1	—	54.9	36.7	3.1	—	5.0	0.3	—
Inverness	427	245	68	11	1	94	8	—	57.4	15.9	2.6	0.2	22.0	1.9	—
Stirling	273	139	40	15	1	77	1	—	50.9	14.7	5.5	0.4	28.2	0.4	—
Dumfries	346	208	24	15	—	95	4	—	60.1	6.9	4.3	—	27.5	1.2	—
Rutherglen	237	150	63	9	—	14	1	—	63.3	26.6	3.8	—	5.9	0.4	—
Dumbarton	187	92	70	5	—	19	1	—	49.2	37.4	2.7	—	10.2	0.5	—
Port Glasgow	210	108	86	6	2	8	—	—	51.4	41.0	2.9	1.0	3.8	—	—
Arbroath	162	101	21	5	—	35	—	—	62.3	13.0	3.1	—	21.6	—	—

* Registered by Decree of Declarator.

Table 51. Marriages in Scotland according to Church of Celebration—1959

	Total Marriages	According to Forms of						Civil and Irregular	Percentage of Total Marriages						
		Church of Scotland	United Free Church	Free Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms		Church of Scotland	United Free Church	Free Church	Roman Catholic Ch.	Scott's Episcopal Church	Other Forms	Civil and Irregular
SCOTLAND	40,442	22,773	346	241	6,785	910	2,135	7,252	56.3	0.9	0.6	16.8	2.3	5.3	17.9
Counties of Cities	17,033	7,962	132	64	3,275	406	873	4,321	46.7	0.8	0.4	19.2	2.4	5.1	25.4
Large Burghs	7,749	3,879	65	57	1,566	170	570	1,442	50.1	0.8	0.7	20.2	2.2	7.4	18.6
Counties (ex Counties of Cities and Large Burghs)	15,660	10,932	149	120	1,944	334	692	1,489	69.8	1.0	0.8	12.4	2.1	4.4	9.5
Counties (ex Counties of Cities and Large Burghs)															
Aberdeen	910	733	—	—	7	23	64	83	80.5	—	—	0.8	2.5	7.0	9.1
Angus	478	375	8	—	9	13	10	63	78.5	1.7	—	1.9	2.7	2.1	13.2
Argyll	320	236	3	7	37	7	5	25	73.8	0.9	2.2	11.6	2.2	1.6	7.8
Ayr	1,775	1,324	37	2	190	12	82	128	74.6	2.1	0.1	10.7	0.7	4.6	7.2
Banff	334	241	—	—	27	8	35	23	72.2	—	—	8.1	2.4	10.5	6.9
Berwick	136	109	—	—	4	6	8	9	80.1	—	—	2.9	4.4	5.9	6.6
Bute	87	64	1	—	10	1	3	8	73.6	1.1	—	11.5	1.1	3.4	9.2
Caithness	178	141	—	6	1	1	14	15	79.2	—	3.4	0.6	0.6	7.9	8.4
Clackmannan	262	182	12	—	24	8	7	29	69.5	4.6	—	9.2	3.1	2.7	11.1
Dumfries	596	306	10	—	17	8	21	234	51.3	1.7	—	2.9	1.3	3.5	39.3
Dunbarton	673	425	2	1	172	25	16	32	63.2	0.3	0.1	25.6	3.7	2.4	4.8
East Lothian	346	264	—	—	38	5	9	30	76.3	—	—	11.0	1.4	2.6	8.7
Fife	1,441	1,055	20	3	128	33	36	166	73.2	1.4	0.2	8.9	2.3	2.5	11.5
Inverness	195	122	2	15	36	1	9	10	62.6	1.0	7.7	18.5	0.5	4.6	5.1
Kincardine	158	141	—	—	3	6	—	8	89.2	—	—	1.9	3.8	—	5.1
Kinross	39	33	—	—	3	—	—	3	84.6	—	—	7.7	—	—	7.7
Kirkcudbright	184	146	—	—	14	5	3	16	79.3	—	—	7.6	2.7	1.6	8.7
Lanark	2,188	1,298	12	3	559	19	132	165	59.3	0.5	0.1	25.5	0.9	6.0	7.5
Midlothian	747	494	5	—	90	28	30	100	66.1	0.7	—	12.0	3.7	4.0	13.4
Moray	319	212	8	4	9	20	10	56	66.5	2.5	1.3	2.8	6.3	3.1	17.6
Nairn	65	48	—	2	2	3	7	3	73.8	—	3.1	3.1	4.6	10.8	4.6
Orkney	134	118	1	—	1	1	6	7	88.1	0.7	—	0.7	0.7	4.5	5.2
Peebles	89	66	—	—	7	3	4	9	74.2	—	—	7.9	3.4	4.5	10.1
Perth	496	408	2	2	24	21	7	32	82.3	0.4	0.4	4.8	4.2	1.4	6.5
Renfrew	906	550	3	—	216	24	69	44	60.7	0.3	—	23.8	2.6	7.6	4.9
Ross and Cromarty	247	137	—	70	4	8	9	19	55.5	—	28.3	1.6	3.2	3.6	7.7
Roxburgh	276	209	—	—	16	19	16	16	75.7	—	—	5.8	6.9	5.8	5.8
Selkirk	148	105	—	—	16	5	9	13	70.9	—	—	10.8	3.4	6.1	8.8
Sirling	894	647	10	—	163	4	34	36	72.4	1.1	—	18.2	0.4	3.8	4.0
Sutherland	57	45	—	5	—	—	4	3	78.9	—	8.8	—	—	—	5.3
West Lothian	628	434	8	—	102	8	17	59	69.1	1.3	—	16.2	1.3	2.7	9.4
Wigtown	253	188	—	—	15	6	3	41	74.3	—	—	5.9	2.4	1.2	16.2
Zetland	101	76	5	—	—	3	13	4	75.2	5.0	—	—	3.0	1.9	4.0
Counties of Cities															
Glasgow	9,547	4,193	81	49	2,500	102	590	2,032	43.9	0.8	0.5	26.2	1.1	6.2	21.3
Edinburgh	4,211	2,052	27	13	409	153	155	1,402	48.7	0.6	0.3	9.7	3.6	3.7	33.3
Aberdeen	1,782	1,060	14	2	67	75	64	500	59.5	0.8	0.1	3.8	4.2	3.6	28.1
Dundee	1,493	657	10	—	299	76	64	387	44.0	0.7	—	20.0	5.1	4.3	25.9
Large Burghs															
Paisley	766	423	2	1	168	5	63	104	55.2	1.3	0.1	21.9	0.7	8.2	13.6
Greenock	597	249	7	1	202	12	50	76	41.7	0.2	0.2	33.8	2.0	8.4	12.7
Motherwell and Wishaw	595	311	3	—	135	3	61	82	52.3	0.5	—	22.7	0.5	10.3	13.8
Kirkcaldy	459	238	5	2	27	7	40	140	51.9	1.1	0.4	5.9	1.5	8.7	30.5
Coatbridge	356	139	9	6	149	2	26	25	39.0	2.5	1.7	41.9	0.6	7.3	7.0
Dunfermline	458	203	4	—	35	13	46	157	44.3	0.9	—	7.6	2.8	10.0	34.3
Clydebank	312	130	4	—	109	1	20	48	41.7	1.3	—	34.9	0.3	6.4	15.4
Ayr	438	249	5	—	32	24	30	98	56.8	1.1	—	7.3	5.5	6.8	22.4
Kilmarnock	380	232	3	—	51	5	13	76	61.1	0.8	—	13.4	1.3	3.4	20.0
Perth	429	220	5	3	44	18	26	113	51.3	1.2	0.7	10.3	4.2	6.1	26.3
Hamilton	419	210	—	—	122	—	15	72	50.1	—	—	29.1	—	3.6	17.2
Falkirk	379	224	4	—	49	7	18	77	59.1	1.1	—	12.9	1.8	4.7	20.3
Airdrie	319	140	2	—	109	3	48	17	43.9	0.6	—	34.2	0.9	15.0	5.3
Inverness	427	192	—	44	39	11	39	102	45.0	—	10.3	9.1	2.6	9.1	23.9
Stirling	273	132	7	—	38	7	11	78	48.4	2.6	—	13.9	2.6	4.0	28.6
Dumfries	346	176	1	—	37	29	4	99	50.9	0.3	—	10.7	8.4	1.2	28.6
Rutherglen	237	144	1	—	61	2	14	15	60.8	0.4	—	25.7	0.8	5.9	6.3
Dumbarton	187	82	—	—	64	7	14	20	43.9	—	—	34.2	3.7	7.5	10.7
Port Glasgow	210	86	—	—	90	6	20	8	41.0	—	—	42.9	2.9	9.5	3.8
Arbroath	162	99	3	—	5	8	12	35	61.1	1.9	—	3.1	4.9	7.4	21.6

Table 52. Conjugal Condition of Persons Marrying in Scotland—1959

	Total Marriages	Conjugal Condition					Percentage of Total Marriages				
		Bachelors and Spinners	Bachelors and Widows	Widowers and Spinners	Widowers and Widows	*Divorced (Either Party)	Bachelors and Spinners	Bachelors and Widows	Widowers and Spinners	Widowers and Widows	Divorced
SCOTLAND	40,442	36,388	489	837	599	2,129	90.0	1.2	2.1	1.5	5.3
Counties of Cities	17,033	14,860	225	389	289	1,270	87.2	1.3	2.3	1.7	7.5
Large Burghs	7,749	6,955	103	159	122	410	89.8	1.3	2.1	1.6	5.3
Counties (ex Counties of Cities and Large Burghs)	15,660	14,573	161	289	188	449	93.1	1.0	1.8	1.2	2.9
Counties (ex Counties of Cities and Large Burghs)											
Aberdeen	910	849	11	15	6	29	93.3	1.2	1.6	0.7	3.2
Angus	478	440	3	7	11	17	92.1	0.6	1.5	2.3	3.6
Argyll	320	292	3	10	5	10	91.3	0.9	3.1	1.6	3.1
Ayr	1,775	1,633	18	44	33	47	92.0	1.0	2.5	1.9	2.6
Banff	334	320	2	5	7	7	95.8	0.6	1.5	—	2.1
Berwick	136	130	2	—	2	2	95.6	1.5	—	1.5	1.5
Bute	87	79	1	3	2	2	90.8	1.1	3.4	2.3	2.3
Caithness	178	162	3	4	3	6	91.0	1.7	2.2	1.7	3.4
Clackmannan	262	243	1	6	3	9	92.7	0.4	2.3	1.1	3.4
Dumfries	596	558	7	9	6	16	93.6	1.2	1.5	1.0	2.7
Dunbarton	673	631	5	18	8	11	93.8	0.7	2.7	1.2	1.6
East Lothian	346	323	3	8	4	8	93.4	0.9	2.3	1.2	2.3
Fife	1,441	1,353	16	18	20	34	93.9	1.1	1.2	1.4	2.4
Inverness	195	188	3	2	1	1	96.4	1.5	1.0	0.5	0.5
Kincardine	158	148	—	3	1	6	93.7	—	1.9	0.6	3.8
Kinross	39	37	—	1	1	—	94.9	—	2.6	2.6	—
Kirkcudbright	184	171	3	2	2	6	92.9	1.6	1.1	1.1	3.3
Lanark	2,188	2,036	23	41	26	62	93.1	1.1	1.9	1.2	2.8
Midlothian	747	688	9	10	5	35	92.1	1.2	1.3	0.7	4.7
Moray	319	285	6	9	3	16	89.3	1.9	2.8	0.9	5.0
Nairn	65	59	—	2	2	2	90.8	—	3.1	3.1	3.1
Orkney	134	126	1	4	1	2	94.0	0.7	3.0	0.7	1.5
Peebles	89	81	1	2	1	4	91.0	1.1	2.2	1.1	4.5
Perth	496	452	6	12	5	21	91.1	1.2	2.4	1.0	4.2
Renfrew	906	837	15	17	14	23	92.4	1.7	1.9	1.5	2.5
Ross and Cromarty	247	237	—	6	—	4	96.0	—	2.4	—	1.6
Roxburgh	276	263	—	6	—	7	95.3	—	2.2	—	2.5
Selkirk	148	137	1	1	5	4	92.6	0.7	0.7	3.4	2.7
Stirling	894	842	7	11	10	24	94.2	0.8	1.2	1.1	2.7
Sutherland	57	54	—	2	1	—	94.7	—	3.5	1.8	—
West Lothian	628	589	9	4	2	24	93.8	1.4	0.6	0.3	3.8
Wigtown	253	239	—	3	3	8	94.5	—	1.2	1.2	3.2
Zetland	101	91	2	4	2	2	90.1	2.0	4.0	2.0	2.0
Counties of Cities											
Glasgow	9,547	8,384	123	232	161	647	87.8	1.3	2.4	1.7	6.8
Edinburgh	4,211	3,593	62	94	66	396	85.3	1.5	2.2	1.6	9.4
Aberdeen	1,782	1,587	18	41	32	104	89.1	1.0	2.3	1.8	5.8
Dundee	1,493	1,296	22	22	30	123	86.8	1.5	1.5	2.0	8.2
Large Burghs											
Paisley	766	673	18	22	11	42	87.9	2.3	2.9	1.4	5.5
Greenock	597	549	11	10	7	20	92.0	1.8	1.7	1.2	3.4
Motherwell & Wishaw	595	540	7	13	12	23	90.8	1.2	2.2	2.0	3.9
Kirkcaldy	459	403	5	8	7	36	87.8	1.1	1.7	1.5	7.8
Coatbridge	356	335	2	5	4	10	94.1	0.6	1.4	1.1	2.8
Dunfermline	458	396	10	5	9	38	86.5	2.2	1.1	2.0	8.3
Clydebank	312	283	4	6	5	14	90.7	1.3	1.9	1.6	4.5
Ayr	438	379	3	9	10	37	86.5	0.7	2.1	2.3	8.4
Kilmarnock	380	341	3	8	6	22	89.7	0.8	2.1	1.6	5.8
Perth	429	372	6	8	10	33	86.7	1.4	1.9	2.3	7.7
Hamilton	419	376	3	9	9	22	89.7	0.7	2.1	2.1	5.3
Falkirk	379	340	5	11	5	18	89.7	1.3	2.9	1.3	4.7
Airdrie	319	301	3	5	5	5	94.4	0.9	1.6	1.6	1.6
Inverness	427	380	5	13	5	24	89.0	1.2	3.0	1.2	5.6
Stirling	273	246	3	4	5	16	90.1	1.1	1.1	1.8	5.9
Dumfries	346	313	4	4	2	23	90.5	1.2	1.2	0.6	6.6
Rutherglen	237	212	2	9	4	10	89.5	0.8	3.8	1.7	4.2
Dumbarton	187	173	5	2	3	4	92.5	2.7	1.1	1.6	2.1
Port Glasgow	210	196	2	4	—	8	93.3	1.0	1.9	—	3.8
Arbroath	162	147	2	5	3	5	90.7	1.2	3.1	1.9	3.1

See Tables 54A and B.

Table 53. Ages of Men at Marriage in Scotland—1959

	All Ages	Aver- age Age	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
SCOTLAND	40,442	27.4	36	192	695	1614	2743	15912	10694	3636	1760	840	762	544	421	270	169	119	32	2	1
Counties of Cities	17,033	27.6	15	93	327	719	1196	6549	4337	1515	782	385	351	256	210	147	78	52	18	2	1
Large Burghs	7,749	27.1	8	33	140	332	588	3152	1962	634	299	166	142	111	75	41	42	20	4	-	-
Counties (ex Counties of Cities and Large Burghs)	15,660	27.2	13	66	228	563	959	6211	4395	1487	679	289	269	177	136	82	49	47	10	-	-
Counties (ex Counties of Cities and Large Burghs)																					
Aberdeen	910	27.0	-	3	9	23	43	373	285	87	30	20	16	8	6	-	2	5	-	-	-
Angus	478	27.9	-	2	7	17	22	179	154	41	15	7	13	5	3	3	7	2	1	-	-
Argyll	320	30.0	-	1	3	6	6	97	99	50	24	7	8	8	2	2	2	2	-	-	-
Ayr	1,775	27.1	2	6	22	62	112	765	454	156	73	37	23	16	18	14	9	4	2	-	-
Banff	334	27.3	-	1	3	10	8	129	105	41	21	6	5	2	2	-	-	-	-	-	-
Berwick	136	28.1	-	-	2	3	6	40	49	20	8	4	1	-	4	-	-	1	-	-	-
Bute	87	24.9	-	-	-	1	-	36	33	4	5	2	4	1	2	-	-	-	-	-	-
Caitness	178	27.9	-	-	4	9	7	59	55	24	4	4	5	4	1	1	1	-	-	-	-
Clackmannan	262	26.4	2	1	9	14	15	116	57	22	14	1	3	2	2	2	1	2	-	-	-
Dumfries	596	25.9	-	8	17	53	56	218	151	41	20	6	10	6	4	4	-	-	-	-	-
Dunbarton	673	27.2	-	2	10	26	40	234	228	59	27	16	15	6	4	5	-	1	-	-	-
East Lothian	346	26.2	-	2	4	17	33	168	68	20	11	6	5	6	4	-	1	1	-	-	-
Fife	1,441	26.3	1	11	25	76	110	628	354	104	45	23	21	18	5	10	5	5	-	-	-
Inverness	195	30.4	-	-	3	2	3	49	61	37	19	5	6	3	4	1	1	-	-	-	-
Kincardine	158	28.2	-	2	-	4	6	58	47	17	13	4	3	1	-	3	-	-	-	-	-
Kinross	39	25.6	-	-	1	1	3	23	8	1	8	3	-	4	2	3	-	1	-	-	-
Kirkcudbright	184	28.2	-	-	2	1	13	63	57	25	-	-	-	-	1	-	-	-	-	-	-
Lanark	2,188	26.8	3	10	39	68	153	900	596	200	93	32	33	23	18	7	7	4	2	-	-
Midlothian	747	26.3	1	1	12	26	63	330	182	62	35	10	9	5	5	2	2	1	1	-	-
Moray	319	27.6	-	1	5	9	22	132	86	27	9	5	9	7	4	2	-	-	-	-	-
Nairn	65	29.5	-	-	-	-	3	19	21	14	2	1	3	3	1	-	-	1	-	-	-
Orkney	134	28.2	-	1	-	9	3	41	37	14	13	3	3	2	1	-	-	-	-	-	-
Peebles	89	30.0	1	-	-	-	3	25	36	7	6	1	5	1	2	-	-	2	-	-	-

Renfrew	906	27.7	3	11	30	34	333	293	103	31	20	14	14	9	4	5	1	1	1	1
Ross and Cromarty	247	29.6	1	1	3	9	64	83	39	21	10	10	2	3	1	1	1	1	1	1
Roxburgh	276	27.1	1	4	10	14	115	84	21	9	5	3	3	4	1	1	1	1	1	1
Selkirk	148	29.1	1	1	4	13	49	37	15	15	4	1	2	2	1	2	2	2	2	2
Stirling	894	26.7	1	3	9	38	381	242	67	36	15	15	12	6	3	3	2	2	2	2
Sutherland	57	30.6	1	1	—	—	1	10	24	8	2	2	—	1	1	1	1	1	1	1
West Lothian	628	26.1	1	13	23	47	277	158	53	23	9	8	6	3	2	—	—	—	—	—
Wigtown	253	26.5	1	7	10	22	107	63	19	10	5	4	4	2	2	—	—	—	—	—
Zetland	101	29.6	1	1	2	3	27	35	15	6	2	3	2	2	1	1	1	1	1	1
Counties of Cities																				
Glasgow	9,547	27.5	9	58	195	425	3697	2422	854	423	216	202	142	109	75	38	29	11	1	1
Edinburgh	4,211	28.0	5	14	68	171	1580	1080	383	214	96	99	63	64	36	26	13	5	1	1
Aberdeen	1,782	27.5	1	10	35	54	693	478	154	79	47	28	26	17	21	4	4	2	—	—
Dundee	1,493	27.4	1	11	29	69	579	357	124	66	26	22	25	20	15	10	6	—	—	—
Large Burghs																				
Paisley	766	27.3	1	5	17	40	307	183	62	29	20	16	13	5	5	4	4	1	—	—
Greenock	597	26.5	1	4	17	34	248	142	38	21	20	8	9	6	1	3	1	—	—	—
Motherwell & Wishaw	595	27.0	1	1	13	19	258	145	53	20	8	7	7	5	7	6	1	—	—	—
Kirkcaldy	459	26.5	1	6	17	49	209	97	31	18	12	6	5	4	2	3	—	—	—	—
Coatbridge	356	26.0	1	6	15	23	161	103	23	12	4	—	2	5	—	2	—	—	—	—
Dunfermline	458	26.8	1	6	8	27	177	98	39	15	8	6	7	6	2	4	3	—	—	—
Clydebank	312	26.8	1	4	9	34	128	80	22	10	7	6	4	4	3	—	—	—	—	—
Ayr	438	27.8	1	6	6	17	149	130	47	19	15	7	6	5	2	2	1	—	—	—
Kilmarnock	380	26.6	1	2	4	21	172	94	22	11	5	11	4	5	2	1	1	—	—	—
Perth	429	28.0	1	8	16	24	165	116	37	19	8	11	7	7	3	5	2	1	—	—
Hamilton	419	27.0	1	2	18	32	170	108	32	19	6	7	8	3	1	3	2	—	—	—
Falkirk	379	27.1	1	6	16	16	167	95	32	13	7	7	7	3	4	1	1	—	—	—
Airdrie	319	26.2	1	3	10	29	139	81	28	13	5	4	2	3	4	1	1	—	—	—
Inverness	427	30.4	1	1	3	7	117	118	66	36	15	16	11	5	1	5	4	—	—	—
Stirling	273	26.6	1	6	6	12	135	73	18	4	5	3	3	3	2	1	1	—	—	—
Dumfries	346	26.7	1	10	22	25	127	91	36	12	4	11	3	3	1	1	—	—	—	—
Rutherglen	237	27.5	1	7	7	22	93	60	16	8	6	8	7	2	1	1	—	—	—	—
Dumbarton	187	26.6	1	1	13	18	72	52	9	9	6	4	—	1	1	1	—	—	—	—
Port Glasgow	210	25.2	1	5	14	22	86	54	14	4	5	3	1	—	—	—	—	—	—	—
Arbroath	162	27.1	1	4	4	12	72	42	9	7	—	1	5	—	2	—	—	—	—	—

Table 54. Ages of Women at Marriage in Scotland—1959

	All Ages	Aver- age Age	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
SCOTLAND	40442	24.7	490	1423	2775	4304	4860	14997	5951	2172	1227	734	570	417	244	172	76	23	6	1	-
Counties of Cities	17033	25.1	217	598	1131	1798	1962	6094	2567	984	582	348	283	201	125	92	35	11	4	1	-
Large Burghs	7749	24.5	98	301	570	886	926	2851	1050	422	209	159	101	78	40	36	14	6	2	-	-
Counties (ex Counties of Cities and Large Burghs)	15660	24.3	175	524	1074	1620	1972	6052	2334	766	436	227	186	138	79	44	27	6	-	-	-
Counties (ex Counties of Cities and Large Burghs)																					
Aberdeen	910	23.9	9	37	72	105	105	353	129	38	29	10	8	9	2	2	2	-	-	-	-
Angus	478	25.1	4	14	26	53	43	193	81	19	14	11	5	6	4	2	2	1	-	-	-
Argyll	320	25.9	2	5	11	28	29	130	59	23	15	4	4	5	1	3	-	-	-	-	-
Ayr	1775	24.3	22	52	129	180	266	653	263	82	45	22	22	18	10	6	4	1	-	-	-
Banff	334	23.8	6	11	23	34	30	141	57	17	5	5	4	1	-	-	-	-	-	-	-
Berwick	136	25.0	-	5	9	12	12	55	26	4	5	3	1	3	-	-	-	-	-	-	-
Bute	87	25.1	1	2	5	10	7	36	14	5	2	1	-	1	2	1	-	-	-	-	-
Caitness	178	24.5	1	11	15	19	21	63	25	9	4	2	3	2	2	1	1	-	-	-	-
Clackmannan	262	23.3	-	19	26	30	48	87	28	10	4	3	2	1	2	1	1	-	-	-	-
Dumfries	596	22.7	26	59	93	74	75	160	55	14	13	10	10	4	1	1	1	-	-	-	-
Dunbarton	673	24.6	5	21	38	49	85	266	119	44	18	8	9	5	3	2	-	-	-	-	-
East Lothian	346	23.7	3	15	30	33	53	141	36	10	7	9	3	2	3	1	-	-	-	-	-
Fife	1441	23.8	21	53	105	161	212	563	184	49	28	22	14	12	7	3	7	-	-	-	-
Inverness	195	26.0	-	1	7	23	16	68	49	11	7	3	2	6	1	-	1	-	-	-	-
Kincardine	158	25.0	2	7	8	14	15	59	27	12	7	3	2	2	-	-	-	-	-	-	-
Kinross	39	24.1	-	3	1	6	4	18	5	-	-	1	-	2	-	-	1	-	-	-	-
Kirkcudbright	184	24.7	1	11	16	20	21	63	29	9	-	1	-	2	2	3	-	-	-	-	-
Lanark	2188	24.3	18	53	118	231	264	893	343	120	67	28	25	10	10	4	3	1	-	-	-
Midlothian	747	23.7	11	18	54	77	116	308	87	30	18	11	7	7	2	1	-	-	-	-	-
Moray	319	24.7	3	11	35	36	30	109	51	17	8	5	2	10	1	1	-	-	-	-	-
Nairn	65	25.8	-	2	3	3	9	26	10	5	2	-	3	2	1	-	-	-	-	-	-
Orkney	134	24.5	1	13	14	5	14	43	23	6	9	2	3	-	1	-	-	-	-	-	-
Peebles	89	26.0	1	1	4	8	10	34	17	3	2	2	4	3	2	-	1	-	-	-	-
Perth	496	24.9	8	12	28	51	49	184	87	32	21	10	9	3	2	-	-	-	-	-	-
Renfrew	906	24.9	6	22	48	71	95	407	131	53	29	11	14	6	7	5	1	-	-	-	-

Ross and Cromarty	247	25·8	6	7	14	18	16	74	63	25	11	6	3	2	2	—	—	—	—
Roxburgh	276	24·7	3	5	14	28	36	119	36	9	8	4	7	3	2	—	—	—	—
Selkirk	148	25·8	—	1	6	22	15	56	24	11	3	3	1	5	2	1	—	—	—
Stirling	894	23·9	6	17	51	97	133	368	128	42	21	14	5	5	3	1	—	—	—
Sutherland	57	25·9	—	2	4	4	7	22	13	4	2	1	3	—	—	—	—	—	—
West Lothian	628	23·9	6	19	33	77	97	240	84	35	15	8	5	7	1	—	—	—	—
Wigtown	253	23·3	3	12	30	32	34	86	31	9	10	3	—	1	2	—	—	—	—
Zetland	101	26·4	—	3	4	9	10	34	20	9	4	1	4	2	—	—	—	—	—
Counties of Cities																			
Glasgow	9547	25·0	127	309	607	1013	1102	3469	1450	544	339	189	149	106	69	50	17	4	2
Edinburgh	4211	25·4	48	164	294	421	486	1440	629	270	145	103	83	61	26	23	12	5	1
Aberdeen	1782	24·8	22	67	114	193	196	665	277	92	50	40	22	16	16	9	2	1	—
Dundee	1493	24·9	20	58	116	171	178	520	211	78	48	16	29	18	14	10	4	1	1
Large Burghs																			
Paisley	766	24·8	14	27	61	87	86	265	101	52	25	17	11	9	5	3	3	—	—
Groenock	597	24·0	9	28	46	73	76	221	58	36	26	11	6	3	2	1	—	—	—
Motherwell & Wishaw	595	24·7	7	18	43	55	59	247	92	26	8	15	11	5	5 ⁸	4	—	—	—
Kirkcaldy	459	24·2	3	14	36	71	62	160	56	19	11	6	12	3	—	2	4	—	—
Coatbridge	356	24·0	1	10	19	40	50	149	50	14	10	3	5	2	3	—	—	—	—
Dunfermline	458	24·3	6	22	43	53	67	160	47	24	7	9	5	6	—	4	3	—	—
Clydebank	312	24·3	4	12	28	42	34	112	36	21	6	7	3	3	1	3	—	—	—
Ayr	438	24·8	7	17	33	56	31	167	63	25	9	13	7	5	1	3	—	—	—
Kilmarnock	380	23·9	5	19	26	38	47	155	48	19	5	8	5	1	—	3	—	—	—
Perth	429	25·0	5	20	27	41	52	156	63	25	14	7	5	7	3	3	—	—	—
Hamilton	419	24·6	5	14	34	59	57	148	63	22	12	10	6	4	2	2	—	—	—
Falkirk	379	24·8	5	10	27	50	45	138	56	10	15	5	3	8	6	2	—	—	—
Airdrie	319	24·1	3	8	17	29	45	135	44	18	7	7	2	2	—	—	—	—	—
Inverness	427	26·6	5	12	24	32	43	125	84	15	25	12	8	7	1	5	—	—	—
Stirling	273	23·9	2	13	18	38	41	100	29	44	5	4	—	4	1	2	—	—	—
Dumfries	346	23·8	10	26	31	47	35	103	52	16	9	9	4	1	1	2	—	—	—
Rutherglen	237	25·0	2	8	13	26	23	97	34	12	5	5	3	6	3	—	—	—	—
Dumbarton	187	24·5	1	7	15	20	26	66	29	7	5	6	1	—	—	—	—	—	—
Port Glasgow	210	23·0	2	11	16	32	25	84	23	9	4	2	—	2	—	—	—	—	—
Arbroath	162	24·0	2	5	13	17	22	63	22	8	1	3	4	—	1	—	—	—	—

Table 54A. Ages and Conditions of Persons Married in the year 1959—Scotland
Men

Age last Birthday	Total Men	Total Bachelors	Total Widowers	Total Divorced Men	Bachelors who Married			Widowers who Married			Divorced who Married		
					Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women
All Ages	40,442	37,667	1,628	1,147	36,388	489	790	837	599	192	790	138	219
16	36	36	—	—	36	—	—	—	—	—	—	—	—
17	192	192	—	—	191	—	1	—	—	—	—	—	—
18	695	695	—	—	695	—	—	—	—	—	—	—	—
19	1,614	1,614	—	—	1,608	1	5	—	—	—	—	—	—
20	2,743	2,742	—	1	2,732	—	10	—	—	—	1	—	—
Under 21	5,280	5,279	—	1	5,262	1	16	—	—	—	—	—	—
21	3,748	3,748	—	—	3,728	2	18	—	—	—	—	—	—
22	4,079	4,069	3	10	4,040	7	22	—	—	—	8	—	2
23	4,191	4,191	1	13	4,133	11	31	3	—	—	11	—	2
24	3,894	3,878	1	15	3,822	19	37	1	—	—	14	1	—
21-24	15,912	15,870	4	38	15,773	39	108	4	—	—	33	1	4
25	3,247	3,222	5	20	3,178	9	35	5	—	—	20	—	—
26	2,565	2,526	7	34	2,466	10	50	4	—	—	31	—	—
27	1,973	1,929	9	37	1,878	11	40	6	1	—	35	—	2
28	1,689	1,638	9	42	1,580	17	41	9	1	—	38	—	2
29	1,220	1,154	12	54	1,099	10	45	9	—	2	49	—	2
25-29	10,694	10,469	38	187	10,201	57	211	33	3	2	173	4	10
30	1,071	1,004	12	55	949	22	33	11	—	—	43	3	9
31	792	725	20	47	681	12	32	19	—	1	31	4	5
32	693	634	15	44	584	17	33	10	3	2	33	2	8
33	555	496	11	48	489	14	33	9	—	2	34	3	11
34	525	459	21	42	400	14	45	16	3	5	27	5	10
30-34	3,656	3,318	82	236	3,063	79	176	65	6	11	176	17	43
35	442	380	18	44	330	18	32	13	3	2	33	3	8
36	581	508	25	48	461	14	32	19	2	4	37	3	8
37	562	506	26	40	448	15	32	20	3	4	36	4	10
38	506	436	24	46	400	15	21	15	4	1	37	—	9
39	269	202	24	43	163	15	22	15	4	5	31	3	9
35-39	1,760	1,422	117	221	1,204	78	140	87	16	14	164	13	44
40	213	140	40	33	117	10	13	28	7	5	19	2	12
41	163	108	22	33	102	8	18	14	5	6	24	4	5
42	183	112	27	44	99	16	15	18	3	8	27	3	14
43	147	94	23	25	71	9	8	17	3	3	14	7	3
44	134	83	23	28	66	9	8	10	10	3	14	7	7
40-44	840	557	140	163	435	51	51	87	28	25	100	22	41
45	149	77	38	34	55	11	11	21	10	7	17	8	9
46	146	88	39	19	73	6	9	21	9	9	11	4	4
47	142	78	34	30	50	14	14	21	10	3	11	4	9
48	174	73	64	37	49	11	13	34	21	9	19	6	10
49	151	67	53	31	46	13	8	24	23	6	10	12	8
45-49	762	383	228	151	273	55	55	121	73	34	—	36	44

51	127	57	48	22	38	13	6	21	21	6	6	9	5	6	7
52	114	46	57	11	28	16	2	24	27	2	2	2	5	4	2
53	97	35	54	18	20	11	4	31	17	6	1	1	7	4	4
54	91	31	46	14	17	12	2	23	22	1	1	32	2	5	2
50-54	544	218	248	78	135	66	17	118	104	26	26	—	—	26	20
55	97	19	61	17	9	8	2	27	21	13	13	8	8	2	7
56	89	24	54	11	18	5	1	27	22	5	5	—	8	3	3
57	74	25	42	17	13	8	4	27	21	7	7	4	4	1	1
58	89	15	64	10	7	5	3	25	30	9	9	7	7	—	—
59	72	15	56	1	7	6	2	25	28	10	10	—	—	1	—
55-59	421	98	277	46	54	32	12	118	115	44	44	27	27	8	11
60	64	13	48	3	7	5	1	19	25	4	4	3	3	—	—
61	52	7	39	6	6	1	—	18	18	3	3	2	2	4	—
62	54	9	40	5	2	7	—	18	18	1	1	2	2	3	—
63	58	4	51	3	1	2	1	21	25	1	1	1	1	1	—
64	42	8	30	4	4	3	3	14	13	5	5	1	1	2	1
60-64	270	41	208	21	20	18	3	93	99	16	16	10	10	10	1
65	36	7	27	2	4	3	—	8	17	2	2	1	1	—	1
66	46	4	42	—	2	2	—	16	26	—	—	1	1	—	—
67	37	5	30	2	3	1	1	13	16	1	1	—	—	1	—
68	28	3	25	—	1	1	1	14	7	4	4	—	—	—	—
69	22	3	19	—	3	—	—	6	9	4	4	2	2	—	1
65-69	169	22	143	4	13	8	1	57	75	11	11	—	—	1	—
70	36	1	34	1	1	—	—	11	20	3	3	1	1	—	—
71	20	2	28	—	1	1	—	11	14	3	3	—	—	—	—
72	22	1	21	—	—	1	—	6	14	1	1	—	—	—	—
73	17	2	15	—	—	1	—	6	9	—	—	—	—	—	—
74	14	2	13	—	—	1	—	8	5	—	—	—	—	—	—
70-74	119	7	111	1	3	4	—	42	62	7	7	1	1	—	—
75	10	2	8	—	1	1	—	4	3	1	1	—	—	—	—
76	11	—	11	—	—	—	—	3	8	—	—	—	—	—	—
77	7	—	7	—	—	—	—	2	5	—	—	—	—	—	—
78	3	1	2	—	1	—	—	—	1	1	1	—	—	—	—
79	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—
75-79	32	3	29	—	2	1	—	9	18	2	2	—	—	—	—
80	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—
81	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—
82	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80-89	3	—	3	—	—	—	—	3	—	—	—	—	—	—	—
90 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 54B. Ages and Conditions of Persons Married in the Year 1959—Scotland
Women

Age last Birthday	Total Women	Total Spinsters	Total Widows	Total Divorced Women	Spinsters who Married			Widows who Married			Divorced Women who Married		
					Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men
All Ages	40,442	38,015	1,226	1,201	36,388	837	790	489	599	138	790	192	219
16	490	490	—	—	489	—	1	—	—	—	—	—	—
17	1,423	1,423	—	—	1,416	3	4	—	—	—	—	—	—
18	2,775	2,775	—	—	2,752	2	21	—	—	—	—	—	—
19	4,304	4,304	—	—	4,266	7	31	—	—	—	—	—	—
20	4,860	4,851	—	9	4,798	12	41	—	—	—	—	—	1
Under 21	13,852	13,843	—	9	13,721	24	98	—	—	—	—	—	1
21	4,898	4,885	2	11	4,844	13	28	1	—	1	10	—	1
22	4,194	4,170	6	18	4,114	12	44	5	—	1	16	—	2
23	3,265	3,233	8	24	3,183	10	40	8	—	—	16	—	3
24	2,640	2,597	5	38	2,537	17	43	5	—	—	35	—	2
21-24	14,997	14,885	21	91	14,678	52	155	19	—	2	80	1	10
25	1,862	1,810	12	40	1,753	15	42	9	—	3	33	1	6
26	1,374	1,328	8	38	1,252	25	51	8	—	—	32	1	1
27	1,130	1,065	12	53	1,003	23	39	10	1	1	50	1	5
28	896	826	14	56	777	19	30	11	3	2	49	1	6
29	689	620	16	53	575	10	35	11	3	—	43	3	7
25-29	5,951	5,649	62	240	5,360	92	197	49	7	6	207	7	26
30	553	491	13	49	439	17	35	9	1	3	36	3	10
31	478	396	19	63	341	27	28	14	2	3	45	5	13
32	433	353	24	56	303	26	24	21	—	3	42	2	12
33	376	296	22	58	280	28	28	18	2	2	40	5	13
34	332	267	21	64	215	22	30	13	6	2	30	4	10
30-34	2,172	1,803	99	270	1,538	120	145	75	11	13	193	19	58
35	290	217	23	50	158	31	28	16	2	5	34	5	11
36	258	179	22	57	146	15	18	16	6	—	41	5	11
37	246	167	28	51	126	22	19	17	5	6	33	8	11
38	241	166	33	42	115	27	24	19	8	6	19	15	8
39	192	125	38	39	92	22	11	15	8	5	23	10	6
35-39	1,227	854	134	239	637	117	100	83	29	22	150	43	46
40	153	71	38	44	47	18	6	22	11	5	30	7	7
41	133	73	29	31	43	20	10	16	18	4	15	6	10
42	141	82	41	18	53	20	9	18	18	5	7	7	4
43	147	83	35	29	49	26	8	15	19	5	15	4	10
44	160	88	46	26	44	34	10	22	11	10	11	8	7
40-44	734	397	189	148	236	118	43	97	63	29	78	32	38
45	136	66	29	41	38	18	10	10	17	2	18	14	9
46	119	50	38	31	21	24	5	11	22	5	11	14	6
47	113	53	45	15	20	28	7	11	26	8	6	7	2
48	99	48	29	22	20	22	6	9	16	4	8	10	4
49	103	52	35	16	19	30	3	8	24	3	5	7	4
45-49	570	269	176	125	118	122	29	49	105	22	48	52	25

[illegible]

Table 56. Ages in Combination of BACHELORS and SPINSTERS at Marriage in Scotland—1959

Ages of SPINSTERS													Ages of BACHELORS													Total Bachelors	Ttl. Bachelors and Spinsters
16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated								
Ages of BACHELORS and over Not stated	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	and over Not stated	Total Bachelors and Spinsters						
	5	15	6	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	36								
	41	52	44	24	14	16	-	-	-	-	-	-	-	-	-	-	-	-	191								
	75	177	181	144	67	49	2	2	-	-	-	-	-	-	-	-	-	-	695								
	96	255	390	396	240	217	13	-	1	-	-	-	-	-	-	-	-	-	1,608								
	79	244	485	648	602	628	43	2	1	-	-	-	-	-	-	-	-	-	2,732								
	156	553	1,294	2,322	2,768	7,559	982	77	10	2	-	-	-	-	-	-	-	-	15,723								
	26	104	295	613	966	5,094	2,663	363	70	7	-	-	-	-	-	-	-	-	10,201								
	10	12	42	82	116	903	1,173	563	137	18	5	1	1	-	-	-	-	-	3,063								
	1	2	11	27	19	164	376	344	190	53	12	5	-	-	-	-	-	-	1,204								
	-	1	1	7	1	35	73	115	119	53	23	7	-	-	-	-	-	-	435								
	-	-	3	-	2	7	27	52	76	64	33	8	1	-	-	-	-	-	273								
	-	1	-	-	-	1	6	19	26	26	33	18	5	-	-	-	-	-	135								
	-	-	-	-	-	-	1	3	5	11	9	17	6	2	-	-	-	-	54								
	-	-	-	-	-	1	1	-	1	2	3	5	6	1	2	-	-	-	20								
	-	-	-	-	-	-	-	-	1	-	-	2	5	3	3	2	-	-	13								
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									

Average Age—Husbands, 25.5; Wives, 23.0.

Table 57. Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland—1959

Ages of WIDOWS													Ages of BACHELORS													Total Bachelors	Ttl. Bachelors and Widows																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average Age—Husbands, 41.1; Wives, 42.0.

Table 58. Ages in Combination of WIDOWERS and SPINSTERS at Marriage in Scotland—1959

Ages of SPINSTERS														Ages of WIDOWERS											Total Widowers	Ttd. Widowers and Spinners																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average Age—Husbands, 50·7; Wives, 40·8.

Table 59A. Ages in Combination of DIVORCED MEN and of WOMEN (all conjugal conditions) at Marriage in Scotland, 1959

	Ages of WOMEN													Ages of DIVORCED MEN										Total Husbands and Wives
	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated				
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
20	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-				
21-	-	3	8	5	8	15	5	1	-	-	-	-	-	-	-	-	-	-	38	-				
25-	1	1	8	10	20	74	53	17	3	-	-	-	-	-	-	-	-	-	187	-				
30-	-	-	4	8	10	44	79	52	29	7	2	1	-	-	-	-	-	-	236	-				
35-	-	1	4	6	1	22	50	68	39	26	3	1	-	-	-	-	-	-	221	-				
40-	-	-	2	1	2	9	21	37	45	23	16	6	1	-	-	-	-	-	163	-				
45-	-	-	1	-	1	3	11	27	34	34	24	13	3	-	-	-	-	-	151	-				
50-	-	-	-	-	-	-	7	5	14	14	19	15	1	3	-	-	-	-	78	-				
55-	-	-	-	-	-	-	2	7	2	4	9	14	4	4	-	-	-	-	46	-				
60-	-	-	-	-	-	-	1	1	2	-	3	4	4	5	1	-	-	-	21	-				
65-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	4	-				
70-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-				
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
85- and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	and over				
Total Wives	1	4	21	31	42	167	229	216	168	110	76	54	13	13	2	-	-	-	1,147	Ttl. Husbands and Wives				

Average Age—Husbands 38·8; Wives, 33·2.

Table 59B. Ages in Combination of MEN (all conjugal conditions) and of DIVORCED WOMEN at Marriage in Scotland, 1959

[illegible]

Average Age—Husbands, 37.6; Wives, 35.9.

NOTE.—The summations of the totals in Tables 56 to 59B exceeds by 219 the total shown in Table 55. This difference represents the number of marriages between Divorced Men and Divorced Women. The former, with their wives, are included in Table 59A, and the latter, with their husbands, in Table 59B, each marriage thus appearing twice.

Table 60. Parliamentary Electors—Scotland.
Parliamentary Electors on the February 1960 Register

Parliamentary Constituencies	Parliamentary Electors					Votes Cast at Bye- Elections
	Total	Ordinary Residence Qualification		Service Voters' Qualification		
		Total	Names marked "Y" (included in col. 3)*	Total	Names marked "Y" (included in col. 5)*	
(1)	(2)	(3)	(4)	(5)	(6)	(7)
SCOTLAND	3,414,572	3,383,084	21,906	31,488	2,508	—
County Constituencies	1,805,184	1,788,849	12,432	16,335	1,286	—
Burgh Constituencies	1,609,388	1,594,235	9,474	15,153	1,222	—
ABERDEENSHIRE						
County Constituencies	90,700	89,650	478	1,050	103	—
East Aberdeenshire	44,506	44,042	262	464	48	—
West Aberdeenshire	46,194	45,608	216	586	55	—
Burgh Constituencies	124,890	123,535	960	1,355	132	—
Aberdeen North	65,440	64,716	443	724	87	—
Aberdeen South	59,450	58,819	517	631	45	—
ANGUS AND KINCARDINE						
County Constituencies	80,866	79,899	552	967	65	—
North Angus and Mearns	36,115	35,626	224	489	31	—
South Angus	44,751	44,273	328	478	34	—
Burgh Constituencies	121,715	120,341	1,059	1,374	122	—
Dundee East	58,202	57,555	485	647	58	—
Dundee West	63,513	62,786	574	727	64	—
ARGYLL						
County Constituency Argyll	39,891	39,581	178	310	22	—
AYRSHIRE AND BUTE						
County Constituencies	236,696	234,901	1,686	1,795	149	—
Ayr	45,668	45,276	285	392	20	—
Bute and North Ayrshire	44,316	43,898	234	418	25	—
Central Ayrshire	48,666	48,313	382	353	39	—
Kilmarnock	49,407	49,103	354	304	36	—
South Ayrshire	48,639	48,311	431	328	29	—
BANFFSHIRE						
County Constituency Banff	32,030	31,624	196	406	33	—
BERWICKSHIRE AND EAST LOTHIAN						
County Constituency Berwick and East Lothian	50,439	49,942	407	497	43	—
CAITHNESS AND SUTHERLAND						
County Constituency Caithness and Sutherland	27,048	26,813	191	235	16	—
DUMFRIESSHIRE						
County Constituency Dumfries	57,374	56,814	468	560	70	—

*"Y" indicates an elector who is not 21 on the qualifying date 10th October 1959, but who becomes 21 on or before 15th June, 1960, and who is entitled to vote only at elections held after 1st October 1960.

Table 60. Parliamentary Electors—Scotland—continued.

(1)	(2)	(3)	(4)	(5)	(6)	(7)
DUNBARTONSHIRE						
County Constituencies .	115,840	114,988	613	852	47	—
East Dunbartonshire .	65,578	65,136	327	442	26	—
West Dunbartonshire .	50,262	49,852	286	410	21	—
FIFE						
County Constituencies .	106,517	105,421	667	1,096	72	—
East Fife .	50,380	49,789	297	591	43	—
West Fife .	56,137	55,632	370	505	29	—
Burgh Constituencies .	101,545	100,516	596	1,029	71	—
Dunfermline Burghs .	47,566	46,999	303	567	32	—
Kirkcaldy Burghs .	53,979	53,517	293	462	39	—
INVERNESS-SHIRE AND ROSS AND CROMARTY						
County Constituencies .	98,289	97,376	486	913	62	—
Inverness .	49,143	48,616	307	527	35	—
Ross and Cromarty .	24,416	24,149	71	267	13	—
Western Isles .	24,730	24,611	108	119	14	—
KIRKCUDBRIGHT AND WIGTOWN						
County Constituency						
Galloway .	37,061	36,649	258	412	32	—
LANARKSHIRE						
County Constituencies .	303,936	301,838	2,618	2,098	213	—
Bothwell .	55,930	55,549	471	381	41	—
Hamilton .	52,073	51,680	548	393	31	—
Lanark .	58,763	58,353	438	410	35	—
Motherwell .	50,627	50,286	433	341	37	—
North Lanarkshire .	43,857	43,582	361	275	36	—
Rutherglen .	42,686	42,388	367	298	33	—
Burgh Constituencies .	754,297	748,299	4,167	5,998	510	—
Coatbridge and Airdrie .	53,816	53,467	502	349	43	—
Glasgow, Bridgeton .	46,936	46,590	231	346	27	—
Cathcart .	66,102	65,769	367	333	39	—
Central .	35,689	35,385	154	304	16	—
Craigton .	46,832	46,335	271	497	35	—
Gorbals .	45,795	45,439	201	356	28	—
Govan .	49,996	49,630	222	366	24	—
Hillhead .	37,412	37,150	206	262	19	—
Kelvingrove .	33,055	32,789	183	266	18	—
Maryhill .	45,872	45,333	243	539	47	—
Pollok .	52,127	51,723	273	404	35	—
Provan .	53,312	52,936	256	376	38	—
Scotstoun .	56,880	56,458	344	422	39	—
Shettleston .	49,168	48,756	232	412	51	—
Springburn .	37,526	37,122	222	404	25	—
Woodside .	43,779	43,417	260	362	26	—
MIDLOTHIAN						
County Constituency						
Midlothian .	58,727	58,170	448	557	43	—
Burgh Constituencies .	339,398	335,426	1,757	3,972	267	—
Edinburgh, Central .	41,957	41,469	220	488	25	—
East .	55,341	54,617	303	724	60	—
Leith .	39,546	39,160	193	386	27	—
North .	41,742	41,259	171	483	25	—
Pentlands .	53,927	53,251	365	676	42	—
South .	49,202	48,668	297	534	37	—
West .	57,683	57,002	208	681	51	—

*“Y” indicates an elector who is not 21 on the qualifying date 10th October 1959, but who becomes 21 on or before 15th June 1960, and who is entitled to vote only at elections held after 1st October 1960.

Table 60. Parliamentary Electors—Scotland—continued

(1)	(2)	(3)	(4)	(5)	(6)	(7)
MORAY AND NAIRNSHIRE County Constituency Moray and Nairn .	35,565	34,762	140	803	36	—
ORKNEY AND ZETLAND County Constituency Orkney and Zetland .	26,237	26,114	182	123	13	—
PERTHSHIRE AND KINROSS-SHIRE County Constituencies Kinross and West Perthshire Perth and East Perthshire	89,009 33,512 55,497	87,842 33,083 54,759	574 195 379	1,167 429 738	66 22 44	— — —
RENFREWSHIRE County Constituencies . East Renfrewshire . West Renfrewshire . Burgh Constituencies . Greenock Paisley	109,129 61,562 47,567 111,193 48,102 63,091	108,440 61,239 47,201 110,297 47,740 62,557	792 445 347 686 273 413	689 323 366 896 362 534	59 24 35 80 24 56	— — — — — —
ROXBURGH, SELKIRK AND PEEBLES County Constituency Roxburgh, Selkirk and Peebles	55,089	54,597	339	492	48	—
STIRLINGSHIRE AND CLACKMANNANSHIRE County Constituencies . Clackmannan and East Stirlingshire . . . West Stirlingshire . . Burgh Constituency Stirling and Falkirk Burghs	95,926 52,125 43,801 56,350	95,203 51,755 43,448 55,821	661 321 340 249	723 370 353 529	51 31 20 40	— — — —
WEST LOTHIAN County Constituency West Lothian . . .	58,815	58,225	498	590	43	—

*"Y" indicates an elector who is not 21 on the qualifying date 10th October 1959, but who becomes 21 on or before 15th June 1960, and who is entitled to vote only at elections held after 1st October 1960

Table 61. Local Government Electors and Analysis of Local Elections on the 1960 Register

	Local Government Electors	Analysis of Local Elections				
		Number of Councilors returned unopposed	Contested Elections			
			Number of Councilors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
SCOTLAND	3,410,295	410	498	1,883,587	748,889	39.8
Counties of Cities	1,272,979	12	73	1,132,524	418,619	37.0
Large Burghs	566,808	42	118	438,805	178,856	40.8
Small Burghs	595,383	356	307	312,258	151,414	48.5
Landward Areas	975,125	—	—	—	—	—
Districts	969,887	—	—	—	—	—
ABERDEEN COUNTY:						
County of City:						
Aberdeen	124,124	2	10	107,839	36,839	34.2
Small Burghs	27,961	27	11	13,117	4,247	32.4
Ballater	863	—	4	863	451	52.3
Ellon	1,055	2	—	—	—	—
Fraserburgh	6,849	4	—	—	—	—
Huntly	2,791	5	—	—	—	—
Inverurie	3,703	—	3	3,703	1,381	37.3
Kintore	598	3	—	—	—	—
Oldmeldrum	793	3	—	—	—	—
Peterhead	8,551	—	4	8,551	2,415	28.2
Rosehearty	818	6	—	—	—	—
Turriff	1,940	4	—	—	—	—
Landward	62,999	—	—	—	—	—
Districts	62,999	—	—	—	—	—
Aberdeen	17,754	—	—	—	—	—
Alford	5,721	—	—	—	—	—
Deer	13,700	—	—	—	—	—
Deeside	5,423	—	—	—	—	—
Ellon	6,633	—	—	—	—	—
Garioch	5,311	—	—	—	—	—
Huntly	3,435	—	—	—	—	—
Turriff	5,022	—	—	—	—	—
ANGUS COUNTY:						
County of City:						
Dundee	120,881	1	11	115,490	61,487	53.2
Large Burgh	13,319	4	2	3,433	990	28.8
Arbroath	29,316	7	17	24,090	7,491	31.1
Small Burghs	5,113	—	5	5,113	2,047	40.0
Brechin	3,989	—	3	3,989	1,322	33.1
Carnoustie	7,347	—	5	7,347	1,995	27.2
Forfar	2,663	4	—	—	—	—
Kirriemuir	2,563	3	—	—	—	—
Monifieth	7,641	—	4	7,641	2,127	27.8
Montrose	20,811	—	—	—	—	—
Landward	20,811	—	—	—	—	—
Districts	20,811	—	—	—	—	—
Brechin	2,994	—	—	—	—	—
Carnoustie	2,968	—	—	—	—	—
Forfar	4,641	—	—	—	—	—
Kirriemuir	2,932	—	—	—	—	—
Monifieth	4,271	—	—	—	—	—
Montrose	3,005	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
ARGYLL COUNTY:						
Small Burghs	17,019	9	14	10,368	5,600	54.0
Campbeltown	4,436	—	6	4,436	2,053	46.3
Dunoon	6,530	2	2	3,025	2,008	66.4
Inveraray	356	—	4	356	192	53.9
Lochgilphead	837	3	—	—	—	—
Oban	4,370	1	2	2,551	1,347	52.8
Tobermory	490	3	—	—	—	—
Landward	23,494	—	—	—	—	—
Districts	23,494	—	—	—	—	—
Ardnamurchan	1,118	—	—	—	—	—
Cowal	5,160	—	—	—	—	—
Islay	2,659	—	—	—	—	—
Jura and Colonsay	318	—	—	—	—	—
Kintyre	3,611	—	—	—	—	—
Lorn North	2,575	—	—	—	—	—
Lorn South	2,723	—	—	—	—	—
Mid Argyll	3,198	—	—	—	—	—
Mull	1,197	—	—	—	—	—
Tiree and Coll	935	—	—	—	—	—
AYR COUNTY:						
Large Burghs	61,907	3	11	51,714	18,137	35.1
Ayr	30,442	2	4	23,492	7,818	33.3
Kilmarnock	31,465	1	7	28,222	10,319	36.6
Small Burghs	80,021	20	34	46,573	24,279	52.1
Ardrossan	5,992	3	—	—	—	—
Cumnock and Holmhead	3,522	3	—	—	—	—
Darvel	2,463	—	4	2,463	991	40.2
Galston	2,886	3	—	—	—	—
Girvan	4,155	—	4	4,155	2,133	51.3
Irvine	10,817	1	5	8,845	5,661	64.0
Kilwinning	4,629	—	3	4,629	2,341	50.6
Largs	6,496	—	3	6,496	3,590	55.3
Maybole	3,132	—	4	3,132	1,432	45.7
Newmilns and Greenholm	2,634	—	3	2,634	1,133	43.0
Prestwick	8,473	1	4	6,263	3,281	52.4
Saltcoats	9,176	3	—	—	—	—
Stevenston	6,409	—	3	6,409	2,739	42.7
Stewarton	2,339	3	—	—	—	—
Troon	6,898	3	1	1,547	978	63.2
Landward	82,397	—	—	—	—	—
Districts	82,397	—	—	—	—	—
Ayr	7,983	—	—	—	—	—
Cumnock	22,261	—	—	—	—	—
Dalmellington	8,503	—	—	—	—	—
Girvan	3,417	—	—	—	—	—
Irvine	5,808	—	—	—	—	—
Kilbirnie	14,720	—	—	—	—	—
Kilmarnock	9,952	—	—	—	—	—
Maybole	3,745	—	—	—	—	—
Newmilns	1,069	—	—	—	—	—
Saltcoats	4,939	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
BANFF COUNTY:						
Small Burghs	19,582	30	14	9,521	3,507	36.8
Aberchirder	490	3	—	—	—	—
Aberlour	577	3	—	—	—	—
Banff	2,275	4	—	—	—	—
Buckie	5,538	—	6	5,538	1,740	31.4
Cullen	1,068	—	4	1,068	359	33.6
Dufftown	1,066	4	—	—	—	—
Findochty	1,003	3	—	—	—	—
Keith	2,915	—	4	2,915	1,408	48.3
Macduff	2,492	4	—	—	—	—
Portknockie	987	5	—	—	—	—
Portsoy	1,171	4	—	—	—	—
Landward	12,383	—	—	—	—	—
Districts	12,383	—	—	—	—	—
Aberchirder	1,424	—	—	—	—	—
Banff	3,135	—	—	—	—	—
Buckie	1,648	—	—	—	—	—
Cullen	1,256	—	—	—	—	—
Dufftown	2,378	—	—	—	—	—
Keith	2,542	—	—	—	—	—
BERWICK COUNTY:						
Small Burghs	4,359	11	—	—	—	—
Coldstream	941	3	—	—	—	—
Duns	1,389	3	—	—	—	—
Eyemouth	1,574	2	—	—	—	—
Lauder	455	3	—	—	—	—
Landward	11,947	—	—	—	—	—
Districts	11,947	—	—	—	—	—
East	4,743	—	—	—	—	—
Middle	3,909	—	—	—	—	—
West	3,295	—	—	—	—	—
BUTE COUNTY:						
Small Burghs	7,519	5	3	3,325	1,680	50.5
Millport	1,704	3	—	—	—	—
Rothsay	5,815	2	3	3,325	1,680	50.5
Landward	4,331	—	—	—	—	—
Districts	4,331	—	—	—	—	—
Arran	2,705	—	—	—	—	—
Bute	1,584	—	—	—	—	—
Cumbræ	42	—	—	—	—	—
CAITHNESS COUNTY:						
Small Burghs	9,315	—	12	9,315	4,357	46.8
Thurso	4,361	—	6	4,361	2,327	53.4
Wick	4,954	—	6	4,954	2,030	41.0
Landward	8,129	—	—	—	—	—
Districts	8,129	—	—	—	—	—
Central	1,211	—	—	—	—	—
Eastern	2,092	—	—	—	—	—
Northern	1,093	—	—	—	—	—
Southern	1,698	—	—	—	—	—
Western	2,035	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councilors returned unopposed	Contested Elections			
			Number of Councilors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
CLACKMANNAN COUNTY:						
Small Burghs	15,928	5	10	9,967	5,629	56.5
Alloa	9,201	2	2	4,430	2,411	54.4
Alva	2,872	—	4	2,872	1,649	57.4
Dollar	1,190	3	—	—	—	—
Tillicoultry	2,665	—	4	2,665	1,569	58.9
Landward	10,506	—	—	—	—	—
Districts	10,506	—	—	—	—	—
Alloa	8,480	—	—	—	—	—
Hillfoots	2,026	—	—	—	—	—
DUMFRIES COUNTY:						
Large Burgh						
Dumfries	18,060	7	2	3,373	1,544	45.8
Small Burghs	11,155	21	—	—	—	—
Annan	3,699	4	—	—	—	—
Langholm	1,662	3	—	—	—	—
Lochmaben	848	3	—	—	—	—
Lockerbie	1,995	4	—	—	—	—
Moffat	1,419	4	—	—	—	—
Sanquhar	1,532	3	—	—	—	—
Landward	28,225	—	—	—	—	—
Districts	28,225	—	—	—	—	—
Annan	3,745	—	—	—	—	—
Dumfries	7,389	—	—	—	—	—
Gretna	3,603	—	—	—	—	—
Langholm	1,620	—	—	—	—	—
Lockerbie	2,772	—	—	—	—	—
Moffat	1,049	—	—	—	—	—
Sanquhar	3,433	—	—	—	—	—
Thornhill	4,614	—	—	—	—	—
DUNBARTON COUNTY:						
Large Burghs	48,705	2	10	41,782	19,216	46.0
Clydebank	32,040	1	6	27,790	11,929	42.9
Dumbarton	16,665	1	4	13,992	7,287	52.1
Small Burghs	34,412	8	12	19,410	11,860	61.1
Bearsden	10,682	4	1	2,160	1,109	51.3
Cove and Kilcreggan	698	—	4	698	373	53.4
Helensburgh	6,480	4	—	—	—	—
Kirkintilloch	10,667	—	4	10,667	6,845	64.2
Milngavie	5,885	—	3	5,885	3,533	60.0
Landward	32,431	—	—	—	—	—
Districts	32,431	—	—	—	—	—
Cumbernauld	3,736	—	—	—	—	—
Helensburgh	4,426	—	—	—	—	—
Kirkintilloch	2,293	—	—	—	—	—
Old Kilpatrick	5,907	—	—	—	—	—
Vale of Leven	16,069	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
EAST LOTHIAN COUNTY:						
Small Burghs	18,050	17	9	8,919	4,011	45.0
Cockenzie and Port Seton	2,378	3	—	—	—	—
Dunbar	2,876	5	—	—	—	—
East Linton	720	5	—	—	—	—
Haddington	3,157	4	—	—	—	—
North Berwick	2,807	—	3	2,807	1,622	57.8
Prestonpans	1,977	—	3	1,977	746	37.7
Tranent	4,135	—	3	4,135	1,643	39.7
Landward	16,492	—	—	—	—	—
Districts	16,492	—	—	—	—	—
Dunbar	2,219	—	—	—	—	—
Haddington	2,763	—	—	—	—	—
North Berwick	3,356	—	—	—	—	—
Prestonpans	3,876	—	—	—	—	—
Tranent	4,278	—	—	—	—	—
FIFE COUNTY:						
Large Burghs	64,251	6	31	47,995	19,818	41.3
Dunfermline	30,103	3	4	17,283	5,651	32.7
Kirkcaldy	34,148	3	27	30,712	14,167	46.1
Small Burghs	72,793	25	60	43,970	21,354	48.6
Auchtermuchty	951	—	5	951	302	31.8
Buckhaven and Methil	13,841	4	—	—	—	—
Burntisland	4,316	—	4	4,316	2,486	57.6
Cowdenbeath	8,353	—	4	8,353	4,546	54.4
Craik	861	3	—	—	—	—
Culross	340	—	3	340	282	82.9
Cupar	3,884	—	4	3,884	1,202	30.9
Elie and Earlsferry	775	3	—	—	—	—
Falkland	755	4	—	—	—	—
Inverkeithing	2,733	—	4	2,733	1,365	49.9
Kilrenny, Anstruther Easter and Anstruther Wester	2,125	—	5	2,125	700	32.9
Kinghorn	1,516	—	4	1,516	1,030	67.9
Ladybank	894	—	3	894	186	20.8
Leslie	2,394	—	3	2,394	1,341	56.0
Leven	6,268	1	2	3,568	2,169	60.8
Lochgelly	6,247	—	5	6,247	2,915	46.7
Markinch	1,734	—	3	1,734	685	39.5
Newburgh	1,684	—	3	1,684	719	42.7
Newport-on-Tay	2,462	2	1	712	452	63.5
Pittenweem	1,157	—	5	1,157	376	32.5
St. Andrews	6,225	2	2	1,362	598	43.9
St. Monance	1,034	3	—	—	—	—
Tayport	2,244	3	—	—	—	—
Landward	70,637	—	—	—	—	—
Districts	70,637	—	—	—	—	—
Cupar	8,504	—	—	—	—	—
Dunfermline	16,391	—	—	—	—	—
Kirkcaldy	11,282	—	—	—	—	—
Lochgelly	19,224	—	—	—	—	—
St. Andrews	7,325	—	—	—	—	—
Wemyss	7,911	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
INVERNESS COUNTY:						
Large Burgh						
Inverness	19,546	5	2	4,222	1,340	31·7
Small Burghs	2,756	3	3	1,976	995	50·4
Fort William	1,976	—	3	1,976	995	50·4
Kingussie	780	3	—	—	—	—
Landward	35,311	—	—	—	—	—
Districts	35,311	—	—	—	—	—
Aird	4,971	—	—	—	—	—
Badenoch	3,969	—	—	—	—	—
Barra	1,438	—	—	—	—	—
Harris	2,904	—	—	—	—	—
Inverness	4,911	—	—	—	—	—
Lochaber	6,477	—	—	—	—	—
North Uist	1,416	—	—	—	—	—
Skye	6,584	—	—	—	—	—
South Uist	2,641	—	—	—	—	—
KINCARDINE COUNTY:						
Small Burghs	6,371	10	4	3,202	1,600	50·0
Banchory	1,396	3	—	—	—	—
Inverbervie	713	3	—	—	—	—
Laurencekirk	1,060	4	—	—	—	—
Stonehaven	3,202	—	4	3,202	1,600	50·0
Landward	11,076	—	—	—	—	—
Districts	11,076	—	—	—	—	—
Laurencekirk	2,581	—	—	—	—	—
Lower Deeside	2,009	—	—	—	—	—
St. Cyrus	2,285	—	—	—	—	—
Stonehaven	2,452	—	—	—	—	—
Upper Deeside	1,749	—	—	—	—	—
KINROSS COUNTY:						
Small Burgh						
Kinross	1,654	—	3	1654	688	41·6
Landward	2,855	—	—	—	—	—
Districts—None						
KIRKCUDBRIGHT COUNTY:						
Small Burghs	6,898	13	7	865	495	57·2
Castle Douglas	2,292	4	—	—	—	—
Dalbeattie	2,087	4	—	—	—	—
Gatehouse-of-Fleet	607	—	4	607	331	54·5
Kirkcudbright	1,654	5	—	—	—	—
New Galloway	258	—	3	258	164	63·6
Landward	12,281	—	—	—	—	—
Districts	12,281	—	—	—	—	—
Castle Douglas	1,885	—	—	—	—	—
Creetown	1,999	—	—	—	—	—
Dalbeattie	2,514	—	—	—	—	—
Eastern	1,951	—	—	—	—	—
Glenkens	1,569	—	—	—	—	—
Kirkcudbright	2,363	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
LANARK COUNTY:						
County of City:						
Glasgow	701,887	—	37	701,887	253,618	36.1
Large Burghs	144,122	2	29	136,473	58,407	42.8
Airdrie	20,969	—	5	20,969	10,072	48.0
Coatbridge	32,514	—	6	32,514	16,100	49.5
Hamilton	26,168	—	5	26,168	9,253	35.4
Motherwell and Wishaw	47,127	1	8	41,821	16,301	39.0
Rutherglen	17,344	1	5	15,001	6,681	44.5
Small Burghs	6,557	5	3	1,065	546	51.3
Biggar	1,065	—	3	1,065	546	51.3
Lanark	5,492	5	—	—	—	—
Landward	205,333	—	—	—	—	—
Districts	205,333	—	—	—	—	—
No. 1	4,961	—	—	—	—	—
No. 2	9,497	—	—	—	—	—
No. 3	14,066	—	—	—	—	—
No. 4	22,162	—	—	—	—	—
No. 5	27,016	—	—	—	—	—
No. 6	38,527	—	—	—	—	—
No. 7	22,274	—	—	—	—	—
No. 8	25,213	—	—	—	—	—
No. 9	41,617	—	—	—	—	—
MIDLOTHIAN COUNTY:						
County of City:						
Edinburgh	326,087	9	15	207,308	66,675	32.2
Small Burghs	29,684	7	11	13,135	6,977	53.1
Bonnyrigg and Lasswade	4,251	3	—	—	—	—
Dalkeith	5,911	—	4	5,911	3,209	54.3
Loanhead	3,294	—	3	3,294	1,932	58.7
Musselburgh	12,298	4	—	—	—	—
Penicuik	3,930	—	4	3,930	1,836	46.7
Landward	41,024	—	—	—	—	—
Districts	41,024	—	—	—	—	—
Currie	5,108	—	—	—	—	—
East Calder	4,131	—	—	—	—	—
Gala Water	7,754	—	—	—	—	—
Lasswade	3,721	—	—	—	—	—
Musselburgh	4,973	—	—	—	—	—
Newbattle	6,896	—	—	—	—	—
Penicuik	3,898	—	—	—	—	—
West Calder	4,543	—	—	—	—	—
MORAY COUNTY:						
Small Burghs	16,899	26	—	—	—	—
Burghead	873	2	—	—	—	—
Elgin	7,668	8	—	—	—	—
Forres	3,222	5	—	—	—	—
Grantown-on-Spey	1,029	4	—	—	—	—
Lossiemouth and Branderburgh	3,324	3	—	—	—	—
Rothies	783	4	—	—	—	—
Landward	12,924	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Moray County—continued						
Districts	12,924	—	—	—	—	—
Cromdale	683	—	—	—	—	—
Duffus and Drainie	1,882	—	—	—	—	—
Elgin	3,703	—	—	—	—	—
Fochabers	2,586	—	—	—	—	—
Forres	3,024	—	—	—	—	—
Roths and Knockando	1,046	—	—	—	—	—
NAIRN COUNTY:						
Small Burgh						
Nairn	3,413	7	—	—	—	—
Landward	2,383	—	—	—	—	—
Districts—None						
ORKNEY COUNTY:						
Small Burghs						
Kirkwall	3,966	3	4	2,879	1,289	44·8
Stromness	2,879	—	4	2,879	1,289	44·8
Landward	1,087	3	—	—	—	—
Districts	9,324	—	—	—	—	—
Eday	9,324	—	—	—	—	—
Hoy and Walls	150	—	—	—	—	—
Mainland	559	—	—	—	—	—
North Ronaldsay	5,417	—	—	—	—	—
Rousay	128	—	—	—	—	—
Sanday	252	—	—	—	—	—
Shapinsay	493	—	—	—	—	—
South Ronaldsay	317	—	—	—	—	—
Stonsay	903	—	—	—	—	—
Westray	360	—	—	—	—	—
	745	—	—	—	—	—
PEEBLES COUNTY:						
Small Burghs						
Innerleithen	5,714	7	—	—	—	—
Peebles	1,662	3	—	—	—	—
Landward	4,052	4	—	—	—	—
Districts	4,181	—	—	—	—	—
Broughton	4,181	—	—	—	—	—
Innerleithen	772	—	—	—	—	—
Linton	1,165	—	—	—	—	—
Peebles	1,358	—	—	—	—	—
	886	—	—	—	—	—
PERTH COUNTY:						
Large Burgh						
Perth	27,843	3	5	16,868	8,644	51·2
Small Burghs	19,159	25	15	6,573	3,478	52·9
Aberfeldy	1,058	—	3	1,058	771	72·9
Abernethy	452	3	—	—	—	—
Alyth	1,356	3	—	—	—	—
Auchterarder	1,719	3	—	—	—	—
Blairgowrie and Rattray	3,736	4	—	—	—	—
Callander	1,130	—	3	1,130	526	46·5
Coupar Angus	1,480	5	—	—	—	—
Crieff	3,827	—	4	3,827	1,908	49·9
Doune	558	—	5	558	273	48·9
Dunblane	2,209	3	—	—	—	—
Pitlochry	1,634	4	—	—	—	—

Table 61—continued

(1)	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Perth County—continued						
Landward	37,371	—	—	—	—	—
Districts	37,371	—	—	—	—	—
Central	5,892	—	—	—	—	—
Eastern	5,885	—	—	—	—	—
Highland	5,534	—	—	—	—	—
Perth	14,576	—	—	—	—	—
Western	5,484	—	—	—	—	—
RENFREW COUNTY:						
Large Burghs	124,566	2	20	115,159	44,761	38.9
Greenock	47,980	—	9	47,980	17,155	35.8
Paisley	63,020	1	7	56,484	21,095	37.3
Port Glasgow	13,566	1	4	10,695	6,511	60.9
Small Burghs	38,302	3	13	31,472	18,949	60.2
Barrhead	9,180	—	5	9,180	5,513	60.1
Gourock	6,830	3	—	—	—	—
Johnstone	10,226	—	4	10,226	5,586	54.6
Renfrew	12,066	—	4	12,066	7,850	65.1
Landward	56,896	—	—	—	—	—
Districts	56,896	—	—	—	—	—
No. 1	30,444	—	—	—	—	—
No. 2	9,663	—	—	—	—	—
No. 3	3,757	—	—	—	—	—
No. 4	9,565	—	—	—	—	—
No. 5	3,467	—	—	—	—	—
ROSS AND CROMARTY COUNTY:						
Small Burghs	9,211	10	14	5,300	2,432	45.9
Cromarty	480	3	—	—	—	—
Dingwall	2,288	5	—	—	—	—
Fortrose	663	—	6	663	418	63.0
Invergordon	1,143	2	—	—	—	—
Stornoway	3,461	—	3	3,461	1,415	40.9
Tain	1,176	—	5	1,176	599	50.9
Landward	31,477	—	—	—	—	—
Districts	31,477	—	—	—	—	—
Avoch	2,041	—	—	—	—	—
Dingwall	2,443	—	—	—	—	—
Fearn	1,679	—	—	—	—	—
Fortrose	760	—	—	—	—	—
Gairloch	1,323	—	—	—	—	—
Invergordon	2,130	—	—	—	—	—
Lewis	12,782	—	—	—	—	—
Lochbroom	1,089	—	—	—	—	—
Lochcarron	1,050	—	—	—	—	—
Muir of Ord	3,317	—	—	—	—	—
South West	1,623	—	—	—	—	—
Tain	1,240	—	—	—	—	—

Table 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councilors returned unopposed	Contested Elections			
			Number of Councilors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
ROXBURGH COUNTY:						
Small Burghs	18,631	11	6	6,741	2,364	35.1
Hawick	11,759	3	2	4,197	1,529	36.4
Jedburgh	2,544	—	4	2,544	835	32.8
Kelso	2,951	5	—	—	—	—
Melrose	1,377	3	—	—	—	—
Landward	12,113	—	—	—	—	—
Districts	12,113	—	—	—	—	—
Hawick	2,997	—	—	—	—	—
Jedburgh	2,425	—	—	—	—	—
Kelso	2,944	—	—	—	—	—
Melrose	3,747	—	—	—	—	—
SELKIRK COUNTY:						
Small Burghs	12,802	10	—	—	—	—
Galashiels	8,745	5	—	—	—	—
Selkirk	4,057	5	—	—	—	—
Landward	1,977	—	—	—	—	—
Districts	1,977	—	—	—	—	—
North	1,193	—	—	—	—	—
South	784	—	—	—	—	—
STIRLING COUNTY:						
Large Burghs	44,489	8	6	17,786	5,999	33.7
Falkirk	26,133	4	1	8,742	2,173	24.9
Stirling	18,356	4	5	9,044	3,826	42.3
Small Burghs	25,671	8	5	10,899	5,259	48.3
Bridge of Allan	2,318	3	—	—	—	—
Denny and Dunipace	4,924	—	3	4,924	2,961	60.1
Grangemouth	11,891	2	2	5,975	2,298	38.4
Kilsyth	6,538	3	—	—	—	—
Landward	55,401	—	—	—	—	—
Districts	55,401	—	—	—	—	—
Central No. 1	10,477	—	—	—	—	—
No. 2	8,960	—	—	—	—	—
Eastern No. 1	11,840	—	—	—	—	—
No. 2	8,662	—	—	—	—	—
No. 3	4,970	—	—	—	—	—
Western No. 1	1,109	—	—	—	—	—
No. 2	4,538	—	—	—	—	—
No. 3	4,845	—	—	—	—	—
SUTHERLAND COUNTY:						
Small Burgh	599	2	—	—	—	—
Dornoch	8,892	—	—	—	—	—
Landward	8,892	—	—	—	—	—
Districts	8,892	—	—	—	—	—
Assynt	591	—	—	—	—	—
Dornoch and Creich	1,653	—	—	—	—	—
Eddrachillis and Durness	807	—	—	—	—	—
Golspie, Rogart and Laig	2,136	—	—	—	—	—
Kildonan, Loth and Clyne	2,170	—	—	—	—	—
Tongue and Farr	1,535	—	—	—	—	—

Table 61—continued

(1)	(2)	Local Government Electors	Analysis of Local Elections			
			Number of Councillors returned unopposed	Contested Elections		
				Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
WEST LOTHIAN COUNTY:						
Small Burghs	27,341	11	12	18,475	9,104	49·3
Armadaale	4,076	3	—	—	—	—
Bathgate	8,134	—	4	8,134	4,005	49·2
Bo'ness	6,835	—	5	6,835	3,566	52·2
Linlithgow	2,872	5	—	—	—	—
Queensferry	1,918	3	—	—	—	—
Whitburn	3,506	—	3	3,506	1,533	43·7
Landward	31,073	—	—	—	—	—
Districts	31,073	—	—	—	—	—
Bo'ness	2,561	—	—	—	—	—
Linlithgow	2,020	—	—	—	—	—
Kirkliston and Winchburgh	3,814	—	—	—	—	—
Torphichen and Bathgate	4,225	—	—	—	—	—
Uphall	7,772	—	—	—	—	—
Whitburn and Livingston	10,681	—	—	—	—	—
WIGTOWN COUNTY:						
Small Burghs	8,418	10	6	5,540	1,740	31·4
Newton Stewart	1,396	3	—	—	—	—
Stranraer	5,540	—	6	5,540	1,740	31·4
Whithorn	661	3	—	—	—	—
Wigtown	821	4	—	—	—	—
Landward	9,530	—	—	—	—	—
Districts	9,530	—	—	—	—	—
Machars	3,687	—	—	—	—	—
Rhins	5,843	—	—	—	—	—
ZETLAND COUNTY:						
Small Burgh:	3,907	—	5	3,907	1,483	38·0
Lerwick	3,907	—	—	—	—	—
Landward	8,921	—	—	—	—	—
Districts	8,921	—	—	—	—	—
Bressay	230	—	—	—	—	—
Delting	532	—	—	—	—	—
Dunrossness	1,604	—	—	—	—	—
Fetlar	102	—	—	—	—	—
Lerwick (Landward)	757	—	—	—	—	—
Nesting	357	—	—	—	—	—
Northmaven	638	—	—	—	—	—
Sandsting	762	—	—	—	—	—
Tingwall	1,144	—	—	—	—	—
Unst	644	—	—	—	—	—
Walls	563	—	—	—	—	—
Whalsay	638	—	—	—	—	—
Yell	950	—	—	—	—	—

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1956 to 1960

	1960	1959	1958	1957	1956	1939
SCOTLAND	1,608,060	1,597,775	1,583,662	1,566,877	1,551,196	1,294,872
Counties of Cities	600,132	599,049	595,698	591,100	585,098	507,110
Large Burghs	265,361	263,529	260,341	256,406	252,792	199,651
Small Burghs	288,396	285,792	282,498	274,526	271,101	213,511
Landward Areas	454,171	449,405	445,125	444,845	442,205	374,600
ABERDEEN COUNTY	99,409	98,753	98,144	97,439	96,504	83,224
Aberdeen County of City	58,099	57,652	56,951	56,427	55,695	46,516
Small Burghs	12,663	12,593	12,685	12,575	12,435	10,386
Ballater	457	456	467	469	464	394
Ellon	479	472	467	472	469	389
Fraserburgh	3,065	3,005	3,037	2,991	2,939	2,410
Huntly	1,290	1,284	1,274	1,274	1,245	1,106
Inverurie	1,702	1,691	1,687	1,682	1,673	1,306
Kintore	264	268	268	272	274	231
Oldmeldrum	363	362	362	364	368	293
Peterhead	3,755	3,765	3,832	3,755	3,709	3,177
Rosehearty	369	371	372	373	375	308
Turriff	919	919	919	923	919	772
Landward	28,647	28,508	28,508	28,437	28,374	26,322
ANGUS COUNTY	95,736	95,090	93,904	93,015	91,657	78,121
Dundee County of City	62,837	62,316	61,262	60,364	59,262	49,416
Large Burgh	7,024	7,045	7,003	7,031	6,914	5,806
Arbroath	7,024	7,045	7,003	7,031	6,914	5,806
Small Burghs	15,189	15,178	15,136	15,031	14,930	12,612
Brechin	2,644	2,664	2,686	2,648	2,664	2,161
Carnoustie	2,085	2,059	2,035	2,058	2,004	1,603
Forfar	3,802	3,805	3,762	3,685	3,663	3,156
Kirriemuir	1,376	1,374	1,391	1,397	1,389	1,187
Monifieth	1,262	1,279	1,294	1,289	1,283	1,038
Montrose	4,020	3,997	3,968	3,954	3,927	3,467
Landward	10,686	10,551	10,503	10,589	10,551	10,287
ARGYLL COUNTY	20,855	20,793	20,823	20,628	20,656	18,889
Small Burghs	8,594	8,604	8,601	8,591	8,564	7,487
Campbeltown	2,101	2,128	2,139	2,141	2,146	1,745
Dunoon	3,709	3,721	3,726	3,720	3,721	3,501
Inveraray	147	151	162	165	167	153
Lochgilphead	436	431	432	418	421	370
Oban	1,943	1,915	1,883	1,885	1,847	1,472
Tobermory	258	258	259	262	262	246
Landward	12,261	12,189	12,222	12,037	12,092	11,402
AYR COUNTY	105,479	103,986	102,269	100,219	98,179	75,984
Large Burghs	28,749	28,294	27,827	27,292	26,653	20,424
Ayr	13,579	13,261	13,079	12,895	12,755	9,981
Kilmarnock	15,170	15,033	14,748	14,397	13,898	10,443
Small Burghs	38,868	38,425	37,661	37,038	36,330	25,787
Ardrossan	2,863	2,785	2,746	2,707	2,668	1,952
Cumnock and Holmhead	1,644	1,649	1,624	1,615	1,566	1,089
Darvel	1,225	1,226	1,230	1,226	1,224	1,003
Galston	1,462	1,461	1,462	1,448	1,451	1,247
Girvan	2,035	1,978	1,893	1,860	1,860	1,634
Irvine	5,147	5,044	4,874	4,784	4,646	3,074
Kilwinning	2,149	2,113	2,105	2,052	2,026	1,320
Largs	3,499	3,467	3,397	3,363	3,321	2,882

NOTE.—The figures in the above table are not strictly comparable between one year and another, because the boundaries of cities and burghs have, in a number of instances, been altered since 1939.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1956 to 1960—*contd.*

	1960	1959	1958	1957	1956	1939
Ayr County—<i>continued</i>						
Maybole	1,444	1,479	1,452	1,451	1,449	1,202
Newmilns and Greenholm	1,355	1,373	1,373	1,396	1,392	1,237
Prestwick	4,036	3,943	3,838	3,719	3,681	2,934
Saltcoats	4,621	4,583	4,497	4,317	4,125	2,980
*Stevenston	3,030	2,979	2,884	2,816	2,724	—
Stewarton	1,113	1,121	1,127	1,127	1,084	795
Troon	3,245	3,224	3,159	3,157	3,113	2,439
Landward	37,862	37,267	36,781	35,889	35,196	29,773
BANFF COUNTY	15,248	15,309	15,343	15,286	15,096	13,217
Small Burghs	9,090	9,104	9,113	9,076	8,924	7,545
Aberchirder	263	254	263	271	269	259
Aberlour	271	270	271	273	271	229
Banff	1,206	1,219	1,202	1,211	1,154	932
Buckie	2,286	2,291	2,294	2,281	2,255	1,912
Cullen	547	547	541	542	552	479
Dufftown	476	476	474	473	471	425
Findochty	454	455	455	457	451	371
Keith	1,362	1,360	1,375	1,362	1,312	1,144
Macduff	1,218	1,223	1,221	1,184	1,170	896
Portknockie	439	441	445	455	455	407
Portsoy	568	568	572	567	564	491
Landward	6,158	6,205	6,230	6,210	6,172	5,672
BERWICK COUNTY	7,815	7,831	7,832	7,912	7,801	7,856
Small Burghs	2,133	2,148	2,151	2,179	2,107	1,862
Coldstream	467	477	474	480	449	417
Duns	676	677	684	695	693	606
Eyemouth	759	760	759	771	731	624
Lauder	231	234	234	233	234	215
Landward	5,682	5,683	5,681	5,733	5,694	5,994
BUTE COUNTY	7,561	7,572	7,500	7,555	7,878	7,338
Small Burghs	4,745	4,754	4,747	4,772	4,898	4,470
Millport	1,255	1,264	1,264	1,261	1,261	1,207
Rothsay	3,490	3,490	3,483	3,511	3,637	3,263
Landward	2,816	2,818	2,753	2,783	2,980	2,868
CAITHNESS COUNTY	9,262	9,120	9,104	8,775	8,493	7,211
Small Burghs	4,590	4,415	4,392	4,030	3,763	2,846
Thurso	2,055	1,887	1,843	1,506	1,288	852
Wick	2,535	2,528	2,549	2,524	2,475	1,994
Landward	4,672	4,705	4,712	4,745	4,730	4,365
CLACKMANNAN CO.	13,373	12,976	12,518	12,138	12,083	9,025
Small Burghs	8,284	8,155	7,773	7,530	7,465	6,094
Alloa	4,883	4,684	4,418	4,291	4,259	3,423
Alva	1,441	1,509	1,409	1,311	1,310	1,198
Dollar	591	587	572	557	552	456
Tillicoultry	1,369	1,375	1,374	1,371	1,344	1,017
Landward	5,089	4,821	4,745	4,608	4,618	2,931
DUMFRIES COUNTY	27,470	27,106	26,787	26,705	26,778	21,490
Large Burgh	8,409	8,180	8,156	8,136	8,319	6,381
Dumfries	8,409	8,180	8,156	8,136	8,319	6,381
Small Burghs	5,489	5,452	5,420	5,336	5,265	4,002
Annan	1,849	1,812	1,744	1,681	1,604	1,057
Langholm	886	888	909	897	906	784
Lochmaben	392	393	393	380	380	292
Lockerbie	941	923	918	915	905	760
Moffat	704	707	713	720	722	611
Sanquhar	717	729	743	743	748	498
Landward	13,572	13,474	13,211	13,233	13,194	11,107

* Formation of new burgh, 1952.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1956 to 1960—*contd.*

	1960	1959	1958	1957	1956	1939
DUNBARTON COUNTY	53,767	53,250	52,560	51,855	50,993	39,258
Large Burghs	22,615	22,619	22,462	22,254	21,875	16,977
Clydebank	15,019	14,838	14,677	14,432	14,137	11,572
Dumbarton	7,596	7,781	7,785	7,822	7,738	5,405
Small Burghs	16,392	15,670	15,422	10,534	10,237	7,732
*Bearsden	5,188	4,856	4,696	—	—	—
Cove and Kilcreggan	385	381	373	384	375	351
Helensburgh	3,065	3,063	3,047	2,975	2,845	2,405
Kirkintilloch	4,950	4,698	4,545	4,508	4,380	3,242
Milngavie	2,804	2,672	2,761	2,667	2,637	1,734
Landward	14,760	14,961	14,676	19,067	18,881	14,549
EAST LOTHIAN CO.	16,103	16,111	15,979	15,907	15,801	12,767
Small Burghs	8,581	8,567	8,419	8,320	8,250	6,301
Cockenzie and Port Seton	1,139	1,142	1,144	1,112	1,114	738
Dunbar	1,376	1,387	1,377	1,377	1,384	1,163
East Linton	346	354	346	355	356	284
Haddington	1,576	1,522	1,411	1,431	1,445	1,168
North Berwick	1,372	1,391	1,385	1,390	1,371	1,005
Prestonpans	896	889	876	864	848	672
Tranent	1,876	1,882	1,880	1,791	1,732	1,271
Landward	7,522	7,544	7,560	7,587	7,551	6,466
FIFE COUNTY	99,614	98,864	98,112	97,134	96,276	75,928
Large Burghs	31,037	30,960	30,689	30,412	30,542	22,997
Dunfermline	14,558	14,301	14,095	13,907	14,004	10,309
Kirkcaldy	16,479	16,659	16,594	16,505	16,538	12,688
Small Burghs	35,488	35,308	34,973	34,591	34,284	27,768
Auchtermuchty	480	493	484	476	468	414
Buckhaven and Methil	6,530	6,510	6,425	6,413	6,319	4,516
Burntisland	2,159	2,065	2,014	1,973	1,983	1,621
Cowdenbeath	3,881	3,876	3,916	3,998	3,952	3,108
Crail	471	474	466	461	457	397
Culross	159	156	152	161	170	134
Cupar	1,911	1,894	1,856	1,859	1,838	1,558
Elie and Earlsferry	525	524	527	521	520	485
Falkland	377	371	376	386	377	294
Inverkeithing	1,287	1,311	1,301	1,259	1,221	881
Kilrenny, Anstruther						
Easter and Anstruther						
Wester	1,094	1,111	1,131	1,124	1,128	1,119
Kinghorn	811	782	803	811	797	698
Ladybank	452	453	453	454	452	391
Leslie	1,179	1,188	1,184	1,014	1,011	782
Leven	3,063	3,030	2,943	2,848	2,834	2,345
Lochgelly	2,791	2,800	2,698	2,670	2,630	2,118
Markinch	829	825	827	836	837	652
Newburgh	827	830	838	823	821	770
Newport-on-Tay	1,230	1,200	1,203	1,195	1,193	1,009
Pittenweem	614	619	621	610	601	534
St. Andrews	3,087	3,041	2,988	2,931	2,918	2,379
St. Monance	597	618	624	614	594	561
Tayport	1,134	1,137	1,143	1,154	1,163	1,002
Landward	33,089	32,596	32,450	32,131	31,450	25,163
INVERNESS COUNTY	25,335	25,174	24,940	24,808	24,670	20,773
Large Burgh	8,662	8,528	8,389	8,321	8,278	6,089
Inverness	8,662	8,528	8,389	8,321	8,278	6,089
Small Burghs	1,125	1,132	1,122	1,108	1,120	944
Fort William	781	787	776	770	774	636
Kingussie	344	345	346	338	346	308
Landward	15,548	15,514	15,429	15,379	15,272	13,740

*Formation of new burgh 1958.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1956 to 1960—*contd.*

	1960	1959	1958	1957	1956	1939
KINCARDINE COUNTY	8,156	8,133	8,109	8,102	8,144	7,119
Small Burghs	3,085	3,071	3,065	3,052	3,068	2,553
Banchory	640	626	629	611	614	514
Inverbervie	311	310	302	302	305	268
Laurencekirk	527	524	522	525	531	468
Stonehaven	1,607	1,611	1,612	1,614	1,618	1,303
Landward	5,071	5,062	5,044	5,050	5,076	4,566
KINROSS COUNTY	2,196	2,215	2,237	2,248	2,253	2,057
Small Burgh	800	800	802	815	806	716
Kinross	800	800	802	815	806	716
Landward	1,396	1,415	1,435	1,433	1,447	1,341
KIRKCUDBRIGHT CO.	9,222	9,207	9,180	9,274	9,490	8,315
Small Burghs	3,316	3,330	3,305	3,311	3,262	2,801
Castle Douglas	1,078	1,097	1,078	1,081	1,063	876
Dalbeattie	1,016	992	979	986	962	868
Gatehouse of Fleet	288	306	306	306	311	252
Kirkcudbright	798	797	799	798	787	663
New Galloway	136	138	143	140	139	142
Landward	5,906	5,877	5,875	5,963	6,228	5,514
LANARK COUNTY	488,897	486,666	483,295	478,100	473,082	400,057
Glasgow County of City	325,946	326,777	326,267	324,350	321,368	283,011
Large Burghs	66,401	65,565	64,502	63,190	62,159	47,604
Airdrie	9,608	9,397	9,100	8,832	8,671	6,276
Coatbridge	14,922	14,515	14,345	14,037	13,767	10,082
Hamilton	11,805	11,723	11,456	11,318	11,234	8,639
Motherwell and Wishaw	21,800	21,721	21,499	21,072	20,682	15,925
Rutherglen	8,266	8,209	8,102	7,931	7,805	6,682
Small Burghs	3,114	3,119	3,118	3,109	3,043	1,988
Biggar	530	526	523	521	524	415
Lanark	2,584	2,593	2,595	2,588	2,519	1,573
Landward	93,436	91,205	89,408	87,451	86,512	67,454
MIDLOTHIAN COUNTY	185,962	184,709	183,469	181,580	180,210	150,274
Edinburgh County of City	153,250	152,304	151,218	149,959	148,773	128,167
Small Burghs	13,692	13,640	13,701	13,618	13,491	9,949
Bonnyrigg and Lasswade	2,019	1,993	2,057	1,949	1,848	1,453
Dalkeith	2,655	2,631	2,598	2,655	2,617	1,901
Loanhead	1,489	1,488	1,490	1,474	1,477	959
Musselburgh	5,644	5,630	5,660	5,626	5,638	4,399
Penicuik	1,885	1,898	1,896	1,914	1,911	1,237
Landward	19,020	18,765	18,550	18,003	17,946	12,158
MORAY COUNTY	13,704	13,567	13,472	13,463	13,459	11,031
Small Burghs	7,826	7,747	7,688	7,610	7,580	5,787
Burghead	392	392	392	399	393	378
Elgin	3,576	3,529	3,534	3,494	3,456	2,474
Forres	1,475	1,485	1,432	1,416	1,426	1,148
Grantown-on-Spey	497	501	502	508	507	418
Lossiemouth and						
Branderburgh	1,532	1,486	1,465	1,425	1,429	1,033
Rothies	354	354	363	368	369	336
Landward	5,878	5,820	5,784	5,853	5,879	5,244
NAIRN COUNTY	2,690	2,688	2,702	2,661	2,581	2,281
Small Burgh	1,632	1,626	1,634	1,585	1,514	1,239
Nairn	1,632	1,626	1,634	1,585	1,514	1,239
Landward	1,058	1,062	1,068	1,076	1,067	1,042

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1956 to 1960—*contd.*

	1960	1959	1958	1957	1956	1939
ORKNEY COUNTY	6,187	6,243	6,222	6,234	6,242	6,087
Small Burghs	1,833	1,858	1,835	1,816	1,766	1,487
Kirkwall	1,326	1,338	1,310	1,287	1,251	1,044
Stromness	507	520	525	529	515	443
Landward	4,354	4,385	4,387	4,418	4,476	4,600
PEEBLES COUNTY	4,963	4,914	4,875	4,897	4,868	4,318
Small Burghs	2,933	2,897	2,879	2,889	2,873	2,475
Innerleithen	877	871	863	880	863	697
Peebles	2,056	2,026	2,016	2,009	2,010	1,778
Landward	2,030	2,017	1,996	2,008	1,995	1,843
PERTH COUNTY	41,056	41,025	40,667	40,571	40,014	34,217
Large Burgh	13,733	13,599	13,309	13,262	12,882	10,286
Perth	13,733	13,599	13,309	13,262	12,882	10,286
Small Burghs	9,126	9,151	9,116	9,137	9,019	7,128
Aberfeldy	547	543	542	547	531	437
Abernethy	239	239	239	241	240	199
Alyth	649	659	664	678	658	601
Auchterarder	848	852	841	844	845	680
Blairgowrie and Rattray	1,805	1,811	1,791	1,794	1,791	1,519
Callander	577	577	578	580	579	447
Coupar Angus	693	699	699	717	699	601
Crieff	1,774	1,777	1,772	1,753	1,758	1,559
Doune	260	258	262	270	274	253
Dunblane	1,011	1,012	1,010	988	921	832
*Pitlochry	723	724	718	725	723	—
Landward	18,197	18,275	18,242	18,172	18,113	16,803
RENFREW COUNTY	103,323	102,958	101,831	99,769	98,618	81,383
Large Burghs	58,167	58,612	58,362	57,144	56,331	46,882
Greenock	21,544	21,902	21,734	21,312	20,996	18,239
Paisley	30,626	30,662	30,549	29,970	29,415	24,284
Port Glasgow	5,997	6,048	6,079	5,862	5,920	4,359
Small Burghs	18,613	18,114	17,472	17,138	16,974	13,408
Barrhead	4,320	4,301	4,201	4,247	4,212	3,014
Gourock	3,364	3,268	3,253	3,192	3,191	2,693
Johnstone	5,043	4,774	4,475	4,257	4,183	3,373
Renfrew	5,886	5,771	5,543	5,442	5,333	4,328
Landward	26,543	26,232	25,997	25,487	25,333	21,093
ROSS AND CROMARTY COUNTY	18,009	17,903	17,897	17,771	17,649	15,993
Small Burghs	4,249	4,185	4,151	4,099	4,058	3,197
Cromarty	268	262	267	268	262	268
Dingwall	1,042	1,002	996	988	977	714
Fortrose	355	346	344	335	337	285
Invergordon	556	556	549	559	537	424
Stornoway	1,463	1,453	1,442	1,408	1,412	1,084
Tain	565	566	553	541	533	422
Landward	13,760	13,718	13,746	13,672	13,591	12,796
ROXBURGH COUNTY	14,709	14,715	14,750	14,903	14,932	12,972
Small Burghs	9,171	9,148	9,196	9,257	9,218	7,612
Hawick	5,893	5,875	5,869	5,909	5,832	4,978
Jedburgh	1,303	1,285	1,335	1,318	1,365	1,041
Kelso	1,393	1,405	1,417	1,460	1,448	1,120
Melrose	582	583	575	570	573	473
Landward	5,538	5,567	5,554	5,646	5,714	5,360

*Formation of new burgh 1947.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1956 to 1960—*contd.*

	196	1959	1958	1957	1956	1939
SELKIRK COUNTY	7,394	7,388	7,351	7,430	7,299	6,666
Small Burghs	6,589	6,582	6,526	6,571	6,441	5,697
Galashiels	4,541	4,516	4,451	4,481	4,371	3,985
Selkirk	2,048	2,066	2,075	2,090	2,070	1,712
Landward	805	806	825	859	858	969
STIRLING COUNTY	57,512	56,624	55,443	54,747	54,050	43,522
Large Burghs	20,564	20,127	19,642	19,364	18,839	16,205
Falkirk	12,113	11,814	11,547	11,387	11,024	9,490
Stirling	8,451	8,313	8,095	7,977	7,815	6,715
Small Burghs	11,888	11,799	11,452	11,320	11,062	8,112
Bridge of Allan	1,070	1,053	1,031	1,041	1,033	787
Denny and Dunipace	2,265	2,209	2,189	2,131	2,091	1,443
Grangemouth	5,568	5,568	5,285	5,257	5,051	3,690
Kilsyth	2,985	2,969	2,947	2,891	2,887	2,192
Landward	25,060	24,698	24,349	24,063	24,149	19,205
SUTHERLAND COUNTY	4,751	4,771	4,766	4,793	4,738	4,725
Small Burgh	286	280	276	274	269	225
Dornoch	286	280	276	274	269	225
Landward	4,465	4,491	4,490	4,519	4,469	4,500
WEST LOTHIAN CO.	27,888	27,677	27,100	26,280	25,927	19,476
Small Burghs	13,212	13,145	12,886	12,555	12,531	8,867
Armadale	1,954	1,928	1,898	1,861	1,859	1,281
Bathgate	4,024	4,024	3,907	3,718	3,688	2,569
Bo'ness	3,199	3,220	3,110	3,094	3,083	2,538
Linlithgow	1,421	1,407	1,403	1,357	1,399	959
Queensferry	913	916	917	869	861	542
Whitburn	1,701	1,650	1,651	1,656	1,641	978
Landward	14,676	14,532	14,214	13,725	13,396	10,609
WIGTOWN COUNTY	8,651	8,697	8,715	8,886	9,013	7,599
Small Burghs	4,062	4,062	4,077	3,954	3,853	2,973
Newton-Stewart	670	685	691	699	654	561
Stranraer	2,700	2,671	2,683	2,542	2,488	1,769
Whithorn	325	328	325	331	337	291
Wigtown	367	378	378	382	374	352
Landward	4,589	4,635	4,638	4,932	5,160	4,626
ZETLAND COUNTY	5,763	5,740	5,766	5,792	5,762	5,699
Small Burgh	1,738	1,733	1,704	1,705	1,701	1,461
Lerwick	1,738	1,733	1,704	1,705	1,701	1,461
Landward	4,025	4,007	4,062	4,087	4,061	4,238

Table 63. Meteorology of Scotland for 1960; also the Number of Births, Stillbirths, Deaths, Deaths under 1, and Marriages registered during each month of the Year 1960

	Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean of Maximum Temperature	54.1°	42.6°	42.5°	46.6°	55.3°	62.1°	67.1°	64.5°	64.5°	60.6°	53.7°	47.7°	41.8°
Mean of Minimum Temperature	41.9°	33.1°	31.1°	37.4°	41.5°	45.4°	51.0°	51.2°	50.6°	47.3°	45.0°	37.1°	32.6°
Mean Temperature	48.0°	37.9°	36.8°	42.0°	48.4°	53.7°	59.1°	57.8°	57.6°	53.9°	49.4°	42.4°	37.2°
Absolute Maximum	85°	62°	61°	66°	65°	77°	85°	74°	78°	72°	65°	59°	55°
Absolute Minimum	-8°	-2°	-8°	14°	21°	22°	33°	30°	30°	23°	21°	16°	10°
Rainfall (Normal 100)	97	89	123	65	124	70	92	96	126	73	88	111	104
Births (Living Children only)	101,292	8,105	8,170	8,955	8,721	8,972	8,483	8,483	8,554	8,018	8,674	7,886	8,271
Stillbirths	2,252	229	185	211	179	200	175	193	204	175	161	168	172
Deaths	61,764	5,704	5,951	5,539	5,167	5,131	4,470	4,426	4,711	4,568	4,877	5,132	6,088
Deaths under 1	2,673	249	241	240	223	219	231	188	205	203	227	209	238
Marriages	40,101	1,751	2,650	5,871	3,069	1,552	3,376	4,263	3,677	4,423	4,521	2,260	2,688
<div> <div>Births</div> <div>Stillbirths†</div> <div>Deaths</div> <div>Infant Mortality*</div> <div>Marriages</div> </div>	19.4	18.4	19.8	20.3	20.4	20.3	19.9	19.2	19.4	18.8	19.7	18.5	18.8
	22	27	22	23	20	22	20	22	23	21	18	21	20
	11.9	12.9	14.4	12.6	12.1	11.6	10.5	10.0	10.7	10.7	11.1	12.0	13.8
	26	31	29	27	26	24	27	22	24	25	26	27	29
Estimated Population	7.7	4.0	6.4	13.3	7.2	3.5	7.9	9.7	8.3	10.4	10.2	5.3	6.1

*Rate per 1,000 live births. †Rate per 1,000 births (including stillbirths).

Table 64. Deaths, Temperature and Rainfall in Seventeen Large Burghs of Scotland during each week of 1960

No. of Week	Week ended	Deaths (cor- rected for Transfers)	Death-rate (cor- rected per 1,000 of Population)	Temperature			Rain in inches	No. of Week	Week ended	Deaths (cor- rected for Transfers)	Death-rate (cor- rected per 1,000 of Population)	Temperature			Rain in inches
				Max.	Min.	Mean						Max.	Min.	Mean	
1	January	9	14.6	52	27	38.4	0.22	27	July	9	10.8	72	40	57.6	1.35
2		16	12.9	48	22	36.0	0.40	28		16	9.7	69	45	57.7	1.10
3		23	14.2	54	22	38.8	1.57	29		23	10.7	69	38	56.8	0.67
4		30	14.0	53	26	37.4	1.34	30		30	10.4	73	46	59.2	0.48
5	February	6	13.8	53	26	42.8	1.38	31	August	6	10.2	77	44	60.5	0.41
6		13	12.8	48	22	33.8	0.19	32		13	9.7	72	38	55.4	0.51
7		20	14.2	41	12	30.8	0.46	33		20	9.7	67	37	55.0	0.83
8		27	15.9	62	19	37.2	1.53	34		27	11.2	81	45	60.2	2.16
9	March	5	14.1	57	30	45.2	0.75	35	September	3	10.2	71	37	56.1	0.69
10		12	12.4	55	26	38.9	0.33	36		10	10.1	71	40	56.1	0.37
11		19	12.1	56	34	42.2	1.01	37		17	10.7	70	41	55.5	1.29
12		26	12.1	59	33	43.3	0.20	38		24	10.2	68	35	52.9	0.16
13	April	2	12.4	55	30	42.1	0.60	39	October	1	11.5	64	37	50.8	0.28
14		9	12.8	60	35	49.1	1.30	40		8	10.6	63	37	52.6	1.20
15		16	11.5	58	32	46.7	1.04	41		15	10.7	59	29	47.2	0.18
16		23	13.1	64	30	49.4	0.03	42		22	11.1	56	33	48.4	1.21
17		30	12.7	64	33	50.3	0.13	43		29	11.0	57	42	49.4	1.42
18	May	7	11.5	69	31	52.6	0.11	44	November	5	11.7	55	33	45.7	1.52
19		14	12.0	71	39	53.9	1.51	45		12	11.4	55	24	40.8	0.90
20		21	11.7	73	40	54.2	0.05	46		19	12.3	51	29	42.0	0.75
21		28	11.5	71	36	54.8	0.55	47		26	12.6	51	28	43.0	0.85
22	June	4	11.3	80	40	59.3	0.15	48	December	3	12.7	57	28	42.1	2.18
23		11	10.1	81	43	57.5	1.35	49		10	13.2	47	23	36.0	0.78
24		18	10.3	75	43	57.5	0.68	50		17	13.9	54	20	35.6	0.42
25		25	10.3	81	44	61.8	0.00	51		24	13.7	51	20	36.5	0.33
26	July	2	9.4	73	42	56.3	0.07	52		31	15.5	50	28	38.4	1.76

